Singer 15-75

Form 20954 (1057) Printed in U.S.A.

LIST of PARTS

FOR FAMILY SHOPS



SINGER"

MACHINE No. 15-75

THE SINGER MANUFACTURING COMPANY

** A Trademark of THE SINGER MANUFACTURING COMPANY

INDEX

PROPERTY OF

THE SINGER MANUFACTURING COMPANY

This is a private and confidential communication to and for the use of only the employees of The Singer Manufacturing Company and its affiliated companies. Reproduction, sale, distribution, or publication thereof to the public is farbidden.

| Accessories1 |
|--|
| Attachment Set |
| Bias Gauge 1: |
| Bobbin Winder 12 |
| Braider 1: |
| Feller (Foot) 1; |
| Finger Guard 13 |
| Hemmer Foot13 |
| Hemstitcher |
| Machine No. 15-75 |
| Numerical List of Parts1 |
| Presser Feet13 |
| Presser Foot with Adjustable Guides 14 |
| Quilter 14 |
| Ruffler Shirring Plate 14 |
| Seam Guide15 |
| Special Attachments |
| Stiletto 15 |
| Underbraider |

٠,

Page

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

- A-Hardened, Polished, Nickel Plated and Buffed
- B-Polished, Nickel Plated and Buffed
- C—Hardened Only
- D-Polished Only
- E-Soft, Not Polished
- F—Hardened and Polished
- G-Bright Rumbled and Nickel Plated
- H-Blued
- J-Nickel Plated Only
- K-Hardened and Nickel Plated
- L—Brass Plated
- M-Oxidized
- R—Phosphate Coating Formed on Surface of Iron or Steel
- S-Cadmium Plated
- T—Copper Plated
- U-Zinc Plated
- V—Silver Plated
- W-Polished and Nickel Plated
- X-Black Oxide for Iron and Steel
- Y-Black Nickel Plated Only
- **Z**—Chromium Plated
- A.A.—Buffed and Chromium Plated
- A.B—Hardened, Polished, Buffed and Chromium Plated
- A.E—Hardened, Bright Rumbled and Nickel Plated
- A.F—Hardened, Bright Rumbled, Nickel Plated,
 - Bright Rumbled and Chromium Plated
- A.G—Alumilite (Plain)
- A.H—Alumilite (Dyed) Color Must be Stated
- A.J-Polished, Nickel Plated and Chromium Plated
- A.K—Hardened, Polished, Nickel Plated and Chromium Plated
- A.L—Heat Treated for Toughness
- A.L.D—Heat Treated for Toughness and Polished
- A.L.X—Heat Treated for Toughness and Black Oxide

INSTRUCTIONS FOR ORDERING

- A.S-Black Moulded Phenolic
- A.T-Beige Moulded Phenolic
- A.U-Brown Moulded Phenolic
- A.W—Hardened then Flame Coated with Tungsten
 Carbide
- B.A-Chrome Nickel Satin Finish
- B.B-Hardened and Chrome Nickel, Satin Finished
- C.R—Hardened and Phosphate Coating Formed on Surface of Steel
- F.J-Hardened, Polished and Nickel Plated
- T.A.—Hardened, Polished, Copper and Nickel Plated and Buffed
- T.B—Copper and Nickel Plated and Polished
- T.J-Copper and Nickel Plated Only
- T.K—Hardened, Copper and Nickel Plated
- T.L—Copper and Brass Plated
- T.M-Copper Plated and Oxidized
- X.C-Hardened and Black Oxide for Iron and Steel
- Z.A—Hardened, Polished Nickel Plated, Buffed and Chromium Plated
- Z.B—Polished, Nickel Plated, Buffed and Chromium
 Plated
- Z.C—Hardened and Chromium Plated
- Z.D—Polished and Chromium Plated
- Z.G—Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated
- Z.J-Nickel and Chromium Plated
- Z.T—Copper and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500, 50001 to 51500 and 140001 to 142,000 are screw numbers

1501 to 1800 and 51500 to 51800 are nut numbers

1801 to 2000 and 51801 to 52000 are roller numbers

2001 to 50000 and 52001 to 140000 and 142001 to


190000 are Sewing Machine Parts, 190001 and up-

ward are numbers of Electrical Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at the factory.

LIST OF PARTS COMPLETE FOR



MACHINE NO. 15-75

| No. | PLATE | NAME |
|----------------|----------------|--|
| *171537 | | ARM WITH 435AL, 15498, 81110, 125331, 125334, TRADE MARK, NUMBER PLATE, |
| | | AND FOUR 140543L |
| *171538 | · | QUIRED MUST BE SPECIFIED. ARM AND BED ASSEMBLY WITH 125255, 171537, TWO 2002 AND THREE 138E |
| | NOTE: | WHEN ORDERING NO. 171538, COLOR REQUIRED MUST BE SPECIFIED. |
| 2002 125331 | 26106 26106 | ARM DOWEL PIN (2) |
| 123331 | 20100 | ARM OIL PAD (FELT) FOR OILING ARM SHAFT BACK BEARING |
| 81110 | 26106 | ARM OIL PAD SPRING |
| 125334 | 26106 | ARM OIL PAD SPRING CAP. |
| 138E | 26106 | ARM SCREW (3) |
| 125253 | 26106 | ARM SHAFT |
| 125254 | | ARM SHAFT 125253 WITH 15434. 15498 |
| | | AND 125045 |
| | 26106 | ARM SHAFT BUSHING |
| 435AL | 26106 | ARM SHAFT BUSHING SET SCREW |
| 125466 | 26001 | ARM SIDE COVER |
| | NOTE: | WHEN ORDERING No. 125466, COLOR RE- |
| | | QUIRED MUST BE SPECIFIED. |
| 51224ZB | 26001 | ARM SIDE COVER THUMB SCREW |
| 2007ZG | 26107 | ARM SPOOL PIN |
| 8879 | 26107 | ARM SPOOL PIN WASHER |
| *125255 | | BED |
| 256ZB | 26106 | CLAMP STOP MOTION CLAMP SCREW |
| 248ZA | 26106 | CLAMP STOP MOTION CLAMP STOP SCREW |
| 171502 | 26106 | CLAMP STOP MOTION CLAMP WASHER |
| 15312 | | CLAMP STOP MOTION FLANGED BUSHING |
| 15313 | 26106 | CLAMP STOP MOTION FLANGED BUSHING |
| | | |

| No. | PLATE | Name |
|-----------------|-------|--|
| 462AL | 26106 | CLAMP STOP MOTION FLANGE BUSHING SET |
| 15314 | | Screw (2) |
| 125021 | 26106 | CRANK CONNECTING ROD WITH 125044 AND TWO 896AL |
| 896AL | 26106 | CRANK CONNECTING ROD CAP SCREW (2) |
| 375C | 26106 | CRANK CONNECTING ROD HINGE SCREW CRANK CONNECTING ROD HINGE SCREW NUT |
| 1518R | 26106 | CRANK CONNECTING ROD HINGE SCREW NUT |
| 125044 | 26106 | CRANK CONNECTING ROD OIL PAD (FELT). |
| 125467 | 26107 | FACE PLATE WITH 15410, 125258 AND 125472 |
| 125468 | 26107 | FACE PLATE 125467 WITH 857ZB, 50292ZB AND 125317 |
| 125469 | 26107 | FACE PLATE COMPLETE, Nos. 125418 AND 125468 |
| 125470 | | FACE PLATE THREAD GUARD |
| 125472 | 26107 | FACE PLATE THREAD GUARD 125470 WITH |
| 125373 | | 125373 FACE PLATE THREAD GUARD RIVET |
| 51224ZB | 26107 | FACE PLATE THUMB SCREW (LOWER) |
| 51354J | 26107 | FACE PLATE THUMB SCREW (UPPER) |
| 2835 | 26103 | FEED BAR |
| 315C | 26103 | FEED BAR SCREW CENTER (2) |
| 15445 | | FEED BAR SCREW CENTER 315C WITH |
| 1519R | 26103 | 1519R (2) FEED BAR SCREW CENTER NUT (2) |
| 125386 | 26103 | FEED BAR THROW-OUT LEVER WITH 1813 |
| 125349 | 26103 | FEED BAR THROW-OUT LEVER RETAINING RING |
| 1904 | 26103 | FEED BAR THROW-OUT LEVER ROLLER |
| 1813 | | FEED BAR THROW-OUT LEVER ROLLER AND STUD, Nos. 1904 AND 125060 |
| 125060 | | FEED BAR THROW-OUT LEVER ROLLER STUD |
| 125387 | | FEED BAR THROW-OUT LEVER SPRING |
| 51289X | 26103 | FEED BAR THROW-OUT LEVER SPRING FEED BAR THROW-OUT LEVER THUMB SCREW |
| 125045 | 26106 | FEED CAM AND COUNTERBALANCE WITH 1285AL |
| 1285AL | 26106 | FEED CAM AND COUNTERBALANCE POSITION |
| 125261 | 26102 | SCREW FEED DOG, 12 TEETH (14 TEETH TO THE |
| 20041 | 26102 | INCH),,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| 208AL 125262 | 26102 | FEED DOG SCREW (2)FEED FORKED CONNECTION WITH 175R |
| 125340 | | FEED FORKED CONNECTION 125262 WITH |
| 4755 | 00100 | 125335 |
| 175R | 26106 | FEED FORKED CONNECTION ADJUSTING SCREW |
| 1381C | 26106 | FEED FORKED CONNECTION HINGE SCREW (ECCENTRIC) |
| 1520R | 26106 | FEED FORKED CONNECTION HINGE SCREW |
| 125047 | 26106 | Nut FEED FORKED CONNECTION SLIDE BLOCK |
| 125335 | | FEED FORKED CONNECTION SLIDE BLOCK |
| 1085E | 26106 | 125047 WITH 1085E |
| TOOSE | 20.00 | SCREW STUD |
| 125263 | 26103 | SCREW STUD |
| 125388 | 26103 | FEED LIFTING ROCK SHAFT CRANK WITH |
| 157R | 26103 | 157R FEED LIFTING ROCK SHAFT CRANK CLAMP- |
| 1310 | 20100 | ING SCREW |

| No. | PLATE | Name |
|------------------|-------|---|
| 125389 | | FEED LIFTING ROCK SHAFT CRANK COM- PLETE, NOS. 51289X, 125386, |
| 125390 | | 125387 AND 125388FEED LIFTING ROCK SHAFT COMPLETE |
| 304C | 26103 | Nos. 125263, 125349 AND 125389 FEED LIFTING ROCK SHAFT SCREW CENTER |
| 125344 . | | (2) FEED LIFTING ROCK SHAFT SCREW CENTER 304C WITH 1513R (2) |
| 1513R | 26103 | FEED LIFTING ROCK SHAFT SCREW CENTER NUT (2) |
| 125397 | 26106 | FEED REGULATORFEED REGULATOR 125397 WITH 125381 |
| 125398 50353E | 26106 | FEED REGULATOR 120397 WITH 120301 |
| 125399 | 26106 | FEED REGULATOR HINGE SCREW FRICTION |
| 120000 | 20,00 | WASHER |
| 45305 | 26001 | FEED REVERSING HANDLE |
| 125381 | | FEED REVERSING HANDLE 45305 WITH |
| 1550R | 26001 | 1550R FEED REVERSING HANDLE LOCK NUT |
| 125270 | 26103 | |
| 304C | 26103 | FEED ROCK SHAFTFEED ROCK SHAFT SCREW CENTER (2) |
| 125344 | | FEED ROCK SHAFT SCREW CENTER 304C |
| | | with 1513R (2) |
| 1513R | 26103 | FEED ROCK SHAFT ŞCREW CENTER NUT (2) |
| 125473 | 26106 | HAND WHEEL (DISC) 2-1/4 IN. PULLEY |
| | NOTE: | WHEN ORDERING No. 125473, COLOR RE- QUIRED MUST BE SPECIFIED. |
| 51045AL | 26106 | Machine Hinge Connection Set Screw (2) |
| 125377 | 26104 | NEEDLE BAR |
| 125273 | 26104 | NEEDLE BAR BUSHING WITH 125274 |
| 125274 | 26104 | NEEDLE BAR BUSHING OIL PAD (FELT) |
| 1498AL | 26104 | NEEDLE BAR BUSHING SET SCREW |
| 15248 | 26104 | Needle Bar Connecting Link with 51002E |
| 125275 | | NEEDLE BAR CONNECTING LINK 15248 WITH 125276 |
| 51002E | 26104 | NEEDLE BAR CONNECTING LINK ADJUSTING SCREW |
| 570C | 26106 | NEEDLE BAR CONNECTING LINK HINGE Screw |
| 152 0 R | 26106 | NEEDLE BAR CONNECTING LINK HINGE SCREW NUT |
| 125276 | 26104 | Needle Bar Connecting Stud with 1341AL |
| 1341AL | 26104 | NEEDLE BAR CONNECTING STUD SET SCREW |
| 45334 | 26104 | NEEDLE CLAMP BODY WITH 140545ZC |
| 45285 125378 | 26104 | NEEDLE CLAMP BODY 45334 WITH 51308ZJ NEEDLE CLAMP GIB AND THREAD GUARD |
| 51308ZJ | 26104 | NEEDLE CLAMP GIB AND THREAD GUARD |
| 140545ZC | 26104 | NEEDLE CLAMP THUMB SCREW |
| | | NUMBER PLATE |
| 140543L | | NUMBER PLATE |
| 125280 | 26103 | OSCILLATING ROCK SHAFT WITH 125056 |
| 125048 | 26103 | OSCILLATING ROCK SHAFT CENTER (LEFT) |
| 51246AL | 26103 | OSCILLATING ROCK SHAFT CENTER (LEFT) |
| 125049 | 26103 | SET SCREW |
| 51246AL | 26103 | OSCILLATING ROCK SHAFT CENTER (RIGHT) SET SCREW |
| 125056 | 26103 | OSCILLATING ROCK SHAFT OIL WICK |
| - - | | (BRAIDED COTTON) |

| No. | PLATE | NAME |
|--------------------------|----------------|---|
| 125500 125284 | 26103 26103 | Oscillating Shaft |
| 462AL 125330 | 26103 26103 | OSCILLATING SHAFT CRANK SET SCREW (2) |
| 125061 | 26103 | OSCILLATING SHAFT CRANK SLIDE BLOCK |
| 125474 | 26104 | PRESSER BAR LIFTER |
| 15486 | 26104 | PRESSER BAR LIFTER HINGE STUD |
| 140712AL | 26104 | PRESSER BAR LIFTER HINGE STUD SET |
| 80011 | 26104 | PRESSER BAR SPRING |
| 2068 | 26104 | Presser Bar Spring Bracket with 453AL |
| 453AL | 26104 | PRESSER BAR SPRING BRACKET SET SCREW. |
| 2070 | 26104 | PRESSER BAR SPRING WASHER |
| 4532 1 512242B | 26102 26102 | PRESSER FOOT (HINGED) |
| 51228ZJ | 26102 | PRESSER FOOT THUMB SCREW PRESSURE REGULATING THUMB SCREW |
| 66773 | | PRESSURE REGULATING THUMB SCREW |
| | | 51228ZJ WITH 66752 |
| 66752 | 26104 | PRESSURE REGULATING THUMB SCREW PLUG |
| 125453 | 26105 | (FELT WICK) |
| 125287 | 26105 | SHUTTLE BOBBIN CASE LATCH |
| 125320 | 26105 | SHUTTLE BOBBIN CASE LATCH LEVER |
| 2974 | 26105 | SHUTTLE BOBBIN CASE LATCH LEVER |
| 2975 | 26105 | FULCRUM PIN SHUTTLE BOBBIN CASE LATCH SPRING |
| 592E | 26105 | SHUTTLE BORRIN CARE LATCH STOR SCOTE |
| 125288 | 26105 | SHUTTLE BOBBIN CASE HINGE, Nos. 2974, 125287 AND 125320. |
| 125290 | 26105 | SHUTTLE BOBBIN CASE POSITION PLATE |
| 391R | 26105 | SHUTTLE BOBBIN CASE POSITION PLATE SCREW (2) |
| 125291 | 26105 | SHUTTLE BOBBIN CASE COMPLETE, Nos. 591F, 592E, 2975, 125288 AND |
| 105000 | | 125293 |
| 125292 | 26105 | SHUTTLE BODY |
| 591F 125293 | 26105 26105 | SHUTTLE TENSION REGULATING SCREW |
| 125294 | 26105 | SHUTTLE TENSION SPRING |
| | | 143491, 143494 AND 143453 |
| 125297 125322 | 26103 | SHUTTLE DRIVER WITH TWO 1253AL |
| 123322 | | SHUTTLE DRIVER, 125297 WITH 125298 AND TWO 51229E |
| 125298 | 26103 | SHUTTLE DRIVER CUSHION SPRING |
| 5122 9E | 26103 | SHUTTLE DRIVER CUSHION SPRING SHUTTLE DRIVER CUSHION SPRING SCREW |
| 1253AL | 26103 | (2) |
| 125299 | 26105 | SHUTTLE DRIVER SET SCREW (2) SHUTTLE RACE BACK |
| 125301 | 26105 | SHUTTLE RACE BACK POSITION PIN (2) |
| 125302 | 26105 | SHUTTLE RACE BACK SPRING |
| 51261R | 26105 | SHUTTLE RACE BACK SPRING THUMB SCREW. |
| 125303 | 26105 | SHUTTLE RACE BODY |
| 125304 | | SHUTTLE RACE BODY 125303 WITH 125305 |
| 125300 | | AND TWO 662R |
| 125305 | 26105 | SHUTTLE RACE CAP |
| 662R | 26105 | SHUTTLE RACE CAP SCREW (2) |
| 125306 | 26105 | SHUTTLE RACE COMPLETE, Nos. 51261R, 125299, 125300 AND 125302 |
| 1 45J | 26105 | SHUTTLE RACE SCREW (2) |

| PARTS FOR MACHINE NO. 15-75 | | |
|--|--|--|
| No. | PLATE | Name |
| 125337 51282ZJ 125338BA | 26102 26102 26102 | SHUTTLE RACE SLIDE SPRING |
| 125475 | 26001 NOTE: | TWO 51282ZJ |
| 335ZB 125481 125479 | 26001 26001 | STITCH INDICATOR PLATE SCREW (2) STITCH REGULATING PLATE 125481 WITH 45310, 51312ZB, 125400 AND 125475. |
| | NOTE: | WHEN ORDERING No. 125479, COLOR RE- QUIRED MUST BE SPECIFIED. |
| 51312ZB 45310 | 26001 26001 | STITCH REGULATING THUMB SCREW |
| 125400 | 26001 | STITCH REGULATING THUMB SCREW FRICTION WASHER. |
| 2:102 125421AH | 26107 26107 NOTE: | TENSION DISC (2) |
| 125416AH | 26107 NOTE: | TENSION INDICATOR FLANGE |
| 45865 51682ZB | 26107 26107 | TENSION INDICATOR FLANGE STOP WASHER. TENSION REGULATING THUMB NUT WITH |
| 45339 | 26107 | 45339 TENSION REGULATING THUMB NUT ENGAGING PIN |
| 125417 125314 140175ZJ 125420 15410 50292ZB 125418AH | 26107 26107 26107 26107 26107 26107 | Tension Releasing Pin. Tension Spring. Tension Stud. Tension Stud 140175ZJ with 51682ZB Tension Stud Bushing. Tension Stud Set Screw. Tension (graduated) complete, Nos. 45865, 125314, 125316, 125416, 125417, 125419, 125420, 125421 AND TWO 2102. |
| | NOTE: | WHEN ORDERING NO. 125418, COLOR RE~ QUIRED MUST BE SPECIFIED. |
| 26075 15272 15434 | 26104 26106 | THREAD CUTTER AND HOLDER THREAD TAKE-UP CAM WITH 140511AL THREAD TAKE-UP CAM 15272 WITH 570C AND 1520R |
| 140511AL *125382 125383 | 26106 26106 | THREAD TAKE-UP CAM POSITION SCREW THREAD TAKE-UP LEVER WITH 1822 THREAD TAKE-UP LEVER 125382 WITH 50527C |
| 50527C 1822 125316 125317 857ZB | 26106 26106 26107 26107 26107 | THREAD TAKE-UP LEVER HINGE SCREW THREAD TAKE-UP LEVER ROLLER AND STUD. THREAD TAKE-UP SPRING THREAD TAKE-UP SPRING REGULATOR THREAD TAKE-UP SPRING REGULATOR SET |
| 125419 | 26107 | SCREWTHREAD TAKE-UP SPRING THREAD GUARD |
| 173585 | 26102 NOTE: | AND TENSION THREAD GUIDE |
| 691BB | 26102 | THROAT PLATE SCREW (2) |
| 140543L | | Trade Mark |

ACCESSORIES

| No. | PLATE | Name |
|---|---|---|
| 2007ZG 120855 125453 | 26016 26105 | ARM SPOOL PIN |
| | | BOBBIN WINDER |
| No. | PLATE | Name |
| 15072 125476 | 26009 26009 NOTE : | BOBBIN POSITION PINBRACKET (BELT COVER) |
| 158R 66670 | 26009 26009 NOTE: | BRACKET SCREW (2) FRAME. WHEN ORDERING NO. 66670, COLOR RE- QUIRED MUST BE SPECIFIED. |
| 125366 | 26009 NOTE: | FRAME 66670 WITH 15288 AND 125068 WHEN ORDERING NO. 125366, COLOR REQUIRED MUST BE SPECIFIED. |
| 51319ZJ 66601 15287 | 26009 26009 26009 NOTE: | FRAME HINGE SCREW |
| 15288 125068 8879 | 26009 26009 26107 NOTE: | PULLEY |
| 125376 51303ZJ 125462 125395 125396 | 26009 26009 26009 26009 26009 | STOP LATCH |
| 193ZB 45915 45916 45847 140138ZB 125326 190ZB 125478 | 26009 26009 26009 26009 26009 26009 26009 | Tension Bracket Screw. Tension Disc |
| | | QUIRED MUST BE SPECIFIED. |

BIAS GAUGE

| No. | PLATE | Name |
|-----------------|----------------|--|
| 25525 | | BIAS GAUGE |
| BRAIDER | | |
| No. | PLATE | Name |
| 25510 289B | 26016 26016 | |
| | | FELLER (Foot) |
| No. | PLATE | Name |
| 120914 | 26016 | FELLER (F00T) |
| | | |
| | | FINGER GUARD |
| No. | PLATE | Name |
| 121725 | 26017 | FINGER GUARD |
| | | HEMMER (Foot) |
| No. | PLATE | NAME |
| 120962 25893 | 26016 26016 | |
| | | HEMSTITCHER |
| No. | PLATE | NAME |
| 120687 | 26016 | HEMSTITCHER WITH YIELDING PRESSER PLATE |
| | | PRESSER FEET |
| No. | PLATE | Name |
| 36058 | 26016 | |
| | NOTE: | FOR BLIND STITCH CORDING, TO TURN SMALL CURVES |
| 36059 | 26016 | PRESSER FOOT CORD GUIDE |

| • | _ |
|---|---|
| | |

with 51395W.....

RUFFLER SHIRRING PLATE THUMB SCREW...

26017

51395W

121464, two 8879 AND SIX NEEDLES (15x1, three each of Sizes 11 AND 14)....

SET OF ATTACHMENTS NO. 160811 (Brazil only - less needles)

| No. | PLATE | · NAME |
|---|---|---|
| 121464 36865 121441 35931 120598 25537 120378 160811 | 26015 26015 26015 26015 26015 26015 26015 | BINDER EDGE STITCHER GATHERING FOOT (DOUBLE TOE) HEMMER (ADJUSTABLE) SCREW DRIVER (MACHINE) SCREW DRIVER (SHUTTLE TENSION). SET OF ATTACHMENTS (LESS NEEDLES) COMPLETE, NOS. 25537, 35931, 36865, 120378, 120598, 121441, 121464 AND TWO 8879 |

SPECIAL ATTACHMENTS

| No. | PLATE | NAME |
|--------|-------|---------------------------------------|
| 161102 | | AUTOMATIC ZIGZAGGER ATTACHMENT |
| 160506 | | BUTTONHOLER |
| 35505 | | EMBROIDERY ATTACHMENT FOR TWO THREADS |
| 26538 | | STYLE-O-MATEC ATTACHMENT |
| 121634 | | NEEDLE THREADER AND SEAM RIPPER |
| 35985 | | TUBULAR TRIMMING ATTACHMENT |
| 160858 | | DARNING ATTACHMENT (STRIPPER FOOT) |
| 160719 | | DARNING AND EMBROIDERY ATTACHMENT |
| 160741 | | WALKING PRESSER FOOT |
| 161127 | | ZIPPER FOOT (LEFT OR RIGHT) ADJUST~ |
| | | ABLE, HINGED |

NUMERICAL LIST OF PARTS

| No. | PLATE | NAME |
|----------------------|-------------------------|--|
| 138E 145J 157R | 26106 26105 26103 | ARM SCREW, FOR 171538 |
| 158R 175 R | 26009 26106 | BOBBIN WINDER BRACKET SCREW FEED FORKED CONNECTION ADJUSTING SCREW, FOR 125262 |
| 190ZB | 26009 | BOBBIN WINDER TRIPPING ARM SCREW, FOR 125478 |
| 193ZB | 26009 | BOBBIN WINDER TENSION BRACKET SCREW |
| 208AL | 26102 | FEED DOG SCREW |
| 248ZA | 26106 | CLAMP STOP MOTION CLAMP STOP SCREW, FOR 15314 |
| 256ZB | 26106 | CLAMP STOP MOTION CLAMP SCREW, FOR 15314 |
| 289B | 26016 | BRAIDER THUMB SCREW |
| 304C | 26103 | FEED LIFTING ROCK SHAFT SCREW CENTER, FOR 125344 |
| 304C | 26103 | FEED ROCK SHAFT SCREW CENTER, FOR 125344 |
| 315C | 26103 | FEED BAR SCREW CENTER, FOR 15445 |
| 335ZB 337D | 26001 26017 | STITCH INDICATOR PLATE SCREW PRESSER FOOT GRADUATED ADJUSTABLE |
| 5510 | 20011 | Guide Clamp Screw, for 121717 |
| 375C | 26106 | CRANK CONNECTING ROD HINGE SCREW |
| 391R | 26105 | SHUTTLE BOBBIN CASE POSITION PLATE SCREW, FOR 125300 |
| 435AL | 26106 | ARM SHAFT BUSHING SET SCREW, FOR |
| 453AL | 26104 | FOR 2068 |
| 462AL | 26106 | CLAMP STOP MOTION FLANGED BUSHING SET SCREW, FOR 15313 |
| 462AL | 26103 | OSCILLATING SHAFT CRANK SET SCREW, FOR 125284 |
| 5,70C | 26106 | Needle Bar Connecting Link Hinge Screw, for 15434 |
| 591F | 26105 | Shuttle Tension Regulating Screw, for 125291 |
| 592E | 26105 | SHUTTLE BOBBIN CASE LATCH STOP SCREW, FOR 125291 |
| 662R 665B | 26105 26016 | SHUTTLE RACE CAP SCREW, FOR 125304 PRESSER FOOT CORD GUIDE SCREW, FOR |
| | | 36058 |
| 691BB | 26102 | THROAT PLATE SCREW |
| 857ZB | 26107 | THREAD TAKE-UP SPRING REGULATOR SET SCREW, FOR 125468 |
| 896AL | 26106 | CRANK CONNECTING ROD CAP SCREW, FOR |
| 1085€ | 26106 | 125021 |
| 1253AL | 26103 | SCREW STUD, FOR 125335 |
| 1285AL | 26102 | FEED CAM AND COUNTERBALANCE POSITION |
| 1341AL | 26104 | SCREW, FOR 125045 |
| 1381C | 26106 | FOR 125276 |
| 1498AL | 26104 | (ECCENTRIC) NEEDLE BAR BUSHING SET SCREW |
| | | |

| No. | PLATE | Name |
|--------------------------------|----------------------------------|---|
| 1513R | 26103 | FEED LIFTING ROCK SHAFT SCREW CENTER |
| 1513R | 26103 | |
| 1518R 1519R 1520R | 26106 26103 26106 | FEED BAR SCREW CENTER NUT. FOR 15445. |
| 1520R | 26106 | NUT |
| 1550R | 26001 | SCREW NUT, FOR 15434FEED REVERSING HANDLE LOCK NUT, FOR |
| 1813 | | 125381 FEED BAR THROW-OUT LEVER ROLLER AND STUD, Nos. 1904 AND 125060, FOR |
| 1822 | 26106 | |
| 1904 | 26103 | FOR 125382 FEED BAR THROW-OUT LEVER ROLLER, FOR |
| 2002 2007ZG 2068 2070 | 26106 26107 26104 26104 | 1813ARM DOWEL PIN, FOR 171538ARM SPOOL PIN PRESSER BAR SPRING BRACKET WITH 453AL PRESSER BAR SPRING WASHER. |
| 2102 | 26107 | TENSION DISC FOR 125418 |
| 2835 | 26103 | FEED BAR |
| 2974 | 26105 | SHUTTLE BOBBIN CASE LATCH LEVER |
| 2975 | 26105 | FULCRUM PIN, FOR 125288 |
| 8879 | 26107 | ARM SPOOL PIN WASHER, FOR 160809, 160810 AND 160811 |
| | NOTE: | WHEN ORDERING No. 8879, COLOR RE- |
| | | QUIRED MUST BE SPECIFIED. |
| 8879 | 26107 | BOBBIN WINDER SPOOL PIN WASHER, FOR 160809, 160810 AND 160811 |
| | NOTE: | WHEN ORDERING No. 8879, COLOR RE- |
| 15072 | 26009 | BOBBIN WINDER BOBBIN POSITION PIN, FOR 125068. |
| 15248 | 26104 | NEEDLE BAR CONNECTING LINK WITH 51002E, FOR 125275 |
| 15272 | 26106 | THREAD TAKE-UP CAM WITH 140511AL, FOR 15434 |
| 15287 | 26009 | BOBBIN WINDER FRICTION RING (RUBBER) FOR 125478. |
| | NOTE: | WHEN ORDERING NO. 15287, COLOR RE- |
| 15288 | 26009 | BOBBIN WINDER PULLEY, FOR 125366 |
| 15312 | | CLAMP STOP MOTION FLANGED BUSHING. |
| 15313 | 26106 | FOR 15313CLAMP STOP MOTION FLANGED BUSHING 15312 WITH TWO 462AL, FOR 15314 |
| 15314 | | CLAMB STOR MOTION COND. CTC. No. |
| 15410 | 26107 | Teneron Stap Bushing Ton 105167 |
| 5434 | | 248ZA, 256ZB, 15313 AND 171502 TENSION STUD BUSHING, FOR 125467 THREAD TAKE-UP CAN 15272 WITH 570C |
| 5445 | | AND 1520R, FOR 125254 |
| 5486 | 26104 | FEED BAR SCREW CENTER 315C WITH 1519R |
| 5498 | 26106 | PRESSER BAR LIFTER HINGE STUD ARM SHAFT BUSHING, FOR 125254 AND 171527 |
| 25510 | 26016 | 171537 Braider |

| No. | PLATE | NAME |
|-------------------------|----------------|--|
| 25525 25527 25537 | 26017 26015 | |
| 25539 25893 25978 | 26016 26016 | STILETTO HEMMER FOOT FOR 1/4 IN. HEM PRESSER FOOT (SINGLE TOE) FOR GATHER- ING. |
| 26075 26538 | 26104 | THREAD CUTTER AND HOLDERSTYLE-O-MATIC ATTACHMENT (SPECIAL ATTACHMENTS) |
| 35002 35003 | 26017 26017 | PRESSER FOOT EXTENSION FOR 121717 PRESSER FOOT GRADUATED ADJUSTABLE GUIDE (LONG, LEFT), FOR 121718 |
| 35004 | 26017 | Presser Foot Graduated Adjustable |
| 35005 | 26017 | Guide (LONG, RIGHT), FOR 121718 PRESSER FOOT GRADUATED ADJUSTABLE |
| 35006 | 26017 | GUIDE (SHORT, RIGHT), FOR 121718 PRESSER FOOT GRADUATED ADJUSTABLE GUIDE (SHORT, RIGHT) FLUSH, FOR |
| 35135 | 26017 | 121718 PRESSER FOOT GRADUATED ADJUSTABLE |
| 35206 | 26017 | GUIDE CLAMP, FOR 121717 PRESSER FOOT GRADUATED ADJUSTABLE GUIDE CLAMP LEVER, FOR 121717 |
| 35505 | | EMBROIDERY ATTACHMENT FOR TWO THREADS (SPECIAL ATTACHMENTS) |
| 35931 | 26015 | HEMMER (ADJUSTABLE) FOR 160809, 160810 AND 160811 |
| 35932 35985 | 26017 | QUILTER TUBULAR TRIMMING ATTACHMENT (SPECIAL |
| 36058 | 26016 | ATTACHMENTS)Presser Foot with 665B and 36059 for BLIND STITCH CORDING TO TURN SMALL |
| 00050 | NOTE: | CURVES |
| 36059 | 26016 NOTE: | |
| 36067 | 26016 | OF CORD FOR WHICH IT IS TO BE USED. PRESSER FOOT, FOR BRAIDING, FOR ART WORK, FOR BRAID 1/16 in. TO 3/16 |
| | NOTÉ : | WHEN ORDERING NO. 36067, STATE THE SIZE OR SEND SAMPLE OF BRAID FOR WHICH IJ IS TO BE USED. |
| 36696 | 26017 | PRESSER FOOT GRADUATED ADJUSTABLE GUIDE CLAMP STEADY PIN, FOR 121717 |
| 36865 | 26015 | EDGE STITCHER FOR 160809, 160810 AND |
| 45285 45305 45310 | 26001 26001 | 160811 |
| 45321 45334 | 26102 26104 | PRESSER FOOT (HINGED) NEEDLE CLAMP BODY WITH 1405452C. FOR |
| 45339 | 26107 | 45285TENSION REGULATING THUMB NUT ENGAGING |
| 45847 | 26009 | PIN, FOR 51682ZBBOBBIN WINDER TENSION DISC SPRING, |
| 45865 | 26107 | FOR 125396 TENSION INDICATOR FLANGE STOP WASHER, FOR 125418 |

| No. | PLATE | Name |
|--------------------|----------------|---|
| 45915 | 26009 | BOBBIN WINDER TENSION DISC, FOR |
| 45916 | 26009 | 125396 Bobbin Winder Tension Disc Screw Washer, for 125396 |
| 50053ZB 50292ZB | 26017 26107 | SEAM GUIDE THUMB SCREW |
| 50353E | 26106 | FEED REGULATOR HINGE SCREW |
| 50527C | 26106 | THREAD TAKE-UP LEVER HINGE SCREW, FOR 125383 |
| 51002E | 26104 | NEEDLE BAR CONNECTING LINK ADJUSTING SCREW. FOR 15248 |
| 51045AL | 26106 | Machine Hinge Connection Set Screw |
| 51224ZB 51224ZB | 26001 26107 | ARM SIDE COVER THUMB SCREW |
| 51224ZB | 26102 | FACE PLATE THUMB SCREW (LOWER) PRESSER FOOT THUMB SCREW |
| 51228ZJ | 26104 | PRESSURE REGULATING THUMB SCREW, FOR |
| 51229E | 26103 | 66773SHUTTLE DRIVER CUSHION SPRING SCREW, |
| | | FOR 125322 |
| 51246AL | 26103 | OSCILLATING ROCK SHAFT CENTER (LEFT) SET SCREW |
| 51246AL | 26103 | OSCILLATING ROCK SHAFT CENTER (RIGHT) SET SCREW |
| 51261R | 26105 | SHUTTLE RACE BACK SPRING THUMB SCREW, FOR 125306 |
| 51282ZJ | 26102 | SHUTTLE RACE SLIDE SPRING SCREW, FOR 125338. |
| 51289X | 26103 | FEED BAR THROW-OUT LEVER THUMB SCREW. |
| 51303ZJ | 26009 | FOR 125389 BOBBIN WINDER STOP LATCH HINGE SCREW, FOR 125478 |
| 51308ZJ | 26104 | NEEDLE CLAMP POSITION SCREW. FOR |
| 51312ZB | 26001 | 45285 Stitch Regulating Thumb Screw, for 125479 |
| 51319ZJ | 26009 | MOBBIN WINDER FRAME MINGE SCREW, FOR |
| 51354J | 26107 | FACE PLATE THUMB SCREW (UPPER) |
| 51395W | 26017 | 125478 |
| 51395W | 26017 | UNDER BRAIDER THUMB SCREW. FOR 160927 |
| 51682ZB | 26107 | Under Braider Thumb Screw, for 160927 Tension Regulating Thumb Nut with 45339, for 125420 |
| 66601 | 26009 | BOBBIN WINDER FRAME SPRING, FOR |
| 66670 | 26009 NOTE: | BOBBIN WINDER FRAME, FOR 125366 WHEN ORDERING NO. 66670, COLOR REQUIRED |
| | 1401E \$ | MUST BE SPECIFIED. |
| 66752 | 26104 | PRESSURE REGULATING THUMB SCREW PLUG |
| 66773 | | (FELT WICK), FOR 66773 PRESSURE REGULATING THUMB SCREW |
| 80011 | 26104 | 51228ZJ WITH 66752 |
| 81110 | 26106 | PRESSER BAR SPRINGARM OIL PAD SPRING, FOR 171537 |
| 120378 | 26015 | SCREW DRIVER (SHUTTLE TENSION), FOR 160809, 160810 AND 160811 |
| | | 160809, 160810 AND 160811 |
| 120598 | 26015 | RUFFLER FOR 160809, 160810 AND 160811 |
| 120687 | 26016 | HEMSTITCHER WITH YIELDING PRESSER |
| 120855 | 26016 | PLATE HEMMER (FOOT) ACCESSORIES |
| 120914 | 26016 | FELLER (FOOT) |
| 120962 | 26016 | HEMMER (FOOT) FOR 1/8 IN. HEM |

| No. | PLATE | Name |
|--------------------------|----------------|--|
| 121170 | 26017 | RUFFLER SHIRRING PLATE (UNIVERSAL) |
| 121441 | 26015 | WITH 51395W |
| 121464 121634 | 26015 | 160809, 160810 AND 160811 |
| 121717 | 26017 | (SPECIAL ATTACHMENTS) |
| 121718 | 26017 - | PRESSER FOOT WITH EXTENSION AND GRADUATED ADJUSTABLE GUIDE COM- PLETE, NOS. 35003, 35004, 35005, 35006 AND 121717 |
| 121725 125021 | 26017 26106 | FINGER GUARD |
| 125044 | 26106 | CRANK CONNECTING ROD OIL PAD (FELT) FOR 125021. |
| 125045 | 26106 | FEED CAM AND COUNTERBALANCE WITH 1285AL, FOR 125254 |
| 125047 | 26106 | FEED FORKED CONNECTION SLIDE BLOCK, FOR 125335 |
| 125048 | 26103 | OSCILLATING ROCK SHAFT CENTER (LEFT) |
| 125049 | 26103 | OSCILLATING ROCK SHAFT CENTER (RIGHT) |
| 125056 | 26103 | OSCILLATING ROCK SHAFT CENTER (LEFT) OSCILLATING ROCK SHAFT CENTER (RIGHT) OSCILLATING ROCK SHAFT OIL WICK (BRAIDED COTTON) FOR 125280 |
| 125060 | | FEED BAR THROW-OUT LEVER ROLLER STUD, FOR 1813. |
| 125061 125068 | 26104 26009 | PRESSER BAR |
| 12525 3 125254 | 26106 | Arm Shaft, for 125254 |
| *1 25255 | | BED. FOR 171538 |
| 125261 | 26102 | FEED DOG, 12 TEETH (14 TEETH TO THE INCH) FOR 173585 |
| 125262 | 26106 | FEED FORKED CONNECTION WITH 175R FOR |
| 125263 | 26103 | FEED LIFTING ROCK SHAFT, FOR 125390 |
| 125270 | 26103 | FEED ROCK SHAFT |
| 125273 | 26104 | NEEDLE BAR BUSHING WITH 125274 NEEDLE BAR BUSHING OIL PAD (FELT) |
| 1252 7 4 | 26104 | FOR 1252/3 |
| 125275 | | NEEDLE BAR CONNECTING LINK 15248 WITH 125276 |
| 125276 | 26104 | NEEDLE BAR CONNECTING STUD WITH 1341AL, FOR 125275 |
| 125280 | 26103 | OSCIELATING ROCK SHAFT WITH 125056 |
| 125284 | 26103 | OSCILLATING SHAFT CRANK WITH 125330 |
| 125287 | 26105 | SHUTTLE BOBBIN CASE LATCH. FOR 125288 |
| 125288 | 26105 | SHUTTLE BOBBIN CASE LATCH, FOR 125288 SHUTTLE BOBBIN CASE HINGE, Nos. 2974, 125287 AND 125320, FOR 125291 |
| 125290 | 26105 | 125287 AND 125320, FOR 125291 SHUTTLE BOBBIN CASE POSITION PLATE, |
| 125291 | 26105 | FOR 125300 |
| | | SHUTTLE BOBBIN CASE COMPLETE, FOR 125294, Nos. 591F, 592E, 2975, 125288 AND 125293 |
| 125292 | 26105 | Shuttle Body, for 125294 |
| 125293 | 26105 | SHUTTLE TENSION SPRING, FOR 125291 |
| 125294 | 26105 | SHUTTLE 1-11/16 IN. DIAMETER, Nos. 125291, 125292 AND 125453 |

22

| No. | PLATE | NAME |
|----------------------------|-------------------------|--|
| 125297 | 26103 | SHUTTLE DRIVER WITH TWO 1253AL, FOR 125322 |
| 125298 | 26103 | SHUTTLE DRIVER CUSHION SPRING, FOR |
| 125299 125300 | 26105 | SHUTTLE RACE BACK, FOR 125306 SHUTTLE RACE BODY 125304 WITH 125290 AND TWO EACH 391R AND 125301, FOR |
| 125301 | 26105 | 125306 |
| 125302 125303 125304 | 26105 26105 | SHUTTLE RACE BACK SPRING, FOR 125306. SHUTTLE RACE BODY, FOR 125304 SHUTTLE RACE BODY 125303 WITH 125305 |
| 125305 125306 | 26105 26105 | SHUTTLE RACE CAP, FOR 125304 SHUTTLE RACE COMPLETE, NOS. 51261R, 125299 125300 AND 125302 |
| 125314 125316 125317 | 26107 26107 26107 | TENSION SPRING FOR 125418 THREAD TAKE-UP SPRING, FOR 125418 THREAD TAKE-UP SPRING REGULATOR, FOR 125468 |
| 125320 | 26105 | SHUTTLE BOBBIN CASE LATCH LEVER, FOR |
| 125322 | | SHUTTLE DRIVER, 125297 WITH 125298 |
| 125326 | 26009 | BOBBIN WINDER IRIPPING ARM, FOR |
| 125330 | 26103 | OSCILLATING SHAFT CRANK SLIDE BLOCK, |
| 125331 | 26106 | ARM OLE PAD (FELT) FOR OLLING ARM SHAET BACK BEARING, FOR 171537 |
| 125334 125335 | 26106 | ARM OIL PAD SPRING CAP, FOR 171937 FEED FORKED CONNECTION SLIDE BLOCK 125017 MITH 1085F FOR 125340 |
| 125337 125338BA | 26102 26102 | SHUTTLE RACE SLIDE SPRING, FOR 123306 SHUTTLE RACE SLIDE WITH 125337 AND |
| 125340 | | FEED FORKED CONNECTION 125262 WITH |
| 125344 | | FEED LIFTING ROCK SHAFT SCREW CENTER |
| 125344 | | FEED ROCK SHAFT SCREW CENTER 304C WITH 1513R |
| 125349 | 26103 | FEED BAR THROW-OUT LEVER RETAINING RING, FOR 125390 |
| 125366 | 26009 | BOBSIN WINDER FRAME 66670 WITH 15288 AND 125068, FOR 125478 |
| | NOTE: | WHEN ORDERING NO. 125366, COLOR RE- QUIRED MUST BE SPECIFIED. |
| 125373 | - - | FACE PLATE THREAD GUARD RIVET, FOR |
| 125376 | 26009 | BOBBIN WINDER STOP LATCH, FOR 125478. |
| 125377 | 26104 | NEEDLE BAR |
| 125378 1 25381 | 26104 | Cren Devensing HANDIE 40000 WILL |
| *125382 | 26106 | 1550R, FOR 125398 |
| 125383 | | 125383 THREAD TAKE-UP LEVER 125382 WITH |
| 125386 | 26103 | 50527CFEED BAR THROW-OUT LEVER WITH 1813, |

NUMERICAL LIST OF PARTS

| No. | PLATE | Name |
|------------------|----------------|--|
| 125387 | | FEED BAR THROW-OUT LEVER SPRING, FOR 125389 |
| 125388 | 26103 | FEED LIFTING ROCK SHAFT CRANK WITH 157R, FOR 125389 |
| 125389 | | FEED LIFTING ROCK SHAFT CRANK COM- PLETE, FOR 125390, Nos. 51289X, 125386, 125387 AND 125388 |
| 125390 | | FEED LIFTING ROCK SHAFT COMPLETE, Nos. 125263, 125349 AND 125389 |
| 125395 | 26009 | |
| 125396 | 26009 | BOBBIN WINDER TENSION BRACKET COM- PLETE, NOS. 45847, 45915, 45916, 125395 AND 140138ZB |
| 125397 | 26106 | FEED REGULATOR FOR 125398 |
| 125398 | | FEED REGULATOR 125397 WITH 125381 |
| 125399 | 26106 | FEED REGULATOR HINGE SCREW FRICTION WASHER |
| 125400 | 26001 | STITCH REGULATING THUMB SCREW FRICTION WASHER, FOR 125479 |
| 125416AH | 26107 | TENSION INDICATOR FLANGE, FOR 125418. |
| | NOTE: | WHEN ORDERING No. 125416, COLOR RE- |
| 125417 | 26107 | QUIRED MUST BE SPECIFIED. TENSION RELEASING PIN, FOR 125418 |
| 125418AH | 26107 | TENSION (GRADUATED) COMPLETE, FOR |
| • | | 125469, Nos. 45865, 125314, 125316, 125416, 125417, 125419, 125420, 125421 AND TWO 2102 |
| | NOTE: | WHEN ORDERING No. 125418, COLOR RE- |
| 125419 | 26107 | QUIRED MUST BE SPECIFIED. THREAD TAKE-UP SPRING THREAD GUARD |
| 120415 | 20101 | AND TENSION THREAD GUIDE, FOR |
| | | 125418 |
| 125420 | | TENSION STUD, 140175ZJ WITH 51682ZB, FOR 125418 |
| 125421AH | 26107 | TENSION INDICATOR, FOR 125418 |
| | NOTE: | WHEN ORDERING No. 125421, COLOR RE- |
| 105850 | 3610E | QUIRED MUST BE SPECIFIED. |
| 125453 125462 | 26105 26009 | SHUTTLE BOBBIN, FOR 125294 |
| 123402 | 20003 | 125478 |
| 125466 | 26001 | ARM SIDE COVER |
| | NOTE: | WHEN ORDERING No. 125466, COLOR RE- |
| 100007 | 00107 | QUIRED MUST BE SPECIFIED. |
| 125467 | 26107 | FACE PLATE WITH 15410, 125258 AND |
| 125468 | 26107 | 125472, FOR 125468 |
| | | AND 120317. FOR 120469 |
| 125469 | 26107 | FACE PLATE COMPLETE, Nos. 125418 AND 125468 |
| 125470 | | FACE PLATE THREAD GUARD, FOR 125472. |
| 125472 | 26107 | FACE PLATE THREAD GUARD 125470 WITH |
| 125473 | 26106 | 125373, FOR 125467 |
| .20110 | | |
| | | QUIRED MUST BE SPECIFIED. |
| 125474 | 26104 | PRESSER BAR LIFTER |
| 125475 | 26001 | STITCH INDICATOR PLATE, FOR 125479 |
| | NOTE: | |
| | | QUIRED MUST BE SPECIFIED. |

24

| No. | PLATE | Name |
|----------------------|----------------|--|
| 125476 | 26009 | BOBBIN WINDER BRACKET (BELT COVER) |
| | NOTE: | FOR 125478 |
| 125478 | 26009 | BOBBIN WINDER COMPLETE, Nos. 190ZB, 15287, 51303ZJ, 51319ZJ, 66601, 125326, 125366, 125376, 125462 |
| | NOTE: \ | AND 125476 |
| 125479 | | STITCH REGULATING PLATE 125481 WITH 45310, 51312ZB, 125400 AND 125475. |
| | NOTE: | WHEN ORDERING No. 125479, COLOR RE- QUIRED MUST BE SPECIFIED. |
| 125481 125500 | 26001 26103 | STITCH REGULATING PLATE, FOR 125479 OSCILLATING SHAFT |
| 140138ZB | 26009 | Bobbin Winder Tension Screw, for 125396 |
| 140175ZJ 140511AL | 26107 26106 | TENSION STUD, FOR 125420 THREAD TAKE-UP CAM POSITION SCREW, FOR 15272 |
| 140543L | | NUMBER PLATE DRIVE SCREW, FOR 171537. TRADE MARK DRIVE SCREW, FOR 171537 |
| 140543L 140545ZC | 26104 | NEEDLE CLAMP THUMB SCREW, FOR 45334 PRESSER BAR LIFTER HINGE STUD SET |
| 140712AL | 26104 | PRESSER BAR LIFTER HINGE STUD SET |
| 160359 | 26015 | BINDER FOR 160809 |
| 160506 160719 | | BUTTONHOLER DARNING AND EMBROIDERY ATTACHMENT |
| | | DARNING AND EMBROIDERY ATTACHMENT (SPECIAL ATTACHMENTS) WALKING PRESSER FOOT (SPECIAL |
| 160741 | | |
| 160809 | 26015 | SET OF ATTACHMENTS (WITH NEEDLES) COMPLETE. (U.S.A. AND CANADA ONLY) |
| 160810 | | ATTACHMENTS (WITH NEEDLES) COMPLETE, (U.S.A. AND CANADA DNLY) NOS. 25537, 35931, 36865, 120378, 120598, 121441, 160359, 161133, TWO 8879 AND SIX NEEDLES (15x1 THREE EACH SIZES 11 AND 14) SET OF ATTACHMENTS (WITH NEEDLES) |
| 150610 | | COMPLETE, (ALL COUNTRIES EXCEPT U.S.A., CANADA AND BRAZIL) NOS. 25537, 35931, 36865, 120378, 120598, 121441, 121464, TWO 8879 AND SIX NEEDLES (15x1 THREE EACH SIZES 11 AND 14) |
| 160811 | | SET OF ATTACHMENTS (LESS NEEDLES) COMPLETE, (BRAZIL ONLY) NOS. 25537 35931, 36865, 120378, 120598, 121441, 121464 AND TWO 8879 |
| 160858 | | DARNING ATTACHMENT (STRIPPER FOOT) (SPECIAL ATTACHMENTS) |
| 160927 | 26017 | UNDER BRAIDER WITH 51395W |
| 161102 | | AUTOMATIC ZIGZAGGER ATTACHMENT (SPECIAL ATTACHMENTS) |
| 161127 | | ZIPPER FOOT (LEFT OR RIGHT). ADJUST- ABLE, HINGED (SPECIAL ATTACHMENTS) |
| 161133 171502 | 26015 26106 | TUBE OF OIL FOR 160809 |
| *171537 | | 15314 |
| | NOTE: | AND FOUR 140543L, FOR 171538 WHEN ORDERING NO. 171537, COLOR REQUIRED MUST BE SPECIFIED. |

