Singer 16-137 Singer 16-141 Form 19796 (142) Printed in U.S.A.

LIST of PARTS



MACHINES Nos. 16-137 and 16-141

THE SINGER MANUFACTURING COMPANY

INSTRUCTIONS FOR OILING

When the machine is received from the factory, it should be thoroughly cleaned and oiled.

At least twice each day, when in continuous use, apply oil to all holes marked "OIL" and to the parts inside the arm and under the bed of the machine which are in movable contact. Also apply a drop of oil to the shuttle bearing in the shuttle race each time a bobbin is replaced.

Use only "Singer Oil for High Speed Sewing Machines" (Cloth and Leather) for general use, or "Singer Stainless Oil for High Speed Sewing Machines" where a stainless oil is desired.

Copyright, U. S. A., 1922, 1941 and 1942 by The Singer Manufacturing Co. All Rights Reserved for all Countries

INDEX

	Pag
Accessories	
Bobbin Winders	0 2
Binders21 t	0 2
Corder	2
Edge Guide (Roller)	2
Finger Guard	2
Foot Lifter Parts (For 16-137 Machine)	. 2
Foot Lifter Parts (For No. 16-141 Machine)	. 2
Hemmers (Foot) Plain Bottom	3
Knee Lifter Parts (For No. 16-137 Machine)	3
Knee Lifter Parts (For No. 16-141 Machine)	3
Machine No. 16-137	
Machine No. 16-141	. 3
Numerical List of Parts	. 3
Roller Pressure (Plain) for No. 16-137 Machine	2

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used When ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A-Hardened, Polished, Nickel Plated and Buffed

A.A-Buffed and Chromium Plated

A.B-Hardened, Polished, Buffed and Chromium Plated

A.C-Brown Baking Enamel Finish

A.D-Gray Baking Enamel Finish

A.E-Hardened, Bright Rumbled and Nickel Plated

A.F-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

A.G-Alumilite, Plain

A.H-Alumilite, Dyed

A.J-Polished, Nickel Plated and Chromium Plated

A.K-Hardened, Polished, Nickel Plated and Chromium Plated

A.L-Heat Treated for Toughness

8-Polished, Nickel Plated and Buffed

C-Hardened Only

C.R-Hardened and Merlized

D-Polished Only

E-Soft, Not Polished

F-Hardened and Polished

F.J-Hardened, Polished and Nickel Plated

G-Bright Rumbled and Nickel Plated

H-Blued

J-Nickel Plated Only

K-Hardened and Nickel Plated

L-Brass Plated

M-0x1d1zed

N-Japanned, Dull

P-Japanned, Bright

P.P-Wrinkle Finish

R-Merlized

S-Cadmium Plated

T-Copper Plated

T.A-Hardened, Polished, Copper and Nickel Plated and Buffed

T.B-Copper and Nickel Plated and Polished

T.J-Copper and Nickel Plated Only

T.K-Hardened, Copper and Nickel Plated

T.L-Copper and Brass Plated

T.M-Copper Plated and Oxidized

INSTRUCTIONS FOR ORDERING - Continued

U-Zinc Plated

V-Silver Plated

W-Polished and Nickel Plated

X-Black Oxide, for Iron and Steel

X.C-Hardened and Black Oxide, for Iron or Steel

Y-Black Nickel Plated Only

Z-Chromium Plated

Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated

Z.B-Polished, Nickel Plated, Buffed and Chromium Plated

Z.C-Hardened and Chromium Plated

Z.D-Polished and Chromium Plated

Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

Z.J-Nickel and Chromium Plated

Z.T-Copper and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers

1501 to 1800 and 51501 to 51800 are Nut Numbers

1801 to 2000 and 51801 to 52000 are Roller Numbers

2001 to 50000 and 52001 to 140000 and 142001 to

190000 are Sewing Machine Parts, 190001 and upward

are numbers of Electrical Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.


Parts marked with an asterisk (*) are furnished only when

repairs are made at factory.

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." I

Needles in Containers marked
"For Singer Machines"
are not Singer made needles.

LIST OF PARTS COMPLETE FOR



MACHINE No. 16-137

FOR LEATHER. WHEEL FEED. MAXIMUM STITCH 3 $1\!\!/_{\!\!2}$ TO THE INCH. SPEED 1600 R. P. M.

No.	Plate	Name
*4287		Arm with 4448, 4449, 15404 and two 15405
	6299	" Dowel Pin (2)
2002		" Oil Tube, for intermediate bearing
4448	6299	" Screw (3)
123E	6299	Screw (3)
4368	6290	" Shaft
56837		" 4368 with 3074 and 56828
3005	6290	" Bushing (back)
448AL	6290	" " Set Screw
*4449		" " (front)
144D	6290	" Screw
4288	6299	" Side Cover
51224W	6299	" " Thumb Screw
52239	6299	" Spool Pin and Thread Eyelet
11241	6299	" " Washer (cloth)
3008		Balance Wheel (power) light rim, 1 3/4
		in. pulley, with two 448AL
3009		Balance Wheel (power) light rim, 25/16
0000		in pulley, with two 448AL
4388		Ralance Wheel (power) light rim, 2 3/4
7000		in. pulley, with two 448AL


No.	Plate	Name	No.	Diete	Nevo
4370	6290	Balance Wheel (stand) heavy rim, 2 3/4	No. 5749	Plate 6290	Name Feed Forked Connection complete, Nos.
	-	in. pulley, with two 448AL	5749	0290	3037,52165,56886 and two each 3750
Not	e: No.	4370 is regularly furnished with this			and 1518J
		ne unless another Balance Wheel is	375C	6290	Feed Forked Connection Hinge Screw
		fied on order.			" " Nut
2862	6290	Balance Wheel (stand) heavy rim, 3 in.	1518J 3039	6290 6290	nuc.,
		pulley, for 3022	56886		" Regulator
56899	6299	Balance Wheel (light rim) "V" belt	58£	6290	" Hinge Screw
		groove (outside diam, of belt groove	818D	6290	" Thumb Screw
		2.9 in.) with two 435AL	3042	6292	" Rock Shaft
448AL	6290	Balance Wheel Set Screw for 3008, 3009,	56880		Feed Rock Shaft complete, Nos. 3042 and
		4370 and 4388 (2)	50000		29633
435AL	6299	Balance Wheel Set Screw for 56899 (2)	29633	6292	Feed Rock Shaft Crank With 157J
2139	6299	" Speed Pulley, 1 11/16 in.	2049		" Pin
		diam., with 451C	157J	6292	" " " Clamping Screw
2140	6299	Balance Wheel Speed Pulley, 2 3/16 in.	307¢	6292	" " Screw Center (2)
		diam., with 4370	56814	6292	" " " " 307C with
451C	6299	Balance Wheel Speed Pulley Set Screw for	00011	0.000	1513J (2)
		2139	1513J	6292	Feed Rock Shaft Screw Center Nut (2)
437C	6299	Balance Wheel Speed Pulley Set Screw for	2258	6293	" Wheel, fine teeth, for 4827 to 4829
		2140			2258 is sent with this machine, unless
*80982		Bed	•		r Feed Wheel is specified on order.
256J	6290	Clamp Stop Motion Clamp Screw	15022		Feed Wheel, coarse teeth, for 4827 to
248A	6290	" " " Stop Screw			4829
2020	6290	" " " Washer	2263	6293	Feed Wheel Driver with 2266
*3023		" " Flanged Bushing	4993	6292	" " Link
4933	6290	n n n n n 3023	324D	6292	" " " Screw
		with two 462AL	313C	6292	" " " Center (2)
2022		Clamp Stop Motion Flanged Bushing Pin	56813	6292	n n n n n n 1 3130
462AL	6290	" " " Set			with 1519J (2)
		Screw (2)	1519J	6292	Feed Wheel Driver Link Screw Center Nut
3022	6290	Clamp Stop Motion complete, Nos. 248A,			(2)
		256J, 2020 and 4933	2265	6293	Feed Wheel Driver Spring
4292	6290	Crank Connecting Rod with two 145E	2266	6293	" " " Hook
145E	6290	Cap Screw (2)	3113	6293	" Frame with 454C
375C	6290	Hinge Screw	56834	6293	Feed Wheel Frame complete, Nos. 1510,
1518E	6290	Nut			183C,183F,240D,2252,2254 to 2256,
56796	6291	Face Plate with 2105			2258,3113,3114 and two each 141C and
56775	6291	Face Plate complete, Nos. 448AL, 460AL,			1528J
		2107, 2111, 2127, 2269, 4369, 56791,	141C	6293	Feed Wheel Frame Adjusting Screw (2)
2017		56796 and two 233J	1528J	6293	" " " " Nut (2)
164J	6291	Face Plate Screw	454C	6293	" " Set Screw
2107	6291	Thread Guard	3077	6292	Snart
233J	6291	Screw	307C	6292	Screw Center (2)
52165	6290	Feed Connecting Link	56814	6292	3070
375¢	6290	Hinge Screw (2)	_		with 1513J (2)
1518J 3074	6290	Nut (2)	151 3 J	6292	Feed Wheel Frame Shaft Screw Center Nut
3074 446AL	629 0 629 0	Eccentric with 446AL			(2)
3037	6290 6290	" Set Screw	4680		Feed Wheel Frame complete, Nos. 3077 and
JW0/	0290	" Forked Connection			56834

No.	Plate	Name	No.	Plate	Name
3114	6293	Feed Wheel Friction Plate (back)	12424	6292	Oscillating Shaft Crank Slide Block Cap
151C	6293	" " Screw	10101	0202	Screw Washer
2252	6293	" " (front)	1035C	6292	Oscillating Shaft Crank Slide Block
183C	6293	" " " Screw.	10000		Screw Stud
2254	6293	" Retaining Clutch	1519£	6292	Oscillating Shaft Crank Slide Block
2255	6293	" " " Cap	1014	0202	Screw Stud Nut
183F	6293	" " " " Screw	15171		Oscillating Shaft Crank Slide Block com-
2256	6293	" " Spring	10172		plete, Nos. 226J, 1035C, 12424 and
240D	6293	" " " Screw			15170
25875	6299	Guide	2058	6294	Presser Bar
284D	6299	" Thumb Screw	52016	6294	" Lifter
3044	6294	Needle Bar	689C	6294	" " Screw
*3045		" Connecting Link	1520J	6294	" " Nut
56773	6294	" " " 3045 with 2052	5608	6294	" Lifting Bracket with 453AL
377C	6294	" " " Hinge Screw	453AL	6294	" " Set Screw
1518E	6294	n n n n n Nut	290E	6294	" Screw Bushing
2052	6294	" " Stud with 155C	3056	6294	" Spring (heavy)
155C	6294	" " Set Screw			3056 is regularly furnished with this
290E	6294	" " Screw Bushing (2)			ne unless otherwise specified on order.
2166	6294	" Thread Guard	2308		Presser Bar Spring (light)
233J	6294	" " Screw	2070	6294	" Washer
2167	6294	" Clamp with 196F	2180	6294	" Foot
196F	6294	" Screw	19Q J	6294	" Screw
4304	6290	Oscillating Rock Shaft with 4784	262J	6294	Pressure Regulating Thumb Screw
5747	6290	" 4304 with 15489 and	1841	6294	Roller, 7/8 in. diam., 9/64 in. face,
0747	0200	56812	1011	0.001	fine, with 652D and 1528J
3052	6290	Oscillating Rock Shaft Hinge Pin	2203	6294	Roller Arm
56812	6290	" " " " 3052	440F	6294	" Adjusting Screw
00012	0200	with 1513J	15446		" " 440F with 1547J
1513J	6290	Oscillating Rock Shaft Hinge Pin Nut	1547J	6294	n n n Nut
635C	6290	" " " Screw	2206	6294	" " Bracket
0000	QLCC	Bearing	316F	6294	" " Screw Center (2)
15489	6290	Oscillating Rock Shaft Hinge Pin Screw	15444		" " " " 316F with
20400	0200	Bearing 635C with 1513J	-0		1547J (2)
151 3 J	6290	Oscillating Rock Shaft Hinge Pin Screw	1547J	6294	Roller Arm Bracket Screw Center Nut (2)
10100	0200	Bearing Nut	2205	6294	" Lock Spring
4784	6290	Oscillating Rock Shaft Oil Pad	176J	6294	" " " Screw
3168	6292	" Shaft	1549J	6294	" " " " Nut
* 56767		" 3168 with 2049, 15164	2197	6294	Roller Presser complete, 7/8 in. diam.,
		and 68751			9/64 in. face, fine roller, Nos.
15163		Oscillating Shaft Crank for 15164			176J,1549J,1841,2203,2205,2206,15446
15426	6292	" " 15165			and two 15444
*15164		Oscillating Shaft Crank complete, Nos.	Not	te: No.	2197 is sent with this machine unless
		462AL, 1519E, 15163 and 15171			er Roller Presser is specified on order.
15165	6292	Oscillating Shaft Crank complete, Nos.	190 J	6294	Roller Presser Screw
		1519E, 15171, 15426 and two 462AL	652D	6294	Screw
2049		Oscillating Shaft Crank Pin	1528J	6294	" Nut
462AL		" " Set Screw	2996	6294	Shuttle Bobbin
15170	6292	" " Slide Block	15140	6294	" Case Latch
226J	6292	п п п п Сар	2973	6294	" " Lever
		Screw	ŕ		

No.	Plate	Name
2974	6294	Shuttle Bobbin Case Latch Lever Fulcrum
	0.001	Pin
2975	6294	Shuttle Bobbin Case Latch Spring
592E	6294	" " " Stop Screw
15141	6294	" " Hinge, Nos. 2973,2974
		and 15140
15277	6294	Shuttle Bobbin Case complete, Nos. 591F,
		592E, 2975, 15141 and 15278
2515	6294	Shuttle Body
591F	6294	" Tension Regulating Screw
15278	6294	" Spring
15100	6294	Shuttle, 1 11/16 in. diam., Nos. 2515,
		2996 and 15277
* 68751		Shuttle Driver
68752	6292	" 68751 with two 462AL
2049		P1n
462AL	6292	Set Screw (2)
2980	6291	Race Back
2532	6291	Position Pin (2)
2533	6291	Spring
907D	6291	Screw
2981	6291	Body
2982	6291	Cap.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
662R	6291	Screw (2)
2983	6291	Shuttle Race complete, Nos. 907D, 2533,
		2980 to 2982 and two each 662R and
		2532
145F	6291	Shuttle Race Screw (2)
4350	6291	" " Slide
4307	6291 6291	" " " Spring
4352 4351	6291	Shuttle Race Slide complete, Nos. 4307,
4001	6291	4350 and two 4352
2102	6291	Tension Disc (2)
56791	6291	Tension complete, Nos. 2103, 2124, 16202
90/91	0291	and two 2102
4369	6291	Tension Releaser
2269	6291	" Hinge Pin
1560C	6291	" Regulating Thumb Nut
600C	6291	Screw Stud
16202	6291	" " 600C with 1560C
448AL	6291	" " Set Screw
2103	6291	" Spring
2105	6291	" Thread Guard
2112	6291	Thread Retaining Disc with 2113
2113	6291	" " Steady Pin
2114	6291	" Spring
2115	6291	" Stud
460AL	6291	" " Set Screw
2111	6291	Thread Retainer Guide complete, Nos.
~	0201	2112, 2114 and 2115
		, ball was balons in the second in the s

No.	Plate	Name
* 56828		Thread Take-up Cam
3182	6290	" " 56828 with 446AL
3012		" " Pin,
446AL	6290	" " Set Screw
*3072		" Lever with 1819
56855	6291	" " 3072 with 1088C
1088C	6291	" " Hinge Screw
1819	6291	" " Roller and Stud
2124	6291	" " Spring
2127	6291	" " Regulator Plate
233J	6291	n n n n Ad-
		justing Screw
4827	6293	Throat Plate, large oblong needle hole,
		for 2258 and 15022
4828	6293	Throat Plate, medium oblong needle hole,
		for 2258 and 15022
Not	e: Nos.	4827 and 4828 are sent with this machine
	unless	other Throat Plates are specified on
	order.	
4829		Throat Plate, small oblong needle hole,
		for 2258 and 15022
691 F	6293	Throat Plate Screw
*15404		Trade Mark
15405		" " Rivet (2)
4356		Wheel Feed complete, Nos. 324D, 2263,
		2265,3074,4351,4680,4827,4828 and
		4993
20291	22342	Drip Pan with four 1 in. wire nails

LIST OF PARTS COMPLETE FOR



MACHINE No. 16-141

CLOTH OR LEATHER. MAXIMUM STITCH 4 $\frac{1}{2}$ TO THE INCH. ALTERNATING PRESSERS. SPEED 1400 R. P. M.

No.	Plate	Name
*4722		Arm with 4448, 4449, 15404 and two 15405
2002	6299	" Dowel Pin (2)
4448	6299	" Oil Tube, for intermediate bearing
123E	6299	" Screw (3)
4359	6295	" Shaft
3005	6295	" " Bushing (back)
448AL	6295	" " Set Screw
*44 49		" " (front)
144D	6295	" Screw
4288	6299	" Side Cover
51224W	6299	" " Thumb Screw
52239	6299	" Spool Pin and Thread Eyelet
11241	6299	" " Washer (cloth)
3008		Balance Wheel (power) light rim, 1 3/4
		in. pulley, with two 448AL
3009		Balance Wheel (power) light rim, 2 5/16
		in. pulley, with two 448AL
4388	6295	Balance Wheel (power) light rim, 2 3/4
		in. pulley, with two 448AL

Note: No. 4388 is regularly furnished with this machine unless another Balance Wheel is specified on order.

No.	Plate	Name
4370		Balance Wheel (stand) heavy rim, 2 3/4
		in. pulley, with two 448AL
2862	6295	Balance Wheel (stand) heavy rim, 3 in. pulley, for 3022
E6900	6299	Balance Wheel (light rim) "V" belt
56899	QE33	groove (outside diam. of belt groove
		2.9 in.) with two 435AL
448AL	6295	Balance Wheel Set Screw for 3008, 3009,
TTORL	0230	4370 and 4388 (2)
435AL	6299	Balance Wheel Set Screw for 56899 (2)
2139	6299	" Speed Pulley, 1 11/16 in.
		diam., with 4510
2140	6299	Balance Wheel Speed Pulley, 2 3/16 in.
		diam., with 437C
451C	6299	Balance Wheel Speed Pulley Set Screw for 2139
437C	6299	Balance Wheel Speed Pulley Set Screw for
		2140
*80982		Bed
256J	6295	Clamp Stop Motion Clamp Screw
248A	6295	" " " Stop Screw
2020	6295	" " Washer
*3 023		Flanged Bushing
4933	6295	3023 With
0,000		two 462AL
2022 462al	6295	Clamp Stop Motion Flanged Bushing Pin
40AAL	0630	Screw (2)
3022	6295	Clamp Stop Motion complete, Nos. 248A,
0000	0200	256J, 2020 and 4933
4292	6295	Crank Connecting Red with two 145E
145E	6295	" " Cap Screw (2)
375C	6295	" Hinge Screw
1518E	6295	n n n n n Nut
56872	6296	Face Plate with 2105
56873	6296	Face Plate complete, Nos. 448AL, 460AL,
		2111, 2127, 2269, 4378, 56791, 56870,
		56872 and two 233J
175J	6296	Face Plate Screw (3)
56870	6296	" Thread Guard
233J	6296	# " Screw
4391	6297	Feed Bar
313¢	6297	Screw Center (2)
56813	6297	" " " 313C with 1519J (2)
15 1 9J	6297	" " " Nut (2)
3032	6295	" Cam with 446AL
446AL	6295	Set Screw
52165	6295	Connecting Link
375C	6295	Hinge Screw (2)
151 8 J	6295	" " " " Nut (2)

No.	Plate	Name	No.	Plate	Name
4642	6296	Feed Dog, 15 teeth (16 teeth to the	4854	6298	Guide Bar Driving Crank with 1862 and
3036	0230	inch) for 4646 and 56836	1001	52.55	3131
Mon	· Mo	4642 is regularly furnished with this	1862	6298	Guide Bar Driving Crank Roller (roller
110		ne unless another Feed Dog is specified	2002	0200	only)
	on or		3131	6298	Guide Bar Driving Crank Roller Cap
56835		Feed Dog, 22 teeth (22 teeth to the	3094	6295	" " Wedge
00000		inch) for 4646 and 56836	690E	6295	n n n n Screw
56845		Feed Dog, 15 teeth (16 teeth to the	4723	6298	" " Lifting Bracket
00040		inch) spiked teeth, for 4646 and	404J	6298	" " " Screw (3)
		56836	284D	6299	" Thumb Screw
208AL	6296	Feed Dog Screw (2)	2058	6298	Lifting Presser Bar
3037	6295	" Forked Connection	3133	6298	" " Bracket with 641E and
5749	6295	Feed Forked Connection complete, Nos.	9 133		1823
	0200	3037,52165,56886 and two each 3750	641E	6298	Lifting Presser Bar Bracket Clamping
		and 1518J	0.1		Screw
375C	6295	Feed Forked Connection Hinge Screw	1823		Lifting Presser Bar Bracket Roller and
1518J	6295	" Nut			Stud
3165	6297	" Lifting Rock Shaft	4855	6298	Lifting Presser Bar Lifter
3163	6297	Feed Lifting Rock Shaft complete, Nos.	598C	6298	" " " Screw
3100	0237	3165 and 3166	4725	6298	" " Lifting Bracket
3166	6297	Feed Lifting Rock Shaft Crank with 157J	4726	6298	" " " " Guide
3100	0207	and 1813			Pin
157J	6297	Feed Lifting Rock Shaft Crank Clamping	32675	6298	Lifting Presser Bar Spring
1070	GEO 7	Screw	2070	6298	" " " Washer
1813	6297	Feed Lifting Rock Shaft Crank Roller and	2358	6298	" Foot
1010	0207	Stud	217J	6298	. " " Screw
307C	6297	Feed Lifting Rock Shaft Screw Center (2)	56888	6298	Needle Bar for round shank needle
56814	6297	" " " " " 307C	*4898		" Connecting Link with 390E
00022	0.007	with 1513J (2)	56764	6298	" " 4898 with
1513J	6297	Feed Lifting Rock Shaft Screw Center Nut			15472
10100	0.2.7	(2)	39Œ	6298	Needle Bar Connecting Link Adjusting
3039	6295	Feed Regulator			Screw
56886		" " 3039 with 818D	15472	6298	Needle Bar Connecting Stud with 155C
58E	6295	" Hinge Screw	155C	6298	" " " Set Screw
818D	6295	" Thumb Screw	4265	6298	" Clamp with 196F
3042	6297	" Rock Shaft	4865	6298	Needle Clamp complete, Nos. 651D, 4265
56880		Feed Rock Shaft complete, Nos. 3042 and			and 4266
		29633	196F	6298	Needle Clamp Screw
29633	6297	Feed Rock Shaft Crank with 157J	4266	6298	" " Thread Guide
2049		n n n Pin	651D	6298	n n n Screw
157J	6297	" " " Clamping Screw	4304	6295	Oscillating Rock Shaft with 4784
307C	6297	" " " Screw Center (2)	5747	6295	" " 4304 with 15489
56814	6297	" " " 307C with	•		and 56812
		151 3J (2)	3052	6295	Oscillating Rock Shaft Hinge Pin
1513J	6297	Feed Rock Shaft Screw Center Nut (2)	56812	6295	и типи в 3052
25875	6299	Guide			with 1513J
3126	6298	" Bar	1513J	6295	Oscillating Rock Shaft Hinge Pin Nut
*56752		" " 3126 with 2361 and two 2362	635C	6295	
56844		" " 56752 with 337J and 3137			Bearing
4730	6298	Guide Bar complete, Nos. 810D,810E,3134,	15489	6295	Oscillating Rock Shaft Hinge Pin Screw
		4723, 4897, 56844 and three 404J			Bearing 635C with 1513J

No.	Plate	Name	No.	Plate	Name
1513J	6295	Oscillating Rock Shaft Hinge Pin Screw	648J	6296	Shuttle Race Back Spring Screw
		Bearing Nut	2530	6296	" Body
4784	6295	Oscillating Rock Shaft Oil Pad	15420		" " 2530 with 2535 and two
3168	6297	" Shaft			662R
* 56767		" " 3168 with 2049, 15164	2535	6296	Shuttle Race Cap
		and 68751	662R	6296	" " Screw (2)
15163		Oscillating Shaft Crank for 15164	56897	6296	Shuttle Race complete, Nos. 648J, 2531,
15426	6297	" " " 15165			2533, 15420 and two 2532
*15164		Oscillating Shaft Crank complete, Nos.	145F	6296	Shuttle Race Screw (2)
		462AL, 1519E, 15163 and 15171	4305	6296	" " Slide
15165	6297	Oscillating Shaft Crank complete, Nos.	2824	6296	" " Spring
		1519E, 15171, 15426 and two 462AL	51282E	6296	Screw (z)
2049		Oscillating Shaft Crank Pin	80528	6296	Shuttle Race Slide complete, Nos. 2824,
462AL	6297	Set Screw			4305 and two 51282E
15170	6297	Silde Block	2102	6296	Tension Disc (2)
226J	6297	Cap	56791	6296	Tension complete, Nos. 2103, 2124, 16202
12424	COOR	Screw			and two 2102
12424	6297	Oscillating Shaft Crank Slide Block Cap	4378	6296	Tension Releaser
1035C	6297	Screw Washer Oscillating Shaft Crank Slide Block	2269	6296	" Hinge Pin
10000	0231	Screw Stud	1560C	6296	Regulating Thumb Nut Screw Stud
1519E	6297	Oscillating Shaft Crank Slide Block	600C	6296 6296	" " 600C with 1560C
10105	0207	Screw Stud Nut	16202 448AL	6296	" Set Screw
15171		Oscillating Shaft Crank Slide Block com-	2103	6296	Spring
		plete, Nos. 226J, 1035C, 12424 and	2105	6296	" Thread Guard
		15170	2112	6296	Thread Retaining Disc with 2113
262J	6298	Pressure Regulating Thumb Screw	2113	6296	" Steady Pin
2996	6298	Shuttle Bobbin	2114	6296	" Spring
15140	6298	" Case Latch	2115	6296	" " Stud
2973	6298	" " Lever	460AL	6296	" " Set Screw
2974	6298	n n n n Fulcrum	2111	6296	Thread Retainer Guide complete, Nos.
		Pin			2112, 2114 and 2115
2975	6298	Shuttle Bobbin Case Latch Spring	* 56829		Thread Take-up Cam
592E	6298	" " Stop Screw	3190	6295	" " 56829 with 446AL
15141	6298	" " Hinge, Nos.2973,2974	3012		" " Pin
		and 15140	446AL	6295	" Set Screw
15277	6298	Shuttle Bobbin Case complete, Nos. 591F,	*3 072		Lever with 1819
		592C, 2975, 15141 and 15278	56855	6296	" " 3072 with 1088C
2515	6298	Shuttle Body	1088C	6296	" Hinge Screw
591 F	6298	" Tension Regulating Screw	1819	6296	Kollet, sud orda
15278	6298	obtrug	2124	6296	Spring
15100	6298	Shuttle, 1 11/16 in. diam., Nos. 2515,	2127	6296	Regulator Plate
*68751		2996 and 15277	233J	6296	AG-
68752	6297	Shuttle Driver			justing Screw
2049	0237	Pin	4646	6296	Throat Plate, large needle hole, for
2049 462AL	6297	" Set Screw (2)	· .		4642 and 56835
2531	6296	Race Back	Not		4646 is regularly furnished with this
2532	6296	" Position Pin (2)			ne unless another Throat Plate is
2533	6296	" " Spring	E4074	spec11	ied on order.
		~5. red	56836		Throat Plate, small needle hole, for 4642 and 56835
					TOTAL BINE STORE

No.	Plate	Name
691F	6296	Throat Plate Screw
*1 5404		Trade Mark
15405		" " Rivet (2)
3134	6298	Vibrating Presser Bar
2361	6298	" " Hinge Bracket
2362		" " " Rivet
		(2)
810D	6298	Vibrating Presser Bar Hinge Cap Screw
4897	6298	" " Lifting Bell Crank
810E	6298	11 11 11 11
		Hinge Cap Screw
3137	6298	Vibrating Presser Bar Spring
337J	6298	" " " Screw
3136	6298	" Foot
217J	6298	" " Screw
139622	22341	Drip Pan with four 1 in. wire nails

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

> Needles in Containers marked "For Singer Machines" are not Singer made needles.

ACCESSORIES

No.	Plate	Name
27136	24153	Machine Button with wood screw 1 1/2 in.
		No. 14 R.H.B
12361	24153	Machine Hinge Connection (2)
41400	24153	" Rest Pin (wood)
120342	24153	Oiler (copper plated) with 120343
120343	24153	" Spout, 3 1/2 in. long
26026	24153	Screw Driver (machine)
26485	24153	" (shuttle tension)
8908	24153	Wrench for 1519
4347	24153	" 1513 and 1518

BINDERS

BINDER (Adjustable)

TO TURN IN UPPER EDGE ONLY, FOR LIGHT OR MEDIUM WEIGHT MATERIAL

No.	Plate	Name
120242	24154	Bed with 1036AL
120244	24154	Folder (upper)
120245	24154	Guide (center)
120246	24154	" (lower)
51224W	24154	" Thumb Screw
1036AL	24154	Leveling Screw
120247	24154	Binder (adjustable) complete, Nos.
		51224W, 120242 and 120244 to 120246.
35227	24154	Feed Dog, 20 teeth (16 teeth to the
		inch) for 35229
35230	24154	Lifting Presser Foot
35229	24154	Throat Plate for 35227
35181	24154	Vibrating Presser Foot

BINDER (Adjustable) TO TURN IN BOTH EDGES OF LIGHT OR MEDIUM WEIGHT MATERIAL

FOR NO. 16-141 MACHINE

No.	Plate	Name
120242	24154	Bed with 1036AL
120243	24154	Folder (lower)
120244	24154	" (upper)
120245	24154	Guide (center)
51224W	24154	" Thumb Screw
1036AL	24154	Leveling Screw
120248	24154	Binder (adjustable) complete, Nos.
		51224W and 120242 to 120245
35227	24154	Feed Dog, 20 teeth (16 teeth to the inch)
		for 35229
35230	24154	Lifting Presser Foot
35229	24154	Throat Plate for 35227
35181	24154	Vibrating Presser Foot

BINDER (English) FOR CIRCULAR BINDING, FOR SANDALS, SLIPPERS, SHOE TONGUES, ETC.

FOR NO. 16-141 MACHINE

No.	Plate	Name
28365	24155	Feed Dog,11 teeth (24 teeth to the inch) for 28369
120493	2415 5	Folder with two 51022J, for 1/4 in. to 1/2 in. gauges
120494		Folder with two 1368J, for 17/32 in. to 19/32 in. gauges
120495		Folder with two 1368J, for 5/8 in. to 1
		in. gauges
207F	24155	Folder Screw for 28371
51022J	24155	" for 120493 (2)
1368J		" for 120494 and 120495 (2).
7071	24155	" Washer
28367	24155	Lifting Presser Foot
36620	24155	Ribbon Guide
337J	24155	" Screw

No.	Plate	Name
7806	24155	Ribbon Guide Screw Washer
28369	24155	Throat Plate for 28365
28370	24155	Vibrating Presser Foot
28371	24155	Binder (English) complete, Nos. 207F,
		337J, 7071, 7806, 28365, 28367,
		28369,28370,36620 and 120493,120494
		or 120495

BINDER (English)

FOR NO. 16-141 MACHINE

No.	Plate	Name
26251	24155	Feed Dog,15 teeth (16 teeth to the 1nch) for 26252
25721 207F 7071	24155 24155 24155	Folder
2358 26614	24155 24155	Lifting Presser Foot
26615 26616	24155 24155	" " (straight) (4)
25722	24155	Ribbon Tension complete, Nos.26614,26616 and four 26615
190J 7071	24155 24155	Ribbon Tension Screw Washer
26252	24155	Throat Plate for 26251
26971 26972	24155 24155	Vibrating Presser Foot
		26971 and two 7071

BINDERS ON SHANK

No.	Plate	Name
35227	24155	Feed Dog, 20 teeth (16 teeth to the inch)
		for 35229, for 35226
35230	24155	Lifting Presser Foot for 35226
35229	24155	Throat Plate for 35227, for 35226
35181	24155	Vibrating Presser Foot, for 35226
35226	24155	Binder on Shank, for mattress work
35227	24156	Feed Dog, 20 teeth (16 teeth to the inch)
		for 35229, for 35366
120064	24156	Feed Dog, 12 teeth (10 teeth to the inch) (spiked teeth) for 35229, for 35366.
		•-•

~ =	בוויוטבונט		
No.	Plate	Name	
35364	24156	Lifting Presser Foot, for 35366	
35229	24156	Throat Plate, for 35227, for 35366	
35365	24156	Vibrating Presser Foot for 35366	
35366	24156	Binder on Shank, for folding in upper edge of leather strip, for cap visors, harness housings, etc	
		BOBBIN WINDERS	

BOBBIN WINDER

(TIGHT WHEEL)

No.	Plate	Name
5522	24152	Frame
2460	24152	Friction Ring (rubber)
2461	24152	Pulley
5529	24152	Spindle
5530		" 5529 with 2461
2464	24152	Spring
5528	24152	Bobbin Winder (tight wheel) complete.
		Nos. 2460, 5522 and 5530
46D	24152	Bobbin Winder Hinge Screw

BOBBIN WINDER

(LOOSE WHEEL)

No.	Plate	Name
2466	24152	Eccentric
51224W	24152	Thumb Screw
5526	24152	Frame
2460	24152	Friction Ring (rubber)
2461	24152	Pulley
2693	24152	Spindle
2694		" 2693 with 2461
5531	24152	Bobbin Winder (loose wheel) complete,
		Nos.2460,2466,2694,5526 and 51224W
1489D	24152	Bobbin Winder Screw

BOBBIN WINDER

(LOOSE WHEEL)

WITH SPINDLE FOR SPOOL

No.	Plate	Name
2466	24152	Eccentric
51224W	24152	" Thumb Screw
5526	24152	Frame
2460	24152	Friction Ring (rubber)
2461	24152	Pulley
2852	24152	Spindle for bobbin
2853		" 2852 with 2846
2846	24152	for spool
5533	24152	Bobbin Winder (loose wheel) complete,
		Nos. 2460,2461,2466,2853,5526 and
		51224W
1489D	24152	Bobbin Winder Screw

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

No.	Plate	Name
27540	24053	Base
15072	24053	Bobbin Position Pin
27302	24053	Frame
50356D	24053	" Hinge Screw
162QJ	24053	" " " Nut
27303		^p Spring
27541	24053	Pulley
27538	24053	Spindle with L5072
27306	24053	Spool Pin
11241	24053	" Washer (cloth)
27307	24053	" Stand
27308	24053	Spool Stand complete, Nos. 418E, 1562J,
		2106,10141,11241,27306,27307 and two
		each 2455 and wood screws 1 in.No.10
27312	24053	Stop Latch
35D	24053	" " Hinge Screw
2455	24053	Tension Disc (2)
15 62 J	24053	" Regulating Thumb Nut
418E	24053	" Screw Stud
10141	24053	" Spring
2106	24053	" Thread Guide
27647	24053	Bobbin Winder, Nos. 35D, 1620J, 27302,
		27303,27312,27538,27540,27541,50356D
		and two wood screws 1 in. No. 7
27544	24053	Bobbin Winder (swinging automatic, right
		hand) complete, Nos. 27308 and 27647

BOBBIN WINDER

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

WITH SPINDLE FOR SPOOL

THIS BOBBIN WINDER IS THE SAME AS NO. 27544 WITH THE FOLLOWING EXCEPTIONS:

No.	Plate	Name
27610	24151	Spindle with 15072, in place of 27538
2846	24151	" for spool
27611		" 27610 with 2846
27656	24151	Bobbin Winder, Nos. 35D, 1620J, 27302, 27303,
		27312,27540,27541,27611,50356D and
		two wood screws 1 in. No.7, in place
		of 27647
27612	24151	Bobbin Winder (swinging automatic, right
		hand) complete, Nos. 27308 and 27656

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

FOR POWER TABLE

FOR ROUND BELT

No.	Plate	Name
259428	23253	Brake (leather)
259429	23253	" Clamp
200113F	23253	" Screw
259430	23253	Bobbin Winder and Tension Bracket Base
225453	23253	Frame with 202277 and 225438
225454	23253	Hinge Pin
202277	23253	" Oil Packing (wick)
225438	23253	" " Well Cap
225455	23253	" Spring
225456	23253	" Plunger
225368	23253	Pulley with 200380C
200380C	23253	" Set Screw
225381	23253	Spindle
225444	23253	Stop Latch
200056E	23253	" " Screw
225458	23253	" Thumb Lever
225459	23253	" " " Hinge Stud
225459	23253	" " " Joint Stud
202478	23253	" Trip Lever
200299H	23253	" " " Hinge Screw
225461	23253	Tension Bracket with 201499B
200082D	23253	" Screw

No. 228026 2102 13710 201499B 201572B 225462	Plate 23253 23253 23253 23253 23253 23253	Name Tension Bracket Screw Washer " Disc (2) " Spring " Stud " Thumb Nut Bobbin Winder Tension Bracket complete, Nos. 13710, 201572B, 225461 and two
259431	23253	Bobbin Winder complete for round belt, Nos. 200056E, 200062D, 200113F, 200299H,202478,225368,225381,225444, 225453, to 225456, 225458, 225462, 228056,259425 to 259430 and two each 225459 and wood screws 3/4 in. No. 12 R.H.B.

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

FOR POWER TABLE

FOR "V" BELT

THIS BOBBIN WINDER IS THE SAME AS NO. 259431 WITH THE FOLLOWING EXCEPTIONS:

No.	Plate	Name
259461	23253	Pulley with 200380C, in place of 225368.
259462	23253	Bobbin Winder complete, for "V" belt, Nos.
		200056E, 200082D, 200113F, 200299H,
		202478, 225381, 225444, 225453 to
		225456,225458,225462,228026,259428
		to 259430,259461 and two each 225459
		and wood screws 3/4 in. No.12 R.H.B.

CORDER

FOR EDGE CORDING

No.	Plate	Name
35026	24156	Corder on Shank
35031	24156	Feed Dog, 15 teeth (14 teeth to the inch)
		for 35032
2358	24156	Lifting Presser Foot
35032	24156	Throat Plate for 35031
35033	24156	Vibrating Presser Foot
35034	24156	Corder complete, for edge cording plush,
		Nos. 2358. 35026 and 35031 to 35033.

EDGE GUIDE (Roller)

FOR NO. 16-141 MACHINE

No.	Plate			Name)		
26803	24156	Edge Guide	e Bed w	ith 23	362		
220J	24156	11 11	Level	ing So	rew	(4)	
121146	24156	tt II	Slide	w1th	26809	9, 519	16 and
		two 1				-	
26805	24156	Edge Guide					
207F	24156	i n	n	11	11	Screv	·
2362	24156	11 (1	n n	11	n	Stead	iy Pin
26806	24156	ai n		" (right		
207F	24156	0 0	u	11	11		(large)
233J	24156	tt H	n	Ir	Ħ	11	(small)
26807	24156	11 11	ti	Lever		.	
94D	24156	11	FI				eww
51916	24156	u u	#1	Bolle		_	
26808	24156	If II	Ħ				
26809	24156	u u	11	DPI II.			
12152	24156	n n	ŧŧ	H	001		ret (2)
26810	24156	Edge Outd	· (mall	1			
20010	24100	Edge Guide					-
							1146,two
		207F a	and fou	r 220J	· • • • •		· · · · · · · ·
190J	24156	Edge Gu1de	3 Screw				
26812	24156	Lifting P	resser 1	Foot			

FINGER GUARD

FOR 140. 16-141 MACHINE

No.	Plate	Name
121332	24156	Finger Guard

FOOT LIFTER PARTS

FOR NO. 16-137 MACHINE

No.	Plate	Name
80657	6292	Bell Crank with 445C
445C	6292	" " Set Screw
12234	6292	" " Shaft
12235	6292	" " Spring
5670	24158	Chain, length 26 in.to 35 in.with 56864
		and 56865

Note: When ordering No. 5670, state length required.

No.	Plate	Name
4879	24158	Chain Connecting Link
56864	24158	" Hook (large)
56865	24158	" (small)
5607	6292	Lifting Lever
5614	6292	" Connecting Rod
802D	6292	" Hinge Screw
5608	6294	Presser Bar Lifting Bracket with 453AL
453AL	6294	" " " Set Screw
2763	24158	Rock Shaft
7539	24158	" " Hanger with two wood screws
		1 in. No. 10 (2)
6337	24158	Rock Shaft Lifting Bracket with two 3560
		(2)
12243	24158	Rock Shaft Lifting Bracket Hook for
		80657
7125	24158	Rock Shaft Lifting Bracket Hook for 5670
356C	24158	n n n n set
		Screw (2)
356C	24158	Rock Shaft Lifting Bracket Set Screw (2)
2770	24158	" " Stop Dog with 140219C
140219C	24158	" " " Set Screw
37138	24158	Rock Shaft complete, Nos.2763,2770,7125,
		12243 and two each 6337 and 7539
4881	24158	Treadle
4882	24158	" Shaft
4883	24158	" Spring
4884	24158	" Stand
4885	24158	Treadle complete, Nos. 4879,4881 to 4884
		and two wood screws 1 in. No. 16
56858		Foot Lifter complete, Nos. 802D, 4885, 5607,
		5608,5614,5670,12234,12235,37138 and
		80657

FOOT LIFTER PARTS

No.	P1	ate			Name
80657	, 6	297	Be11	Crank	with 445C
445	ic e	297	"	11	Set Screw
12234	. e	297	11	11	Shaft
12235	; <i>6</i>	297	11	tr	Spring
5670	24	158	Chair	n,leng	th 26 in. to 35 in., with 56864
			8	and 56	865
	Note:	When	order	ing No	. 5670 state length required.
4879	24	158	Chair	n Conn	ecting Link
56864	1 24	158	11	Hook	(large)
56865	5 24	158	"	17	(small)

No.	Plate	Name
4724	6297	Lifting Lever with 448AL
4728	6297	" " Connecting Rod
12416	6297	# # " Toint
76D	6297	" " " Hinge
		Screw
152 1 J	6297	Lifting Lever Connecting Rod Lock Nut
802D	6297	" " Hinge Screw
4727	6297	" Pin
448AL	6297	" " Set Screw
4725	6298	" Presser Bar Lifting Bracket
4726	6298	" " " " Guide
		Pin
2763	24158	Rock Shaft
7539	24158	" Hanger with two wood screws l
		in. No. 10 (2)
6337	24158	Rock Shaft Lifting Bracket with two 3560
		(2)
12243	24158	Rock Shaft Lifting Bracket Hook for
		80657
7125	24158	Rock Shaft Lifting Bracket Hook for 5670
356C	24158	Set Screw
		(2)
356C	24158	Rock Shaft Lifting Bracket Set Screw (2)
2770	24158	Stop Dog with 140219C
140219C	2415 8	Set Screw
37138	2415 8	Rock Shaft complete, Nos.2763,2770,7125,
		12243 and two each 6337 and 7539
4881	24158	Treadle
4882	24158	" Shaft
4883	24158	spring
4884	2415 8	Stand
4885	24158	Treadle complete, Nos. 4879,4881 to 4884
		and two wood screws 1 in. No. 16
56859		Foot Lifter complete, Nos. 76D, 802D,
		1521J,4724 to 4728,4885,5670,12234,
		12235, 12416, 37138 and 80657

HEMMERS (Foot) PLAIN BOTTOM FOR NO. 16-137 MACHINE

No.	Plate	Name
25910	24159	Hemmer (foot) plain bottom, narrow, for
		3/32 in. hem
25911	24159	Hemmer (foot) plain bottom, for 3/32 in.
		hem
25912	24159	Hemmer (foot) plain bottom, for 1/8 in.
		hem
25913	24159	Hemmer (foot) plain bottom, for 3/16 in.
		hem
25914	24159	Hemmer (foot) plain bottom, for 1/4 in.
		hem

KNEE LIFTER PARTS

FOR NO. 16-137 MACHINE

N7	71-1-	N-wa
No.	Plate	Name
80657	6292	Bell Crank with 445C
445C	6292	Set Screw
12234	6292	Shart
12235	6292	" "Spring
5607	6292	Lifting lever
5614	6292	" Connecting Rod
802D	6292	" " Hinge Screw
560 8	6294	Presser Bar Lifting Bracket with 453AL
453AL	6294	" " " Set Screw
2763	24158	Rock Shaft
7539	24158	" " Hanger with two wood screws
		1 in. No. 10 (2)
2765	24158	Rock Shaft Knee Arm
2766	24158	" " " Hub with 356C
356C	24158	" " " " Set Screw
2768		Rock Shaft Knee Arm complete, Nos. 2765
		to 2767
2767	24158	Rock Shaft Knee Plate with 356C
356C	24158	" " Set Screw
6337	24158	" " Lifting Bracket with two 3560
2778	24158	" " Hook
356C	24158	" " " " Set Screw
356C	24158	" " Set Screw
2770	24158	" " Stop Dog with 140219C (2)
140219C	24158	" " Set Screw (2)
12250	24158	Rock Shaft complete, Nos.2763,2768,2778,
		6337 and two each 2770 and 7539
56861		Knee Lifter complete, Nos. 802D, 5607,
00001		5608, 5614, 12234, 12235, 12250 and
		80657
		0000/

KNEE LIFTER PARTS

No.	Plate	Name
80657	6297	Bell Crank with 445C
445C	6297	" " Set Screw
12234	6297	" " Shaft
12235	6297	" " Spring
4724	6297	Lifting Lever with 448AL
4728	6297	" Connecting Rod

KNEE LIFTER PARTS

No.	Plate	Name
12416	6297	Lifting Lever Connecting Rod Joint
76D	6297	" " " Hinge
		Screw
1521J	6297	Lifting Lever Connecting Rod Lock Nut
802D	6297	" Hinge Screw
4727	6297	" " Pin
448AL	6297	" " Set Screw
4725	6298	" Presser Bar Lifting Bracket
4726	6298	" " " " Guide
		Pin
2763	24158	Rock Shaft
7539	24158	" Hanger with two wood screws 1
		in. No. 10 (2)
2765	24158	Rock Shaft Knee Arm
2766	24158	" " " Hub with 356C
356C	24158	" " " Set Screw
2768		Rock Shaft Knee Arm complete, Nos. 2765
		to 2767
2767	24158	Rock Shaft Knee Plate with 356C
356C	24158	" " " Set Screw
6337	24158	" Lifting Bracket with two 3560
2778	24158	" " " Hook
356C	24158	" " Set Screw
356C	24158	" " Set Screw
2770	24158	" " Stop Dog with 1402190 (2)
140219C	24158	" " " Set Screw (2)
12250	24158	Rock Shaft complete, Nos. 2763,2768,2778,
		6337 and two each 2770 and 7539
56862		Knee Lifter complete, Nos. 76D, 802D,
		1521J, 4724 to 4728, 12234, 12235,
		12250, 12416 and 80657

PLAIN ROLLER PRESSERS FOR NO. 16-137 MACHINE

Diameter of Roller	9/16"	9/16"	7/8"	7/8"	1 1/4"	1 1/4"	1 1/2"	1 1/2"
Face of Roller	9/64 [#]	9/64"	9/64"	9/64"	9/64 [#]	9/64"	1/8"	1/8"
Knurl of Roller	Coarse	Fine	Coarse	Fine	Coarse	Fine	Coarse	Fine
Roller	1867	1843	1868	1841	1839	1869	1870	1853
Roller Arm	2202	2202	2203	2203	16098	16098	4863	4863
Roller Arm Adjusting Screw	440F	440F	440F	440F	440F	440F	440F	440F
Roller Arm Adjusting Screw 440F with 1547J	15446	15446	15446	15446	15446	15446	15446	15446
Roller Arm Adjusting Screw Nut	1547J	1547J	1547J	1547J	1547J	1547J	1547J	1547J
Roller Arm Bracket	2206	2206	2206	2206	4282	4282	4367	4367
Roller Arm Bracket Screw Center	316F	316F	316F	316F	316F	316F	316F	316F
Roller Arm Bracket Screw Center 316F with 1547J	15444	15444	15444	15444	15444	15444	15444	15444
Roller Arm Bracket Screw Center Nut	1547J	15 4 7J	1547J	1547J	15 4 7J	1547J	1547J	1547 J
Roller Arm Lock Spring	2205	2205	2205	2205	2205	2205	2205	2205
Roller Arm Lock Spring Screw	176J	176J	1763	176J	176J	176J	176J	176J
Roller Arm Lock Spring Screw Nut	1549J	15 49 J	1549J	1549J	1549Л	15 49 J	1549J	15 49J
Roller Screw	388D	388D	652D	652D	386D	386D	386D	386D
Roller Screw Nut	15507	155Q J	1528J	1528J	1528J	1528J	1528J	1528J
Roller Presser complete	2194	2195	2196	2197	16099	16100	2200	2201

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines" are not Singer made needles.

NUMERICAL LIST OF PARTS

No.	Plate	Name
35D	24053	Bobbin Winder Stop Latch Hinge Screw for
		27647 and 27656
46D	24152	Bobbin Winder Hinge Screw, for use with
		Bobbin Winder No. 5528
58 E	6290	Feed Regulator Hinge Screw
76D	6297	Lifting Lever Connecting Rod Joint Hinge
		Screw for 56859 and 56862
94D	24156	Edge Guide Slide Lever Hinge Screw for
		26810
123E	6299	Arm Screw (3)
141C	6293	Feed Wheel Frame Adjusting Screw for
		56834 (2)
144D	6290	Arm Shaft Screw
145E	6290	Crank Connecting Rod Cap Screw for 4292
145F	6291	Shuttle Race Screw (2)
151C	6293	Feed Wheel Friction Plate (back) Screw
1010	0000	for 56834
155C	6294	Needle Bar Connecting Stud Set Screw for
1000	ODOT	2052 and 15472
157J	6297	Feed Lifting Rock Shaft Crank Clamping
20.0	CLOU /	Screw for 3166
157J	6292	Feed Rock Shaft Crank Clamping Screw for
4070	0.00	29633
164J	6291	Face Plate Screw for 16-137 Machine
175J	6296	for 16-141 Machine (3)
176J	6294	Roller Arm Lock Spring Screw for 2194 to
2.00	0201	2197, 2200, 2201, 16099 and 16100
183C	6293	Feed Wheel Friction Plate (front) Screw
1000	0000	for 56834
18 3 F	6293	Feed Wheel Retaining Clutch Cap Screw
	0.00	for 56834
190J	24155	Binder Ribbon Tension Screw for 26972
190J	24156	Edge Guide Screw, for use with Edge
1000	21100	Guide No. 26810
190J	6294	Presser Foot Screw for 16-137 Machine
190J	6294	Roller Presser Screw for 16-137 Machine.
196F	6294	Needle Clamp Screw for 2167 and 4265
207F	24155	Binder Folder Screw for 26972 and 28371.
207F	24156	Edge Guide Slide Cap (left) Screw for
~~		26810
207F	24156	Edge Guide Slide Cap (right) Screw
		(large) for 26810
208AL	6296	Feed Dog Screw for 16-141 Machine (2)
217J	6298	Lifting Presser Foot Screw for 16-141
		Machine

No.	Plate	Name	No.	Plate	Name
217J	6298	Vibrating Presser Foot Screw for 16-141	377C	6294	Needle Bar Connecting Link Hinge Screw
	0.20	Machine			for 16-137 Machine
220J	24156	Edge Guide Leveling Screw for 26810 (4)	386D	24157	Roller Screw for 1839, 1853, 1869 and
226J	6292	Oscillating Shaft Crank Slide Block Cap			1870
		Screw for 15171	388D	24157	Roller Screw for 1843 and 1867
233J	24156	Edge Guide Slide Cap (right) Screw	390E	6298	Needle Bar Connecting Link Adjusting
		(small) for 26810			Screw for 4898
233J	6291	Face Plate Thread Guard Screw for 56775	404J	6298	Guide Bar Lifting Bracket Screw for 4730
0777	0004	and 56873	418E	24053	Bobbin Winder Tension Screw Stud for
2331	6294	Needle Bar Thread Guard Screw for 16-137	4400	DTOOG	27308
233J	6291	Machine Thread Take-up Spring Regulator Plate	435AL	6299	Balance Wheel Set Screw for 56899 (2)
2000	0231	Adjusting Screw for 56775 and 56873.	437C	6299	" Speed Pulley Set Screw for
240D	6293	Feed Wheel Retaining Clutch Spring Screw			2140
-01-0-	0.040	for 56834	440F	6294	Roller Arm Adjusting Screw for 15446
248A	6290	Clamp Stop Motion Clamp Stop Screw for	445C	6292	Bell Crank Set Screw for 80657
		3022	446AL	6295	Feed Cam Set Screw for 3032
256J	6290	Clamp Stop Motion Clamp Screw for 3022	446AL	6290	Feed Eccentric Set Screw for 3074
262J	6294	Pressure Regulating Thumb Screw	446AL	6290	Thread Take-up Cam Set Screw for 3182
284D	6299	Guide Thumb Screw			and 3190
290E	6294	Needle Bar Screw Bushing for 16-137 Ma-	448AL	6290	Arm Shaft Bushing (back) Set Screw
		chine (2)	448AL	6290	Balance Wheel Set Screw for 3008, 3009,
290E	6294	Presser Bar Screw Bushing for 16-137 Ma-			4370 and 4388 (2)
		chine	448AL	6297	Lifting Lever Pin Set Screw for 4724
307C	6297	Feed Lifting Rock Shaft Screw Center for	448AL	6291	Tension Screw Stud Set Screw for 56775 and 56873
		56814 (2)	451C	6299	Balance Wheel Speed Pulley Set Screw for
307C	6292	Feed Rock Shaft Screw Center for 56814	4510	ರವಚಿತ	2139
non-a	***	(2)	453AL	6294	Presser Bar Lifting Bracket Set Screw
307C	6292	Feed Wheel Frame Shaft Screw Center for	TOORE	0001	for 5608
3130	6297	56814 (2)	454C	6293	Feed Wheel Frame Set Screw for 3113
313C	6292	Wheel Driver Link Screw Center for	460AL	6291	Thread Retaining Stud Set Screw for
000	0000	56813 (2)			56775 and 56873
316F	6294	Roller Arm Bracket Screw Center for	462AL	6290	Clamp Stop Motion Flanged Bushing Set
		15444 (2)			Screw for 4933 (2)
324D	6292	Feed Wheel Driver Link Screw for 4356	462AL	6292	Oscillating Shaft Crank Set Screw for
337J	24155	Binder Ribbon Guide Screw for 28371			15164 and 15165
337J	6298	Vibrating Presser Bar Spring Screw for	462AL		Shuttle Driver Set Screw for 68752 (2).
		16-141 Machine	59 1F	6294	Tellatou HeRafacing poron tor
356C	24158	Rock Shaft Knee Arm Hub Set Screw for	****		15277
		2766	592E	6294	Shuttle Bobbin Case Latch Stop Screw for
356C	24158	Rock Shaft Knee Plate Set Screw for 2767	5000	0000	15277Lifting Presser Bar Lifter Screw for
356C	24158	" Lifting Bracket Hook Set Screw	598 C	6298	16-141 Machine
		for 6337	600C	6291	Tension Screw Stud for 16202
356C	241 58	Rock Shaft Lifting Bracket Set Screw for	635C	6291	Oscillating Rock Shaft Hinge Pin Screw
BOEC	2000	6337	0000	Q230	Bearing for 15489
3750	6290	Crank Connecting Rod Hinge Screw	641E	6298	Lifting Presser Bar Bracket Clamping
375C	6290	Feed Connecting Link Hinge Screw for	3 -1	V	Screw for 3133
375C	6290	5749 (2) Feed Forked Connection Hinge Screw	648J	6296	Shuttle Race Back Spring Screw for 56897
0/00	0230	rood rotube commection titige betaw			

No.	Plate	Name	.	77.4.	. Name
651D	6298	Needle Clamp Thread Guide Screw for 4865	No.	Plate	Name
652D	6294	Roller Screw for 1841 and 1868	1528J	6293	Feed Wheel Frame Adjusting Screw Nut for
662R	6291	Shuttle Race Cap Screw for 2983 and	****		56834 (2)
		15420	1528J	6294	Roller Screw Nut for 1839,1841,1853,1868
689C	6294	Presser Bar Lifter Screw for 16-137 Ma-			to 1870
0000		chine	1547J	6294	Roller Arm Adjusting Screw Nut for 15446
690E	6295	Guide Day Driving Crank Mades Course to	1547J	6294	" Bracket Screw Center Nut for
0000	GE 30	Guide Bar Driving Crank Wedge Screw for			15444 (2)
691F	6293	16-141 Machine	15 4 9J	6294	Roller Arm Lock Spring Screw Nut for
8020	6292	Throat Plate Screw			2194 to 2197, 2200, 2201, 16099 and
UCKAD	0636	Lifting Lever Hinge Screw for 56858,			16100
8100	6298	56859, 56861 and 56862	1550J	24157	Roller Screw Nut for 1843 and 1867
OTOD	0690	Vibrating Presser Bar Hinge Cap Screw	1560 C	6291	Tension Regulating Thumb Nut for 16202
01.00	0000	for 4730	1562J	24053	Bobbin Winder Tension Regulating Thumb
810E	6298	Vibrating Presser Bar Lifting Bell Crank			Nut for 27308
		Hinge Cap Screw for 4730	1620J	24053	Bobbin Winder Frame Hinge Screw Nut for
8180	6290	Feed Regulator Thumb Screw for 56886			27647 and 27656
9070	6291	Shuttle Race Back Spring Screw for 2983.	1813	6297	Feed Lifting Rock Shaft Crank Roller and
1035C	6292	Oscillating Shaft Crank Slide Block			Stud for 3166
		Screw Stud for 15171	1819	6291	Thread Take-up Lever Roller and Stud for
1036AL	24154	Binder Leveling Screw for 120242			3072
1038C	6291	Thread Take-up Lever Hinge Screw for	1823		Lifting Presser Bar Bracket Roller and
		56855			Stud for 3133
1368J		Binder Folder Screw for 120494 and	1839	24157	Roller, 1 1/4 in. diam., 9/64 in. face,
		120495 (2)			coarse, with 386D and 1528J, for
1489D	24152	Bobbin Winder Screw, for use with Bobbin			16099
		Winders Nos. 5531 and 5533	1841	6294	Roller, 7/8 in. diam., 9/64 in. face,
15 13 J	6297	Feed Lifting Rock Shaft Screw Center Nut			fine, with 652D and 1528J, for 2197.
		for 56814 (2)	1843	24157	Roller, 9/16 in. diam., 9/64 in. face,
1513J	6292	Feed Rock Shaft Screw Center Nut for			fine, with 388D and 1550J, for 2195.
		56814 (2)	1853	24157	Roller, 1 1/2 in. diam., 1/8 in. face,
1513J	6292	Feed Wheel Frame Shaft Screw Center Nut			fine, with 386D and 1528J, for 2201.
		for 56814 (2)	1862	6298	Guide Bar Driving Crank Roller (roller
151 3 J	6290	Oscillating Rock Shaft Hinge Pin Nut for	1002	0.000	only) for 4854
		56812	1867	24157	Roller, 9/16 in. diam., 9/64 in. face,
151 3J	6290	Oscillating Rock Shaft Hinge Pin Screw	1001	ETIO.	coarse, with 388D and 1550J, for
		Bearing Nut for 15489			2194
1518E	6290	Crank Connecting Rod Hinge Screw Nut	1868	24157	Roller, 7/8 in. diam., 9/64 in. face,
1518j	6290	Feed Connecting Link Hinge Screw Nut for	1000	£TU/	coarse, with 652D and 1528J, for 2196
		5749 (2)	1869	24157	Roller, 1 1/4 in. diam., 9/64 in. face,
1518J	6290	Feed Forked Connection Hinge Screw Nut	1003	24107	fine, with 386D and 1528J, for 16100
1518E	6294	Needle Bar Connecting Link Hinge Screw	1870	24157	Roller, 1 1/2 in. diam., 1/8 in. face,
		Nut for 16-137 Machine	1670	24107	coarse, with 386D and 1528J, for
1519J	6297	Feed Bar Screw Center Nut for 56813 (2)			2200
1519J	6292	" Wheel Driver Link Screw Center Nut	2002	6299	Arm Dowel Pin (2)
		for 56813 (2)		6299 6290	Clamp Stop Motion Clamp Washer for 3022.
1519E	6292	Oscillating Shaft Crank Slide Block	2020		
		Screw Stud Nut for 15164 and 15165	2022		" " Flanged Bushing Pin
1520J	6294	Presser Bar Lifter Screw Nut for 16-137	2049		Feed Rock Shaft Crank Pin
		Machine	2049		Oscillating Shaft Crenk Pin for 56767
1521J	6297	Lifting Lever Connecting Rod Lock Nut	2049	2004	Shuttle Driver Pin
		for 56859 and 56862	2052	6294	Needle Bar Connecting Stud with 155C, for
		occor and occur			56773

No.	Plate	Name			•
2058	6298	Lifting Presser Bar for 16-141 Machine	No.	Plate	Name
2058	6294	Presser Bar for 16-137 Machine	2200	24157	Roller Presser complete, 1 1/2 in. diam.,
2070	6298	Lifting Presser Bar Spring Washer for			1/8 in. face, coarse roller, for
		16-141 Machine			16-137 Machine, Nos.176J,1549J,1870,
2070	6294	Presser Bar Spring Washer for 16-137 Ma-			2205,4367,4863,15446 and two 15444
		chine	2201	24157	Roller Presser complete, 1 1/2 in. diam.,
2102	23253	Bobbin Winder Tension Disc for 225462			1/8 in. face, fine roller, for
		(2)			16-137 Machine, Nos.176J,1549J,1853,
2102	6291	Tension Disc for 56791 (2)			2205,4367,4863,15446 and two 15444
2103	6291	" Spring for 56791	2202	24157	Roller Arm for 2194 and 2195
2105	6291	" Thread Guard for 56796 and 56872	2203	6294	" for 2196 and 2197
2106	24053	Bobbin Winder Tension Thread Guide for	2205	6294	" Lock Spring for 2194 to 2197,
		27308			2200, 2201, 16099 and 16100
2107	6291	Face Plate Thread Guard for 56775	2206	6294	Roller Arm Bracket for 2194 to 2197
2111	6291	Thread Retainer Guide complete for 56775	2252	6293	Feed Wheel Friction Plate (front) for
		and 56873, Nos. 2112,2114 and 2115			56834
2112	6291	Thread Retaining Disc with 2113, for	2254	6293	Feed Wheel Retaining Clutch for 56834
		2111	2255	6293	" " Cap for 56834
2113	6291	Thread Retaining Disc Steady Pin for	2256	6293	" " " Spring for
		2112			56834
2114	6291	Thread Retaining Spring for 2111	2258	6293	Feed Wheel, fine teeth, for 4827 to 4829,
2115	6291	" " Stud for 2111			for 56834
2124	6291	" Take-up Spring for 56791	No	te: No.	2258 is sent with the 16-137 Machine un-
2127	6291	" Regulator Plate for			nother Feed Wheel is specified on order.
		56775 and 56873	2263	6293	Feed Wheel Driver with 2266, for 4356
2139	6299	Balance Wheel Speed Pulley, 1 11/16 in.	2265	6293	" " Spring for 4356
		diam., with 451C	2266	6293	" " Hook for 2263
2140	6299	Balance Wheel Speed Pulley, 2 3/16 in.	2269	6291	Tension Releaser Hinge Pin for 56775 and
		diam., with 437C			56873
2166	6294	Needle Bar Thread Guard for 16-137 Ma-	2308		Presser Bar Spring (light) for 16-137
		chine	2000		Machine
2167	6294	Needle Clamp with 196F, for 16-137 Ma-	23 58	6298	Lifting Presser Foot for 26972, 35034
		chine	2000	0000	and 16-141 Machine
2180	6294	Presser Foot for 16-137 Machine	2361	6298	Vibrating Presser Bar Hinge Bracket for
2194	24157	Roller Presser complete, 9/16 in. diam.,	2001	0640	56752
		9/64 in. face, coarse roller, for	2362	24156	Edge Guide Slide Cap (left) Steady Pin
		16-137 Machine, Nos.176J,1549J,1867,	2002	24100	for 26803
0105	04355	2202,2205,2206,15446 and two 15444	2362		Vibrating Presser Bar Hinge Bracket
2195	24157	Roller Presser complete, 9/16 in. diam.,	2002		Rivet for 56752 (2)
		9/64 in. face, fine roller, for	2455	24053	Bobbin Winder Tension Disc for 27308 (2)
		16-137 Machine, Nos.176J,1549J,1843,			
2106	04150	2202,2205,2206,15446 and two 15444	2460	24152	filecton wing (impost) for
2196	24157	Roller Presser complete, 7/8 in. diam.,	0443	04350	5528, 5531 and 5533
		9/64 in. face, coarse roller, for	2461	24152	Bobbin Winder Pulley for 2694, 5530 and
		16-137 Machine, Nos.176J,1549J,1868,	0404	04350	5533
2197	6294	2203,2205,2206,15446 and two 15444	2464	24152	Bobbin Winder Spring, for use with Bobbin
2101	CDOT	Roller Presser complete, 7/8 in. diam.,			Winder No. 5528
		9/64 in. face, fine roller, for	2466	24152	Bobbin Winder Eccentric for 5531 and
		16-137 Machine, Nos.176J,1549J,1841,	<u>.</u>		5533,
No	ta: No	2203,2205,2206,15446 and two 15444 2197 is sent with the 16-137 Machine un-	2515	6294	Shuttle Body for 15100
.40		mother Roller Presser is specified on	2530	6296	Race Body for 15420
	order.		2531	6296	" Back for 56897

37.			No	Dioto	V- we
No.	Plate	Name	No. *3023	Plate	Name
2532	6291	Shuttle Race Back Position Pin for 2983	* ∂∪2∂		Clamp Stop Motion Flanged Bushing for
		and 56897 (2)	3032	6295	4933
2533	6291	Shuttle Race Back Spring for 2983 and	= :		Feed Cam with 446AL, for 16-141 Machine.
		56897	3037	6290	Feed Forked Connection for 5749
2535	6296	Shuttle Race Cap for 15420	3039	6290	Regulator for 56886
2693	24152	Bobbin Winder Spindle for 2694	3042	6292	Rock Shaft for 56880
2694		2693 With 2461, for	3044	6294	Needle Bar for 16-137 Machine
		5531	*304 5		connecerng link for 56775
2763	24158	Rock Shaft for 12250 and 37138	3052	6290	Oscillating Rock Shaft Hinge Pin for
2765	241 58	" Knee Arm for 2768			56812
2766	24158	" " " Hub with 356C, for	3056	6294	Presser Bar Spring (heavy) for 16-137
		2768			Machine
2767	24158	Rock Shaft Knee Plate with 356C, for	No		3056 is regularly furnished with the
		2768			Machine unless otherwise specified on
2768		Rock Shaft Knee Arm complete for 12250,		order.	
		Nos. 2765 to 2767	*3072		Thread Take-up Lever with 1819, for 56855
2770	24158	Rock Shaft Stop Dog with 140219C, for	3074	6290	Feed Eccentric with 446AL, for 4356
		12250 and 37138	3077	6292	" Wheel Frame Shaft for 4680,
2778	24158	Rock Shaft Lifting Bracket Hook for	3094	6295	Guide Bar Driving Crank Wedge for 16-141
		12250,			Machine
2824	6296	Shuttle Race Slide Spring for 80528	3113	6293	Feed Wheel Frame with 454C, for 56834
2846	24152	Bobbin Winder Spindle, for spool, for 2853	3114	6293	" " Friction Plate (back) for
		and 27611			56834
2852	24152	Bobbin Winder Spindle, for bobbin, for	3126	6298	Guide Bar for 56752
		2853	3131	6298	" Driving Crank Roller Cap for
2853		Bobbin Winder Spindle 2852 with 2846.for			4854
		5533	3133	6298	Lifting Presser Bar Bracket with 641E
2862	6290	Balance Wheel (stand) heavy rim, 3 in.			and 1823, for 16-141 Machine
		pulley, for 3022	3134	6298	Vibrating Presser Bar for 4730
2973	6294	Shuttle Bobbin Case Latch Lever for	3136	6298	" Foot for 16-141 Machine
		15141	3137	6298	" Bar Spring for 56844
2974	6294	Shuttle Bobbin Case Latch Lever Fulcrum	3163	6297	Feed Lifting Rock Shaft complete for
		Pin for 15141			16-141 Machine, Nos. 3165 and 3166
2975	6294	Shuttle Bobbin Case Latch Spring for	3165	6297	Feed Lifting Rock Shaft for 3163
		15277	3166	6297	" " " Crank with 157J
2980	6291	Shuttle Race Back for 2983			and 1813, for 3163
2981	6291	" " Body for 2983	3168	6292	Oscillating Shaft for 56767
2982	6291	"	3182	6290	Thread Take-up Cam 56828 with 446AL, for
2983	6291	Shuttle Race complete for 16-137 Machine,			16-137 Machine
		Nos. 907D,2533,2980 to 2982 and two	3190	6295	Thread Take-up Cam 56829 with 446AL, for
		each 662R and 2532			16-141 Machine
2996	6294	Shuttle Bobbin for 15100.	4265	6298	Needle Clamp with 196F, for 4865
3005	6290	Arm Shaft Bushing (back)	4266	6298	" Thread Guide for 4865
3008		Balance Wheel (power) light rim, 1 3/4	4282	24157	Roller Arm Bracket for 16099 and 16100
0000		in. pulley, with two 448AL	*4287		Arm with 4448, 4449, 15404 and two 15405.
3009		Balance Wheel (power) light rim, 2 5/16			for 16-137 Machine
5005		in. pulley, with two 448AL	4288	6299	Arm Side Cover
3012		Thread Take-up Cam Pin	4292	6290	Crank Connecting Rod with two 145E
3022	6290		4304	6290	Oscillating Rock Shaft with 4784. for
ممان	0290	Clamp Stop Motion complete, Nos. 248A,	1001	-200	5747
		256J, 2020 and 4933			~

No.	Plate	Name		D2 - +-	No mo
4305	6296	Shuttle Race Slide for 80528	No.	Plate	Name
4307	6291	" " Spring for 4351	4726	6298	Lifting Presser Bar Lifting Bracket
		Wrench for 1513 and 1518 (Accessories)	4000	2007	Guide Pin for 56859 and 56862
4347	24153	· · · · · · · · · · · · · · · · · · ·	4727	6297	Lifting Lever Pin for 56859 and 56862
4350	6291	Shuttle Race Slide for 4351	4728	6297	Course ring wor ion seess
4351	6291	Shuttle Race Slide complete for 4356,			and 56862
1000	****	Nos. 4307, 4350 and two 4352	4730	6298	Guide Bar complete for 16-141 Machine,
4352	6291	Shuttle Race Slide Spring Rivet for 4351			Nos. 810D,810E,3134,4723,4897,56844
		(2)			and three 404J
4356		Wheel Feed complete for 16-137 Machine,	4784	6290	Oscillating Rock Shaft Oil Pad for 4304.
		Nos. 324D,2263,2265,3074,4351,4680,	4827	6293	Throat Plate, large oblong needle hole,
		4827, 4828 and 4993			for 2258 and 15022, for 4356
4359	6295	Arm Shaft for 16-141 Machine	4828	6293	Throat Plate, medium oblong needle hole,
4367	24157	Roller Arm Bracket for 2200 and 2201			for 2258 and 15022, for 4356
4368	6290	Arm Shaft for 56837	No		4827 and 4828 are sent with the 16-137
4369	6291	Tension Releaser for 56775		Machin	e unless other Throat Plates are specified
4370	6290	Balance Wheel (stand) heavy rim, 2 3/4		on ord	- ·
		in. pulley, with two 448AL	4829		Throat Plate, small oblong needle hole,
No		4370 is regularly furnished with the			for 2258 and 15022
		Machine unless another Balance Wheel is	4854	629 8	Guide Bar Driving Crank with 1862 and
	•	ied on order.			3131, for 16-141 Machine
4 378	6296	Tension Releaser for 56873	4855	6298	Lifting Presser Bar Lifter for 16-141
43 88	6295	Balance Wheel (power) light rim, 2 3/4			Machine
		in. pulley, with two 448AL	4863	24157	Roller Arm for 2200 and 2201
No		3 is regularly furnished with the 16-141	4865	629 8	Needle Clamp complete for 16-141 Machine,
	Machin	e unless another Balance Wheel 1s			Nos. 651D, 4265 and 4266
	_	fied on order.	4879	241 58	Chain Connecting Link for 4885
4391	6297	Feed Bar for 16-141 Machine	4881	2415 8	Treadle for 4885
444 8	6299	Arm Oil Tube, for intermediate bearing,	4882	24158	" Shaft for 4885
		for 4287 and 4722	4883	2415 8	" Spring for 4885
*444 9		Arm Shaft Bushing (front) for 4287 and	4884	24158	" Stand for 4885
		4722	4885	24158	Treadle complete for 56858 and 56859,
4642	6296	Feed Dog, 15 teeth (16 teeth to the inch)			Nos. 4879, 4881 to 4884 and two wood
		for 4646 and 56836, for 16-141 Ma-			screws 1 in, No.16
		chine	4897	6298	Vibrating Presser Bar Lifting Bell Crank
No	te: No.	4642 is regularly furnished with the			for 4730
	16-141	Machine unless another Feed Dog is	*4 898		Needle Bar Connecting Link with 390E, for
	speci1	fied on order.			56764
4646	6296	Throat Plate, large needle hole, for	4933	6290	Clamp Stop Motion Flanged Bushing 3023
		4642 and 56835, for 16-141 Machine			with two 462AL, for 3022
No	ote: No.	4646 is regularly furnished with the	4993	6292	Feed Wheel Driver Link for 4356
	16-141	l Machine unless another Throat Plate	5522	24152	Bobbin Winder Frame for 5528
	is spe	ecified on order.	5526	24152	" " for 5531 and 5533
4680		Feed Wheel Frame complete for 4356, Nos.	5528	24152	Bobbin Winder (tight wheel) complete,
		3077 and 56834			Nos. 2460, 5522 and 5530
*4722		Arm with 4448,4449,15404 and two 15405,	5529	24152	Bobbin Winder Spindle for 5530
		for 16-141 Machine	5530		" " " 5529 with 2461, for
4723	6298	Guide Bar Lifting Bracket for 4730			5528
4724	6297	Lifting Lever with 448AL, for 56859 and	5531	24152	Bobbin Winder (loose wheel) complete,
		56862			Nos. 2460,2466,2694,5526 and 51224W.
4725	6298	Lifting Presser Bar Lifting Bracket for	5533	24152	Bobbin Winder (loose wheel) complete,
		56859 and 56862			with spindle for spool, Nos. 2460,
					2461, 2466, 2353, 5526 and 51224W

40	133	OMERICATE ELST ST. T. T. T.			
No.	Plate	Name	No.	Plate	Name
5607	6292	Lifting Lever for 56858 and 56861	15072	24053	Bobbin Winder Bobbin Position Pin for
5603	6294	Presser Bar Lifting Bracket with 453AL,	75700	6294	27538 and 27610
		for 56858 and 56861	15100	6294	Shuttle, 1 11/16 in. diam., Nos. 2515, 2996 and 15277
5614	6292	Lifting Lever Connecting Rod for 56858	1 51 4 0	6294	Shuttle Bobbin Case Latch for 15141
		and 56861	15141	6294	" " Hinge for 15277, Nos.
5670	24158	Chain, length 26 in. to 35 in., with	10141	0234	2973, 2974 and 15140
		56864 and 56865, for 56858 and 56859	15163		Oscillating Shaft Crank for 15164
No	te: When	ordering No. 5670, state length required.	*15164		Oscillating Shaft Crank complete for
5747	6290	Oscillating Rock Shaft 4304 with 15489			56767, Nos. 462AL, 1519E, 15163 and
		and 56812			15171
5749	6290	Feed Forked Connection complete, Nos.	15 16 5	6292	Oscillating Shaft Crank complete, Nos.
		3037, 52165, 56886 and two each 3750			1519E, 15171, 15426 and two 462AL
		and 1518J	15170	6292	Oscillating Shaft Crank Slide Block for
6337	24158	Rock Shaft Lifting Bracket with two 356C,			15171
		12250 and 37138	15171		Oscillating Shaft Crank Slide Block com-
7071	24155	Binder Folder Screw Washer for 26972 and			plete for 15164 and 15165, Nos.226J,
		28371 Games Samuel Machan for			1035C, 12424 and 15170
7071	24155	Binder Ribbon Tension Screw Washer for	15277	6294	Shuttle Bobbin Case complete for 15100,
		26972			Nos. 591F,592E,2975,15141 and 15278.
7125	2415 8	Rock Shaft Lifting Bracket Hook for 37138, for use with 5670	15278	6294	Shuttle Tension Spring for 15277
me no	04350	Rock Shaft Hanger with two wood screws 1	*15404		Trade Mark for 4287 and 4722
7539	2415 8	in. No. 10, for 12250 and 37138 (2)	15405		" " Rivet for 4287 and 4722 (2)
2000	04355	Binder Ribbon Guide Screw Washer for	15420		Shuttle Race Body 2530 with 2535 and two
7806	24155	28371			662R, for 56897
2000	24153	Wrench for 1519 (Accessories)	15426	6292	Oscillating Shaft Crank for 15165
8 9 08 10 141	24053	Bobbin Winder Tension Spring for 27308	15444		Roller Arm Bracket Screw Center 316F
11241	6299	Arm Spool Pin Washer (cloth)			with 1547J, for 2194 to 2197, 2200,
11241	24053	Bobbin Winder Spool Pin Washer (cloth)			2201, 16099 and 16100 (2)
112711	24000	for 27308	15 44 6		Roller Arm Adjusting Screw 440F with
12152	24156	Edge Guide Slide Spring Cover Rivet for			1547J, for 2194 to 2197, 2200, 2201,
10100	21200	121146 (2)	35.450	0000	16099 and 16100
12234	6292	Bell Crank Shaft for 56858, 56859, 56861	15472	6298	Needle Bar Connecting Stud with 155C, for
20001	0	and 56862	15400	2000	56764
12235	6292	Bell Crank Spring for 56858,56859,56861	15489	6290	Oscillating Rock Shaft Hinge Pin Screw
		and 56862	16098	04150	Bearing 635C with 1513J, for 5747
12243	24158	Rock Shaft Lifting Bracket Hook for	16099	24157 24157	Roller Arm for 16099 and 16100
		37138, for use with 80657	10033	24107	Roller Presser complete, 1 1/4 in.diam.,
12250	24158	Rock Shaft complete for 56861 and 56862,			9/64 in. face, coarse roller, for
		Nos. 2763, 2768, 2778, 6337 and two			16-137 Machine, Nos.176J,1549J,1839, 2205,4282,15446,16098 and two 15444.
		each 2770 and 7539	16100	24157	Roller Presser complete, 1 1/4 in. diam.,
12361	24153	Machine Hinge Connection (Accessories)	10100	£TIO/	9/64 in. face, fine roller, for
		(2)			16-137 Machine, Nos.176J,1549J,1869,
12416	6297	Lifting Lever Connecting Rod Joint for			2205,4282,15446,16098 and two 15444.
		56859 and 56862	16202	6291	Tension Screw Stud 600C with 1560C, for
12424	6292	Oscillating Shaft Crank Slide Block Cap	25502	~~-	56791
		Screw Washer for 15171	20291	22342	Drip Pan with four 1 in. wire mails, for
13710	23253	Bobbin Winder Tension Spring for 225462.			16-137 Machine
15022		Feed Wheel, coarse teeth, for 4827 to	25721	24155	Binder Folder for 26972
		4829, for 16-137 Machine		•	

			*		
No.	Plate	Name	No.	Plate	Name
25722	24155	Binder Ribbon Tension complete for 26972,	27312	24053	Bobbin Winder Stop Latch for 27647 and
		Nos. 26614, 26616 and four 26615			27656
25875	6299	Guide	27538	24053	Bobbin Winder Spindle with 15072, for
25910	24159	Hemmer (foot) plain bottom, narrow, for			27647
		3/32 in. hem, for 16-137 Machine	27540	24053	Bobbin Winder Base for 27647 and 27656
25911	24159	Hemmer (foot) plain bottom, for 3/32 in.	27541	24053	" Pulley for 27647 and 27656
		hem, for 16-137 Machine	27544	24053	Bobbin Winder (swinging automatic, right
25912	24159	Hemmer (foot) plain bottom, for 1/8 in.			hand) complete, Nos. 27308 and 27647
		hem, for 16-137 Machine	27610	24151	Bobbin Winder Spindle with 15072, for
25913	24159	Hemmer (foot) plain bottom, for 3/16 in.			27611
		hem, for 16-137 Machine	27611		Bobbin Winder Spindle 27610 with 2846,
25914	24159	Hemmer (foot) plain bottom, for 1/4 in.			for 27656
		hem, for 16-137 Machine	27612	24151	Bobbin Winder (swinging automatic, right
26026	24153	Screw Driver (machine) Accessories			hand) complete with spindle for
26251	24155	Feed Dog, 15 teeth (16 teeth to the inch)			spool, Nos. 27308 and 27656
		for 26252, for 26972	27647	24053	Bobbin Winder for 27544, Nos. 35D,1620J,
26252	24155	Throat Plate, for 26251, for 26972	A	2100	27302,27303,27312,27538,27540,27541,
26485	24153	Screw Driver (shuttle tension) Accesso-			50356D and two wood screws 1 in. No.
		ries			7
26614	24155	Binder Ribbon Tension Pin (bent) for	27656	24151	Bobbin Winder for 27612, Nos. 35D,1620J,
		25722	107.000	21101	27302,27303,27312,27540,27541,27611,
26615	24155	Binder Ribbon Tension Pin (straight) for			50356D and two wood screws 1 in.No.7
20020	21200	25722 (4)	28365	24155	Feed Dog, 11 teeth (24 teeth to the inch)
26616	24155	Binder Ribbon Tension Plate for 25722	20000	24100	for 28369, for 28371
26803	24156	Edge Guide Bed with 2362, for 26810	28367	24155	Lifting Presser Foot for 28371
26805	24156	" Slide Cap (left) for 26810	28369	24155	
26806	24156	" " (right) for 26810	28370	24155	Throat Plate for 28365, for 28371
26807	24156	" " Lever for 26810	23371	24155	Vibrating Presser Foot for 28371
26808	24156	" " Spring for 26810	20071	24100	Binder (English) complete, for circular
26809	24156	" " Cover for 121146			binding, for sandals, slippers, shoe
26810	24156	Edge Guide (roller) complete for 16-141			tongues, etc., for 16-141 Machine,
20010	£TI00	Machine, Nos.94D,233J,26803,26805 to			Nos.207F,337J,7071,7806,28365,28367,
		26808,121146, two 207F and four 220J			28369,28370,36620 and 120493,120494
26812	24156	Lifting Presser Foot, for use with Edge	29633	6292	or 120495
20022	24100	Guide No. 26810	ವಿಶರಿಯ	0292	Feed Rock Shaft Crank with 157J, for
26971	24155	Vibrating Presser Foot for 26972	70c75	6000	56880
26972	24155	Binder (English) complete for 16-141 Ma-	32675	6298	Lifting Presser Bar Spring for 16-141
20072	DTIOU	chine, Nos. 190J, 207F, 2358, 25721,	75.006	04156	Machine
			35026	24156	Corder on Shank for 35034
27136	24153	25722,26251,26252,26971 and two 7071 Machine Button with wood screw 1 1/2 in.	35031	, 24156	Feed Dog, 15 teeth (14 teeth to the inch)
27130	24100		ØE 000	04750	for 35032, for 35034
ממצממ	24057	No. 14 R.H.B. (Accessories)	35032	24156	Throat Plate for 35031, for 35034
27302	24053	Bobbin Winder Frame for 27647 and 27656.	35033	24156	Vibrating Presser Foot for 35034
27303		" " Spring for 27647 and	35034	24156	Corder complete, for edge cording plush,
00706	04057	27656			for 16-141 Machine, Nos. 2358, 35026
27306	24053	Bobbin Winder Spool Pin for 27308		0477	and 35031 to 35033
27307	24053	3 talle 101 2/306	35131	24154	Vibrating Presser Foot, for use with
27308	24053	Bobbin Winder Spool Stand complete for			Binders Nos. 35226, 120247 and
		27544 and 27612, Nos. 418E, 1562J,			120248
		2106,10141,11241,27306,27307 and two	35226	24155	Binder on Shank, for mattress work, for
		each 2455 and wood screws 1 in.No.10			16-141 Machine

					NUMERICAL LIST OF PARTS 31
No.	Plate	Name	N.	Diete	Nome
35227	24154	Feed Dog, 20 teeth (16 teeth to the inch)	No.	Plate	Name
		for 35229, for use with Binders Nos.	56812	6290	Oscillating Rock Shaft Hinge Pin 3052
		35226, 35366, 120247 and 120248	F-03.5	0000	with 1513J, for 5747
35229	24154	Throat Plate, for 35227, for use with	56813	6297	Feed Bar Screw Center 313C with 1519J,
		Binders Nos. 35226, 35366, 120247			for 16-141 Machine (2)
		and 120248	56813	6292	Feed Wheel Driver Link Screw Center 313C
35230	24154	Lifting Presser Foot, for use with			with 1519J (2)
		Binders Nos. 35226,120247 and 120248	56814	6297	Feed Lifting Rock Shaft Screw Center
35364	24156	Lifting Presser Foot, for use with Bind-			307C with 1513J, for 16-141 Machine
		er No. 35366			(2)
35365	24156	Vibrating Presser Foot, for use with	5 6814	6292	Feed Rock Shaft Screw Center 307C with
		Binder No. 35366			1513J (2)
35366	24156	Binder on Shank, for folding in upper	56814	6292	Feed Wheel Frame Shaft Screw Center 307C
		edge of leather strip, for cap			with 1513J, for 16-137 Machine (2).
		visors, harness housings, etc., for	*56828		Thread Take-up Cam for 3182
		16-141 Machine	* 56829		" for 3190
36620	24155	Binder Ribbon Guide for 28371	56834	6293	Feed Wheel Frame complete for 4680, Nos.
37138	24158	Rock Shaft complete for 56858 and 56859,			151C, 183C, 183F, 24OD, 2252, 2254
0,100	D110 0	Nos. 2763, 2770, 7125, 12243 and two			to 2256,2258,3113,3114 and two each
		each 6337 and 7539			141C and 1528J
41400	24153	Machine Rest Pin (wood) Accessories	56835		Feed Dog, 22 teeth (22 teeth to the inch)
503560	24053	Bobbin Winder Frame Hinge Screw for			for 4646 and 56836, for 16-141 Ma-
000000	2.4000	27647 and 27656			chine
51022J	24155	Binder Folder Screw for 120493 (2)	56836		Throat Plate, small needle hole, for
51224W	6299	Arm Side Cover Thumb Screw			4642 and 56835
51224W	24154	Binder Guide Thumb Screw for 120247 and	56837		Arm Shaft 4368 with 3074 and 56828, for
OTOUTH	PLICE	120248			16-137 Machine
51224W	24152	Bobbin Winder Eccentric Thumb Screw for	56844		Guide Bar 56752 with 3370 and 3137, for
UIDEEM	24TOE	5531 and 5533			4730
51282E	6296	Shuttle Race Slide Spring Screw for	56845		Feed Dog, 15 teeth (16 teeth to the 1nch)
JIROZE	0230				spiked teeth, for 4646 and 56836, for
51916	24156	80528 (2)			16-141 Machine
01910	£4100	Edge Guide Slide Roller and Stud for 121146	56855	6291	Thread Take-up Lever 3072 with 1088C
52016	6294		56858		Foot Lifter complete for 16-137 Machine,
52165	6290	Presser Bar Lifter for 16-137 Machine			Nos. 802D,4885,5607,5608,5614,5670,
52239	6299	Feed Connecting Link for 5749			12234,12235,37138 and 80657
		Arm Spool Pin and Thread Eyelet	56859		Foot Lifter complete for 16-141 Machine,
* 56752		Guide Bar 3126 with 2361 and two 2362,			Nos. 76D, 802D, 152LJ, 4724 to 4728,
E0004	0000	for 56844			4885, 5670, 12234, 12235, 12416,
56764	6298	Needle Bar Connecting Link 4898 with			37138 and 80657
E 0D0D		15472, for 16-141 Machine	56861		Knee Lifter complete for 16-137 Machine,
* 56767		Oscillating Shaft 3168 with 2049, 15164	****		Nos.802D,5607,5608,5614,12234,12235,
Coppe		and 68751			12250 and 80657
56773	6994	Needle Bar Connecting Link 3045 with	56862		Knee Lifter complete for 16-141 Machine,
		2052, for 16-137 Machine	00004		Nos. 76D, 802D, 152LJ, 4724 to 4728,
56775	6291	Face Plate complete for 16-137 Machine,			12234, 12235, 12250, 12416 and 80657
		Nos.448AL,460AL,2107,2111,2127,2269,	56864	24158	Chain Hook (large) for 5670
E 05:01	00	4369, 56791, 56796 and two 233J	56865	24158	" (small) for 5670
56791	6291	Tension complete for 56775 and 56873,	56870	6296	Face Plate Thread Guard for 56873
		Nos. 2103, 2124, 16202 and two 2102.	56872	6296	" with 2105, for 56873
56796	6291	Face Plate with 2105, for 56775	56873	6296	Face Plate complete for 16-141 Machine,
			00070		Nos.448AL,460AL,2111,2127,2269,4378,
		•			56791,56870,56872 and two 233J

No.	Plate	Name	No.	Plate	Name
56880		Feed Rock Shaft complete, Nos. 3042 and	139622	22341	Drip Pan with four 1 in. wire nails, for
••••		29633	100000	DDC 11	16-141 Machine
56886		Feed Regulator 3039 with 818D, for 5749.	140219C	24158	Rock Shaft Stop Dog Set Screw for 2770
56888	6298	Needle Bar, for round shank needle, for	200056E	23253	Bobbin Winder Stop Latch Screw for
		16-141 Machine			259431 and 259462
56897	6296	Shuttle Race complete for 16-141 Machine,	2000821	23253	Bobbin Winder Tension Bracket Screw for
		Nos. 648J, 2531, 2533, 15420 and two			259431 and 259462
		2532	200113F	23253	Bobbin Winder Brake Clamp Screw for
56899	6299	Balance Wheel (light rim) "V" belt			259431 and 259462
		groove (outside diam. of belt groove	200299H	23253	Bobbin Winder Stop Latch Trip Lever
		2.9 in.) with two 435AL			Hinge Screw for 259431 and 259462
*68751		Shuttle Driver for 56767 and 68752	200380C	23253	Bobbin Winder Pulley Set Screw for
68752	6292	68751 WITH TWO 462AL			225368 and 259461
80528	6296	Shuttle Race Slide complete for 16-141	201572B	23253	Bobbin Winder Tension Stud Thumb Nut for
		Machine, Nos. 2824, 4305 and two	003.4000	0.000.00	225462
22459	2000	51282E	201499B	23253	Bobbin Winder Tension Stud for 225461 " Frame Oil Packing (wick)
80657	6292	Bell Crank with 445C, for 56858, 56859,	202277	23253	for 225453
*80982		56861 and 56862 Bed	202478	23253	Bobbin Winder Stop Latch Trip Lever for
120064	24156	Feed Dog,12 teeth (10 teeth to the inch)	202478	ಎಂಎಂ	259431 and 259462
120004	24100	spiked teeth, for 35229, for use	225368	23253	Bobbin Winder Pulley With 200380C, for
		with Binder No. 35366	220000	DODGO	259431
120242	24154	Binder Bed with 1036AL, for 120247 and	225381	23253	Bobbin Winder Spindle for 259431 and
		120248			259462
120243	24154	Binder Folder (lower) for 120248	225438	23253	Bobbin Winder Frame Oil Well Cap for
120244	24154	" (upper) for 120247 and			225453
		120248	225444	23253	Bobbin Winder Stop Latch for 259431 and
120245	24154	Binder Guide (center) for 120247 and			259462
		120248	225453	23253	Bobbin Winder Frame With 202277 and
120246	24154	Binder Guide (lower) for 120247			225438, for 259431 and 259462
120247	24154	Binder (adjustable) complete, to turn in	225454	23253	Bobbin Winder Frame Hinge Pin for 259431
		upper edge only, for light or medium			and 259462
		weight material, for 16-141 Machine,	225455	23253	Bobbin Winder Frame Spring for 259431
		Nos. 51224W, 120242 and 120244 to	005456	07057	and 259462 Bobbin Winder Frame Spring Plunger for
100040	04354	120246	225456	23253	259431 and 259462
120248	24154	Binder (adjustable) complete, to turn in	225458	23253	Bobbin Winder Stop Latch Thumb Lever for
		both edges of light or medium weight material, for 16-141 Machine, Nos.	ರಿಕಾರಿತಿತ	20200	259431 and 259462
		51224W and 120242 to 120245	225459	23253	Bobbin Winder Stop Latch Thumb Lever
120342	24153	Oiler (copper plated) with 120343	250200	20200	Hinge Stud for 259431 and 259462
120343	24153	¹¹ Spout, 3 1/2 in. long, for 120342.	225459	23253	Bobbin Winder Stop Latch Thumb Lever
120493	24155	Binder Folder with two 51022J, for 1/4			Joint Stud for 259431 and 259462
		in. to 1/2 in. gauges, for 28371	225461	23253	Bobbin Winder Tension Bracket with
120494		Binder Folder with two 1368J, for 17/32			201499B, for 225462
		in. to 19/32 in. gauges, for 28371	225462	23253	Bobbin Winder Tension Bracket complete
120495		Binder Folder with two 1368J, for 5/8			for 259431 and 259462, Nos. 13710,
		in. to 1 in. gauges, for 28371			201572B, 225461 and two 2102
121146	24156	Edge Guide Slide with 26809, 51916 and	228026	23253	Bobbin Winder Tension Bracket Screw
		two 12152, for 26810			Washer for 259431 and 259462
121332	24156	Finger Guard for 16-141 Machine	259428	23253	Bobbin Winder Brake (leather) for 259431
					and 259462

NUMERICAL LIST OF PARTS


No.	Plate	Name
259429	23253	Bobbin Winder Brake Clamp for 259431 and
		259462
259430	23253	Bobbin Winder and Tension Bracket Base
		for 259431 and 259462
259431	23253	Bobbin Winder (swinging automatic, right
		hand) complete, for power table, for
		round belt, Nos. 200056E, 200082D,
		200113F, 200299H, 202478, 225368,
		225381, 225444, 225453 to 225456,
		225458, 225462, 228026, 259428 to
		259430 and two each 225459 and wood
	***	screws 3/4 in. No. 12 R.H.B
259461	23253	Bobbin Winder Pulley with 200380C, for
		259462
259462	23253	Bobbin Winder (swinging automatic, right
		hand) complete, for power table, for
		"V" belt, Nos. 200056E, 200082D,
		200113F, 200299H, 202478, 225381,
		225444, 225453 to 225456, 225458,
		225462, 228026, 259428 to 259430,
		259461 and two each 225459 and wood
		screws 3/4 in. No. 12 R.H.B


Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1


Needles in Containers marked "For Singer Machines"


are not Singer made needles.


2




























23253 - 3/8

