Singer 19-18

Form 18549 December, 1931 PRINTED IN U. S. A.

LIST of PARTS



MACHINE No. 19-18

THE SINGER MANUFACTURING COMPANY

.

Copyright, U. S. A., 1929 and 1931 by The Singer Manufacturing Co. All Rights Reserved for All Countries

	PAGE
Accessories	14
Bobbin Winder	14
FOOT LIFTER PARTS	15
Knee Lifter Parts	. 15
Machine No. 19-18	. 7
Numerical List of Parts	. 19
Obsolete Parts	. 17
STARTING TREADLE PARTS	. 16
Table Belt Guide	. 16
THREAD LUBRICATOR	. 16

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A.—Hardened, Polished, Nickel Plated and Buffed B.—Polished, Nickel Plated and Buffed C.—Hardened Only

D-Polished Only

E—Soft, Not Polished F—Hardened and Polished

H-Blued

J--Nickel Plated Only

K—Hardened and Nickel Plated L—Brass Plated

M—Oxidized

N-Japanned, Dull

P—Japanned, Bright R—Merlized

R.—Merlized
T.—Copper Plated
T. A.—Hardened, Polished, Copper and Nickel Plated
and Buffed
T. B.—Copper and Nickel Plated and Polished
T. J.—Copper and Nickel Plated Only
T. K.—Hardened, Copper and Nickel Plated
T. M.—Copper Plated and Oxidized
T. L.—Copper and Brass Plated
U—Zinc Plated
V—Silver Plated
W—Polished and Nickel Plated

W—Polished and Nickel Plated Y—Black Nickel Plated Only

Z-Chromium Plated

Z. B.—Polished, Nickel Plated, Buffed and Chromium Plated Z. J.—Nickel and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:


1 to 1500 and 50001 to 51500 are Screw Numbers 1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 and upward are numbers of Sewing Machine Parts and Electrical Parts

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at factory.

LIST OF PARTS COMPLETE

FOR



MACHINE No. 19-18

FOR STITCHING BOWS, POMPONS AND ORNAMENTS ON SHOES. NO FEEDING MECHANISM. THE MACHINE IS REGULARLY FURNISHED WITH STITCH RATCHET WHEEL FOR MAKING FOURTEEN STITCHES TO EACH TACK. IF REQUESTED ON THE ORDER, A STITCH RATCHET WHEEL FOR MAKING EITHER THREE. EIGHT OR NINE STITCHES WILL BE SUBSTITUTED. AUTOMATIC STOP. SPEED 800.

NO.	PLATE			1	NAMI	E			
*17466		Arm	with	122	D, 2	83D,	7248,	15404	and
		tw	o 154	105					
2117	1742	Arm	Dow	rel Pir	a				
123E	1739	"	Scre	w					
17467	20355	"	Shaf	t					
17468		"	"	174	67 v	vith 1	7456,	17478	and
		56	828.						
17703	1742	Arm	Shaf	t Bus	shing	ζ			<i>.</i>
50333c	1742	"			44	Adj	usting	Screv	v
1520л	1740	"	"		"		"	"	Nut
*7248	20355	"	Side	Plate	e				
122p	1739	"	"	46	Ser	rew			
283р	1739	"	"	"	Tb	umb	Screw	·	\•∕.

NO.	PLATE	27125
12403	1742	NAME Arm Spool Pin and Thread Eyelet
8879	1746	" " Washer (cloth)
39222	1748	Wasner (cloth)
22706	1748	Belt Shifter
22100	1748	" " Clamp and Trip Lever Stop Holder
51191р	1742	Belt Shifter Clamp and Trip Lever Stop
	٠.	Holder Screw
4292	1748	Crank Connecting Rod
375c	1739	" " Hinge Screw
1518ј	1745	" " " " Nut
*17470		Cylinder
*17471		" 17470 with 22705 and three
		180п
17341	1748	Face Plate
17342		Face Plate complete. Nos. 2331, 448c.
		460c, 600c, 1560c, 2103, 2105, 2111.
		2124, 2127, 2269, 4369, 17341 and two
		2102
175.r	1739	Face Plate Screw
7060	1748	Needle Bar
3045	1742	" " Connecting Link
56773		" " " 3045 with
		2052
377c	1739	Needle Bar Connecting Link Hinge Screw
1518л	1745	" " " " " "
		Nut
2052	1742	Needle Bar Connecting Stud with 155c
155c	1742	" " Set Screw
7061	1748	· " Frame
17495	1748	" " Cam and Bevel Gear,
-		36 teeth
17496		Needle Bar Frame Cam and Bevel Gear
11490		17495 with 15c
7290	1749	Needle Bar Frame Cam and Bevel Gear
1290	1140	Cover
190л	1739	Needle Bar Frame Cam and Bevel Gear
1000	1109	Cover Screw
15c	1739	Needle Bar Frame Cam and Bevel Gear
100	1,00	Screw Stud
17456	1742	Needle Bar Frame Driving Bevel Pinion,
11100	1442	18 teeth, with two 453c
453c	1742	Needle Bar Frame Driving Bevel Pinion
TOUC	1174	Set Screw
15767	1749	Needle Bar Frame Pitman Connection
10101	1117	(hinge study and)
15787	1749	(hinge stud end) Needle Bar Frame Pitman Connection
10101	T1.49	(regulator and)
		(regulator end)

		,
NO.	PLATE	NAME
203c	1739	Needle Bar Frame Pitman Connection Screw
15768	1749	Needle Bar Frame Pitman (adjustable)
10100	1170	complete, Nos. 15767, 15787 and two
		203c
646г	1739	Needle Bar Frame Pitman Hinge Screw.
7068	1742	" " " " Stud.
620c	1739	" " " " " Set
0200	1198	Screw
17472	1742	Needle Bar Frame Regulator
17472	11.14	" " " 17472 with
11419		549c, 1877, 7298, 33948 and two 226j
549c	1739	Needle Bar Frame Regulator Adjusting
J±gC	1109	Screw Stud
7070	1742	Needle Bar Frame Regulator Adjusting
7070	1/42	Screw Stud Sleeve
226л	1739	Needle Bar Frame Regulator Adjusting
2203	1159	Screw Stud Stop Screw
1538ъ	1745	Needle Bar Frame Regulator Adjusting
19990	1740	Thumb Nut
1877	1742	Needle Bar Frame Regulator Roller
1911	1742	and Screw Stud
33948	1742	Needle Bar Frame Regulator Shaft
6533	1742	" " " Collar
0000	1144	with 460c
460c	1742	Needle Bar Frame Regulator Shaft
200,0	1.12	Collar Set Screw
7298	1742	Needle Bar Frame Regulator Shaft Pin.
577c	1739	" " Screw Center (lower)
17437		
11101		577c with 1517J
1517յ	1745	Needle Bar Frame Screw Center (lower)
		Nut
673ј	1739	Needle Bar Frame Screw Center (upper)
1517 _J	1745	u u u u u x
		Nut
7072	1742	Needle Bar Thread Guard
233ј	1742	" " " Screw
17474	1744	" Plate with 17494
401 _F	1744	" " Screw
17494	1744	" " Thread Retainer
336г	1739	" Set Screw
6022	1749	Oscillating Rock Shaft with 4784
3052	1749	" " " Hinge Pin
1513л	1745	" " " " Nut
4784	1744	" " " Oil Pad (felt)
7044	1749	" Shaft

NO.	PLATE	NAME
17500		Oscillating Shaft 7044 with 2049, 7099
		and 17497
17497	1744	Oscillating Shaft Crank with 462c and
		1813
2049	1744	Oscillating Shaft Crank Pin
1813	1744	" " Roller and Stud.
462c	1745	" " Set Screw
3054	1749	Presser Bar
52016	1740	" " Lifter
689c	1740	" " Hinge Screw
1520л	1740	" " " " Nut
17499	20351	" Lifting Bracket with 453c
453c	1742	" " Set Screw
3056	1740	" " Spring (heavy)
2308	1740	" " (light)
2070	1740	" " Washer
17476	1744	" Foot, for general work
17490	1744	" " stitching barred buckles
2.200		on shoes
22712	1744	Presser Foot Plate
217F	1744	" " Screw
17492	1744	" " Shank
17493	1744	Presser Foot complete, for stitching
2.200		
2.200		buckles and bows on shoes, Nos. 217F,
		buckles and bows on shoes, Nos. 217F, 17492 and 22712
		buckles and bows on shoes, Nos. 217F, 17492 and 22712sser Feet Nos. 17490 and 17493 are
		buckles and bows on shoes, Nos. 217F, 17492 and 22712
No	те: Pre	buckles and bows on shoes, Nos. 217F, 17492 and 22712sser Feet Nos. 17490 and 17493 are sent with this Machine.
No 176j	тє: Pre 1739	buckles and bows on shoes, Nos. 217F, 17492 and 22712sser Feet Nos. 17490 and 17493 are sent with this Machine. Presser Foot Screw
No 1761 7131	тв: Pre 1739 1739	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 176 <i>j</i> 713 <i>j</i> 63975	TE: Pre 1739 1739 20351	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 176 <i>J</i> 713 <i>J</i> 63975 17848	TE: Pre 1739 1739 20351 20351	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 176 _J 713 _J 63975 17848 2269	TE: Pre 1739 1739 20351 20351 1742	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 176 _J 713 _J 63975 17848 2269 1202 _R	1739 1739 20351 20351 1742 1740	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 176j 713j 63975 17848 2269 1202R 17942	1739 1739 20351 20351 1742 1740 20351	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 176J 713J 63975 17848 2269 1202R 17942 2022	1739 1739 20351 20351 1742 1740	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 176j 713j 63975 17848 2269 1202R 17942	1739 1739 20351 20351 1742 1740 20351	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 1761 7131 63975 17848 2269 1202r 17942 2022 17475	1739 1739 20351 20351 1742 1740 20351 1740	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 1763 7133 63975 17848 2269 1202R 17942 2022 17475	1739 1739 20351 20351 1742 1740 20351 1740	buckles and bows on shoes, Nos. 217F, 17492 and 22712 sser Feet Nos. 17490 and 17493 are sent with this Machine. Presser Foot Screw Pressure Regulating Thumb Screw Pulley (loose) 2¾ in. diam "Bushing "Cap Screw "(tight) 2½ in. diam., with 2269 "This Pulleys complete, Nos. 1202R, 1206c, 17482, 17848, 17942 and 63975 Shuttle Bobbin
No 176J 713J 63975 17848 2269 1202R 17942 2022 17475	1739 1739 20351 1742 1740 20351 1740 ————————————————————————————————————	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 176J 713J 63975 17848 2269 1202R 17942 2022 17475 2996 16091 16027	1739 1739 20351 20351 1742 1740 20351 1740 — 1743 1743	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 176J 713J 63975 17848 2269 1202R 17942 2022 17475	1739 1739 20351 1742 1740 20351 1740 ————————————————————————————————————	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 176J 713J 63975 17848 2269 1202R 17942 2022 17475 2996 16091 16027	1739 1739 20351 20351 1742 1740 20351 1740 — 1743 1743	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 176 713 63975 17848 2269 1202 17942 2022 17475 2996 16091 16027 2974	1739 1739 20351 20351 1742 1740 20351 1740 1743 1743 1743	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 176J 713J 63975 17848 2269 1202R 17942 2022 17475 2996 16091 16027 2974	1739 1739 20351 20351 1742 1740 20351 1740 1743 1743 1743	buckles and bows on shoes, Nos. 217F, 17492 and 22712
No 176 713 63975 17848 2269 1202 17942 2022 17475 2996 16091 16027 2974	1739 1739 20351 20351 1742 1740 20351 1740 1743 1743 1743	buckles and bows on shoes, Nos. 217F, 17492 and 22712

NO.	PLATE	NAME
17312	1743	Shuttle Bobbin Case Position Finger
2523	1743	" " " " Rivet
17324	1743	Shuttle Bobbin Case complete, Nos. 591r,
	21.10	592E, 2523, 2975, 12499, 16092 and
		17312
7098	1743	Shuttle Body
591r	1743	" Tension Regulating Screw
12499	1743	" " Spring
17313		Shuttle, 1½ in. diam., Nos. 2996, 7098
		and 17324
7099	1743	Shuttle Driver.
2049	1744	" ' Pin
22702	20351	" Race Body
22702	20351	Ring
51172 _J	1742	
		" Serew. Spring.
22704	1745	
22705		Shuttle Race (flexible) complete, Nos. 22702, 22703 and four each 22704 and
		51172J,
180n	1739	Shuttle Race Screw
17853	1749	Starting Lever
1262c	1739	" " Hinge Screw
1662c		" " " Nut
17886	1749	" " Pitman
22708	1740	Stitch Ratchet Wheel (15 teeth) for 3
		stitches
17478	1740	Stitch Ratchet Wheel (16 teeth) for 8
-,		stitches
22707	1740	Stitch Ratchet Wheel (20 teeth) for 9
2,2101	1.10	stitches
17477	1740	Stitch Ratchet Wheel (21 teeth) for 14
11111	1110	stitches

N		o. 17477 is sent with this Machine
	unle	ess otherwise specified on order.
17479	1749	Stitch Ratchet Wheel Driving Lever
		with 8077
70:	1739	
	1.00	Hinge Screw
17480	1741	
17100	1141	Pawl
വര	ı 1739	T
203	1 1198	Pawl Screw
FFAO	1/7/1	
5569	1741	
	4 10 10	Spring Stitch Ratchet Wheel Driving Lever
8077	1741	Stiten Ratenet wheel Driving Level
		Spring Hook

No.	PLATE	NAME
683E	1741	Stitch Ratchet Wheel Driving Lever
		Spring Screw
$64 \mathbf{F}$	1740	Stitch Ratchet Wheel Hinge Screw
17481	1741	" " Retaining Pawl
81 _D	1741	u u u u u
		Hinge Screw
15511	1741	Stitch Ratchet Wheel Retaining Pawl
		Spring
226 _J	1739	Stitch Ratchet Wheel Retaining Pawl
		Spring Screw
17482	1743	Stop Cam
17483	20352	" " Interlocking Rod
49329	20352	" " " Case
17484		" " " 49329
		with 1318p, 17483, 17489, 17863, 17864,
		22706, 39222 and two each 1761 and
		51191 _D
39346	20351	Stop Cam Interlocking Rod Case Bracket
17485		Stop Cam Interlocking Rod Case Bracket
		complete, Nos. 1204E, 1254c, 1262c,
		1508л, 1662с, 17484, 17487, 17853,
		17859, 17861, 39346 and two 898p
16532	1741	Stop Cam Interlocking Rod Case Bracket
		Dowel Pin
50372E	1739	Stop Cam Interlocking Rod Case Bracket
		Screw
1204E	1739	Stop Cam Interlocking Rod Case Hinge
		Screw
17859	20352	Stop Cam Interlocking Rod Case Socket
		Joint
898D	1739	Stop Cam Interlocking Rod Case Socket
		Joint Cap Screw
25478	1741	Stop Cam Interlocking Rod Case Spring
626c	1741	a a a a a
		Screw Stud
17486	1741	Stop Cam Interlocking Rod Case Spring
		Screw Stud Plate with 626c
175 _J	1739	Stop Cam Interlocking Rod Case Spring
		Screw Stud Plate Screw
17861	1743	Stop Cam Interlocking Rod Case Stop
		Stud
1254c	1743	Stop Cam Interlocking Rod Case Stop
4 2 2 2		Stud Screw Bushing
1508j	1743	Stop Cam Interlocking Rod Case Stop
- -	4 1	Stud Screw Bushing Lock Nut
17487	1741	Stop Cam Interlocking Rod Case Stop
		Stud Spring

NO.	PLATE		NA		
17863	1741		Interlock	ing Rod	Spring
17864	1741	" "	"	"	Stop
1318D	1746	٠٠ ١٠	"	"	" Screw
3012	1744	"	Pin	 .	
1206c	1739	"	Screw		
2102	1745				
1560c	1745	" R	egulating	Thumb	Nut
4369	1745	" R	eleaser		
2269	1742	"	" H	inge Pin	
600c	1745	" S	rew Stud	l. 	
16202		"	" "	600c wi	th 1560c
448c	1746	"	"	Set Scr	ew
2103	1745	" £	pring		
2105	1745				
2112	1745	Thread Re	etaining I	Disc with	2113
2113	1745	"	"		dy Pin
2114	1745	**	" §	pring	
2115	1745	46	" 8	Stud	
460c	1742	"	"	" Set	Screw
2111		Thread R	etainer (duide co	mplete, Nos.
2111		2112. 21	14 and 2	115	
*56828					
3182	20351	"			8 with 446c
3012	1744	44	"	" Pin	
446c		"	"	" Set S	Screw
*4286	1745	44	" Le	ever with	n 1819
56759		66	66	" 4286	6 with 76c
76c	1745	64		" Hin	ge Screw
1819	1745	"	44	" Roll	ler and Stud
2124	1745	- 66	" St	oring	
2127	1745	"	"		gulator Plate
233j	1742	"	"	"	ິ" "
2000	1112	Adjusti	ng Screw		
*15404					
*15405		11 46 6			
17488	20351	Trin Leve			
5841		" "			
5569	1741	" "	- 0		
8077	1741				
683E		" "	"		
17489	1741	"			
17489 176j		" "			
6053	20355	Drip Pan			
0000	20000	Dip ran			

ACCESSORIES

NO.	PLATE	NAME
51072E	1746	Bolt with 51581E, to fasten machine to
		table
51581E	1746	Bolt Nut
6055	1746	" " Washer
120342	1747	Oiler with 120343
120343	1747	" Spout, 3½ in. long
26026	1747	Screw Driver (machine)
26485	1747	" (shuttle tension)
8908	1747	Wrench for 1520
8909	1747	" " 1513, 1517 and 1518
		,

BOBBIN WINDER

SWINGING AUTOMATIC, RIGHT HAND FOR 2996

		ron 2330
NO.	PLATE	NAME
27540	20353	Base
15072	1743	Bobbin Position Pin
27302	20353	Frame
50356p	1746	" Hinge Screw
1620 J	1746	" " " Nut
27303	1746	" Spring
27541	20353	Pulley
*27849		Spindle
27538	20353	" 27849 with 15072, 27850 and
		41828
*27850		Spindle Collar
41828	1746	" " Pin
27306	20353	Spool Pin
27307	20353	" Stand
27308	20353	Spool Stand complete, Nos. 418E, 1562J,
		2106, 10141, 11241, 27306, 27307 and
		two each 2455 and wood screws 1 in,
		No. 10
11241	20353	Spool Washer (cloth)
27312	20353	Stop Latch
35D	1746	" " Hinge Screw
2455	1745	Tension Disc
1562J	1745	" Regulating Thumb Nut
418E	1745	" Screw Stud
10141	1745	" Spring
2106	1745	" Thread Guide
27647	20353	Bobbin Winder, Nos. 35D, 1620J, 27302,
		27303, 27312, 27538, 27540, 27541,
		50356p and two wood screws 1 in. No. 7
27544		Bobbin Winder (swinging automatic,
		right hand) complete, Nos. 27308 and
		27647

FOOT LIFTER PARTS

NO.	PLATE	NAME					
6439		Chain, length 36 in. to 45 in., with 56864 and 56865					
-	Note:	When ordering No. 6439, state length required.					
4879	1747	Chain Connecting Link					
56864	1747	" Hook (large)					
56865	1747	" " (small)					
7170	20355	Lifting Lever					
802p	1739	" " Hinge Screw					
16659	1747	" " Spring					
4881	20356	Treadle					
4882	1746	" Shaft					
4883	20352	" Spring					
4884	20356	" Stand					
4885	20356	Treadle complete, Nos. 4879, 4881 to					
17335		4884 and two wood screws 1 in. No. 16 Foot Lifter complete, Nos. 802p, 4885, 6439, 7170 and 16659					

KNEE LIFTER PARTS

NO.	PLATE			I	AME		
7170	20355	Liftin	g Lev	er			
802p	1739	"	"	Hin	ge Scr	ew	
16659	1747	"	"	Spr	ing		
6343	20356	Pitms	n		. 		
7124	20355	Rock	Shaft		. 		
2764	20355	46	"	Hange	er with	two wo	ood screws
		1 ir	ı. No.	10		<i></i> .	
6335	20355	Rock	Shaft	Knee	Arm		
6336		Rock	Shaf	t Kne	e Arm	comp	lete, Nos.
		276	6, 276	57 and	6335		
2766	20355	Rock	Shaft	Knee	Arm I	Iub wit	h 356c
356c	1739	"	"	44	44	" Ser	Screw
2767	20355	"	"	46	Plate	with 35	i6c
356c	1739	44	"	"	44	Set Scr	ew
6337	20355	"	"	Liftin	g Brac	ket wit	h two 356c
7125	20355	"	46	. "	"	Hoc	k
356c	1739	"	"	"	44	"	Set Screw
356c	1739	44	44	"	**	Set	Screw
2770	20355	"	"	Stop	Dog w	ith 356	c
356c	1739	46	"	"	"S	et Scre	w
7126	20355	Rock	Shaf	t com	plete,	Nos. 2	770, 6336,
							64
17337		Knee	Lifte	r comp	olete (p	ower te	able), Nos.
		802	2р, 63	43, 71	26, 717	0 and 1	6659

NO.	PLATE	NAME
13351		Chain, length 46 in. to 55 in., with 56864
-		and 56865
	Note:	When ordering No. 13351, state
		length required.
56864	1747	Chain Hook (large)
56865	1747	" " (small)
17876	20356	Treadle with 443c
17881	1741	" Shaft
443c	1746	" Set Screw
17882	1741	" Spring
17883	20356	" Stand
17884	20356	Treadle complete, Nos. 17876, 17881 to
		17883 and two wood screws 1 in. No. 10

TABLE BELT GUIDE

NO. PLATE	NAME
39218 20352	Belt Guide with two 168E
168E 1746	" Set Screw
17892 20356	Bracket with two 153E
17893 20352	Pulley
39219 20352	" Shaft (long) with 17896 and
	63973
63973 20352	Pulley Shaft (long) Wick (braided cotton)
39220 20352	" (short) with 17896 and 63974
63974 20352	" " Wick (braided cotton)
17896 1746	" " Plug
153E 1746	" Set Screw
39221	Table Belt Guide complete, Nos. 17892,
	39219, 39220, two each 17893, 39218
	and three wood screws 11/4 in. No. 12

THREAD LUBRICATOR

NO.	PLATE		N/	ME	•	
22710	20354	Face Pl	ate			
22711		Face Pl	ate with T	hread l	Lubricat	or com-
		plete,	Nos. 22710	0 and 6	6893	
*62818	20354	Thread	Lubricator	Brack	et	
65087	20354	46	"	"	Extens	ion
50222j	1746	"	"		"	Screw
21202	1746	"	44	"	"	"
*		Fricti	ion Washer			
1529E	1746		Lubricato		cket Ex	

NO. PLATE NAME 1746 Thread Lubricator Oil Pad (felt)...... 62819 " " Holder..... *62820 20354 " " " 62820 $65088 \quad 20354$ with 65090..... Thread Lubricator Oil Pad Holder 65088 65089 with 62819, 62824 and 62827..... *65090 20354 Thread Lubricator Oil Pad Holder Oil Tube..... Thread Lubricator Oil Pad Retainer..... 62824 1746 62830 20354 " Reservoir...... 46 " Rivet 17822 1746.. 1745 8068 Washer (inside)..... Thread Lubricator Oil Reservoir Rivet 124371 1746 Washer (outside)..... 62827 20354 Thread Lubricator Oil Wick (braided cotton)..... 65091 --- Thread Lubricator complete for 65092, Nos. 8068, 17822, 62818, 62830, 65089 and 124371..... 65092 20354 Thread Lubricator 65091 with 1529E, 50222J, 65087 and two 21202, for 56893 Thread Lubricator 65092 with 1911, for 56893 22711..... 191j 1741 Thread Lubricator Screw.....

OBSOLETE PARTS

NAME

17469 20354 Belt Shifter Clamp and Trip Lever Stop Holder, superseded by 22706 Note: When No. 22706 is used to replace No. 17469, two No. 51191d screws are also required. 1255d 1746 Belt Shifter Clamp and Trip Lever Stop Holder Screw	40.	LIMIE	1111112
two No. 51191D screws are also required. 1255D 1746 Belt Shifter Clamp and Trip Lever Stop Holder Screw	17469	20354	
Holder Screw	Note		
36 teeth, superseded by 17495 33972 — Needle Bar Frame Cam and Bevel Gear 33971 with 15c, superseded by 17496 202r 1739 Needle Bar Frame Pitman Connection Screw, superseded by 203r *17343 — Oscillating Shaft Crank with 1813, for 17344	1255D	1746	
33971 with 15c, superseded by 17496 202r 1739 Needle Bar Frame Pitman Connection Screw, superseded by 203r *17343 — Oscillating Shaft Crank with 1813, for 17344	33971	20354	36 teeth, superseded by 17495
*17343 Screw, superseded by 203r *17344 Oscillating Shaft Crank with 1813, for 17344	33972		
17344	202F	1739	
17344 1744 Oscillating Shaft Crank 17343 with two	*17343		
	17344	1744	Oscillating Shaft Crank 17343 with two

18549 - 2

NO.	PLATE	NAME
NO.	PLATE	
2062	1746	Presser Bar Lifter, superseded by 52016.
5612	20351	" " Lifting Bracket with 453c,
		superseded by 17499
17491	1746	Presser Foot Plate 17493, superseded by 22712
1744 2	20354	Shuttle Race Body for 17444, superseded
		by 22702, not interchangeable
17443	20354	Shuttle Race Ring for 17444, superseded
		by 22703,not interchangeable
750r	1746	Shuttle Race Ring Screw for 17444,
		superseded by 51172, not inter- changeable
17444		Shuttle Race complete, Nos. 17442,
		17443 and four 750p, superseded by
		22705

Genuine Singer Needles and their Containers are marked with the Company's Trade Mark "SIMANCO."

> Needles in Containers marked "For Singer Machines" are not Singer made needles.

NUMERICAL LIST OF PARTS

NO.	PLATE	NAME
15c	1739	Needle Bar Frame Cam and Bevel Gear
		Screw Stud for 17496 and 33972
35d	1746	Bobbin Winder Stop Latch Hinge Screw
		for 27647
64r	1740	Stitch Ratchet Wheel Hinge Screw
70D	1739	" " Driving Lever Hinge
		Screw
76c	1745	Thread Take-up Lever Hinge Screw for
		56759
81 D	1741	Stitch Ratchet Wheel Retaining Pawl
		Hinge Screw
122 р	1739	Arm Side Plate Screw for 17466
123E	1739	" Screw
153E	1746	Table Belt Guide Pulley Shaft Set Screw
		for 17892
155c	1742	Needle Bar Connecting Stud Set Screw
		for 2052
168E	1746	Table Belt Guide Set Screw for 39218
175 <i>z</i>	1739	Face Plate Screw
175л	1739	Stop Cam Interlocking Rod Case Spring
		Screw Stud Plate Screw
176 _J	1739	Presser Foot Screw
176л	1739	Trip Lever Stop Screw for 17484
180 _D	1739	Shuttle Race Screw for 17471
190л	1739	Needle Bar Frame Cam and Bevel Gear
		Cover Screw
191 _J	1741	Thread Lubricator Screw for 56893
202F	1739	Needle Bar Frame Pitman Connection
000-	1500	Screw, obsolete, superseded by 203r
203c	1739	Needle Bar Frame Pitman Connection
203л	1739	Screw for 15768
2031	1739	Stitch Ratchet Wheel Driving Lever Pawl
217 _F	1744	Screw.
217 <i>F</i> 226ј	1739	Presser Foot Plate Screw for 17493
220J	1759	Needle Bar Frame Regulator Adjusting
226ј	1739	Screw Stud Stop Screw for 17473
22(J	1198	Stitch Ratchet Wheel Retaining Pawl
233л	1742	Spring Screw
233ј	1742	
4001	1142	Thread Take-up Spring Regulator Plate Adjusting Screw for 17342
283р	1739	Arm Side Plate Thumb Screw for 17342
2000 336ғ	1739	Needle Set Screw
UUUI	T109	Treedle per perew

		27.347
NO.	PLATE	NAME
356c	1739	Rock Shaft Knee Arm Hub Set Screw for 2766
356c	1739	Rock Shaft Knee Plate Set Screw for 2767
356c	1739	Rock Shaft Lifting Bracket Hook Set Screw for 6337
356c	1739	Rock Shaft Lifting Bracket Set Screw for 6337
356c	1739	Rock Shaft Stop Dog Set Screw for 2770
375c	1739	Crank Connecting Rod Hinge Screw
377c	1739	Needle Bar Connecting Link Hinge Screw
401 _F	1744	" Plate Screw
418E	1745	Bobbin Winder Tension Screw Stud for 27308
44 3c	1746	Starting Treadle Shaft Set Screw for 17876
446c	1742	Thread Take-up Cam Set Screw for 3182
448c	1746	Tension Screw Stud Set Screw for 17342
453c	1742	Needle Bar Frame Driving Bevel Pinion
		Set Screw for 17456
453c	1742	Presser Bar Lifting Bracket Set Screw for 5612 and 17499
460c	1742	Needle Bar Frame Regulator Shaft Collar Set Screw for 6533
460 c	1742	Thread Retaining Stud Set Screw for 17342
462c	1745	Oscillating Shaft Crank Set Screw for 17344 and 17497
549c	1739	Needle Bar Frame Regulator Adjusting Screw Stud for 17473
577c	1739	Needle Bar Frame Screw Center (lower)
0.10	1.00	for 17437
584D	1740	Trip Lever Hinge Screw
591F	1743	Shuttle Tension Regulating Screw for 17324
592E	1743	Shuttle Bobbin Case Latch Stop Screw for 17324
600c	1745	Tension Screw Stud for 16202 and 17342
620c	1739	Needle Bar Frame Pitman Hinge Stud
0200	1100	Set Screw
626c	1741	Stop Cam Interlocking Rod Case Spring Screw Stud for 17486
646F	1739	Needle Bar Frame Pitman Hinge Screw.
673ј	1739	" " Screw Center (upper)
683E	1741	Stitch Ratchet Wheel Driving Lever Spring Screw
683E	1741	• •
OOOE	1147	Tith peact plant perca

NO.	PLATE	NAME
689c	1740	Presser Bar Lifter Hinge Screw
713 _J	1739	Pressure Regulating Thumb Screw
750p	1746	Shuttle Race Ring Screw for 17444,
		obsolete, superseded by 51172j, not
		interchangeable
802D	1739	Lifting Lever Hinge Screw for 17335 and 17337
	1500	Stop Cam Interlocking Rod Case Socket
898D	1739	Joint Cap Screw for 17485
1202 R	1740	Pulley (loose) Cap Screw for 17475
1204e	1739	Stop Cam Interlocking Rod Case Hinge
		Screw for 17485
1206c	1739	Stop Cam Screw for 17475
1254c	1743	" " Interlocking Rod Case Stop
		Stud Screw Bushing for 17485
1255p	1746	Belt Shifter Clamp and Trip Lever Stop
		Holder Screw, obsolete
1262c	1739	Starting Lever Hinge Screw for 17485
1318n	1746	Stop Cam Interlocking Rod Stop Screw
		for 17484
1508J	1743	Stop Cam Interlocking Rod Case Stop
		Stud Screw Bushing Lock Nut for
		17485
1513ј	1745	Oscillating Rock Shaft Hinge Pin Nut
1517J		Needle Bar Frame Screw Center (lower)
10110	2	Nut for 17437
1517յ	1745	Needle Bar Frame Screw Center (upper)
10110		Nut
1518	1745	Crank Connecting Rod Hinge Screw Nut
1518		Needle Bar Connecting Link Hinge Screw
2020		Nut
1520.	1740	Arm Shaft Bushing Adjusting Screw Nut
1520.	_	Presser Bar Lifter Hinge Screw Nut
1529	E 1746	Thread Lubricator Bracket Extension
		Screw Nut for 65092
1538	р 1745	
		Thumb Nut
1560	c 1745	Tension Regulating Thumb Nut for 16202 and 17342
1562	ı 1745	TO 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1001		Nut for 27308
1620	ı 1746	
1020		for 27647
1662	c 1746	
1001		17485
1813	1744	Oscillating Shaft Crank Roller and Stud
		for 17343 and 17497

NO.	PLATE	NAME
1819	1745	Thread Take-up Lever Roller and Stud for 4286
1877	1742	Needle Bar Frame Regulator Roller and
		Screw Stud for 17473
2022	1740	Pulley (tight) Pin
2049	1744	Oscillating Shaft Crank Pin
2049	1744	Shuttle Driver Pin for 17500
2052	1742	Needle Bar Connecting Stud with 155c for 56773
2062	1746	Presser Bar Lifter, obsolete, superseded by 52016
2070	1740	Presser Bar Spring Washer
2102	1745	Tension Disc for 17342
2103	1745	" Spring for 17342
2105	1745	" Thread Guard for 17342
2106	1745	Bobbin Winder Tension Thread Guide
	21.20	for 27308
2111		Thread Retainer Guide complete, for 17342, Nos. 2112, 2114 and 2115
2112	1745	Thread Retaining Disc with 2113, for 2111
2113	1745	Thread Retaining Disc Steady Pin for 2112
2114	1745	Thread Retaining Spring for 2111
2115	1745	" " Stud for 2111
2117	1742	Arm Dowel Pin
2124	1745	Thread Take-up Spring for 17342.
2127	1745	" " Regulator Plate
,		for 17342
2269	1742	Pulley (loose) Bushing Position Pin for 17942
2269	1742	Tension Releaser Hinge Pin for 17342
2308	1740	Presser Bar Spring (light)
2455	1745	Bobbin Winder Tension Disc for 27308
252 3	1743	Shuttle Bobbin Case Position Finger Rivet for 17324
2764	20355	Rock Shaft Hanger with two wood screws 1 in. No. 10, for 7126
2766	20355	Rock Shaft Knee Arm Hub with 356c,
2767	20355	for 6336Rock Shaft Knee Plate with 356c, for 6336
2770	20355	Rock Shaft Stop Dog with 356c, for 7126
2974	1743	Shuttle Bobbin Case Latch Lever Fulcrum Pin for 16092
2975	1743	Shuttle Bobbin Case Latch Spring for 17324.

NUMERICAL LIST OF PARTS

NO.	PLATE	NAME
2996	1743	Shuttle Bobbin for 17313
3012	1744	Stop Cam Pin
3012	1744	Thread Take-up Cam Pin
3045	1742	Needle Bar Connecting Link for 56773
3052	1749	Oscillating Rock Shaft Hinge Pin
3054	1749	Presser Bar
3056	1740	" " Spring (heavy)
3182	20351	Thread Take-up Cam 56828 with 446c
*4286	1745	" " Lever with 1819 for
. 1200		56759
4292	1748	Crank Connecting Rod
4369	1745	Tension Releaser for 17342
4784	1744	Oscillating Rock Shaft Oil Pad (felt) for
1.01		6022
4879	1747	Chain Connecting Link for 4885
	No	os. 4881 to 4884 for 4885
4001	20356	Treadle
4881 4882	1746	" Shaft
4883	20352	" Spring
4884	20356	" Stand
4885	20356	Treadle complete for 17335, Nos. 4879,
4000	20000	4881 to 4884 and two wood screws 1 in.
		No. 16
5569	1741	Stitch Ratchet Wheel Driving Lever
0000		Spring
5569	1741	Trip Lever Spring
5612	20351	Presser Bar Lifting Bracket with 453c,
		obsolete, superseded by 17499
6022	1749	Oscillating Rock Shaft with 4784
6053	20355	Drip Pan
6055	1746	Bolt Nut Washer (Accessories)
6335	20355	Rock Shaft Knee Arm for 6336
6336		Rock Shaft Knee Arm complete for 7126,
		Nos. 2766, 2767 and 6335
6337	20355	Rock Shaft Lifting Bracket with two
0001		356c, for 7126
6343	20356	Pitman for 17337
6439		Chain, length 36 in. to 45 in., with 56864
		and 56865, for 17335
	Note:	When ordering No. 6439, state
		length required.
6533	1742	Needle Bar Frame Regulator Shaft Collar
0000	_,	with 460c
7044	1749	Oscillating Shaft for 17500

NO.	PLATE	NAME
7060	1748	Needle Bar
7061	1748	" " Frame
7068	1742	" " " Pitman Hinge Stud
7070	1742	" " Regulator Adjusting
		Screw Stud Sleeve
7072	1742	Needle Bar Thread Guard
7098	1743	Shuttle Body for 17313
7099	174 3	" Driver for 17500
7124	20355	Rock Shaft for 7126
7125	20355	" " Lifting Bracket Hook for
		7126
7126	20355	Rock Shaft complete for 17337, Nos.
•		2770, 6336, 6337, 7124, 7125 and two
7170	20355	2764
*7248	20355	Arm Side Plate for 17466
7290	1749	Needle Bar Frame Cam and Bevel Gear
1230	1140	Cover
7298	1742	Needle Bar Frame Regulator Shaft Pin
		for 17473
8068	1745	Thread Lubricator Oil Reservoir Rivet
		Washer (inside) for 65091
8077	1741	Stitch Ratchet Wheel Driving Lever
		Spring Hook for 17479
8077	1741	Trip Lever Spring Hook for 17488
8879	1746	Arm Spool Pin Washer (cloth)
8908	1747	Wrench for 1520 (Accessories)
8909	1747	" " 1513, 1517 and 1518 (Acces-
		sories)
10141	1745	Bobbin Winder Tension Spring for 27308
11241	20353	" Spool Washer (cloth) for
		27308
12403	1742	Arm Spool Pin and Thread Eyelet
12499	1743	Shuttle Tension Spring for 17324
13351		Chain, length 46 in. to 55 in., with 56864
		and 56865
	Note:	When ordering No. 13351, state
		length required.
15072	1743	Bobbin Winder Bobbin Position Pin for
		27538
*15404		Trade Mark for 17466
*15405		" " Rivet for 17466
15511	1741	Stitch Ratchet Wheel Retaining Pawl
		Spring
15767	1749	Needle Bar Frame Pitman Connection
		(hinge stud end) for 15768
		=

NO.	PLATE	NAME
15768	1749	Needle Bar Frame Pitman (adjustable)
		complete, Nos. 15767, 15787 and two 203c
15787	1749	Needle Bar Frame Pitman Connection (regulator end) for 15768
16027	1743	Shuttle Bobbin Case Latch Lever for
		16092
16091	1743	Shuttle Bobbin Case Latch for 16092
16092		Shuttle Bobbin Case Hinge, Nos. 2974, 16027 and 16091, for 17324
16202	`	Tension Screw Stud 600c with 1560c
16532	1741	Stop Cam Interlocking Rod Case Bracket
10002	11.11	Dowel Pin
16659	1747	Lifting Lever Spring for 17335 and 17337
17312	1743	Shuttle Bobbin Case Position Finger for 17324
17313		Shuttle, 1½ in. diam., Nos. 2996, 7098 and 17324
17324	1743	Shuttle Bobbin Case complete for 17313,
		Nos. 591F, 592E, 2523, 2975, 12499, 16092 and 17312
17335		Foot Lifter complete, Nos. 802D, 4885, 6439, 7170 and 16659
17337		Knee Lifter complete (power table), Nos. 802p, 6343, 7126, 7170 and 16659
17341	1748	Face Plate for 17342
17342		Face Plate complete, Nos. 233j, 448c, 460c, 600c, 1560c, 2103, 2105, 2111,
		460c, 600c, 1560c, 2103, 2105, 2111, 2124, 2127, 2269, 4369, 17341 and two
•		2102
*17343		Oscillating Shaft Crank with 1813, for 17344, obsolete
17344	1744	Oscillating Shaft Crank 17343 with two
		462c, obsolete, superseded by 17497
17437		Needle Bar Frame Screw Center (lower) 577c with 1517J
17442	20354	Shuttle Race Body for 17444, obsolete, superseded by 22702, not interchange-
		able
17443	20354	Shuttle Race Ring for 17444, obsolete, superseded by 22703, not interchange-
		able
17444		Shuttle Race complete, Nos. 17442, 17443 and four 750p, obsolete, superseded by
		22705
17456	1742	Needle Bar Frame Driving Bevel Pinion, 18 teeth, with two 453c, for 17468

3370	TOT 4 (1972)	NAME
NO. *17466	PLATE	Arm with 122b, 283b, 7248, 15404 and
.11400		two 15405
17467	20355	Arm Shaft for 17468
	20300	" " 17467 with 17456, 17475 and
17468		
17469	20354	56828
Note	· When	No. 22706 is used to replace No. 17469,
		51191p screws are also required.
		•
*17470		Cylinder for 17471
*17471		" 17470 with 22705 and three
		180р
17472	1742	Needle Bar Frame Regulator for 17473
17473		. (1/4/2 WICH
		549c, 1877, 7298, 33948 ³ and two 2261
17474	1744	Needle Plate with 17494
17475		Pulleys complete for 17468, Nos. 1202R,
		1206c, 17482, 17848, 17942 and 63975
17476	1744	Presser Foot, for general work
17477	1740	Stitch Ratchet Wheel (21 teeth) for 14
		stitches
17478	1740	Stitch Ratchet Wheel (16 teeth) for 8
		stitches.
17479	1749	Stitch Ratchet Wheel Driving Lever
		with 8077
17480	1741	Stitch Ratchet Wheel Driving Lever
****		Pawl
17481	1741	Stitch Ratchet Wheel Retaining Pawl
17482	1743	Stop Cam for 17475
17483	20352	" " Interlocking Rod for 17484
17484		Case #0020
		with 1318b, 17483, 17489, 17863,
		17864, 22706, 39222 and two each 176j
		and 51191n, for 17485
17485		Stop Cam Interlocking Rod Case Bracket
		complete, Nos. 1204E, 1254c, 1262c,
	-	1508л, 1662с, 17484, 17487, 17853,
		17859, 17861, 39346 and two 898p
17486	1741	Stop Cam Interlocking Rod Case Spring
		Screw Stud Plate with 626c,
17487	1741	Stop Cam Interlocking Rod Case Stop
		Stud Spring for 17485
17488	20351	Trip Lever with 8077
17489	1741	" " Stop for 17484
17490	1744	Presser Foot, for stitching barred buckles
		on shoes

NO.	PLATE	NAME
17491	1746	Presser Foot Plate for 17493, obsolete,
		superseded by 22712
17492	1744	Presser Foot Shank for 17493
17493	1744	Presser Foot complete, for stitching
		buckles and bows on shoes, Nos. 217F,
		17492 and 22712
17494	1744	Needle Plate Thread Retainer for 17474
17495	1748	" Bar Frame Cam and Bevel Gear,
-		36 teeth, for 17496
17496		Needle Bar Frame Cam and Bevel Gear
		17495 with 15c
17497	1744	Oscillating Shaft Crank with 462c and
		1813 for 17500
17499	20351	Presser Bar Lifting Bracket with 453c.
17500		Oscillating Shaft 7044 with 2049, 7099
4==00	1210	and 17497
17703	1742	Arm Shaft Bushing
17822	1746	Thread Lubricator Oil Reservoir Rivet for 65091
17848	20351	Pulley (loose) Bushing for 17475
17853	1749	Starting Lever for 17485
17859	20352	Stop Cam Interlocking Rod Case Socket
11000	20002	Joint for 17485
17861	1743	Stop Cam Interlocking Rod Case Stop Stud for 17485
17863	1741	Stop Cam Interlocking Rod Spring for
11000	1/41	17484
17864	1741	Stop Cam Interlocking Rod Stop for 17484
17876	20356	Starting Treadle with 443c, for 17884
17881	1741	" Shaft for 17884
17882	1741	" " Spring for 17884
17883	20356	" Stand for 17884
17884	20356	Starting Treadle complete, Nos. 17876,
		17881 to 17883 and two wood screws
		1 in. No. 10
17886	1749	Starting Lever Pitman
17892	20356	Table Belt Guide Bracket with two 153E,
		for 39221
17893	20352	Table Belt Guide Pulley for 39221
17896	1746	" " " Shaft Plug for 39219 and 39220
17942	20351	Pulley (tight) 21/8 in. diam., with 2269,
		for 17475
21202	1746	Thread Lubricator Bracket Extension
00500	200	Screw Friction Washer for 65092
22702	20351	Shuttle Race Body for 22705
22703	20351	" Ring for 22705

NO.	PLATE	NAME
22704	1745	Shuttle Race Ring Spring for 22705
22705		Shuttle Race (flexible) complete, for
		17471, Nos. 22702, 22703 and four each
		22704 and 51172J
22706	1748	Belt Shifter Clamp and Trip Lever Stop
		Holder for 17484
22707	1740	Stitch Ratchet Wheel (20 teeth) for 9
		stitches
22708	1740	Stitch Ratchet Wheel (15 teeth) for 3
		stitches
22710	20354	Face Plate for 22711
22711		Face Plate with Thread Lubricator com-
		plete, Nos. 22710 and 56893
22712	1744	Presser Foot Plate for 17493
25478	1741	Stop Cam Interlocking Rod Case Spring
26026	1747	Screw Driver (machine) Accessories
26485	1747	" (shuttle tension) Accessories
27302	20353	Bobbin Winder Frame for 27647
27303	1746	" " Spring for 27647
27306	20353	" Spool Pin for 27308
27307	20353	" " Stand for 27308
27308	20353	Bobbin Winder Spool Stand complete
		for 27544, Nos. 418E, 1562J, 2106,
		10141, 11241, 27306, 27307 and two
		each 2455 and wood screws 1 in. No. 10
27312	20353	Bobbin Winder Stop Latch for 27647
27538	20353	" Spindle 27849 with 15072,
2.000	_0000	27850 and 41828, for 27647
27540	20353	Bobbin Winder Base for 27647
27541	20353	" " Pulley for 27647
27544		Bobbin Winder (swinging automatic,
2.011		right hand) complete, Nos. 27308 and
		27647
27647	20353	Bobbin Winder for 27544, Nos. 35D,
2.01.	20000	1620 _J , 27302, 27303, 27312, 27538,
		27540, 27541, 50356D and two wood
		screws 1 in. No. 7.
*27849		Bobbin Winder Spindle for 27538
*27850		" " Collar for 27538
33948	1742	Needle Bar Frame Regulator Shaft for
99940	1144	17473
33971	20354	Needle Bar Frame Cam and Bevel Gear,
99811	4 0∂∂4	36 teeth, for 33972, obsolete, superseded
		by 17495
33972		Needle Bar Frame Cam and Bevel Gear
33912		33971 with 15c, obsolete, superseded
		aggit with 190, obsolete, superseded


by 17496.....


NO.	PLATE	NAME
39218	20352	Table Belt Guide with two 168E, for 39221
39219	20352	Table Belt Guide Pulley Shaft (long) with 17896 and 63973, for 39221
39220	20352	Table Belt Guide Pulley Shaft (short) with 17896 and 63974, for 39221
39221		Table Belt Guide complete, Nos. 17892, 39219, 39220, two each 17893, 39218 and three wood screws 1¼ in. No. 12
39222	1748	Belt Shifter for 17484
39346	20351	Stop Cam Interlocking Rod Case Bracket for 17485
41828	1746	Bobbin Winder Spindle Collar Pin for 27538
49329	20352	Stop Cam Interlocking Rod Case for
50222л	1746	Thread Lubricator Bracket Extension
		Screw for 65092
50333c	1742	Arm Shaft Bushing Adjusting Screw
50356p	1746	Bobbin Winder Frame Hinge Screw for 27647
50372E	1739	Stop Cam Interlocking Rod Case Bracket Screw
51072E	1746	Bolt with 51581E, to fasten machine to table (Accessories)
51172л	1742	Shuttle Race Ring Screw for 22705
511911	1742	Belt Shifter Clamp and Trip Lever Stop Holder Screw for 17484
515811	c 1746	Bolt Nut for 51072
52016	1740	Presser Bar Lifter
56759		Thread Take-up Lever 4286 with 76c
5677 3		Needle Bar Connecting Link 3045 with 2052.
*56828	·	Thread Take-up Cam for 3182 and 17468
56864	1747	Chain Hook (large) for 6439 and 13351
56865	1747	" (small) for 6439 and 13351
56893		Thread Lubricator 65092 with 191s, for 22711
*62818	20354	Thread Lubricator Bracket for 65091
62819	1746	" Oil Pad (felt) for 65089
*62820	20354	" " Oil Pad(felt) for 65089 " " " Holder for 65088
		Thread Lubricator Oil Pad Retainer for
62824	1746	65089
62827	20354	Thread Lubricator Oil Wick (braided cotton) for 65089


NO.	PLATE	NAME
62830	20354	Thread Lubricator Oil Reservoir for
		65091
63973	20352	Table Belt Guide Pulley Shaft (long)
		Wick (braided cotton) for 39219
63974	20352	Table Belt Guide Pulley Shaft (short)
••••	-	Wick (braided cotton) for 39220
63975	20351	Pulley (loose) 23/4 in. diam., for 17475
65087	20354	Thread Lubricator Bracket Extension for
••••	,	65092
65088	20354	Thread Lubricator Oil Pad Holder 62820
00000		with 65090, for 65089
65089		Thread Lubricator Oil Pad Holder 65088
		with 62819, 62824 and 62827, for 65091
*65090	20354	Thread Lubricator Oil Pad Holder Oil
00000		Tube for 65088
65091		Thread Lubricator complete for 65092,
0000-		Nos. 8068, 17822, 62818, 62830, 65089
		and 124371
65092	20354	Thread Lubricator 65091 with 1529E,
00002		50222J, 65087 and two 21202, for 56893
120342	1747	Oiler with 120343 (Accessories)
120343	1747	" Spout, 3½ in. long, for 120342
124371	1746	Thread Lubricator Oil Reservoir Rivet
		Washer (outside) for 65091


Genuine Singer Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines" are not Singer made needles.












PLATE 1744-FULL SIZE








PLATE 1746-FULL SIZE 1255 50222 443 17822 41828 448












PLATE 20353-ONE-HALF SIZE 27538 27312




PLATE 20355-ONE-FOURTH SIZE SINGER 2766 7124 17467 6337 -6335

PLATE 20356-ONE-FOURTH SIZE