Singer 31-15

Singer 31-16

Singer 31-19

Singer 31-20

Singer 31-22

Singer 31-24

Singer 31-27

Singer 31-32

Singer 31-34

Singer 31-35

Singer 31-37

Singer 31-39

Singer 31-42

# LIST of PARTS



## SINGER"

### **MACHINES**

Nos.31-15,31-16,31-19,31-20,31-22, 31-24,31-27,31-32,31-34,31-35, 31-37, 31-39 and 31-42

THE SINGER MANUFACTURING COMPANY

### INDEX

PAGE

123	Separating Blade (Hinged)
125	SEAMERS
6 <b>†</b> I	HOFFLERSRB
8 <b>†</b> I	Финтена
143	тааЧ яяеваяЧ
8 <b>†</b> I	Piping Attachments
221	Obsolete Parts
<b>981</b>	Numerical List of Parts
103	
86	
68	ZE-IE " " "
18	
ÐΔ	<del>/</del> 8-18 " "
29	
69	
19	<b>77-18</b> ,, ,,
₽₽	ZZ-IE ,, ,,
34	
97	61-18 " "
6I	91-18 ,, ,,
6	Маснічк Мо. 31-15
110	Масніме Ваят
143	LAP SEAM FELLER
891	Kniee Grinder
991	Киев Litter Parts
145	Hemstitcher
136	Немменя
132	Guide
164	Роот Litter Parts
130	Егиевв Спавр.
130	явггын
131	Edge Folder
191	
191	DRIVING ATTACHMENT No. 12478.
128	Совремя
121	Box Plaiter
291	Bobbin Winders
112	Вимрене
691	ВЕИСН ЗТАИР
ш	Belt Guard
TTT	VALVOHMENAS VAD VCCESSORIES :

### INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, "TYPE B" or "TYPE D" OIL, sold only by Singer Sewing Machine Company, should be applied at least twice each day to all oil holes marked "OIL".

Copyright, U. S. A., 1917, 1920, 1921, 1922, 1923, 1924, 1925 and 1929
by The Singer Manufacturing Company
All Rights Reserved for all Countries

#### INDEX-Continued

																			GE
STAND	No.	25	255	i.,	٠.	٠,	 	٠.			٠.			 				 . 1	71
**	"	25	265	j.,			 							 				 1	72
ш	"																		73
"	"																		
START																			
STRIP :																			
THREA																			
THROA																			
TRIMM																			
TUBUL																			
TUCKE																			
TUCKE																			
**			o A																
WELT																			

SINCER Needles should be used in SINCER Machines
These Needles and their Containers are marked with the
Company's Trade Mark "SIMANCO.\*\*"

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT SINGER made needles. 2

#### INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST Column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A-Hardened, Polished, Nickel Plated and Buffed.

A.A-Buffed and Chromium Plated.

A.B-Hardened, Polished, Buffed and Chromium Plated.

A.C-Brown Baking Enamel Finish.

A.D-Gray Baking Enamel Finish.

A.E-Hardened, Bright Rumbled and Nickel Plated.

A.F.-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated.

A.G-Alumilite, Plain.

A.H-Alumilite Dyed.

A.J-Polished, Nickel Plated and Chromium Plated.

A.K-Hardened, Polished, Nickel Plated and Chromium Plated.

A.L-Heat Treated for Toughness.

B-Polished, Nickel Plated and Buffed.

C-Hardened only.

C.R-Hardened and Merlized.

D-Polished Only.

E-Soft, Not Polished.

F-Hardened and Polished.

F.J-Hardened, Polished and Nickel Plated.

G-Bright Rumbled and Nickel Plated.

H-Blued.

J-Nickel Plated Only.

K-Hardened and Nickel Plated.

L-Brass Plated.

M-Oxidized.

N-Japanned, Dull.

P-Japanned, Bright.

P.P-Wrinkle Finish.

R-Merlized.

S-Cadmium Plated.

T-Copper Plated.

T.A-Hardened, Polished, Copper and Nickel Plated and Buffed.

T.B-Copper and Nickel Plated and Polished.

T.J-Copper and Nickel Plated Only.

T.K-Hardened, Copper and Nickel Plated.

T.L-Copper and Brass Plated.

T.M-Copper Plated and Oxidized.

U-Zinc Plated.

V-Silver Plated.

W-Polished and Nickel Plated.

X-Black Oxide, for Iron and Steel.

X.C-Hardened and Black Oxide, for Iron and Steel.

Y-Black Nickel Plated Only.

Z-Chromium Plated.

Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated.

Z.B-Polished, Nickel Plated, Buffed and Chromium Plated.

Z.C-Hardened and Chromium Plated.

Z.D-Polished and Chromium Plated.

Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated.

Z.J-Nickel and Chromium Plated.

Z.T-Copper and Chromium Plated.

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

I to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers.

1501 to 1800 and 51501 to 51800 are Nut Numbers.

1801 to 2000 and 51801 to 52000 are Roller Numbers.

2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward are numbers


of Electrical Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (\*) are furnished only when repairs are made at factory.

When ordering parts which differ as to Gauge (the distance between seams) the Gauge, as well as the Number must be given on order.

### LIST OF PARTS COMPLETE FOR



### **MACHINE No. 31-15**

FOR CLOTH, TAILORING, ETC. DROP FEED.

NO.	PLATE				N	IAME			
*12355		Arm	with	11	104				
8582	773	"	Dow	el I	Pin				
12453	773	"	Oil	ՐսԽ	e for in	terme	ediate	bear	ring
11119	773	"	"	"	with	52045	, for	oiling	z 12408
12454	773	46	"	"	44	44	**	"	12409
24131	2014	"	46	"	"	"	"	"	20283
52045	8628	"	"	"	Pack	ing (b	raide	d co	tton)
748E	782	66	Scre	w (	back).				
854E	783	"	"						
12427	766	"	Shaf	t		<i>.</i> .			
*44122		"	"						83 and
		24	036.			<i>.</i>			
*44189									
11104		"	"	В	ushing	(fron	ıt)		
12357	767	"	"		_				ek)
448c	783	"	"		44				
		Se	erew	<i>.</i> .					

NO. PLATE	NAME
144p 782	Arm Shaft Screw
12480 767	" Side Cap
219p 774	" " Screw
12193 2004	" " Cover
286p 783	" " Thumb Screw
12403 772	" Spool Pin and Thread Eyelet
11241 2003	" " Washer (cloth)
12358 2000	Balance Wheel (power) light rim, $2\frac{3}{16}$ in.
4370 2000	Pulley with two 448c
4370 2000	pulley with two 448c
2135 2000	Balance Wheel (stand) heavy rim, 2½ in.
	pulley, for 3022
2862	Balance Wheel (stand) heavy rim, 3 in.
448c 783	Balance Wheel Set Screw
*12360	Bed
256 <sub>J</sub> 2003	Clamp Stop Motion Clamp Screw
248A 2011	" " Stop Screw
2020 2003	" " Washer
*3023	" " Flanged Bushing
4933 2003	" " " " "
1000 2000	3023 with two 462c
2022 773	Clamp Stop Motion Flanged Bushing Pin
462c 773	" " " " Set
	Screw
3022л ——	Clamp Stop Motion complete, Nos. 248A,
	256 <sub>J</sub> , 2020 and 4933
20197 2001	Crank Connecting Rod with 20198 and
	two 896E
*20198	Crank Connecting Rod Cap
896E 773	" " " Screw
908c 773	" " Hinge Screw
1619E 773	" " " " Nut
20057	Face Plate
*44181	" "Thread Guard (lower)
12150 773	""""44181
	with 12152
12152 773	Face Plate Thread Guard (lower) Rivet
2827 773	" " (upper) with
	8505
8505 773	
190p 782	
20058 5735	
	20057
286р 783	Face Plate Thumb Screw

NO.	PLATE				NAME	i		
12368	767	Feed	Bar					
3130	783	"			Centre			
56813		"	"	44	"	313c	with :	1519ј
1519	r 783	"	"	"	"	Nut		
3033	770	44	Conn	ectin	g Link.			
375		66		"			Screw.	
1518		44		"	"	"	"	Nut
44252	5813	"	Dog,	12 te	eth (12	teeth	to the	inch)
N	ote: No				vith this specifie			less
20349	1267	Feed	Dog.	13 te	eth (16	teeth	to the	inch)
44253	5813	"	"		eeth (16			
43978	778	"	**		eeth (22			
12437	777	"	"		eeth (14			
12401	"	for	* +oo		t right			
12370	2692	Feed	Dog.	15 t	eeth (16	teeth	to the	inch)
12425		46	"		eeth (16			
12450		"	"		eeth (18			
43979		"	"		eeth (22			
20348		46	44		eeth (30			
24010		for	chiff					
19474	1258	Feed	Dog.	. 14 t	eeth (16	teeth	to the	inch)
					rk			
20018	1258	Feed	Dog	. 17 t	eeth (1	teeth	to the	inch)
					knit un			
12481	778				eeth (1			
20352	1267	46	"	15 t	eeth (1	6 teeth	to the	inch)
		fo	r gene		nuslin w			
20119	1259				eeth (1			
		fo	r heav	vv wo	rk on d	uck, ov	veralls,	etc
12372	778	Feed	Dog	. 13 t	eeth (1	2 teeth	to the	inch)
					emmer			
20002	778	Feed	l Dog	. 18 t	eeth (1	6 teeth	to the	inch)
					emmer			
1245	779				eeth (1			
					emmer,			
20336	1274				eeth (1			
		be	veled	for l	nemmer	. for sh	irt wo	rk
12468	3 777	Feed	l Dog	. 16 1	teeth (1	6 teeth	to the	inch)
		he	veled	for l	emmer	for sh	irt wo	rk
2047	l 777	Feed	Dog	. 22 1	eeth (2	2 teeth	to the	inch)
_011		he	veled	for b	nemmer	. for sh	urt wo	rk
44136	3 1381	Feer	l Dog	15	teeth (1	6 teeth	to the	inch)
0					rk			
		10						

NO. PLATE	NAME
20275 1259	Feed Dog, 13 teeth (18 teeth to the inch)
	for umbrella work
208E 782	Feed Dog Screw
20283 2020	" and Feed Lifting Eccentric with 446c
446c 783	" " " Set Screw
24036 2020	" " " " Sleeve
20284 2020	" Forked Connection
375c 782	" " Hinge Screw
1518J 783	" " Nut
*43993 ——	Feed Forked Connection complete, Nos.
	818p, 3033, 3039, 20284 and two each
	375c and 1518j
44125 5804	Feed Lifting Rock Shaft
44126	Feed Lifting Rock Shaft complete, Nos.
	12376 and 44125
12376 770	Feed Lifting Rock Shaft Crank with 1571
	and 1813
157J 782	Feed Lifting Rock Shaft Crank Clamping
	Screw
43976 5804	Feed Lifting Rock Shaft Crank Connect-
	ing Rod with 43977 and two 966c
*43977	Feed Lifting Rock Shaft Crank Connect-
	ing Rod Cap
966E 5806	Feed Lifting Rock Shaft Crank Connect-
	ing Rod Cap Screw
375c 782	Feed Lifting Rock Shaft Crank Connect-
	ing Rod Hinge Screw
1518J 783	Feed Lifting Rock Shaft Crank Connect-
	ing Rod Hinge Screw Nut
1813 783	Feed Lifting Rock Shaft Crank Roller and
	Stud
307c 783	Feed Lifting Rock Shaft Screw Centre
56814	" " " " " 307c
	with 1513j
1513л 783	Feed Lifting Rock Shaft Screw Centre Nut
3039 768	" Regulator
1128E 2009	" " Hinge Screw
818p 783	" "Thumb Screw
12379 766	" Rock Shaft
29633 5736	" " Crank with 157J
157ј 782	" " " Clamping Screw
20333	Feed Rock Shaft complete, Nos. 12379
	and 29633
307c 783	Feed Rock Shaft Screw Centre
56814 —	" " " " 307c with
	1513j
1513л 783	Feed Rock Shaft Screw Centre Nut

NO.	PLATE	NAME
12381	767	Needle Bar (hollow)
*12382	770	" Connecting Link with 794E
43997		" " " 12382 with
		12384
794E	782	Needle Bar Connecting Link Adjusting Screw
*12383		Needle Bar Connecting Stud
1904	770	" " Roller (roller only)
453c	783	Needle Bar Connecting Stud Set Screw.
12384	770	Needle Bar Connecting Stud complete.
12001		Nos. 453c, 1904 and 12383
20188	767	Needle Bar Crank with 858c and 1065c.
1065c		" " Position Screw
858c		" " Set Screw
936E		" Screw Bushing
4302	773	" " Thread Guide
233p		" " " Screw
4303	773	" Clamp with 808F
808r		" Screw
*24104	2001	Oscillating Rock Shaft
24105		Oscillating Rock Shaft complete, Nos.
		4784, 12388 and 24104
12388	767	Oscillating Rock Shaft Hinge Pin
448c	783	" " " " Set
		Screw
4784	1353	Oscillating Rock Shaft Oil Pad
12389	766	" Shaft
19496		" Crank for 19447
44134	,	" " " 44135
2049	773	" " Pin
457c	783	" " Set Screw for 19447
453c	783	" " " " 44135
19448	2011	" " Slide Block
226D	1371	" " " " Cap
		Screw
12424	773	Oscillating Shaft Crank Slide Block Cap Screw Washer
988c	2011	Oscillating Shaft Crank Slide Block Screw Stud
1518ј	783	Oscillating Shaft Crank Slide Block Screw Stud Nut
19449	2011	Oscillating Shaft Crank Slide Block complete, Nos. 226p, 988c, 12424 and 19448
19447	2011	Oscillating Shaft Crank complete, Nos. 457c, 1518j, 19449 and 19496

NO.	PLATE	NAME					
44135	5806	Oscillating Shaft Crank complete, Nos.					
		1518 <sub>J</sub> , 19449, 44134 and two 453 <sub>C</sub>					
12391	767	Presser Bar (hollow)					
20059	5736	" Guide Bracket with 453c					
4530	783	" " " Set Screw					
2062	771	" " Lifter					
6890	782	" " Screw					
1520J	783	" " " Nut					
12327	770	" " Lifting and Releasing Lever					
		Bracket					
11167	767	Presser Bar Spring (light) .051 wire					
No		o. 11167 is sent with this machine unless					
	aı	nother Spring is specified on order					
12139	2004	Presser Bar Spring (medium) .055 wire					
20023	2004	" " (heavy) .063 wire					
11170	771	" " Washer					
12143	780	" Foot for 12369, 12457 and 20349					
Note: No. 12143 is sent with this machine unless							
	anot	her Presser Foot is specified on order					
12335	1308	Presser Foot (narrow) for 12369, 12457					
		and 20349					
12258	1308	Presser Foot (wide) for 12369, 12457 and 20349					
20343	781	Presser Foot with Guide on bottom to the					
		right of needle hole, for 12369, 12450					
		and 12457					
12142	780	Presser Foot for 12370 and 20352					
12144	780	" " 12372, 12437, 12455,					
12111	100	12468, 12481, 20002, 20336 and 20471					
12474	1308	Presser Foot for 12372, 12481 and 20002					
12260	780	" " 12437, 12450 and 20348					
12259	780	" " 12425, 12481, 19474 and					
12200	•00	20119					
20342	781	Presser Foot for 12450 and 20348					
12261	1308	" " 12481					
20276	1259	" " 20275					
20020	1308	" " <u>20018</u>					
20458	780	" " 44136					
12348	5837	" " outside stays and strips					
12311	5837	" shirt work					
12467	781	" " umbrella work					
7298	2014	" " Hinge Pin					
20268		" " Plate					
20269		" Shank					
		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~					

PARTS FOR MACHINE No. 31-15

NO.	PLATE	NAME
20270	1308	Presser Foot (hinged) complete for 12369,
202.0		12457 and 20349, Nos. 7298, 20268 and
		20269
7298	2014	Presser Foot Hinge Pin
19334		" Plate
19335		" " Shank
19336	1308	Presser Foot (hinged) complete for 12370,
		43979 and 44136, Nos. 7298, 19334 and
		19335
62527	5806	Presser Foot Hinge Pin
20310	<del></del> -	" " Plate
19223		" " Shank
20311	781	Presser Foot (hinged) complete for 12372,
		12437, 12455, 12468, 12481, 20002,
		20336 and 20471, Nos. 19223, 20310 and
		62527
62527	5806	Presser Foot Hinge Pin
20344		" " Plate
20345		" "Shank
26231	2014	" "Spring
20346	781	Presser Foot (spring hinged) complete for
		12372, 12437, 12455, 12468, 12481,
		20002, 20336 and 20471, Nos. 20344,
		20345, 26231 and 62527
62527	5806	Presser Foot Hinge Pin
24544		1 M. C
24982	2014	Dualik
26231	2014	" Spring
24983	781	12425, 12481, 19474 and 20119, Nos.
		24544, 24982, 26231 and 62527
190	р 782	Presser Foot Screw
688		Pressure Regulating Thumb Screw
2996		Shuttle Bobbin
62739		" " Case
15140		. " " Latch
2973		" " Lever
2974		" " " Fulerum
2011	•••	Pin
2975	771	Shuttle Bobbin Case Latch Spring
592		" " Stop Screw.
15141		Shuttle Bobbin Case Hinge, Nos. 2973,
20212		2974 and 15140
7553	771	Shuttle Bobbin Case Position Finger
2523		" " " " Rivet
24412		" " " Plate
	р 1366	" " " " Screw

ii a
NO. PLATE NAME
62740 771 Shuttle Bobbin Case complete, Nos. 591F,
592E, 2523, 2975, 7553, 15141, 15278 and
62739
12393 771 Shuttle Body
591r 782 " Tension Regulating Screw
15278 771 " " Spring
19292 771 Shuttle, 111 in. diam., Nos. 2996, 12393
and $62740$
*12394 — Shuttle Driver
12444 771 " 12394 with two 1266c
9 2049 773 " " Pin
1266c 5806 " " Set Serew
2531 767 " Race Back
2532 772 " " Position Pin
2533 767 " " Spring
907p 782 " " " Screw
24413 — " Body
25000 — " " 24413 with 24414 and
two 1053b
24414 5837 Shuttle Race Cap
10525 2006 " " Screw
24415 1361 Shuttle Race complete, Nos. 907p, 2531,
2533, 24412, 25000 and two each 391p
and 2532
1459 782 Shuttle Race Screw
12431 — " " Slide
4307 772 " " Spring
795g 1987 " " " Screw
12432 2004 Shuttle Race Slide complete, Nos. 4307,
12432 2001 12431 and two 725E
20060 5736 Slack Thread Regulator
225F 5736 " " Adjusting Screw.
2102 5806 Tension Disc
1560c 783 " Regulating Thumb Nut
a to to mine Disco
" " Toyon
43941 9000 " " " " " " Hingo Pin
" " " Spring
12329 112
32374 3000
" " # 20227c with 1560c
44141
1 No. 7226 32572.
44118 — Tension complete, Nos. 7330, 32312, 32574, 43945, 43946, 44141 and two
2102
The state of the s
32.0
624c 8628 " Set Serew

	NO.	PLATE			NA	ME		
	12404	770	Thread					
	3094	773	1 44	66	"	WEL	lge	<b></b>
	690E	782	"	"	46	44	Scre	ew
	12408	770	"	44	Lev	er		
	775E	782	46	"	"	Сар	Screw.	<b></b>
	12166	773	"	44	44	Hing	ge Pin.	<b>.</b>
	12409	770	"	"	44	Link		
	11204	770	46	44	46	44	Hinge	Pin
	435c	5806	"	44	44	44	"	"Set
			Screw	f. <b>.</b>				
	12410		Thread					
	12410		1216	6, 124	08 and	12409.		
	43946	5806	Thread			ng		
	7336	772	"	44			ılator .	<i></i>
	448c	783	46	"	"			Screw
	43990		Thread	Take	-up co	mplete	, Nos.	775E,
			11204	. 1240	4. 1241	0 and 4	3997	
	44256		Throat					
	11200							
	NOTE:		No. 44256 Throat F					umess
					_			440-0
	44255	5813	Throat				•	
		==0	and 4	4253	1		-1- 6	19270
	12412	778	Throat					
	.04.4		and 4 Throat					
	12414							
	10440	770	and 2	UUUZ			ala fam	19979
	12442	778	Throat					
	10400	750				. , . , . ,		
	12426	779	Throat	Plate,		eeale n eedle h		
	12466		"	"				
	12465		"	"	large n	eedle h	ole, for	12407
	12440	777	"	"	small r	eedle h	ole, for	12407
	12464	777				eedle h		
	12451	2689	Throat					
	20398		Throat	Plate,				
•	12456	779	"	"		eedle h		
	12469					eedle h	,	
						<b>.</b>		
	12470	777	Throat	Plate,	small n	eedle h	ole, for	12468
			and 2	0471				
	12482		Throat	Plate.	large n	eedle h	ole, for	12481

NO.	PLATE	NAME
12483	778	Throat Plate, small needle hole, for 12481
		and 43978
20120	1259	Throat Plate large oblong needle hole, for
		20119
20187		Throat Plate, small oblong needle hole, for
		20119
20277	1259	Throat Plate, large needle hole, for 20275
20362		" small needle hole, for 20275
20337		" large needle hole, for 20336
20338	1274	" small needle hole, for 20336
20350	1267	" large needle hole, for 20349
20351		" small needle hole, for 20349
19475	1258	" large needle hole, for 19474
24572	2067	" small needle hole, for 19474
20019	1258	" large needle hole, for 20018
20353	1267	" " " " " 20352
20354		" small needle hole, for 20352
44137	1381	" large needle hole, for 44136
44138		" small needle hole, for 44136
691 <sub>F</sub>	782	" " Screw
44212	5844	Drip Pan with four 1 in. wire nails, for
		power table

SINGER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.\*\*"

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

## LIST OF PARTS COMPLETE FOR

### **MACHINE No. 31-16**

FOR MACKINTOSH AND GOSSAMER WORK. HAS SPECIAL SHUTTLE AND SECTIONAL RACE FOR EASY REMOVAL OF SHUTTLE FOR CLEANING. DROP FEED, SPECIAL PRESSER FOOT AND OIL CUP. BOBBIN No. 2996.

NO.	PLATE				N	AME			
*12355		Arm	with	111	L04				
8582	773	"	Dov	vel F	in	<b>.</b>			
12453	773	"	Oil	Γub	e for ir	terme	diate	bear	ring
11119	773	44	"	"	with	52045	, for	oilin	12408
12454	773	"	"	"	"	"	"	"	12409
24131	2014	"	u	"	"	"	"	"	20283
52045	8628	"	"	"	Pack	ing (b	raide	$\mathbf{d}$ co	ton)
7481	782	"	Scre	w (l	back).				
8541	z 783	"	"	(1	ront)	· · · · ·			
12427	766	66							
*44122		"	Sha	ft 1:	2427 v	with 2	0188	202	83 and
*44189				-					
*11104		"	"						· • • • • •
12357	767	"	64	Fi					
448		"	"			"			t Screw
1441		**	**						
12480	767	"							
219		"	"	"	BUL				
<b>1219</b> 3	2004	"	"	Co					
286		"							
12403	772		Spo						····
11241	2003	"	**						
12358	2000								$2\frac{3}{16}$ in.
4370	2000								$2\frac{3}{4}$ in.
0405	2000								01/:
2135	2000								2½ in.
2862									1) 3 in.
2002									
448	c 783								
*12360									
256	J 2003								
	A 2011			"	"				Screw
2020	2003	**		"	"	4			er

20

PLATE

NAME

NO. PLATE	NAME
*43993	Feed Forked Connection complete, Nos.
	818p, 3033, 3039, 20284 and two each
	375c and 1518j
44125 5804	Feed Lifting Rock Shaft
44126 —	Feed Lifting Rock Shaft complete, Nos.
44120 —	
	12376 and 44125
12376 770	Feed Lifting Rock Shaft Crank with 157 <sub>J</sub>
	and 1813
157J $782$	Feed Lifting Rock Shaft Crank Clamping
	Screw
43976 5804	Feed Lifting Rock Shaft Crank Connecting
	Rod with 43977 and two 966E
*43977	Feed Lifting Rock Shaft Crank Connecting
10011	Rod Cap
966E 5806	Feed Lifting Rock Shaft Crank Connecting
900E 9000	Rod Cap Screw
375c 782	Feed Lifting Rock Shaft Crank Connecting
	Rod Hinge Screw
1518j 783	Feed Lifting Rock Shaft Crank Connecting
	Rod Hinge Screw Nut
1813 783	Feed Lifting Rock Shaft Crank Roller and
	Stud
307c 783	Feed Lifting Rock Shaft Screw Centre
56814	" " " " " 307c
30314	
1519. 709	with 1513s
1513j 783	Feed Lifting Rock Shaft Screw Centre Nut
3039 768	Feed Lifting Rock Shaft Screw Centre Nut "Regulator
3039 768 1128E 2009	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009 818D 783	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009 818D 783	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009 818D 783 12379 766	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009 818D 783 12379 766 29633 5736	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009 818D 783 12379 766 29633 5736 157J 782	Feed Lifting Rock Shaft Screw Centre Nut  " Regulator
3039 768 1128E 2009 818D 783 12379 766 29633 5736 157J 782 20333 —	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128e 2009 818b 783 12379 766 29633 5736 157J 782 20333 — 307c 783	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009 818D 783 12379 766 29633 5736 157J 782 20333 ——	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009 818D 783 12379 766 29633 5736 157J 782 20333 — 307c 783 56814 —	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009 818D 783 12379 766 29633 5736 157J 782 20333 — 307c 783 56814 — 1513J 783	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128 2009 818D 783 12379 766 29633 5736 157J 782 20333 — 307c 783 56814 — 1513J 783 12381 767	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009 818D 783 12379 766 29633 5736 157J 782 20333 —  307c 783 56814 —  1513J 783 12381 767 *12382 770	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128 2009 818D 783 12379 766 29633 5736 157J 782 20333 — 307c 783 56814 — 1513J 783 12381 767	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009 818D 783 12379 766 29633 5736 157J 782 20333 —  307c 783 56814 —  1513J 783 12381 767 *12382 770	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009 818D 783 12379 766 29633 5736 157J 782 20333 —  307c 783 56814 —  1513J 783 12381 767 *12382 770	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009 818D 783 12379 766 29633 5736 157J 782 20333 —  307c 783 56814 —  1513J 783 12381 767 *12382 770 43997 —	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009 818D 783 12379 766 29633 5736 157J 782 20333 — 307c 783 56814 — 1513J 783 12381 767 *12382 770 43997 — 794E 782	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator  "Hinge Screw  "Thumb Screw  "Rock Shaft  "Crank with 157J  "Clamping Screw  Feed Rock Shaft complete, Nos. 12379 and 29633  Feed Rock Shaft Screw Centre  """"307c with 1513J  Feed Rock Shaft Screw Centre Nut  Needle Bar (hollow)  "Connecting Link with 794E  """12382 with 12384  Needle Bar Connecting Link Adjusting Screw
3039 768 1128E 2009 818D 783 12379 766 29633 5736 157J 782 20333 —  307c 783 56814 —  1513J 783 12381 767 *12382 770 43997 —  794E 782 *12383 —	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator
3039 768 1128E 2009 818D 783 12379 766 29633 5736 157J 782 20333 — 307c 783 56814 — 1513J 783 12381 767 *12382 770 43997 — 794E 782	Feed Lifting Rock Shaft Screw Centre Nut  "Regulator

NO.	PLATE	NAME
453c		Needle Bar Connecting Stud Set Screw
12384	770	Needle Bar Connecting Stud complete,
1-001	•••	Nos. 453c, 1904 and 12383
20188	767	Needle Bar Crank with 858c and 1065c
1065c		" " Position Screw
858c		" " Set Screw
936E		" Screw Bushing
4302	773	" "Thread Guide
233p		" " " Screw
4303	773	" Clamp with 808F
808F		" Screw
44222		Oil Cup.
44223		" " 44222 with 44005
44214		" " Extension
44005	2565	" " 44214 with 24075
24075	2565	" " Post
44006	2565	" " Packing (felt)
44224	8628	" " Thread Retainer
44225	8628	Oil Cup complete, Nos. 44006, 44223 and
	00-0	44224
*24104	2001	Oscillating Rock Shaft.
24105		Oscillating Rock Shaft complete, Nos.
		4784, 12388 and 24104
12388	767	Oscillating Rock Shaft Hinge Pin
448c	783	" " " Set Screw
4784	1353	" " " Oil Pad
12389	766	" Shaft
19496		" Crank for 19477
44134		" " " 44135
2049	773	" " Pin
457c	783	" " Set Screw for 19447
453c	783	" " " " " 44135
19448	2011	" " Slide Block
226p	1371	" " " " Cap
		Screw
12424	773	Oscillating Shaft Crank Slide Block Cap
		Screw Washer
988c	2011	Oscillating Shaft Crank Slide Block Screw
		Stud
1518j	783	Oscillating Shaft Crank Slide Block Screw
		Stud Nut
19449	2011	Oscillating Shaft Crank Slide Block com-
		plete, Nos. 226p, 988c, 12424 and 19448
19447	2011	Oscillating Shaft Crank complete, Nos.
		457c, 1518j, 19449 and 19496
44135	5806	Oscillating Shaft Crank complete, Nos.
		1518, 19449, 44134 and two 453c

NO.	PLATE			N	AME	
12391	767	Presser I	Bar (l	hollow	)	
20059	5736	44	" G	luide I	Bracket v	vith 453c
453c	783	"	"	"	"	Set Screw
2062	771	"	" I	ifter		
689c	782	66	"			
1520л	783	"	"	"		ıt
12327	770	46	" I	ifting		leasing Lever
1202.		Brack		_		, 6
11167	767					051 wire
No	re: No	. 11167 is	sent '	with tl	nis mach	ine unless
	ano	ther Sprin	ng is	specifi	ed on or	ler
12139	2004	Presser !	Bar S	Spring	(medium	i) .055 wire
20023	2004	"	"	"	(heavy)	.063 wire
11170	771	"	"	"	Washer.	
62527	5806	"	Foot	Hinge	Pin	
24544		"	"	Plate.	•	
24982		46	"			
26231	2014	"	"			
24983	781	Presser	Foot			) complete for
24300	701					2, 26231 and
			•			•
				•		
No						ine unless
	anoth	er Presser	Foot	t is spe	cified on	order
12144	780	Presser	Foot	for 12	481	
12261	1308	"	"	" 12	481	
12474	1308	"	"			
62527	5806	44	"			
20310						
		46	"	~ .		
19223		"	"	Plate.		
19223	781	"	"	Plate. Shank	c	
19223 20311	781	" Presser	" Foot	Plate. Shank (hinge	ed) comp	lete for 12481,
20311		" Presser Nos.	" Foot 1922	Plate Shank (hinge 3, 2031	ced) comp 0 and 62	lete for 12481,
20311 190	o 782	Presser Nos. Presser	Foot 1922 Foot	Plate Shanl (hinge 3, 2031 Screw	ed) comp 0 and 62	lete for 12481, 2527
20311 190 688	р 782 г 783	Presser Nos. Presser Pressure	" Foot 19223 Foot e Reg	Plate Shank (hinge 3, 2031 Screw gulatin	ced) comp 0 and 62	lete for 12481, 2527
20311 190 688 2996	o 782	Presser Nos. Presser Pressure	" Foot 19223 Foot e Reg	Plate Shanl (hinge 3, 2031 Screw gulatin	cd) comp 0 and 62	lete for 12481, 2527
20311 1901 688. 2996 62739	782 783 771	Presser Nos. Presser Pressur Shuttle	Foot 1922 Foot e Reg Bobb	Plate Shanl (hinge 3, 2031 Screw gulatin oin	ed) comp 0 and 62 g Thuml	lete for 12481, 2527
20311 1901 688. 2996 62739 15140	782 783 771 — 2013	Presser Nos. Presser Pressure Shuttle	Foot 1922 Foot e Reg Bobk	Plate Shanl (hinge 3, 2031 Screw gulatin	ed) comp 0 and 62 g Thuml se	lete for 12481, 2527
20311 1901 688 2996 62739 15140 2973	782 783 771 —— 2013 771	Presser Nos. Presser Pressur Shuttle " "	Foot 1922 Foot e Reg Bobb	Plate Shank (hinge 3, 2031 Screw gulatin oin Ca	ed) comp 0 and 62 g Thuml se	lete for 12481, 527
20311 1901 688. 2996 62739 15140	782 783 771 — 2013	Presser Nos. Presser Pressur Shuttle " " "	Foot 1922 Foot e Reg Bobk "	Plate Shank (hinge 3, 2031 Screw gulatin oin Ca	ded) comp 0 and 62 g Thuml se Latch	lete for 12481, 527
20311 1901 688. 2996 62739 15140 2973 2974	782 783 771 ——————————————————————————————————	Presser Nos. Presser Pressur Shuttle " " " " Pin	Foot 1922 Foot e Reg Bobb "	Plate Shank (hinge 3, 2031 Screw gulatin bin	ed) comp 0 and 62 g Thuml se Latch	lete for 12481, 527
20311 1901 688. 2996 62739 15140 2973 2974	782 783 771 2013 771 771	Presser Nos. Presser Pressur Shuttle " " Fin Shuttle	Foot 19223 Foot e Reg Bobk	Plate Shank (hinge 3, 2031 Screw gulatin oin Ca	ed) comp 0 and 62 g Thuml se Latch "	lete for 12481, 527
20311 190 688 2996 62739 15140 2973 2974 2975 592	782 783 771 2013 771 771 771	Presser Nos. Presser Pressur Shuttle " " " " Shuttle "	Foot 19223 Foot e Reg Bobb	Plate Shank (hinge 3, 2031 Screw gulatin oin Ca """ bin Ca	cd) comp od and 62 g Thumb se Latch "	lete for 12481, 527
20311 1901 688. 2996 62739 15140 2973 2974	782 783 771 2013 771 771	Presser Nos. Presser Pressur Shuttle " " " Pin Shuttle " Shuttle	Foot 19223 Foot e Reg Bobl " " Bobl " Bobl "	Plate Shank (hinge	d) comp 0 and 62 g Thumb  Latch " se Latch	Lever Fulcrum Spring Stop Screw
20311 190 688. 2996 62739 15140 2973 2974 2975 592 15141	782 783 771 2013 771 771 771 771	Presser Nos. Presser Pressur Shuttle " " " Pin Shuttle " Shuttle 2974	Foot 1922 Foot e Reg Bobb " " Bobl " Bobl and I	Plate. Shank (hinge 3, 2031 Screw gulatin bin Ca "" bin Ca bin Ca 15140.	g Thumber Latch " se Latch " ase Hings	Lever Fulcrum Spring Stop Screw Stop Screw
20311 190 688 2996 62739 15140 2973 2974 2975 592	782 783 771 2013 771 771	Presser Nos. Presser Pressur Shuttle " " " Pin Shuttle " Shuttle 2974	Foot 1922 Foot e Reg Bobb " " Bobl " Bobl and I	Plate. Shank (hinge 3, 2031 Screw gulatin bin Ca "" bin Ca bin Ca 15140. bin Cas	d) comp 0 and 62 g Thuml  Eatch " se Latch	Lever Fulcrum Spring Stop Screw

NO.	PLATE	NAME
62740	771	Shuttle Bobbin Case complete, Nos. 591F,
		592E, 2523, 2975, 7553, 15141, 15278
		and 62739
12488	2013	Shuttle Body
591r		" Tension Regulating Screw
15278	771	" " Spring
12487		Shuttle, 111 in. diam., Nos. 2996, 12488
		and 62740
*12394		Shuttle Driver
12444	771	" " 12394 with two 1266c
2049	773	" " Pin
1266c		" Set Screw
2531	767	" Race Back
2532	772	" " Position Pin
2533	767	" " Spring
648p		" " " Screw
20003		" " Body
20004	2005	" " Cap
662p		" " Screw
12492	2005	" " Ring
12493	2005	" " Clamp (left)
12494	2005	" " (right)
21202	5837	" " " Friction Spring
85p		" " " Screw
20005	2005	Shuttle Race (sectional) complete, Nos.
		648p, 2531, 2533, 12492 to 12494, 20003,
		20004 and two each 85p, 662p, 2532 and
		21202
1450	782	Shuttle Race Screw
12431		" " Slide
4307	772	" " Spring
725E		" " " Screw
12432	2004	Shuttle Race Slide complete, Nos. 4307,
		12431 and two 725E
20060	5736	Slack Thread Regulator
225s	5736	" " Adjusting Screw
2102	5806	Tension Disc
1560c	783	" Regulating Thumb Nut
32572	5806	" Releasing Disc
43944	5806	" " Lever
12398	773	" " Hinge Pin
12329	772	" " Spring
32574	5806	" " Pin
50327	5806	" . Screw Stud
44141		" " 50327c with 1560c
43945	5806	" Spring

NO.	PLATE			NAM	E					
44118		Tension	complet	e, Nos.	7336, 32572, 32574,					
		43945	43945, 43946, 44141 and two 2102							
52454	5842	Thread	Retaine	r						
624c	8628	"	"	Set S	crew					
12404	770	"	Take-up	Cranl	k					
3094	773	44	"	44	Wedge					
690E	782	44	"	44	" Screw					
12408	770	44	"	Lever	<b>.</b>					
775E	782	"	"	"	Cap Screw					
12166	773	"	"	"	Hinge Pin					
12409	770	46	"	**	Link					
11204	770	"	**	"	" Hinge Pin					
<b>4</b> 35c	5806	"	"	"	" " " Set					
		Screw			*********					
12410		Thread	Take-u	p Lev	er complete, Nos.					
		12166	, 12408	and 12	409					
43946	5806	Thread	Take-uj	Sprin	g					
7336	772	"	"	٠.,	Regulator					
4480	783	46	44	"	" Set Screw					
*43990		Thread	Take-u	ip con	nplete, Nos. 775E,					
		11204	, 12404,	12410	and 43997					
12482		Throat	Plate, la	arge ne	edle hole, for 12481					
		and 4	3978							
12483	778	Throat	Plate, s	mall ne	edle hole, for 12481					
		and 4	3978							
Note	· Two	No. 1248	3 are ser	t with	this machine unless					
21022					fied on order					
6911	782	Throat	Plate Se	erew	* * * * * * * * * * * * * * * * * * * *					
44212	5844				1 in. wire nails for					
- · - <del>-</del> -		-								
		F - 11 0	•••							

## LIST OF PARTS COMPLETE FOR

### **MACHINE No. 31-19**

FOR ENAMELED OR PLAIN CLOTH; ALSO LIGHT LEATHER. ESPECIALLY USEFUL FOR FABRICS OF UNEVEN THICKNESS. HAS DROP FEED, ALTERNATING PRESSERS AND BOBBIN No. 2996

No.	PLATE				NA	ME	
*20339		Arm	with	1110	<b>1</b>		
8582	773	"	Dow	el Pir	ι		
12453	773	44	Oil T	'ube f	or int	termedi	iate bearing
11119	773	44	"	"	with !	52045, f	or oiling 12408
		ar	nd 193	65			
12454	773	Arm	ı Oil T	ube v	vith 5	2045, fe	or oiling 12409
24131	2014	44	"	"	**	"	" " 20283
52045	8628	"	44	" I	ackin'	ıg (brai	ded cotton)
748E	782	"		w (ba	ck)	<i>.</i> .	
$854  \mathrm{F}$	783	"	"	(fro	nt)	<b></b>	
12427	766	"					
*44121		**	"	124	27 wi	th 2028	83, 24036 and
*44195		Arm	Shaf	t 4412	21 wit	h 2019	7
*11104	<del></del>	"	"				
12357	767	"	"	Flar	iged F	Bushing	g (back)
4480	783	"	"	•	4	"	"SetScrew
144 c	782	"	"	Scre	w		<b></b>
<b>1219</b> 3	2004	44	Side	Cove	r,		
286r	783	"	"	"	Scre	w	
12403	772			l Pin	and 7	$\Gamma$ hread	Eyelet
11241	2003	"		"			th)
12358	2000	Bala	ance V	Vheel	(pow	er) ligi	nt rim, $2\frac{3}{16}$ in.
4370	2000	Bala	ance V	Vheel	(stan	d) heav	vy rim, 2¾ in.
		рı	ulley v	vith t	wo 44	8c	
2135	2000						¢y rim, 2½ in.
		рı	ulley,	for 30	)22		
2862		Bala	ance V	Vheel	(star	id) hea	avy rim, 3 in.
		рı	ılley,	for 30	22		
<b>448</b> c	783	$\mathbf{Bala}$	ince V	Vheel	Set S	crew	
<b>*12</b> 360							
256 <sub>J</sub>	2003						Screw
248A	2011	46			"	"	Stop Screw
2020	2003	46	•	•	**	"	Washer

NO. PLATE	NAME
*3023	Clamp Stop Motion Flanged Bushing
4933 2003	""""""3023
	with two 462c
2022 773	.Clamp Stop Motion Flanged Bushing Pin
462c 773	" " " " " Set
	Screw
3022л ——	Clamp Stop Motion complete, Nos. 248A,
	256j, 2020 and 4933
20197 2001	Crank Connecting Rod with 20198 and
	two 896E
*20198	Crank Connecting Rod Cap
896E 773	" " " Screw
908c 773	" " Hinge Screw
1619E 773	" " " " Nut
19354	Face Plate
*44181	" " Thread Guard (lower)
12150 773	""""44181
	with 12152
12152 773	Face Plate Thread Guard (lower) Rivet
2827 773	" " (upper) with
	8505
8505 773	Face Plate Thread Guard (upper) Rivet
19355 5735	Face Plate complete, Nos. 2827, 12150 and
	19354
219p 774	Face Plate Screw
12368 767	Feed Bar
313c 783	" " Screw Centre
56813	" " " 313c with 1519j
1519л 783	" " " Nut
3033 770	" Connecting Link
375c 782	" " Hinge Screw
1518 <sub>J</sub> 783	" " " " Nut
12370 2692	" Dog, 15 teeth (16 teeth to the inch)
Norre:	No. 12370 is sent with this machine unless
	nother Feed Dog is specified on order
ai	•
20106 1259	Feed Dog, 13 teeth (16 teeth to the inch)
44252 5813	" 12 teeth (12 teeth to the inch)
44253 5813	" "16 teeth (16 teeth to the inch)
43979 778	" " 21 teeth (22 teeth to the inch)
208E 782	" " Screw
20283 2020	" and Feed Lifting Eccentric with 446c
446c 783	" " " Set Screw
24036 2020	" " " " Sleeve
20284 2020	" Forked Connection
375c 782	" " Hinge Screw
1518j 783	" " " " Nut

NO.	PLATE	NAME
*43993		Feed Forked Connection complete, Nos.
		818p, 3033, 3039, 20284 and two each
		375c and 1518j
44125	5804	Feed Lifting Rock Shaft
44126		Feed Lifting Rock Shaft complete, Nos.
		. 12376 and 44125
12376	770	Feed Lifting Rock Shaft Crank with 157s and 1813
157ј	782	Feed Lifting Rock Shaft Crank Clamping Serew
43976	5804	Feed Lifting Rock Shaft Crank Connecting Rod with 43977 and two 966E
*43977		Feed Lifting Rock Shaft Crank Connecting Rod Cap
966E	5806	Feed Lifting Rock Shaft Crank Connecting Rod Cap Screw
375c	782	Feed Lifting Rock Shaft Crank Connecting Rod Hinge Screw
1518ј	783	Feed Lifting Rock Shaft Crank Connecting Rod Hinge Screw Nut
1813	. 783	Feed Lifting Rock Shaft Crank Roller and Stud
307c	783	Feed Lifting Rock Shaft Screw Centre
56814		" " " " " 307c
		with 15131
. 1513ภ	783	Feed Lifting Rock Shaft Screw Centre Nut
3039	768	" Regulator
1128e	-	ninge Screw
818p	783	1 milito Screw
12379	766	ROUR BHATE
29633	5736	Crank with 197J
157 <sub>J</sub>	782	Camping screw
20333		Feed Rock Shaft complete, Nos. 12379 and 29633
307c	783	Feed Rock Shaft Screw Centre
56814		" " " " 307c with
		15131
1513յ	783	Feed Rock Shaft Screw Centre Nut
12391	767	Lifting Presser Bar (hollow)
19356	1312	" " Bell Crank
199d	1312	" " " Cap Screw
19357	1312	" " " Connecting
100n	1312	Link Lifting Presser Bar Bell Crank Connecting
1000	1914	Link Cap Screw
19358	1312	Lifting Presser Bar Bell Crank Driving

NO.	PLATE	NAME
2049	773	Lifting Presser Bar Bell Crank Driving Arm Pin
19359	1312	Lifting Presser Bar Bell Crank Driving
19003	1012	Arm Shaft
19360	767	Lifting Presser Bar Bell Crank Driving
10000	• • •	Arm Shaft Bracket
19361		Lifting Presser Bar Bell Crank Driving
		Arm Shaft Bracket complete, Nos. 2049
		and 19358 to 19360
965p	1312	Lifting Presser Bar Bell Crank Driving
		Arm Shaft Bracket Screw
19362	1313	Lifting Presser Bar Bell Crank Driving
		Arm Eccentric Connection
62637		Lifting Presser Bar Bell Crank Driving
		Arm Eccentric Connection 19362 with
		19365
375c	782	Lifting Presser Bar Bell Crank Driving
4.540	=00	Arm Eccentric Connection Hinge Screw
1518ј	783	Lifting Presser Bar Bell Crank Driving Arm Eccentric Connection Hinge Screw
		Nut
24589	5736	Lifting Presser Bar Guide Bracket with
24309	3130	453c
<b>24716</b>		Lifting Presser Bar Guide Bracket com-
		plete, Nos. 19356, 19357, 19366, 24589
		and three 199p
453c	783	Lifting Presser Bar Guide Bracket Set
04500	- <b></b> 00	ScrewLifting Presser Bar Guide Bracket Support
24590	5736 5736	" " " " " "
1700	9130	Screw
4855	1312	Lifting Presser Bar Lifter
4899 6890		" " " Screw
1520 <i>j</i>	783	" " " " Nut
12327	770	" " Lifting and Releasing
12021	•••	Lever Bracket
11167	767	Lifting Presser Bar Spring (light) .051 wire
	Note:	No. 11167 is sent with this machine unless
	an	other Spring is specified on order
12139	2004	Lifting Presser Bar Spring (medium) .055 wire
20023	2004	Lifting Presser Bar Spring (heavy) .063 wire
11170	771	Lifting Presser Bar Spring Washer
19364	1312	" Foot for 19370
:	Note:	No. 19364 is sent with this machine unless other Presser Foot is specified on order

NO.	PLATE	NAME
19375	1313	Lifting Presser Foot for 19374 and 19376
193 <sub>D</sub>	1312	" " Screw
12381	767	Needle Bar (hollow)
*12382	770	" Connecting Link with 794E
43997		" " " " 12382 with
		12384
794E	782	Needle Bar Connecting Link Adjusting
1015	.02	Screw
*12383		Needle Bar Connecting Stud
1904	770	" " Roller (roller
1904	110	only)
453c	783	Needle Bar Connecting Stud Set Screw
12384	770	Needle Bar Connecting Stud complete, Nos. 453c, 1904 and 12383
19365	767	Needle Bar Crank and Lifting Eccentric with 448c and 743c
743c	1212	Needle Bar Crank and Lifting Eccentric
7400	1919	Position Screw
448c	783	Needle Bar Crank and Lifting Eccentric Set Screw
936E	773	Needle Bar Screw Bushing
4302	773	" "Thread Guide
233р	782	" " Screw
4303	773	" Clamp with 808F
808r	782	" " Screw
*24104	2001	Oscillating Rock Shaft
24105	—	Oscillating Rock Shaft complete, Nos. 4784, 12388 and 24104
12388	767	Oscillating Rock Shaft Hinge Pin
448c	783	" " Set Screw
4784	1353	" " " Oil Pad
12389	766	" Shaft
19496		" Crank for 19447
44134		" " " 44135
2049	773	" " " Pin
457c	783	" " Set Screw for
		19447
<b>453</b> c	783	Oscillating Shaft Crank Set Screw for 44135
19448	2011	Oscillating Shaft Crank Slide Block
226p	1371	" " " Cap.
		Screw
12424	773	Oscillating Shaft Crank Slide Block Cap Screw Washer

NO.	PLATE			NAM	ATC.		
	2011	Oscillat	ing Sha			le Block	Screw
1518 <sub>J</sub>	783					le Block	
19449	2011	Oscillat	ing Sha	ft Cra	nk Sli	de Block 424 and	com-
19447	2011	Oscillat	ing Sha	aft Cra	ank c	omplete, 9496	Nos.
44135	5806	Oscillat	ing Sha	aft Cra	ank c	omplete, two 453c	Nos.
688J	783	Pressur	e Regul	ating 1	[hum	Screw	
<b>2</b> 996	771	Shuttle	Bobbir	1,		<i></i>	
62739		"	"	Case.			
15140	2013	"	"	44	Latch		
2973	771	"	"	"	44	Lever	
2974	771	"	"	44	"	" Fu	lcrum
		Pin.	<i></i>	<b>.</b>		. <b></b>	
2975	771	Shuttle	Bobbir	Case	Latch	Spring	<b></b>
592E	782	"	"	**		Stop Sc	
15141		Shuttle	Bobbi	n Case		ge, Nos.	
		2974	and 15	140			
7553	771					on Finge	
2523	771	"	"	46	"		Rivet
24412	1361	44	44	44	"	Plate	
391 в	1366	44	"	"	"	"	Screw
<b>∕62740</b>	771	Shuttle	Bobbir	Case	compl	ete, Nos.	591F,
		592E	, 2523,	2975,	7553,	15141,	15278
12393	771						
591F	782	66				Screw	
15278	771	"	",	Sprit	JD.		
19292	771	Shuttle	. 1 <del>11</del> ir	ı. diam	No	s. 2996,	12393
		and (	62740	• • • • •			
*12394							
12444	771	"	"			two <b>12</b> 66	
2049	773	"	"				
1266c		"	"				
2531	767	"	Race I	Back		<i></i> .	
2532	772	"	"			Pin	
2533	767	"	44	" S <sub>J</sub>	pring.		
907D	782	"	44			Screw	
<b>2441</b> 3		"	" F				
62502		"	"			rith 2441	
		two :	1053D				
04410							
24418		Shuttle	Race	ар " Sa	<i></i>	. <b>.</b>	


	•
NO. PLATE	NAME
24419 ——	Shuttle Race complete, Nos. 907p, 2531,
	2533, 24412, 62502 and two each 391p
	and 2532
145p 782	Shuttle Race Screw
12431	" " Slide
4307 772	" " " Spring
725E 1387	" " " Screw
12432 2004	Shuttle Race Slide complete, Nos. 4307,
22102 2001	12431 and two 725E
	·
2102 5806	Tension Disc
1560c 783.	" Regulating Thumb Nut
32572 5806	" Releasing Disc
43944 5806	" " Lever
12398 773	" " Hinge Pin
12329 772	" " Spring
32574 5806	" " Pin
	ocrew otua
*44141 —	50327C With 1300C
43945 5806	Spring
12149 2014	" Thread Guard
44118	Tension complete, Nos. 7336, 32572, 32574,
	43945, 43946, 44141 and two 2102
52454 5842	Thread Retainer
624c 8628	" " Set Screw
12404 770	" Take-up Crank
3094 773	" " Wedge
690E 782	" " " Screw
12408 770	" " Lever
775E 782	" " Cap Screw
12166 773	" " Hinge Pin
	· ·
12409 770	Lillik
11204 770	ringe i m
435c 5806	iset.
	Screw
12410	Thread Take-up Lever complete, Nos.
	12166, 12408 and 12409
43946 5806	Thread Take-up Spring
7336 772	" " Regulator
448c 783	" " Set Screw
1100 100	Bet Belew
*43990	Thread Take-up complete, Nos. 775E,
43146	11204, 12404, 12410 and 43997
12412 778	Throat Plate, large needle hole, for 12370
	and 43979
Nore: Two	No. 12412 are sent with this machine unless
	Throat Plates are specified on order
omer	Timoas Tiases are specified on order

NO. PLATE	NAME	
20315	Throat Plate, large needle hole, for	20106
20107 1259	" " small needle hole, for	20106
44256	" large needle hole, for	44252
	and 44253	
44255 5813	Throat Plate, small needle hole, for	44252
	and 44253	
691 <sub>F</sub> 782	Throat Plate Screw	<i></i>
19366 1313	Vibrating Presser Bar	
19367 1313	" " Cap	<i></i>
199р 1312	" " Screw for	
219F 774		19367
19368 1313	" " Cushion (ra	whide)
19369 1313	Vibrating Presser Bar Spring	
335p 1313	" " " Serew	v
× 19370 1312	" Foot for 12370 and	143979
19374 1313	" " " 12369 and	1 12457
19376 1313	" " " 20106	
217р 1312	" " Screw	
44212 5844	Drip Pan with four 1 in. wire na	ils, for
	power table	

SINGER Needles should be used in SINGER Machines
These Needles and their Containers are marked with the
Company's Trade Mark "SIMANCO.\*\*" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT SINGER made needles. 2

## LIST OF PARTS COMPLETE FOR



### **MACHINE No. 31-20**

#### FOR CLOTH. THROAT PLATE FLUSH WITH BED. DROP FEED.

NO.	PLATE				N.	AME			
*12355		Arm	with	111	i04				
8582	773	"	Dowe	el F	in		<b></b> .		
12453	773	"	Oil T	`ub	e for in	term	ediat	e bea	ring
12454	773	"	66	44	with a	5204	5 for	oiling	g 12409
11119	773	"	44	"	"	44	44	"	12408
24131	2014	"	"	- 46	"	"	44	"	20283
52045	8628	"	"	"	Packi	ng (t	oraide	d cot	ton)
748£	782	"	Screv	w (1	back).			<i>.</i> .	
854E	783	"	"	(1	front).	<i>.</i>			
12427	766	44	Shaf						
*44122		46	"	.13	2427 w	ith 2	20188	<b>20</b> 2	83 and
		24	036.						
*44189		Àrm	Shaf	t 4	4122 w	ith 2	0197.		
*11104		~ u	***	В	ushing	(fro	nt)		
12357	767	"	"	F	langed	Bus	hing	(bac	k)
4480	783	"	"		**		"	"	Set
		S	erew						

NO. PLATE	NAME
144 <sub>D</sub> 782	Arm Shaft Screw
12480 767	" Side Cap
219p 774	" " Screw
12193 2004	" " Cover
286р 783	" " Thumb Screw
12403 772	" Spool Pin and Thread Eyelet
11241 2003	" " Washer (cloth)
12358 2000	Balance Wheel (power) light rim, 2 16 in.
12000 2000	pulley with two 448c
4370 2000	Balance Wheel (stand) heavy rim, 23/4 in.
10,0 2000	pulley with two 448c
2135~2000	Balance Wheel (stand) heavy rim, 2½ in.
2100 2000	pulley for 3022
2862	Balance Wheel (stand) heavy rim, 3 in.
2802	pulley for 3022
448c 783	Balance Wheel Set Screw
	Bed
*12360 ——	Clamp Stop Motion Clamp Screw
256j 2003	" " Stop Screw
248A 2011	" " Washer
2020 2003	" " Flanged Bushing
*3023	" " " " " " 3023
4933 2003	0040
2022	with two 462c
2022 773	Clamp Stop Motion Flanged Bushing Pin " " Set
462c 773	
2002	Screw
3022л —	Clamp Stop Motion complete, Nos. 248A,
	256j, 2020 and 4933
20197 2001	Crank Connecting Rod with 20198 and
	two 896E
*20198	Crank Connecting Rod Cap
896E 773	Screw
908c 773	
1619E 773	TYUC
20057	Face Plate
*44181	" Inread Guard (lower)
12 <b>15</b> 0 773	" " " 44181 with
	12152
<b>12152</b> 773	Face Plate Thread Guard (lower) Rivet
2827 773	" " (upper) with
	8505
8505 773	Face Plate Thread Guard (upper) Rivet
8505 773 20058 5735	
	Face Plate Thread Guard (upper) Rivet Face Plate complete, Nos. 2827, 12150 and 20057
	Face Plate Thread Guard (upper) Rivet Face Plate complete, Nos. 2827, 12150 and 20057
20058 5735	Face Plate Thread Guard (upper) Rivet Face Plate complete, Nos. 2827, 12150 and 20057

NO.	PLATE	NAME
313c	783	Feed Bar Screw Centre
56813		" " " 313c with 1519J.
1519л	783	" " " Nut
3033	770	" Connecting Link
375c	782	" " Hinge Screw
1518ј	783	" " " " Nut.
44252	5813	" Dog, for cloth, 12 teeth (12 teeth to
		the inch)
Nom	n. No	44252 is sent with this machine unless
NOT		er Feed Dog is specified on order
	anoun	er recar bog is specified on order
44253	5813	Feed Dog, for cloth, 16 teeth (16 teeth to the inch)
12370	2692	Feed Dog, for cloth, 15 teeth (16 teeth to
120,0	2002	the inch)
43979	778	Feed Dog, for cloth, 21 teeth (22 teeth to
		the inch)
12425	779	Feed Dog, for cloth, 13 teeth (16 teeth to
		the inch)
12450	777	Feed Dog, for cloth, 11 teeth (18 teeth to
		the inch)
20348	777	Feed Dog, for chiffon, 22 teeth (36 teeth to
		the inch)
20106	1259	Feed Dog, for cloth, 13 teeth (16 teeth to
		the inch)
20119	1259	Feed Dog, for heavy work on duck, over-
		alls, etc., 18 teeth (16 teeth to the inch)
20158	1262	Feed Dog, for shirt work, 17 teeth (16
		teeth to the inch)
20151	1262	Feed Dog, for shirt work, beveled for hem-
	1000	mer, 13 teeth (14 teeth to the inch)
44144	1262	Feed Dog, for shirt work, beveled for hem-
20117	1001	mer, 22 teeth (24 teeth to the inch)
20117	1261	Feed Dog, for shirt work, beveled for hem-
20138	1263	mer, 16 teeth (16 teeth to the inch) Feed Dog, for shirt work, beveled for hem-
20100	1200	mer, 13 teeth (12 teeth to the inch)
20162	1263	Feed Dog, for shirt work, beveled for hem-
20102	2-00	mer, 17 teeth (16 teeth to the inch)
20147	1260	Feed Dog, for shirt work, 12 teeth (14 teeth
		to the inch)
12481	778	Feed Dog, for shirt work, 18 teeth (16 teeth
		to the inch)
43978	778	Feed Dog, for shirt work, 24 teeth (22 teeth
		to the inch)
44136	1381	Feed Dog, for tailor work, 15 teeth (16
		teeth to the inch)

NO. PLATE	NAME
<b>4415</b> 6 5837	Feed Dog, for shirt work, 24 teeth (24 teeth to the inch)
<b>44177</b> 1260	Feed Dog, for shirt work, 19 teeth (22 teeth to the inch)
208E 782	Feed Dog Screw
20283 2020	" and Feed Lifting Eccentric with 446c
446c 783	" " " Set Screw
<b>24036</b> 2020	" " " " Sleeve
20284 2020	" Forked Connection
375c 782	" " Hinge Screw
1518j 783	nut
*43993 ——	Feed Forked Connection complete, Nos.
	818v, 3033, 3039, 20284 and two each 375c and 1518j
44105 5004	
44125 5804 44126 ——	Feed Lifting Rock Shaft
44120	12376 and 44125
12376 770	Feed Lifting Rock Shaft Crank with 157J
	and 1813
157 <sub>J</sub> 782	Feed Lifting Rock Shaft Crank Clamping
	Screw
43976 5804	Feed Lifting Rock Shaft Crank Connect-
	ing Rod with 43977 and two 966E
*43977 ——	Feed Lifting Rock Shaft Crank Connect-
	ing Rod Cap
966E 5806	Feed Lifting Rock Shaft Crank Connect-
375c 782	ing Rod Cap Screw Feed Lifting Rock Shaft Crank Connect-
979U 782	ing Rod Hinge Screw
1518j 783	Feed Lifting Rock Shaft Crank Connect-
20200 100	ing Rod Hinge Screw Nut
1813 783	Feed Lifting Rock Shaft Crank Roller and
	Stud
307c 783	Feed Lifting Rock Shaft Screw Centre
56814	" " " " " 307c
	with 15131
1513ј 783	Feed Lifting Rock Shaft Screw Centre Nut
3039 768	" Regulator
1128E 2009	" Hinge Screw
818p 783	" Thumb Screw
12379 766	TOOCK SHARV
29633 5736 157 <sub>J</sub> 782	Crank with 1975
20333	" " " Clamping Screw Feed Rock Shaft complete, Nos. 12379
20000	and 29633
307c 783	Feed Rock Shaft Screw Centre

NO. PLATE	NAME
56814	Feed Rock Shaft Screw Centre 307c with
	1513յ
1513ј 783	Feed Rock Shaft Screw Centre Nut
12381 767	Needle Bar (hollow)
*12382 770	Connecting Link with 194E
43997 ——	12002 WIUI
794E 782	12384 Needle Bar Connecting Link Adjusting
*12383	Screw Needle Bar Connecting Stud
1904 770	" " Roller (roller
1904 110	only)
453c 783	Needle Bar Connecting Stud Set Screw.
12384 770	Needle Bar Connecting Stud complete,
	Nos. 453c, 1904 and 12383
20188 767	Needle Bar Crank with 858c and 1065c
1065c 2011	" " Position Screw
858c 783	" " Set Screw
936E 773	" " Screw Bushing
<b>430</b> 2 773	" " Thread Guide
233р 782	" " " Screw
4303 773	" Clamp with 808F
808F 782	Screw
*24104 2001	Oscillating Rock Shaft
24105	Oscillating Rock Shaft complete, Nos. 4784, 12388 and 24104
12388 767	Oscillating Rock Shaft Hinge Pin
448c 783	" " " Set Screw
4784 1353	" " " Oil Pad
12389 766	" Shaft
19496	" Crank for 19447
44134	" " " 44135
2049 773	" " Pin
457c 783	" " SetScrewfor19447
453c 783	" " " " 44135
19448 2011	" " Slide Block
226р 1371	∪ap
	Screw
12424 773	Oscillating Shaft Crank Slide Block Cap Screw Washer
988c 2011	Oscillating Shaft Crank Slide Block Screw Stud
1518j 783	Oscillating Shaft Crank Slide Block Screw Stud Nut
19449 2011	Oscillating Shaft Crank Slide Block complete, Nos. 226p, 988c, 12424 and 19448

NO. PLATE NAME
19447 2011 Oscillating Shaft Crank complete, Nos.
457c, 1518 <sub>J</sub> , 19449 and 19496
44135 5806 Oscillating Shaft Crank complete, Nos.
1518 <sub>J</sub> , 19449, 44134 and two 453c
12391 767 Presser Bar (hollow)
20059 5736 " " Guide Bracket with 453c
453c 783 " " " Set Screw
2062 771 ". " Lifter
689c 782 " " " Screw
1520s 783 " " " Nut
12327 770 " " Lifting and Releasing Lever
Bracket
11167 767 Presser Bar Spring (light) .051 wire
Note: No. 11167 is sent with this machine unless
another Spring is specified on order
12139 2004 Presser Bar Spring (medium) .055 wire
20023 2004 " " (heavy) .063 wire
11170 771 " " Washer
12143 780 " Foot for 12369, 12457 and 20106
Note: No. 12143 is sent with this machine unless
another Presser Foot is specified on order
12335 1308 Presser Foot (narrow) for 12369, 12457 and 20106
12258 1308 Presser Foot (wide) for 12369, 12457 and
20106
12142 780 Presser Foot for 12370 and 43979
12259 780 " " 12425
12144 780 " "20117, 20138, 20147, 20151,
20158 and 20162
12260 780 Presser Foot for 12450, 20147 and 20348
12474 1308 " " 20138 and 20162
20342 781 " " 12450 and 20348
20343 781 " with guide on bottom to the
right of needle hole, for 12369, 12450,
12457 and 20348
20458 780 Presser Foot for 44136
12261 1308 " " 12481 and 43978
12348 5837 " " outside stays and strips
12311 5837 " " shirt work
12467 781 " " umbrella work
62527 5806 " " Hinge Pin
24544 " " Plate
24982 —— " " Shank
26231 2014 " " Spring
Dping

NO. PLATE	NAME
24983 781	Presser Foot (spring hinged) complete, for
	12425 and 20119, Nos. 24544, 24982,
	26231 and 62527
7298 2014	Presser Foot Hinge Pin
19334	" "Plate
19335 —	" " Shank
19336 1308	Presser Foot (hinged) complete, for 12370
20000 1000	and 43979, Nos. 7298, 19334 and 19335
7298 2014	Presser Foot Hinge Pin
20268 —	" " Plate
20269	" " Shank
20270 1308	Presser Foot (hinged) complete for 12369,
20210 1000	12457 and 20106, Nos. 7298, 20268 and
	20269
62527 5806	Presser Foot Hinge Pin
20310 —	" " Plate
19223	" " Shank
20311 781	Presser Foot (hinged) complete for 20117,
20011 101	20138, 20147, 20151, 20158 and 20162,
	Nos. 19223, 20310 and 62527
entor tone	
62527 5806 20344 ——	Presser Foot Hinge Pin
	1 180e
20345 —— 26231 2014	Shank
20346 781	" Spring Presser Foot (spring hinged) complete for
20040 781	20117, 20138, 20147, 20151, 20158 and
	20162, Nos. 20344, 20345, 26231 and
	62527
190р 782	Presser Foot Screw
688j 783	Pressure Regulating Thumb Screw
19131 5737	Shuttle Bobbin
20649 5737	" " Case Latch
2973 5737	" " Lever
2974 5737	" " " " Fulcrum
25/1 0/0/	Pin
2975 5737	Shuttle Bobbin Case Latch Spring
592E 5737	" " Stop Screw
20650	Shuttle Bobbin Case Hinge, Nos. 2973,
_3000	2974 and 20649
20755 5737	Shuttle Bobbin Case Position Finger
2523 5737	" " " " Rivet
24323 2046	" " " Plate
391в 1366	" " " Screw
20756 5737	Shuttle Bobbin Case complete, Nos. 591F,
	592E, 2523, 2975, 20650, 20654 and
	20755

NO. PLATE	NAME
20757 5737	Shuttle Body
591F 5737	" Tension Regulating Screw
20654 5737	" Spring
20758 5737	Shuttle, 111 in. diam., Nos. 19131, 20756
	and 20757
19406 2012	Shuttle Driver with two 1266c
2049 773	" " Pin
1266c 5806	" Set Screw
2419 2006	" Race Back
2532 772	" " Position Pin
2533 767	
	Spring
	Screw
24324	Bouy
24998	24924 WILL 24009 8HG
	two 1053p
24009 2006	Shuttle Race Cap
1053D 2006	" " Screw
24325 2046	Shuttle Race complete, Nos. 907p, 2419,
	2533, 24323, 24998 and two each 391p
	and 2532
145p 782	Shuttle Race Screw
12431	" " Slide
4307 772	" " Spring
725E 1387	" " " Screw
12432 2004	Shuttle Race Slide complete, Nos. 4307,
14102 2001	12431 and two 725E
20060 5736	Slack Thread Regulator
225F 5736	" " Adjusting Screw
2102 5806	Tension Disc
1560c 783	" Regulating Thumb Nut
32572 5806	" Releasing Disc
	Releasing Disc
43944 5806	Lever
12398 773	ninge rin
12329 772	Spring
32574 5806	r ut
<b>50327</b> c <b>5806</b>	ociew olud
44141	" " 50327c with 1560c
43945 5806	" Spring
44118	Tension complete, Nos. 7336, 32572,
	32574, 43945, 43946, 44141 and two 2102
52454 5842	Thread Retainer
624c 8628	" Set Screw
12404 770	" Take-up Crank
3094 773	" " Wedge
690E 782	" " " Screw
12408 770	" " Lever
775E 782	" " Cap Screw

64

...

NO.	PLATE			NAM	r r			
12166	773	Thread	Taken			ra Pir		
12409	770	"	**	ир дече	Tink	50 I II		
11204	770	"	64	"	4		nge :	
	5806	"	"	"	"			44
4000	3000	Sat S	POTE					
12410		Thread					te N	Ing
		12166	, 12408	and 1	2409			
<b>4</b> 3946	5806	Thread		ıp Sprii	ng		<i>.</i>	
7336	772	"	66	44	Reg	ulator	·	
4480	783	"	"	26		" S	et Sc	rew
<b>*4</b> 3990		Thread		up com				
44956		Throat						
44256				arge n		•		202
								• • •
Non		44256 is						
	anothe	r Throat	Plate i	is speci:	fied or	orde	r	
44255	5813	Throat	Plate.	small n	eedle l	hole, f	or 44	252
		and 4	4253		• • • • •			
12412	778	Throat						
		and 4	3979	• • • • • •				
12426	779	Throat	Plate,	small n	eedle l	hole, i	or 12	425
12466	·	"	"	**	"	44	" 12	425
12464	777	"	**	large n	eedle l	hole, i	for 12	450
		and 2						
12451	2689	Throat	Plate.	smäll n	eedle	hole.	for 12	450
20315		Throat	Plate,	large n	eedle l	hole, i	for 20	106
20107	1259	46	"	small n	eedle :	hole, i	for 20	106
20120	1259	"	"	large o	oblong	nee	ile i	ıole,
		for 20	0119					
20187		Throat	Plate,	small	oblong	g nee	dle l	iole,
19497	1261	Throat	Plate.	large n	eedle	hole.	for 20	0117
19405		"	"	small r				
19409		"	"	large n				
20200		and 2	20162.			•		
19410	1263	Throat						
19410	1203			Sinan i				
19415	1262	Throat						
X0-210	1202		,					
19416		Throat						
19110			,			,		
19418	1262	Throat					for 2	0158
20*10	100			Large L				

NO.	PLATE	NAME
<b>194</b> 19		Throat Plate, small needle hole, for 20158 and 44156
19412	1260	Throat Plate, large needle hole, for 20147 and 44177
19413		Throat Plate, small needle hole, for 20147 and 44177
12482		Throat Plate, large needle hole, for 12481 and 43978
12483	778	Throat Plate, small needle hole, for 12481 and 43978
44137	1381	Throat Plate, large needle hole, for 44136
44138		" small needle hole, for 44136
691	782	" " Screw
44212	5844	Drip Pan with four 1 in. wire nails

SINGER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.\*\*" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

## LIST OF PARTS COMPLETE FOR

### **MACHINE No. 31-22**

FOR CLOAKS AND OTHER HEAVY CLOTH WORK. THROAT PLATE FLUSH WITH BED. DROP FEED, HIGH LIFT PRESSER. BOBBIN No. 19131.

No.	PLATE				Þ	IAME			
*12355		Arm	with	111	04		<b></b>		<i></i>
8582	773	"	Dov	vel P	in				
12453	773	**	Oil '	Tube	for i	nterm	ediat	e be	aring
11119	773	66	"	"	with	52045	5. for	oilin	g 12408
12454	773	"	"	"	**	"	<i>"</i>	"	12409
<b>241</b> 31	2014	44	"	"	"	46	"	"	20283
52045	8628	44	"	"	Pack	ing (	braid	led	cotton)
748E	782	"	Scre	w (b	ack).				
854 E	783	"	66	(fr	ront).				
12427	766	"	Shaf	t					
*44122		"	"	12	427 w	ith 2	0188,	202	83 and
		24	1036.						
*44189		Arm	Shai	t 44	122 w	ith <b>2</b> 0	197		
*11104		"	"						
12357	767	"	"	Fl	anged	Busl	hing		ek)
<b>44</b> 8c	783	"	"		"	"		"	Set
		Sc	rew.	• • • • •					<i></i>
144 <sub>D</sub>									
12480	767	"		Cap					
219 <sub>D</sub>	774	"	"	"					
12193	2004	"	"						
286p	783	44	"	"					
12403	772	46							
11241	2003	"	"	46	77 (36)				
12358	2000	Bala	nce 1	Whee	el (po	wer) l	ight :	rim,	$2\frac{3}{16}$ in.
4000		pı	ılley	with	two 4	48c			
4370	2000	Bala	nce V	Vhee	l (sta	nd) he	eavy	rim,	$2\frac{3}{4}$ in.
010=	2000	pu	шеу,	with	two	448c.	· · · <i>·</i> ·		
2135	2000	Bala	nce \	N hee	l (sta	nd) he	avy	rim,	$2\frac{1}{2}$ in.
9040									
2862		Bala	nce '	Whee	el (sta	ind) i	neavy	rin	ı, 3 in.
448c	783								
*12360	180								• • • • •
	2003	Ola-			 Kabir-	. Ol			• • • • •
	2003	CIAT		op N		ı Clan			
2020	2011	"			"	"	~ •		crew
2020	4003		•			**	W	asne	r

NO. PLATE	NAME
*3023	Clamp Stop Motion Flanged Bushing
4933 2003	" " " " 3023
2000 2000	with two 462c
2022 773	Clamp Stop Motion Flanged Bushing Pin
462c 773	" " Set
1020 110	Screw
3022л —	Clamp Stop Motion complete, Nos. 248A,
00220	256 <i>j</i> , 2020 and 4933
20197 2001	Crank Connecting Rod with 20198 and
2013. 2001	two 896E
*20198	Crank Connecting Rod Cap
896E 773	" " Screw
908c 773	" " Hinge Screw
1619E 773	" " " " Nut
20057 —	Truc
*44181	Face Plate
12150 773	
12100 773	44191
12152 773	with 12152
2827 773	Face Plate Thread Guard (lower) Rivet
2021 113	(abber) with
8505 773	8505
	Face Plate Thread Guard (upper) Rivet
20058 5735	Face Plate complete, Nos. 2827, 12150 and
100- 700	20057
190p 782	Face Plate Screw
286р 783	Thumb Screw
12368 767	Feed Bar
313c 783	Screw Centre
56813 —	313C With 13191.
1519j 783	Nut
3033 770	Connecting Link
375c 782	" Hinge Screw
1518 <sub>J</sub> 783	Nut.
<b>4425</b> 2 5813	" Dog, 12 teeth (12 teeth to the inch)
Note: No.	44252 is sent with this machine, unless
anoth	ner Feed Dog is specified on order
44253 5813	Feed Dog, 16 teeth (16 teeth to the inch)
12370 2692	" " 15 teeth (16 teeth to the inch)
44136 1381	" for tailor work, 15 teeth (16
	teeth to the inch)
208E 782	Feed Dog Screw
20283 2020	" and Feed Lifting Eccentric with 446c
446c 783	" " " Set Screw
24036 2020	" " " " Sleeve
20284 2020	" Forked Connection
375c 782	" " Hinge Screw

46

NO.	PLATE	NAME
1518j	783	Feed Forked Connection Hinge Screw Nut
*43993		Feed Forked Connection complete, Nos.
		818p, 3033, 3039, 20284 and two each 375c and 1518j
44125	5804	Feed Lifting Rock Shaft
44126		Feed Lifting Rock Shaft complete, Nos. 12376 and 44125
12376	770	Feed Lifting Rock Shaft Crank with 157J and 1813
157ј	782	Feed Lifting Rock Shaft Crank Clamping Screw
43976	5804	Feed Lifting Rock Shaft Crank Connecting Rod with 43977 and two 966E
*43977		Feed Lifting Rock Shaft Crank Connecting Rod Cap
966e	5806	Feed Lifting Rock Shaft Crank Connecting Rod Cap Screw
37 <b>5</b> c	782	Feed Lifting Rock Shaft Crank Connecting Rod Hinge Screw
1518ј	783	Feed Lifting Rock Shaft Crank Connecting Rod Hinge Screw Nut:
1813	783	Feed Lifting Rock Shaft Crank Roller and Stud
307c	783	Feed Lifting Rock Shaft Screw Centre
56814		" " " " " 307c
		with 1513j
1513ј	783	Feed Lifting Rock Shaft Screw Centre Nut
3039	768	" Regulator
1128E		" " Hinge Screw
8180	783	" Thumb Screw
12379	766	Rock Shart
29633	5736	Crank with 157J
157 <sub>J</sub>	782	Clamping Screw
20333		Feed Rock Shaft complete, Nos. 12379 and 29633
307c	783	Feed Rock Shaft Screw Centre
56814		" " " " 307c with
		15135
1513л	783	Feed Rock Shaft Screw Centre Nut
19229	2004	Needle Bar (hollow) for high lift
*12382	770	" " Connecting Link with 794E
43997		" " " 12382 with 12384
794e	782	Needle Bar Connecting Link Adjusting Screw
*12383	_	Needle Bar Connecting Stud

NO. PLATE	NAME
1904 770	Needle Bar Connecting Stud Roller (roller
	only)
<b>45</b> 3c 783	Needle Bar Connecting Stud Set Screw
12384 770	Needle Bar Connecting Stud complete,
	Nos. 453c, 1904 and 12383
<b>20</b> 188 767	Needle Bar Crank with 858c and 1065c
1065c 2011	" " Position Screw
858c 783	" " Set Screw
936E 773	" Screw Bushing
24101	" Clamp Body
808r 782	" " Screw
<b>2410</b> 2 2011	" "Thread Guard
651n 2011	" " Screw
<b>24103</b> 2011	Needle Clamp (high lift) complete, Nos.
*04104 0001	651p, 808r, 24101 and 24102
*24104 2001	Oscillating Rock Shaft
24105	Oscillating Rock Shaft complete, Nos.
12388 767	4784, 12388 and 24104
448c 783	Oscillating Rock Shaft Hinge Pin " " Set Screw
4784 1353	" " Oil Pad
12389 766	On rad
19496 —	" Shaft
44134 —	" " " 44135
2049 773	" " Pin
457c 783	" " SetScrewfor19447
453c 783	" " " " 44135
19448 2011	" " Slide Block
226p 1371	" " " CapScrew
12424 773	u u u u u u
	Washer
988c 2011	Oscillating Shaft Crank Slide Block Screw
	Stud
1518j 783	Oscillating Shaft Crank Slide Block Screw
	Stud Nut
19449 2011	Oscillating Shaft Crank Slide Block com-
	plete, Nos. 226p, 988c, 12424 and 19448
19447 2011	Oscillating Shaft Crank complete, Nos.
	457c, 1518j, 19449 and 19496
<b>44135</b> 5806	Oscillating Shaft Crank complete, Nos.
	1518, 19449, 44134 and two 453c
12391 767	Presser Bar (hollow)
43917 2009	" Guide Bracket with 453c
453c 783	" " Set Screw
5990 2011	" " Lifter
689c 782	" " Screw
1520J 783	" " " Nut

NO. PL	ATE	NAME
		esser Bar Lifting and Releasing Lever
		Bracket
11167 7		esser Bar Spring (light) .051 wire
Note:		67 is sent with this machine, unless
		er Spring is specified on order
12139 20	004 Pr	esser Bar Spring (medium) .055 wire
20023 20	004	" " (heavy) .063 wire
11170	771	" " Washer
12143	780	" Foot for 12369 and 12457
Note:	No. 12	143 is sent with this machine, unless
an	other P	resser Foot is specified on order
12335 13	308 Pr	resser Foot (narrow) for 12369 and 12457
	308	" (wide) for 12369 and 12457
	780	" " for 12370
	780	" " 44136
7298 20	014	" " Hinge Pin
20268 -		" " Plate
20269		" " Shank
20270 13	308 Pı	resser Foot (hinged) complete for 12369
		and 12457, Nos. 7298, 20268 and 20269
7298 2		esser Foot Hinge Pin
19334		" " Plate
19335 -	_	" " Shank
19336 1	308 Pı	esser Foot (hinged) complete for 12370
		and 44136, Nos. 7298, 19334 and 19335
190в		resser Foot Screw
		essure Regulating Thumb Screw
		uttle Bobbin
	012	" Case Latch
	771	" " Lever
2974	771	" " " Fulerum
	~-	Pin
		nuttle Bobbin Case Latch Spring
	782	warda quaa
20650 -	Si	nuttle Bobbin Case Hinge, Nos. 2973,
	=0= CI	2974 and 20649
		uttle Bobbin Case Position Finger
	771	Rivet
	046	1 12 00
391p 1		Screw
20756 5	101 8	nuttle Bobbin Case complete, Nos. 591r,
		592E, 2523, 2975, 20650, 20654 and 20755
20757 5	737 SI	nuttle Body
	782	" Tension Regulating Screw
	012	" Spring
	-	


NO. PLATE	name
20758 5737	Shuttle, 111 in. diam., Nos. 19131, 20756
	and 20757
*19406 2012	Shuttle Driver with two 1266c
2049 773	" " Pin
1266c 5806	" Set Screw
2419 2006	" Race Back
2532 772	" " Position Pin
2533 767	" " Spring
907p 782	" " " Screw
24324	" " Body
24998	" " 24324 with 24009 and
	two 1053p
24009 2006	Shuttle Race Cap
1053р 2006	" " Screw
24325 2046	Shuttle Race complete, Nos. 907p, 2419,
	2533, 24323, 24998 and two each 391p
	and 2532
145p 782	Shuttle Race Screw
12431	" " Slide
4307 772	" " " Spring
725E 1387	" " Screw
12432 2004	Shuttle Race Slide complete, Nos. 4307,
	12431 and two 725E
20060 5736	Slack Thread Regulator
225 <sub>F</sub> 5736	" " Adjusting Screw
2102 5806	Tension Disc
1560c 783	" Regulating Thumb Nut
32572 5806	" Releasing Disc
43980 5837	" Lever
12398 773	" " Hinge Pin
12329 772	Opring
32574 5806	III
50327c 5806	" Screw Stud
44141	30321C WILL 1000C
43945 5806	" Spring
44118	Tension complete, Nos. 7336, 32572
	32574, 43945, 48946, 44141 and two 2105
52454 5842	
624c 8628	" Det Durew
43947 5736	1ake-up Crauk
3094 773	, , , , , , , , , , , , , , , , , , ,
690± 782	
12408 770	1 Devet
775E 782	Cap borew
12166 773	
12409 770	)
11204 770	, Inde to

NO.	PLATE			N.	AME			
435c	5806	Thread	Take	up Le	ever L	ink ]	Hing	e Pin
		Set S	crew.					
12410		Thread						
		12166	3, 1240	8 and	12409.			
43946	5806	Thread	Take-	up Spi	ing			
7336	772	66	"					
448c	783	"	"		"			Screw
<b>*4</b> 3991		Thread	Take	-up c	omplet			
					47 and			
44256		Throat						
Non	E. Two							
		No. 442						
um	css Othe	r Throa	o Liste	es are s	рестве	a on	orae	r
44255	5813	Throat	Plate,	small	needle	hole.	for	44254
12412	778	"	"		needle			
44137	1381	"	44	"				44136
44138		"	"	small	needle	hole.	for	44136
691 F	782	"	"					
44212	5844	Drip Pa	an, wi					
		•						

SINGER Needles should be used in SINGER Machines
These Needles and their Containers are marked with the
Company's Trade Mark "SIMANCO.\*\*"

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

### LIST OF PARTS COMPLETE FOR



### **MACHINE No. 31-24**

FOR SHADE WORK, SEAMING AND FELLING FABRICS, ETC. HAS RECIPROCATING SLIDE ABOVE THE WORK UNDER THE PRESSER FOOT. DROP FEED. BOBBIN No. 19131.

NO.	PLATE				N	AME			
*20236		Arm	with	111	04		<i>.</i>		
8582	773	"	Dow	el P	in				
12453	773	"	Oil 7	Γube	for ir	iterm	ediate	e be	aring
11119	773	"	"	46	with	52045	, for e	oilin	g 12408
12454	773	"	"	"	"	"	"	"	12409
24131	2014	"	44	44	44	46	"	"	20283
52045	8628	"	"	"	Pack	ting	(braic	led	cotton)
748E	782	"	Scre	w (t	ack).				
854E	783	46	"						
12427	766	"	Shaf	t			. <b>.</b>		
*44122		**	66						283 and
		24	036.		. <i>.</i>				
*44189		Arm	Shaf	t 44	122 w	ith 20	)197		<b></b>
*11104		"	"	B	shing	(fron	t)		<i></i> .
12357	767	"	"		_	•			ck)
448c	783	"	44		"	4		` "	Set
		Q,	POW						

NO. PLATE	NAME
144p 782	Arm Shaft Screw
12480 767	Blue Cap
219р 774	ocrew
12193 2004	" Cover
286р 783	Inuino Screw
12403 772	" Spool Pin and Thread Eyelet
11241 2003	" " Washer (cloth)
12358 2000	Balance Wheel (power) light rim, 2 <sup>3</sup> / <sub>16</sub> in. pulley, with two 448c
4370 2000	Balance Wheel (stand) heavy rim, 234 in.
	pulley, with two 448c
2135 2000	Balance Wheel (stand) heavy rim, $2\frac{1}{2}$ in.
	pulley, for 3022
2862	Balance Wheel (stand) heavy rim, 3 in.
	pulley, for 3022
448c 783	Balance Wheel Set Screw
*20237	Bed
256 <sub>J</sub> 2003	Clamp Stop Motion Clamp Screw
248 <sub>A</sub> 2011	" " " Stop Screw
2020 2003	" " " Washer
*3023	" " Flanged Bushing
4933 2003	" " " " " 3023
	with two 462c
2022 773	Clamp Stop Motion Flanged Bushing Pin
462c 773	" " " " Set
	Screw
3022ј	Clamp Stop Motion complete, Nos. 248A,
00-20	256j, 2020 and 4933
20197 2001	Crank Connecting Rod with 20198 and
	two 896E
*20198	Crank Connecting Rod Cap
896E 773	" " " Screw
908c 773	" " Hinge Screw
1619E 773	" " " " Nut
20057	Face Plate
*44181	" " Thread Guard (lower)
12150 773	" " " " 44181
12100 175	with 12152
12152 773	WIGH 12102
ソメソフ フフマ	Face Plate Thread Guard (lower) Rivet
2827 773	Face Plate Thread Guard (lower) Rivet " " (upper) with
	Face Plate Thread Guard (lower) Rivet " " (upper) with 8505
8505 . 773	Face Plate Thread Guard (lower) Rivet " " (upper) with 8505
	Face Plate Thread Guard (lower) Rivet " " (upper) with 8505
8505 . 773 20058 5735	Face Plate Thread Guard (lower) Rivet " " (upper) with 8505
8505 773 20058 5735 190p 782	Face Plate Thread Guard (lower) Rivet  " " (upper) with  8505
8505 . 773 20058 5735	Face Plate Thread Guard (lower) Rivet  " " " (upper) with  8505

N	ю. 1	PLATE				NAM:	E		
:	313c	783	Feed	Bar 8	Screw	Centre	e		
56	813		44	"	"	46	313c w	ith 151	91
1.	519л	783	"	"	"	"	Nut		
3	033	770	**	Conn	ecting	Link			
- :	37 <b>5</b> c	782	"		"	"	Hinge S	Screw	
	518J	783	46		"	46	"	" I	Nut.
_	138	1263	"	Dog.	13 te	eth (12	2 teeth 1	to the i	nch)
			for				ed for h		
						,			
	Noti						nachine		3
		anoth	er rec	a Do	g is s	pecined	i on ord	er	
20	162	1263	Feed	Dog.	17 te	eth (1	6 teeth	to the i	inch)
							ed for h		
	208E	782							
	283	2020					Eccentr		
	446c	783	"	"	"	"	"		crew
	036	2020	"	"	"	æ	44	Sleev	
	284	2020	46	Fork	ad Co	nnecti	on		
	375c	782	"	"	ica Oc	"		e Scre	
	518j	783	"	"		"	***************************************	4	Nut
		(60	Food	For		onnoct	ion con		
*40	993						0284 ar		
							020± a1		
	1105	r004					aft		
_	125	5804					aft con		
44	126						1816 6011		
							aft Crar		
12	2376	770			_				
		=00					f C		
	157 <sub>J</sub>	782					aft Cran		
		<b></b>							
4:	3976	5804					aft Cra		
							and tw		
*43	3977						aft Crai		
		****							
	966E	5806					aft Cra		
	37 <b>5</b> 0	782					aft Cra		
							w		
	1518յ	783					aft Cra		
			_ in	g Ro	d Hin	ge Scre	w Nut.	<u>.</u>	
	1813	783					Shaft C		
	<b>307</b> c	783					ıft Screv		
5	6814		**					"	0010
	1513j		Fee		_		ıft Screv		
	3039	768	"	Reg	ulato	r	<b>.</b>	• • • • •	• • • • •

NO. PLATE	NAME
1128E 2009	Feed Regulator Hinge Screw
818p 783	" "Thumb Screw
20238 2000	" Rock Shaft
29633 5736	" " Crank with 157J
157j 782	" " " Clamping Screw
20334	Feed Rock Shaft complete, Nos. 20238,
805 500	20247 and 29633
307c 783	Feed Rock Shaft Screw Centre
56814 ——	307C WILI
1510 500	1513j
1513j 783	Feed Rock Shaft Screw Centre Nut
19229 2004	Needle Bar (hollow) for high lift " "Connecting Link with 794"
*12382 770	connecting mak with voil:
43997 ——	12002 WIVII
794E 782	12384
794E 782	Needle Bar Connecting Link Adjusting Screw
*12383	Needle Bar Connecting Stud
1904 770	" " Roller (roller
-	only)
453c 783	Needle Bar Connecting Stud Set Screw
12384 770	Needle Bar Connecting Stud complete,
	Nos. 453c, 1904 and 12383
20188 767	Needle Bar Crank with $858c$ and $1065c$
1065c 2011	Needle Bar Crank with 858c and 1065c " " Position Screw
1065c 2011 858c 783	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw
1065c 2011 858c 783 936E 773	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " Screw Bushing
1065c 2011 858c 783 936E 773 24101 —	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " Screw Bushing  " Clamp Body
1065c 2011 858c 783 936E 773 24101 — 808F 782	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " Screw Bushing  " Clamp Body  " Screw
1065c 2011 858c 783 936E 773 24101 — 808F 782 24102 2011	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " " Screw Bushing  " Clamp Body  " " Screw  " Thread Guard
1065c 2011 858c 783 936E 773 24101 ———————————————————————————————————	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " " Screw Bushing  " Clamp Body  " " Screw  " " Thread Guard  " " Screw
1065c 2011 858c 783 936E 773 24101 — 808F 782 24102 2011	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " " Screw Bushing  " Clamp Body  " " Screw  " Thread Guard
1065c 2011 858c 783 936E 773 24101 ———————————————————————————————————	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " " Screw Bushing  " Clamp Body  " " Screw  " " Thread Guard  " " " " Screw  Needle Clamp (high lift) complete, Nos. 651d, 808f, 24101 and 24102
1065c 2011 858c 783 936E 773 24101 ———————————————————————————————————	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " " Screw Bushing  " Clamp Body  " " Screw  " " Thread Guard  " " " Screw  Needle Clamp (high lift) complete, Nos. 651d, 808f, 24101 and 24102  Oscillating Rock Shaft
1065c 2011 858c 783 936E 773 24101 ———————————————————————————————————	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " " Screw Bushing  " Clamp Body  " " Screw  " " Thread Guard  " " " " Screw  Needle Clamp (high lift) complete, Nos. 651d, 808f, 24101 and 24102
1065c 2011 858c 783 936E 773 24101 ———————————————————————————————————	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " Screw Bushing  " Clamp Body  " Screw  " Thread Guard  " " Screw  Needle Clamp (high lift) complete, Nos. 651d, 808f, 24101 and 24102  Oscillating Rock Shaft  Oscillating Rock Shaft complete, Nos. 4784, 12388 and 24104
1065c 2011 858c 783 936E 773 24101 ———————————————————————————————————	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " Screw Bushing  " Clamp Body  " Screw  " Thread Guard  " " Screw  Needle Clamp (high lift) complete, Nos. 651d, 808f, 24101 and 24102  Oscillating Rock Shaft  Oscillating Rock Shaft
1065c 2011 858c 783 936E 773 24101 ———————————————————————————————————	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " " Screw Bushing  " Clamp Body  " Screw  " Thread Guard  " " Serew  Needle Clamp (high lift) complete, Nos. 651D, 808F, 24101 and 24102  Oscillating Rock Shaft  Oscillating Rock Shaft complete, Nos. 4784, 12388 and 24104  Oscillating Rock Shaft Hinge Pin  " " Set Screw  " " Set Screw  " " Set Screw  " " " " " " " Set Screw
1065c 2011 858c 783 936E 773 24101 ———————————————————————————————————	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " " Screw Bushing  " Clamp Body  " Screw  " Thread Guard  " " Serew  Needle Clamp (high lift) complete, Nos. 651D, 808r, 24101 and 24102  Oscillating Rock Shaft  Oscillating Rock Shaft complete, Nos. 4784, 12388 and 24104  Oscillating Rock Shaft Hinge Pin  " " " Set Screw  " " " Set Screw  " " " " " Set Screw
1065c 2011 858c 783 936E 773 24101 ———————————————————————————————————	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " " Screw Bushing  " Clamp Body  " Screw  " Thread Guard  " " Screw  Needle Clamp (high lift) complete, Nos. 651D, 808F, 24101 and 24102  Oscillating Rock Shaft  Oscillating Rock Shaft complete, Nos. 4784, 12388 and 24104  Oscillating Rock Shaft Hinge Pin  " " " Set Screw  " " " " " Set Screw  " " " " " Set Screw
1065c 2011 858c 783 936E 773 24101 ———————————————————————————————————	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " " Screw Bushing  " Clamp Body  " " Screw  " " Thread Guard  " " " Screw  Needle Clamp (high lift) complete, Nos. 651D, 808F, 24101 and 24102  Oscillating Rock Shaft  Oscillating Rock Shaft complete, Nos. 4784, 12388 and 24104  Oscillating Rock Shaft Hinge Pin  " " " Set Screw  " " " Oil Pad  " Shaft  " " Crank for 19447
1065c 2011 858c 783 936E 773 24101 ———————————————————————————————————	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " " Screw Bushing  " Clamp Body  " " Screw  " " Thread Guard  " " " Screw  Needle Clamp (high lift) complete, Nos. 651d, 808f, 24101 and 24102  Oscillating Rock Shaft  Oscillating Rock Shaft complete, Nos. 4784, 12388 and 24104  Oscillating Rock Shaft Hinge Pin  " " " " Set Screw  " " " " " " " " Set Screw  " " " " " " " " " " " " " " " " " "
1065c 2011 858c 783 936E 773 24101 ———————————————————————————————————	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " " Screw Bushing  " Clamp Body  " " Screw  " " Thread Guard  " " " Screw  Needle Clamp (high lift) complete, Nos. 651d, 808f, 24101 and 24102  Oscillating Rock Shaft  Oscillating Rock Shaft complete, Nos. 4784, 12388 and 24104  Oscillating Rock Shaft Hinge Pin  " " " " Set Screw  " " " " " Set Screw  " " " Crank for 19447  " " " " " 44135  " " " " " " " " " " " " " " " " " "
1065c 2011 858c 783 936E 773 24101 ———————————————————————————————————	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " " Screw Bushing  " Clamp Body  " " Screw  " " Thread Guard  " " " Screw  Needle Clamp (high lift) complete, Nos. 651d, 808f, 24101 and 24102  Oscillating Rock Shaft  Oscillating Rock Shaft complete, Nos. 4784, 12388 and 24104  Oscillating Rock Shaft Hinge Pin  " " " " Set Screw  " " " " " Set Screw  " " " Crank for 19447  " " " " " 44135  " " " " " " " " " " " " " " " " " "
1065c 2011 858c 783 936E 773 24101 ———————————————————————————————————	Needle Bar Crank with 858c and 1065c  " " Position Screw  " " Set Screw  " Screw Bushing  " Clamp Body  " Screw  " " Thread Guard  " " Screw  Needle Clamp (high lift) complete, Nos. 651D, 808F, 24101 and 24102  Oscillating Rock Shaft  Oscillating Rock Shaft complete, Nos. 4784, 12388 and 24104  Oscillating Rock Shaft Hinge Pin  " " " Set Screw"  " " " " Set Screw"  " " Crank for 19447  " " " " 44135  " " " " " " 44135  " " " " " Pin  " " SetScrewfor 19447


NO. PLATE	NAME
226 <sub>D</sub> 1371	Oscillating Shaft Crank Slide Block Cap Screw
12424 773	Oscillating Shaft Crank Slide Block Cap Screw Washer
988c 2011	Oscillating Shaft Crank Slide Block Screw
1518 <sub>3</sub> 783	Stud Oscillating Shaft Crank Slide Block Screw Stud Nut
19449 2011	Oscillating Shaft Crank Slide Block complete, Nos. 226p, 988c, 12424 and 19448
19447 2011	Oscillating Shaft Crank complete, Nos. 457c, 1518J, 19449 and 19496
44135 5806	Oscillating Shaft Crank complete, Nos. 1518, 19449, 44134 and two 453c
12391 767	Presser Bar (hollow)
20059 5736	" Guide Bracket with 453c
453c 783	" " " Set Screw
20240 2019	" " Lifter
689c 782	" " Screw
1520J 783	" " " Nut
12327 770	" " Lifting and Releasing Lever
	Bracket
11167 767	Presser Bar Spring (light) .051 wire
	11167 is sent with this machine, unless
ano	ther Spring is specified on order
12139 2004	Presser Bar Spring (medium) .055 wire
20023 2004	" " (heavy) .063 wire
11170 771	" " " Washer
20241	" Foot Body
20242 2019	" " Roller
131 р 2019	" " Screw
1550л 783	" " " Nut
20243 2019	Presser Foot (roller) complete, Nos. 131p, 1550j, 20241 and 20242
190p 782	Presser Foot Screw
688j 783	Pressure Regulating Thumb Screw
20244 2019	Reciprocating Spring Presser Blade
20347 2048	" " (slotted)
20245 2019	" " " Holder
1099г 2019	
	TT: C
	Hinge Screw
233р 782	Reciprocating Spring Presser Blade Screw
9804 2019	Reciprocating Spring Presser Blade Screw " " Spring
	Reciprocating Spring Presser Blade Screw

NO.	PLATE	NAME							
7483	2019	Reciprocating Spring Presser Blade Spring Hook							
20247	2020	Reciprocating Spring Presser Regulator Crank with 1518j, 1942 and two 190b							
190р	782	Reciprocating Spring Presser Regulator Crank Clamping Screw							
1904	770	Reciprocating Spring Presser Regulator Crank Roller (roller only)							
229D	782	Reciprocating Spring Presser Regulator Crank Roller Cap Screw							
12424	773	Reciprocating Spring Presser Regulator Crank Roller Cap Screw Washer							
1942	2019	Reciprocating Spring Presser Regulator Crank Roller and Screw Stud with 2290, 1904 and 12424							
1518յ	783	Reciprocating Spring Presser Regulator Crank Roller and Screw Stud Nut							
20248	2000	Reciprocating Spring Presser Shaft							
20249	2020	" " " Bracket							
		(back)							
13 <b>4</b> 0	2019	Reciprocating Spring Presser Shaft Bracket (back) Screw							
<b>2</b> 0250	2020	Reciprocating Spring Presser Shaft Bracket (front)							
190p	782	Reciprocating Spring Presser Shaft Bracket (front) Screw							
20251	2019	Reciprocating Spring Presser Shaft Collar with 456c							
<b>456</b> c	773	Reciprocating Spring Presser Shaft Collar Set Screw							
20254	2020	Reciprocating Spring Presser Shaft Crank (back) with 191r							
2049	773	Reciprocating Spring Presser Shaft Crank (back) Pin							
191F	2019	Reciprocating Spring Presser Shaft Crank (back) Set Screw							
20252	2019	Reciprocating Spring Presser Shaft Crank (front) with 7483 and two 453c							
<b>2025</b> 3		Reciprocating Spring Presser Shaft Crank (front) complete, No . 1099r, 9804, 20244 to 20246, 20252 and two 233D							
453c	783	Reciprocating Spring Presser Shaft Crank (front) Set Screw							
19131	2012	Shuttle Bobbin							
20649	2012	" Case Latch							
9079	771	" " " Torron							

NO. PLATE	NAME
2974 771	Shuttle Bobbin Case Latch Lever Fulcrum
	Pin
2975 771	Shuttle Bobbin Case Latch Spring
592m 782	" " Stop Screw
20650	Shuttle Bobbin Case Hinge, Nos. 2973,
20000	2974 and 20649
20755 5737	Shuttle Bobbin Case Position Finger
2523 771	" " " " Rivet
24323 2046	" " " Plate
391p 1366	" " " Screw
20756 5737	Shuttle Bobbin Case complete, Nos. 591F,
20100 0101	592E, 2523, 2975, 20650, 20654 and
	207552013, 20030, 20034 and
20757 5737	Shuttle Body
	" Tension Regulating Screw
591r 782 20654 2012	
	opring
20758 5737	Shuttle, 114 in. diam., Nos. 19131, 20756
10100 0010	and 20757
19406 2012	Shuttle Driver with two 1266c
2049 773	F10
1266c 5806	bet berew
2419 2006	Race Dack
2532 772	rosition rin
2533 767	" " Spring
907D 782	" " Serew
24324	" " Body
24998	" " 24324 with 24009 and
	two 1053b
24009 2006	Shuttle Race Cap
1053b 2006	" " Serew
<b>24325</b> 2046	Shuttle Race complete, Nos. 907D, 2419,
	2533, 24323, 24998 and two each 391p
	and 2532
145D 782	Shuttle Race Screw
12431	" " Slide
4307 772	" " " Spring
725E 1387	" " " Screw
12432 2004	Shuttle Race Slide complete, Nos. 4307,
	12431 and two 725E
20060 5736	Slack Thread Regulator
225 <sub>F</sub> 5736	" " " Adjusting Screw
2102 5806	Tension Disc
1560c 783	" Regulating Thumb Nut
32572 5806	" Releasing Disc
43944 5806	" Lever
12398 773	" " Hinge Pin
12329 772	" " Spring
	• ` ` `

NO.	PLATE			NA	
32574	5806				n
50327c	5806	"	Screw S	stud	
44141		"	"	" [	0327c with 1560c
43945	5806	"	Spring.		
44118		Tension			Nos. 7336, 32572,
		32574	l, 43945,	<b>4394</b> €	6, 44141 and two 2102
52454	5842	Thread	Retainer	r	·
624c	8628	"	"	Set	Screw
12404	770	"	Take-up		ak
3094	773	"	"	"	Wedge
690E	782	"	**	"	" Screw
12408	770	"	"	Leve	e <b>r</b>
775E	782	"	"	"	Cap Screw
12166	773	"	"	"	Hinge Pin
12409	770	"	**	"	Link
11204	770	"	"	"	" Hinge Pin
435c	5806	24	44	"	" " " Set
		Screw			
12410					ver complete, Nos.
					2409
43946	5806	Thread	Take-up	Spri	ng,
7336	772	"	"	"	Regulator
448c	783	"	"	"	" Set Screw
*43990		Thread	Take-u	p co	mplete, Nos. 775E,
		11204	, 12404,	12410	and 43997
19409		Throat :	Plate, la	rge n	eedle hole, for 20138
		and 2	0162		• • • • • • • • • • • • • • • • • • • •
Norm	Turo 1	Ja 1040)	ana aant	with	this machine, unless
HOTE					ified on order
	Oulei	I III Oas I	iates are	spec	med on order
19410	1263	Throat :	Plate, sn	nall n	eedle hole, for 20138
		and 2	0162		
<b>6</b> 91 <b>F</b>	782	Throat 3	Plate Sci	ew	
44212	<b>5844</b>	Drip Pa	n with	four	1 in. wire nails, for

### LIST OF PARTS COMPLETE



### **MACHINE No. 31-27**

FOR FULL OR SCANT RUFFLES ON THICK OR THIN FABRICS, FOR APRONS, DRESSES, INFANTS' GARMENTS, SKIRTS, ETC. POSITIVE RUFFLING MECHANISM, DROP FEED. BOBBIN No. 2996.

NO.	PLATE	NAME
*20312		Arm with 11104
8582	773	" Dowel Pin
<b>1245</b> 3	773	" Oil Tube for intermediate bearing
11119	773	" " with 52045, for oiling 12408
		and 24207
12454	773	Arm Oil Tube with 52045, for oiling 12409
24131	2014	"""""20283
52045	8628	" " Packing (braided cotton)
748E	782	" Screw (back)
854E	783	" " (front)
20332	2049	" Shaft
*44130		" 20332 with 20188, 20283, 24036,
		24207 and 24208
*44207		Arm Shaft 44130 with 20197
*11104		" " Bushing (front)
		Arm Shaft 44130 with 20197

NO.	PLATE				NAM			
12357	767	$\mathbf{Arm}$	Shaft	Flange	ed B	ushing	(back)	
448c	783	"	46	"		44	"	Set
		Ser	rew					
144p	782							
12480	767							
2190		4	"					
12193	2004	"	ii c					
286p		"	"				w	
12403	772	**	Qnool				yelet	
11241	2003	46	Spoor				1)	
	2000	D.I	117					
12358	2000						rim, 2	
		pu.	uey wi	tn two	4480	· · · · · ·		• • • • •
4370	2000	Balai	ice W	heel (st	and)	heavy	rim, 2	¾ ın.
		pu.	lley, w	ith two	448	c		
2135	2000	Balar	ace W	heel (st	and)	heavy	rim, 2	$\frac{1}{2}$ in.
		pu)	lley, fo	r 3022	• • • • •			
2862							y rim,	
448c	783							
*12360		Bed.						
256ј	2003	Clam		Motio	on Cl	amp S	crew	
248A	2011	**	46	"		" S	top Scr Vasher	ew
2020	2003	ri.	44	"		" V	Vasher.	
*3023		"	"	"	Fl	anged	Bushin	g
4933	2003	££	"	**		"	"	3023
		wi	th two	462c				
2022	773		p Stor	Moti	on Fl	anged	Bushin	g Pin
462c	773	"	"	**		"	46	Set
-0		Ser						
3022л							, Nos.	
0022		256	i. 202	0 and	4933			,
20197	2001	Cran	k Con	nectin	r Ro	d with	20198	bra S
20101	2001							
*20198								
20156 896E	773	Gran	K COII	"	, 1100	" c	Loron	
908c		"		"	44	Uina	Sover	
		"		"	"	mge	Screw	NT
1619E		F2						
20057		race						
*44181		"	"	Inread	1 Gua	ra (10	wer) " 44	
12150	773							
12152	773			Thread	Gua	rd (low	er) Riv	et
2827	773	"					per) v	
		850	)5		•			
8505	773						per) Ri	
20058	5735	Face			lete,	Nos.	2827,	12150
			1 none	7				

NO. PLATE	NAME
190 <sub>D</sub> 782	Face Plate Screw
286p 783	" " Thumb Screw
12368 767	Feed Bar
313c 783	" " Screw Centre
56813	" " " " 313c with 1519s
1519ı 783	" " " Nut
3033 770	" Connecting Link
375c 782	" " Hinge Screw
1518j 783	" " " " Nut.
24303 1344	" Dog, 6 teeth (14 teeth to the inch)
	Dog, o teeth (14 teeth to the men)
208E 782	ocrew
20283 2020	and reed Lifting Eccentric with 440c
446c 783	Der Delem
24036 2020	" " " " Sleeve
20284 2020	" Forked Connection
375c 782	" " Hinge Screw
1518j 783	" " " " Nut
*43993	Feed Forked Connection complete, Nos.
	818p, 3033, 3039, 20284 and two each
	375c and 1518j
44125 5804	Feed Lifting Rock Shaft
44126	Feed Lifting Rock Shaft complete, Nos.
11120	12376 and 44125
12376 770	Feed Lifting Rock Shaft Crank with 157J
12370 770	
155 500	and 1813
157ј 782	Feed Lifting Rock Shaft Crank Clamping
	Screw
43976 5804	Feed Lifting Rock Shaft Crank Connect-
	ing Rod with 43977 and two 966E
*43977	Feed Lifting Rock Shaft Crank Connect-
	ing Rod Cap
966E 5806	Feed Lifting Rock Shaft Crank Connect-
	ing Rod Cap Screw
375c 782	Feed Lifting Rock Shaft Crank Connect-
	ing Rod Hinge Screw
1518j 783	Feed Lifting Rock Shaft Crank Connect-
10100	ing Rod Hinge Screw Nut
1813 783	Feed Lifting Rock Shaft Crank Roller and
1010 100	Stud
207~ 702	
307c 783	Feed Lifting Rock Shaft Screw Centre
56814	901C
	with 1513J
1513 <sub>J</sub> 783	Feed Lifting Rock Shaft Screw Centre Nut
3039 768	" Regulator
1128E 2009	" " Hinge Screw
818D 783	" " Thumb Screw
12379 766	" Rock Shaft

NO. PLATE	NAME
29633 5736	Feed Rock Shaft Crank with 157J
157j 782	" " " Clamping Screw
20333	Feed Rock Shaft complete, Nos. 12379
	and 29633
307c 783	Feed Rock Shaft Screw Centre
56814 —	" " " " 307c with
00011	1513л
1513ј 783	Feed Rock Shaft Screw Centre Nut
12381 767	Needle Bar (hollow)
*12382 770	" " Connecting Link with 794E
43997	" " " 12382 with
	12384
794E 782	Needle Bar Connecting Link Adjusting
	Screw
*12383	Needle Bar Connecting Stud
1904 770	" " Roller (roller
	only)
453c 783	Needle Bar Connecting Stud Set Screw
12384 770	Needle Bar Connecting Stud complete,
	Nos. 453c, 1904 and 12383
20188 767	Needle Bar Crank with 858c and 1065c
1065c 2011	" " Position Screw
858c 783	" " Set Screw
936E 773	" " Screw Bushing
4302 773	" " Thread Guide
233р 782	" " " Screw
4303 773	" Clamp with 808F
808F 782	" Screw
*24104 2001	Oscillating Rock Shaft
24105	Oscillating Rock Shaft complete, Nos.
	4784, 12388 and 24104
12388 767	Oscillating Rock Shaft Hinge Pin
448c 783	" " " " Set Screw
4784 1353	" " " Oil Pad
12389 766	" Shaft
19496	" Crank for 19447
44134	" " 44135
2049 773	" " Pin
457c 783	" " SetScrewfor19447
453c 783	" " " " 44135
19448 2011	" " Slide Block
226в 1371	" " " " Cap
	Screw
12424 773	Oscillating Shaft Crank Slide Block Cap Screw Washer
988c 2011	Oscillating Shaft Crank Slide Block Screw
988C 2011	Stud

NO.	PLATE	NAME	
1518J	783	Oscillating Shaft Crank Slide Block Screw Stud Nut	
19449	2011	Oscillating Shaft Crank Slide Block com-	
		plete, Nos. 226p, 988c, 12424 and 19448	3
19447	2011	Oscillating Shaft Crank complete, Nos.	
		457c, 15181, 19449 and 19496	
44135	5806	Oscillating Shaft Crank complete, Nos.	
		15181, 19449, 44134 and two 453c	
12391	767	Presser Bar (hollow)	
20059	5736	" Guide Bracket with 453c	
<b>45</b> 3c	783	" " " Set Screw	
2062	771	" " Lifter	
689c	782	" " Screw	
1520j	783	" " " Nut	
12327	770	" " Lifting and Releasing Lever	•
		Bracket	
11167	767	Presser Bar Spring (light) .051 wire	
N	OTE: N	o. 11167 is sent with this Machine, unless	
	aı	nother Spring is specified on order	
12139	2004	Presser Bar Spring (medium) .055 wire	
20023	2004	" " (heavy) .063 wire	
11170	771	" " " Washer	
24304	1344	" Foot	
190 d	782	" " Screw	
688J	783	Pressure Regulating Thumb Screw	
<b>26888</b>	1344	Ruffling Arm (lower)	
<b>26889</b>	1344	" (upper) with 190p and 219r	1
$207_{ m F}$	1344	" " Adjusting Screw	
2291	1344	" " Washer	
190p	782	" Clamping Screw	
219г	774	" Set Screw	
<b>26</b> 890	1344	Ruffling Arm (adjustable) Nos. 2291,	
28845		26888, 26889 and two 207r	
20010		226р, 1550н, 24203 to 24206, 26890 and	
		two 665p	
24199	1323	Ruffling Arm Shaft	
24201	1324	" " Bracket (left)	
159թ	1324	" " " " Screw	
<b>24200</b>	1324	" " " (right)	
145p	1324	" " " Screw	
6533	1323	" " Collar with 460c	
<b>46</b> 0c	1323	" " Set Screw	
<b>24</b> 305	1344	" Blade	
24203	1344	" " Holder	
226 <sub>D</sub>	1344	" " Cap Screw	

	NAME
NO. PLATE 24579 2014	Ruffling Blade Holder Spring (heavy left)
24581 2014	" " (light left)
24580 2014	" " (heavy right)
24204 1344	" " (light right)
· · · · · · · · · · · · · · · · · · ·	(ngut right)
24582 1344	(leit atop)
24205 1344	(right stop)
24206 1344	Deua
1550н 1344	1140
665p 1344	" " Screw
24207 1323	" Eccentric with two 453c
24208 1323	" Collar with 453c
453c 1323	" " Set Screw
24219 1323	" Connection with 24220
	and two 742E
*24220	Ruffling Eccentric Connection Cap
742E 1323	" " Screw
24210 1324	" " Washer
453c 1323	" " Set Screw
24211 1323	" Regulator with 225F
225F 1323	" Set Screw
	Det Dutew
181b 1323	otop ociew
1641E 1323	1400
1108г 1323	" I numo screw
1641E 1323	" Nut
43918 5757	" Separating Blade
26092 2671	" " Rivet
-0002 2011	
43919 5757	" " Shank
	SHank
43919 5757	" " Shank Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092
43919 5757	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092
43919 5757 43920 5757 1423 <sub>D</sub> 5742	Ruffling Separating Blade on Shank com-
43919 5757 43920 5757 1423 <sub>D</sub> 5742 2996 771	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw
43919 5757 43920 5757 1423 <sub>D</sub> 5742 2996 771 62739 —	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw
43919 5757 43920 5757 1423b 5742 2996 771 62739 — 15140 2013	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw Shuttle Bobbin " " Case " " Latch
43919 5757 43920 5757 1423b 5742 2996 771 62739 — 15140 2013 2973 771	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw  " " Case
43919 5757 43920 5757 1423b 5742 2996 771 62739 — 15140 2013	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw Shuttle Bobbin " " Case
43919 5757 43920 5757 1423b 5742 2996 771 62739 — 15140 2013 2973 771 2974 771	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw  " " Case  " " Latch  " " " Lever  " " " " Fulcrum
43919 5757 43920 5757 1423b 5742 2996 771 62739 — 15140 2013 2973 771 2974 771 2975 771	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw
43919 5757 43920 5757 1423b 5742 2996 771 62739 — 15140 2013 2973 771 2974 771 2975 771 592e 782	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw
43919 5757 43920 5757 1423b 5742 2996 771 62739 — 15140 2013 2973 771 2974 771 2975 771	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw
43919 5757 43920 5757  1423p 5742 2996 771 62739 — 15140 2013 2973 771 2974 771  2975 771 592E 782 15141 —	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw  Shuttle Bobbin  " " Case  " " Latch  " " " Lever  " " " " Fulcrum  Pin  Shuttle Bobbin Case Latch Spring  " " " " Stop Screw  Shuttle Bobbin Case Hinge, Nos. 2973, 2974 and 15140
43919 5757 43920 5757  1423p 5742 2996 771 62739 — 15140 2013 2973 771 2974 771  2975 771 592E 782 15141 — 7553 771	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw  Shuttle Bobbin  " Case  " " Latch  " " " Lever  " " " Fulcrum Pin  Shuttle Bobbin Case Latch Spring  " " " Stop Screw  Shuttle Bobbin Case Hinge, Nos. 2973, 2974 and 15140  Shuttle Bobbin Case Position Finger
43919 5757 43920 5757  14230 5742 2996 771 62739 — 15140 2013 2973 771 2974 771 2975 771 592E 782 15141 — 7553 771 2523 771	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw Shuttle Bobbin " " Case " " " Latch " " " Lever " " " Fulcrum Pin Shuttle Bobbin Case Latch Spring " " " " Stop Screw Shuttle Bobbin Case Hinge, Nos. 2973, 2974 and 15140 Shuttle Bobbin Case Position Finger " " " Rivet
43919 5757 43920 5757  14230 5742 2996 771 62739 — 15140 2013 2973 771 2974 771  2975 771 592E 782 15141 — 7553 771 2523 771 24412 1361	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Serew Shuttle Bobbin " " Case " " " Latch " " " Lever " " " " Fulcrum Pin Shuttle Bobbin Case Latch Spring " " " " Stop Screw Shuttle Bobbin Case Hinge, Nos. 2973, 2974 and 15140 Shuttle Bobbin Case Position Finger " " " Rivet " " " " Rivet
43919 5757 43920 5757  1423D 5742 2996 771 62739 — 15140 2013 2973 771 2974 771 2975 771 592E 782 15141 — 7553 771 24412 1361 391D 1366	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw
43919 5757 43920 5757  14230 5742 2996 771 62739 — 15140 2013 2973 771 2974 771  2975 771 592E 782 15141 — 7553 771 2523 771 24412 1361	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw
43919 5757 43920 5757  1423D 5742 2996 771 62739 — 15140 2013 2973 771 2974 771 2975 771 592E 782 15141 — 7553 771 24412 1361 391D 1366	Ruffling Separating Blade on Shank complete, Nos. 43918, 43919 and two 26092 Ruffling Separating Blade Screw

NO. PLATE	NAME
<b>12393</b> 771	Shuttle Body
591r 782	" Tension Regulating Screw
<b>15278</b> 771	" "Spring
19292 771	Shuttle, $1\frac{11}{16}$ in. diam., Nos. 2996, 12393
	and 62740
*12394	Shuttle Driver
12444 771	" 12394 with two 1266c
2049 773	" Pin
1266c 5806	" Set Screw
2531 767	" Race Back
2532 772	" " Position Pin
2533 76"	" " " Spring
907л 782	" " " Screw
24413	" " Body
25000	" " 24413 with 24414 and
	two 1053d
24414 5837	Shuttle Race Cap
1053р 2096	" " Screw
24415 1361	Shuttle Race complete, Nos. 907p, 2531,
	2533, 24412, 25000 and two each 391D
	and 2532
145p 782	Shuttle Race Screw
12431	" " Slide
4307 772	" " Spring
725E 1387	" " " Screw
12432 2004	Shuttle Race Slide complete, Nos. 4307,
	12431 and two 725E
<b>44009</b> 5840	Slack Thread Regulator
225F 5736	" " " Adjusting Screw
2102 5806	Tension Disc
1560c 783	" Regulating Thumb Nut
32572 5806	" Releasing Disc
43944 5806	" Lever
12398 773	" " Hinge Pin
12329 772	" " Spring
32574 5806	" "Pin
50327c 5806	" Screw Stud
44141 ——	" " 50327c with 1560c
43945 5806	" Spring
44118	" complete, Nos. 7336, 32572
· ·	32574, 43945, 43946, 44141 and two 2102
52454 5842	Thread Retainer
624c 8628	" Set Screw
12404 770	" Take-up Crank
3094 773	" " " Wedge
690E 782	" " " Screw
12408 770	" " Lever
14100 110	##CYC4

NO.	PLATE			NAM	E	
775E	782	Tension	Take-up	Leve	r Cap Screw	
12166	773	"	46	44	Hinge Pin	
12409	770	"	**	"	Link	
11204	770	"	"	66	" Hinge P	
<b>435</b> c	5806	"	46	"	" "	" Set
		Screw		<i>.</i>		
12410					er complete,	
		12166	, 12408 a	nd 12	409	
43946	5806	Thread	Take-up	Sprin	g	
7336	772	"	"	. "	Regulator	
448c	783	"	44	"	" Set	Screw
*43990		Thread	Take-up	con	plete, Nos.	775E,
		11204	, 12404, 1	12410	and 43997	
24306	1344	Throat :	Plate for	24303	3 <i></i>	
691F	782	"	" Ser	ew		
44212	5844	Drip Pa	n with t	our 1	l in. wire nai	ls, for
		power	table			

SINCER Needles should be used in SINCER Machines
These Needles and their Containers are marked with the
Company's Trade Mark "SIMANCO.\*\*" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

## LIST OF PARTS COMPLETE FOR

### **MACHINE No. 31-32**

#### FOR CLOTH. HAS REVERSIBLE DROP FEED. BOBBIN No. 2996

NO.	PLATE				N/	AME			
*20313		Arm	with	1110	4				
8582	773	"							
12453	773	64					diate b		
11119	773	"	**				for oili		
12454	773	"	"	"	44	"	ii ii	<b>1</b> 1	2409
24131	2014	"	44	"	"	"	ec 16	1:	2197
52045	8628	46	**	"	Packi	ng (bi	raided o	otto	n)
748E	782	"	Scre	w (ba	ck)				
854E	783	46	46	(fro	nt)	<i>.</i>			
12427	766	"	Shaf	t			. <b>.</b> . <i>,</i> .		
*44124		"	"	1242	27 wit	h 121	97 and	2013	88
*44197		"	46	4412	24 wit	h 201	97		<i>.</i>
*11104		"	"	Bus	hing (	(front)	). <b>.</b>		<i>.</i>
12357	767	"	44				ing (ba		
448c	783	46	"	•	í	"	"		Set
		Sc	rew			<i>.</i> .	<i></i>		
144D	782	Arm	Shaft	t Scre	w				
12480	767	46		Cap.				<i>.</i> .	
$219 \mathrm{d}$	774	"	"	"	Screw				
12193	2004	"			r				
286d	783	"	"	"	Thu	${ m mb~S}$	crew		
12403	772	"					l Eyele		
11241	2003	"	"				oth)		
12358	2000						tht rim,		
4370	2000						vy rim		in.
2135	2000						vy rim	$,2\frac{1}{2}$	in.
		$\mathbf{p}\mathbf{u}$	lley, f	or 30	$22\dots$			· · · ·	
2862	<del></del>						avy rir		
448c	783								
*12360	—	Bed.	• • • • •						
256 <sub>J</sub>							Screw		
248a		"	"		"	"	Stop 8		
	2003	44	**		"	46	Wash		
0020		44	"				ed Bush		
4933	2003	44	"		"	"	"	O.	
		wit	h two	4620	C. <b>.</b>	,			• • •

NO. PLATE	NAME
2022 773	Clamp Stop Motion Flanged Bushing Pin
462c 773	Set
	Screw
3022л ——	Clamp Stop Motion complete, Nos. 248A, 256J, 2020 and 4933
20197 2001	Crank Connecting Rod with 20198 and
	two 896E
*20198	Crank Connecting Rod Can
896E 773	" " " Screw " " Hinge Screw
908c 773	" " Hinge Screw
1619£ 773	" " " " Nut
20057	Face Plate
44181	" " Thread Guard (lower) .
12150 773	" " " " 44181
	" " " " 44181 with 12152
12152 773	Face Plate Thread Guard (lower) Rivet
2827 773	" " (upper) with
2021 110	8505
8505 773	Face Plate Thread Guard (upper) Rivet
20058 5735	Face Plate complete, Nos. 2827, 12150
20000 0100	and 20057
190 <sub>D</sub> 782	Face Plate Screw
286p 783	" " Thumb Screw
12368 767	Feed Bar
313c 783	" " Screw Centre
56813	" " " 313c with 1519j
1519J 783	" " " Nut
12197 2001	" Cam and Feed Lifting Eccentric
	with 446c
<b>446</b> c <b>783</b>	Feed Cam and Feed Lifting Eccentric Set Screw
3033 770	Feed Connecting Link
375c 782	" " Hinge Screw
1518 <sub>J</sub> 783	" " " Nut
20304 778	" Dog, 13 teeth (12 teeth to the inch)
	20304 is sent with this machine, unless er Feed Dog is specified on order
44254 5813	Feed Dog, 12 teeth (12 teeth to the inch)
208E 782	" " Screw
44003 5840	" Forked Connection
*43992	Feed Forked Connection complete, Nos. 3033, 12332, 44003 and two each 375c
	and 1518J
375c 782	Feed Forked Connection Hinge Screw
1518J 783	" " " " Nut
44105 5004	K Tittima Davis Obact

NO.	PLATE	NAME
44126		Feed Lifting Rock Shaft complete, Nos.
		12376 and 44125
12376	770	Feed Lifting Rock Shaft Crank with 157J and 1813
157ј	782	Feed Lifting Rock Shaft Crank Clamping Screw
43976	5804	Feed Lifting Rock Shaft Crank Connect-
*43977		ing Rod with 43977 and two 966E
49911		Feed Lifting Rock Shaft Crank Connecting Rod Cap
966е	5806	Feed Lifting Rock Shaft Crank Connect-
0001	0000	ing Rod Cap Screw
375c	782	Feed Lifting Rock Shaft Crank Connect-
		ing Rod Hinge Screw
1518 <sub>J</sub>	783	Feed Lifting Rock Shaft Crank Connect-
		ing Rod Hinge Screw Nut
1813	783	Feed Lifting Rock Shaft Crank Roller and Stud
307c	783	Feed Lifting Rock Shaft Crank Screw
0010	100	Centre
56814		Feed Lifting Rock Shaft Crank Screw
		Centre 307c with 1513j
1513ј	783	Feed Lifting Rock Shaft Crank Screw
		Centre Nut
834p	<b>574</b> 0	Feed Regulating Thumb Screw
12332	5740	" Regulator and Reverser
1128E		" " Hinge Screw
12333	5740	nandle
12323	5740	rriemon spring
835d 12379	766	1301CW
29633	5736	" Rock Shaft
25055 157j	782	" " Clamping Screw
20333		Feed Rock Shaft complete, Nos. 12379 and
		29633
307c	783	Feed Rock Shaft Screw Centre
56814		" " " " 307c with
		1513 <sub>5</sub>
1513л	783	Feed Rock Shaft Screw Centre Nut
12381	767	Needle Bar (hollow)
*12382	770	Connecting Link with 194E
43997		12382 With
704	Hod	12384
794E	782	Needle Bar Connecting Link Adjusting Screw
*12383		Needle Bar Connecting Stud

NAME

NO. PLATE

NO. PLA	ГE	NAME
1904 77		edle Bar Connecting Stud Roller (roller only)
453c 78		edle Bar Connecting Stud Set Screw.
		edle Bar Connecting Stud complete,
	I	Nos. 453c, 1904 and 12383
		edle Bar Crank with 858c and 1065c
1065c 201	L	" " Position Screw
0000 .	50	" " Set Screw
	19	" Screw Bushing
	0	" " Thread Guide
	52	Screw
	10	Claimp with obor
	34	ocrew
*24104 200		eillating Rock Shaft
24105 —	Os	cillating Rock Shaft complete, Nos. 1784, 12388 and 24104
10000 -		
		cillating Rock Shaft Hinge Pin " " Set Screw
	33	
4784 135		· On Pad
	36	" Shaft
19496 — 44134 —		" " 44135
	— 73	" " Pin
	10 83	" " Set Screw for 19447
	ია 83	" " " " " 44135
19448 20		" " Slide Block
226p 13		" " " Cap
2200 10	. –	Screw
12424 7		cillating Shaft Crank Slide Block Cap
12121 .		Screw Washer
988c 20		cillating Shaft Crank Slide Block Screw
2000 20		Stud
1518л 7		cillating Shaft Crank Slide Block Screw
		Stud Nut
19449 20		cillating Shaft Crank Slide Block com-
		plete, Nos. 226p, 988c, 12424 and 19448
19447 20	11 Os	cillating Shaft Crank complete, Nos.
		457c, 15181, 19449 and 19496
44135 58	06 Os	cillating Shaft Crank complete, Nos.
		1518, 19449, 44134 and two 453c
12391 7	67 Pr	esser Bar (hollow)
	36	" Guide Bracket with 453c
	83	" " Set Screw
2062 7	71	" Lifter
689c 7	82	" " Screw
1520л 7	83	" " " Nut

NO. PLATE	NAME
12327 770	Presser Bar Lifting and Releasing Lever Bracket
11167 767	Presser Bar Spring (light) .051 wire
Note: No	. 11167 is sent with this machine, unless
	ther Spring is specified on order
12139 2004	Presser Bar Spring (medium) .055 wire
20023 2004	" " (heavy) .063 wire
11170 771	" " " Washer
12144 780	" Foot for 20304
Note: No.	. 12144 is sent with this machine, unless
anothe	er Presser Foot is specified on order
20328 781	Presser Foot for 20303
20038 780	" " 20303
190р 782	" " Screw
688: 783	Pressure Regulating Thumb Screw
2996 771	Shuttle Bobbin
62739	" " Case
	Laten
2973 771	Level
2974 771	ruierum
	Pin
2975 771	Shuttle Bobbin Case Latch Spring
592E 782	" " Stop Screw
15141 ——	Shuttle Bobbin Case Hinge, Nos. 2973,
	2974 and 15140
7553 - 771	Shuttle Bobbin Case Position Finger
2523 771	" " " " Rivet
24412 1361	" " " Plate
391р 1366	" " " Screw
62740 771	Shuttle Bobbin Case complete, Nos. 591F,
021.20 112	592r, 2523, 2975, 7553, 15141, 15278
	and 62739
12393 771	Shuttle Body
591r 782	" Tension Regulating Screw
15278 771	
	opring
19292 771	Shuttle, $1\frac{11}{16}$ in. diam., Nos. 2996, 12393
44.30	and 62740
*12394	Shuttle Driver
<b>12444</b> 771	" 12394 with two 1266c
2049 773	" "Pin
1266c 5806	" Set Screw
2531 - 767	" Race Back
2532 772	" " Position Pin
2533 767	" " Spring
907p 782	" " Screw
	NOTON

NO. PLATE	NAME
24413	Shuttle Race Body
25000	" " 24413 with 24414 and
	two 1053p
24414 5837	Shuttle Race Cap
1053p 2006	" " Screw
24415 1361	Shuttle Race complete, Nos. 907p, 2531,
	2533, 24412, 25000 and two each 391D
	and 2532
145p 782	Shuttle Race Screw
12431	" " Slide
4307 772	" " Spring
725E 1387	" " " Screw
12432 2004	Shuttle Race Slide complete, Nos. 4307,
	12431 and two 725E
20060 5736	Slack Thread Regulator
225г 5736	" " " Adjusting Screw
2102 5806	Tension Disc
1560c 783	" Regulating Thumb Nut
32572 5806	" Releasing Disc
43944 5806	" " Lever
12398 773	" " " Hinge Pin
12329 772	" " Spring
32574 5806	" "Pin
50327c 5806	" Screw Stud
44141	" " 50327c with 1560c
43945 5806	" Spring
44118 —	Tension complete, Nos. 7336, 32572,
	32574, 43945, 44141, 49946 and two 2102
52454 5842	Thread Retainer
624c 8628	" Set Screw
12404 770	" Take-up Crank
3094 773	" " Wedge
690£ 782	" " " Screw
12408 770	" " Lever
775E 782	" " Cap Screw
121 <b>6</b> 6 773	" " Hinge Pin
12409 770	" " Link
11204 770	" " " Hinge Pin
435c 5806	" " " " " Set
	Screw
12410 ——	Thread Take-up Lever complete, Nos.
	12166, 12408 and 12409
43946 5806	Thread Take-up Spring
7336 772	" " Regulator
448c 783	" " Set Screw
*43990	Thread Take-up complete, Nos. 775E,
	11204, 12404, 12410 and 43997

NO. 12414	PLATE	NAME Throat Plate, large needle hole, for 20304						
Note		lo. 12414 Throat						unless
12442	778	Throat						
44255	5813	"	"	"	"	"	"	44254
44256		"	"	large	needle	hole,	for	44254
691F	782	"	"	Screw	r			
44212 5844 Drip Pan with four 1 in. wire nails, for power table								

SINGER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.\*\*" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT SINGER made needles. 2

# LIST OF PARTS COMPLETE FOR

# **MACHINE No. 31-34**

# FOR HORSE BLANKETS, BURLAP AND OTHER WORK. MAKES STITCH UP TO $\frac{1}{12}$ Inch long. Drop FEED.

NO. PLATE	NAME
*12355	Arm with 11104
8582 773	" Dowel Pin
12453 773	" Oil Tube for intermediate bearing
11119 773	" " with 52045, for oiling 12408
12454 773	" " " " " " 12409
24131 2014	" " " " " " 12428
52045 8628	" " Packing (braided cotton)
748E 782	" Screw (back)
854E 783	" " (front)
12427 766	" Shaft
*44217	" " 12427 with 12428, 20188 and
	20197
*11104	Arm Shaft Bushing (front)
12357 767	" " Flanged Bushing (back)
448c 783	" " Set
	Screw
144ь 782	Arm Shaft Screw
12480 - 767	" Side Cap
219p 774	" " Serew
12193 2004	" " Cover
286p 783	" " Thumb Screw
12403 - 772	" Spool Pin and Thread Eyelet
11241 - 2003	" " Washer (eloth)
12358 - 2000	Balance Wheel (power) light rim, 2 3 in.
	pulley, with two 448c
4370 - 2000	Balance Wheel (stand) heavy rim, 234 in.
	pulley, with two 448c
2135 - 2000	Balance Wheel (stand) heavy rim, 242 in.
	pulley, for 3022
2862 ——	Balance Wheel (stand) heavy rim, 3 in.
	pulley, for 3022
448c 783	Balance Wheel Set Screw
*12360	Bed
256 r.2003	Clamp Stop Motion Clamp Screw
248A 2011	" " Stop Serew
2020 2003	" " " Washer
*3023	" " " Flanged Bushing
4933 - 2003	""""""3023
	with two 462c

NO. PLATE	NAME
	Clamp Stop Motion Flanged Bushing Pin
462c 773	
	Screw
3022л ——— (	Clamp Stop Motion complete, Nos. 248A,
	256s, 2020 and 4933
20197 2001	Crank Connecting Rod with 20198 and
	two 896E
*20198	Crank Connecting Rod Cap
896E 773	" " " Screw
908c 773	" " Hinge Screw
1619E 773	" " " " Nut
	Face Plate
*44181	" " Thread Guard (lower)
-	" " " " 44181
12150 773	with 12152
	Face Plate Thread Guard (lower) Rivet
2827 773	(upper) with
	8505
8505 773	Face Plate Thread Guard (upper) Rivet
20058 5735	Face Plate complete, Nos. 2827, 12150
	and 20057
190p 782	Face Plate Screw
286p 783	" " Thumb Screw
- <del>-</del>	Feed Bar
313c 783	" " Screw Centre
*	" " " 313c with 1519J
56813 —	" " Nut
1519j 783	Nut
3033 770	Connecting Link
375c 782	Time onew
1518 <sub>J</sub> 783	1440
43923 5743	" Dog, 12 teeth (12 teeth to the inch)
Note: No.	43923 is sent with this machine, unless
	her Feed Dog is specified on order
20355 1274	Feed Dog, 14 teeth (12 teeth to the inch)
208E 782	" " Screw
12428 - 767	" and Feed Lifting Eccentric with 446c
446c 783	" " " Set Screw
43924 5757	" Forked Connection
44188	" " 43924 with 818p
	3033, 3039 and two each 375c and 1518j
375c 782	Feed Forked Connection Hinge Screw
	" " " " " Nut
1518j 783	1400
44125 5804	Lifting Rock Share
44126	Feed Lifting Rock Shaft complete, Nos.
	12376 and 44125

NAME

NO. PLATE

NO.	PLATE	NAME
1904	770	Needle Bar Connecting Stud Roller (roller
		only)
4530	783	Needle Bar Connecting Stud Set Screw.
12384	770	Needle Bar Connecting Stud complete,
		Nos. 453c, 1904 and 12383
20188	767	Needle Bar Crank with 858c and 1065c
10650	2011	" " Position Screw
8580	783	" " Set Screw
9361	773	" Screw Bushing
4302	773	" "Thread Guide
2331	782	" " " Screw
4303	773	" Clamp with 808F
8081	782	" " Screw
*24104	2001	Oscillating Rock Shaft
24105		Oscillating Rock Shaft complete, Nos.
		4784, 12388 and 24104
12388	767	Oscillating Rock Shaft Hinge Pin
448	c 783	" " " " Set Screw
4784	1353	" " Gil Pad
12389	766	" Shaft
19496		" Crank for 19447
44134		" " " 44135
2049	773	" " Pin
457	c 783	" " Set Screw for 19447
453	c 783	" " " " " <u>44135</u>
19448	2011	" " Slide Block
226	р 1371	" " " " Cap
		Screw
12424	773	Oscillating Shaft Crank Slide Block Cap
		Screw Washer
988	c 2011	Oscillating Shaft Crank Slide Block Screw
		Stud
1518	3j 783	Oscillating Shaft Crank Slide Block Screw
		Stud Nut
19449	2011	
		plete, Nos. 226p, 988c, 12424 and 19448
1944	7 2011	
		457c, 15181, 19449 and 19496
4413	5 5806	
		1518J, 19449, 44134 and two 453c
1239	1 767	
2005	9 5736	" " Guide Bracket with 453c
45	3c 783	3 " " " Set Screw
206	2 771	1 " " Lifter
689	9c 78	
152	0л 78	3 " " " Nut

12327	770	Presser Bar Lifting and Releasing Leve
		Bracket
11167	767	Presser Bar Spring (light) .051 wire
Nor	E: No.	. 11167 is sent with this machine, unless
	ano	ther Spring is specified on order
12139	2004	Presser Bar Spring (medium) .055 wire
20023	2004	" " (beavy) .063 wire
11170	771	" " Washer
12144	780	" Foot for 20304
Not	E: No.	. 12144 is sent with this machine, unless
	anothe	er Presser Foot is specified on order
20328	781	Presser Foot for 20303
20038	780	" " " 20303
190p	782	" " Screw
688ı	783	Pressure Regulating Thumb Screw
2996	771	Shuttle Bobbin
62739		" " Case
15140	2013	" " " Latch
2973	771	" " " Lever
2974	771	" " " Fulcrum
		Pin
2975	771	Shuttle Bobbin Case Latch Spring
592e	782	" " Stop Screw
15141		Shuttle Bobbin Case Hinge, Nos. 2973,
		2974 and 15140
7553	771	Shuttle Bobbin Case Position Finger
<b>25</b> 23	771	" " " " Rivet
24412	1361	" " " Plate
$391_{\rm D}$	1366	" " Screw
62740	771	Shuttle Bobbin Case complete, Nos. 591F,
		592F, 2523, 2975, 7553, 15141, 15278
		and 62739
12393	771	Shuttle Body
591 F	782	" Tension Regulating Screw
15278	771	" " Spring
19292	771	Shuttle, 111 in. diam., Nos. 2996, 12393
		and 62740
*12394		Shuttle Driver
12444	771	" " 12394 with two 1266c
2049	773	" "Pin
1266c	5806	" Set Screw
2531	767	" Race Back
2532	772	" " Position Pin
2533	767	" " " Spring
907d	782	" " Screw

NO. PLATE	NAME
24413	Shuttle Race Body
25000	" " 24413 with 24414 and
	two 1053p
24414 5837	Shuttle Race Cap
1053p 2006	" " Screw
24415 1361	Shuttle Race complete, Nos. 907D, 2531,
	2533, 24412, 25000 and two each 391D
	and 2532
145p 782	Shuttle Race Screw
12431	" " Slide
4307 772	" " Spring
725E 1387	" " " Screw
12432 2004	Shuttle Race Slide complete, Nos. 4307,
	12431 and two 725E
20060 5736	Slack Thread Regulator
225F 5736	" " Adjusting Screw
2102 5806	Tension Disc
1560c 783	" Regulating Thumb Nut
32572 5806	" Releasing Disc
43944 5806	" Lever
12398 773	" " Hinge Pin
12329 772	" " Spring
32574 5806	" " <u>Pin</u>
50327c 5806	" Screw Stud
44141	" " 50327c with 1560c
43945 5806	" Spring
44118 —	Tension complete, Nos. 7336, 32572,
	32574, 43945, 44141, 49946 and two 2102
52454 5842	Thread Retainer
624c 8628	" Set Screw
12404 770	" take-up Crank
3094 773	Wedge
690E 782	Burew
12408 770	Lever
775E 782	Cap Berew
12166 773	" " Hinge Pin " " Link
12409 770	" " Hinge Pin
11204 770	" " " " Set
<b>435</b> c <b>5806</b>	
19410	Screw
12410 ——	Thread Take-up Lever complete, Nos. 12166, 12408 and 12409
43946 5806	Thread Take-up Spring
7336 772	" " Regulator
448c 783	" " Set Screw
*43990 ——	Thread Take-up complete, Nos. 775E,
10880 ——	11204, 12404, 12410 and 43997
	11207, 12404, 12410 and 10557

no. 12414	PLATE	NAME Throat Plate, large needle hole, for 20304						
Note: Two No. 12414 are sent with this machine, unless other Throat Plates are specified on order								
	other	THOSE	LINGS	are sp	ecmeu ·	OH OI	161	
12442	778	Throat	Plate,					
44255	5813	"	"	44	46	"	" 44:	254
44256		46	"	large	needle	hole,	for 44	254
691 F	782	"	"	Screw	7 <b></b>			
44212 5844 Drip Pan with four 1 in. wire nails, for power table								

SINGER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.\*\*" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT SINGER made needles. 2

# LIST OF PARTS COMPLETE FOR **MACHINE No. 31-34**

### FOR HORSE BLANKETS, BURLAP AND OTHER WORK. MAKES STITCH UP TO $\frac{1}{8}$ INCH LONG. DROP FEED.

NO. PLATE	NAME
*12355	Arm with 11104
8582 773	" Dowel Pin
12453 773	" Oil Tube for intermediate bearing
111 <b>1</b> 9 773	" " with 52045, for oiling 12408
12454 773	" " " " " " 12409
24131 2014	" " " " " 12428
52045 8628	" " Packing (braided cotton)
748E 782	" Serew (back)
854e 783	" " (front)
12427 - 766	" Shaft
*44217 ——	" 12427 with 12428, 20188 and
	20197
*11104	Arm Shaft Bushing (front)
12357 - 767	" "Flanged Bushing (back)
448c 783	" " Set
	Screw
$144_{\rm D} - 782$	Arm Shaft Screw
12480 - 767	" Side Cap
219p 774	" " Serew
12193 2004	" " Cover
286 p - 783	" " Thumb Screw
12403 - 772	" Spool Pin and Thread Eyelet
11241 2003	" " Washer (cloth)
12358 - 2000	Balance Wheel (power) light rim, $2\frac{3}{16}$ in.
	pulley, with two 448c
4370 - 2000	Balance Wheel (stand) heavy rim, 234 in.
	pulley, with two 448c
2135 - 2000	Balance Wheel (stand) heavy rim, 2½ in.
	pulley, for 3022
2862	Balance Wheel (stand) heavy rim, 3 in.
	pulley, for 3022
448c 783	Balance Wheel Set Screw
*12360	Bed
256r .2003	Clamp Stop Motion Clamp Screw
$248_{\rm A} 2011$	" " " Stop Screw
2020 - 2003	" " " Washer
*3023	" " " Flanged Bushing
4933 2003	""""""3023
	with two 462c

NO. PLATE	NAME
2022 773	Clamp Stop Motion Flanged Bushing Pin
462c 773	" " " " Set
3022л ——	Screw
20197 2001	Crank Connecting Rod with 20198 and two 896E
*20198	Crank Connecting Rod Cap
896E 773	" " Screw
908c 773	" " Hinge Screw
1619E 773	" " " " Nut
20057	Face Plate
*44181 ——	" " Thread Guard (lower)
12150 773	" " " " 44181
	with 12152
12152 773	Face Plate Thread Guard (lower) Rivet
2827 - 773	" " (upper) with
	8505
8505 773	Face Plate Thread Guard (upper) Rivet
20058 5735	Face Plate complete, Nos. 2827, 12150
	and 20057
190р 782	Face Plate Screw
286р 783	" " Thumb Screw
44226 8629	Feed Bar
313c 783	" " Screw Centre
56813	" " " 313c with 1519J
1519ј 783	" " " Nut
3033 770	" Connecting Link
375c 782	" " Hinge Screw
1518j 783	" " " " Nut
43923 5743	" Dog, 12 teeth (12 teeth to the inch)
Note: No.	43923 is sent with this machine, unless
	ther Feed Dog is specified on order
20355 1274	Feed Dog, 14 teeth (12 teeth to the inch)
208E 782	" " Screw
12428 767	" and Feed Lifting Eccentric with 446c
446c 783	betbetew
43924 5757	" Forked Connection
44188	43924 With 616D
	3033, 3039 and two each 375c and 1518J
375c 782	Feed Forked Connection Hinge Screw
1518 <sub>J</sub> 783	" " " Nut
44125 5804	" Lifting Rock Shaft
44126	Feed Lifting Rock Shaft complete, Nos.
	12376 and 44125

NO.	PLATE	NAME
12376	770	Feed Lifting Rock Shaft Crank with 157J and 1813
157ј	782	Feed Lifting Rock Shaft Crank Clamping Screw
43976	5804	Feed Lifting Rock Shaft Crank Connecting Rod with 43977 and two 966E
*43977		Feed Lifting Rock Shaft Crank Connecting Rod Cap
966E	5806	Feed Lifting Rock Shaft Crank Connecting Rod Cap Screw
375c	782	Feed Lifting Rock Shaft Crank Connecting Rod Hinge Screw
1518 <sub>J</sub>	783	Feed Lifting Rock Shaft Crank Connecting Rod Hinge Screw Nut
1813	783	Feed Lifting Rock Shaft Crank Roller and Stud.
307c 56814	783	Feed Lifting Rock Shaft Screw Centre " " " " 307c
		with 1513j
1513л	783	Feed Lifting Rock Shaft Screw Centre Nut
3039	768	" Regulator
1128E		" " Hinge Screw
818p		" "Thumb Screw
12379	766	" Rock Shaft
29633	5736	" " Crank with 157j
157 <sub>J</sub>	782	" " Clamping Screw
20333		Feed Rock Shaft complete, Nos. 12379
20000		and 29633
307c	783	Feed Rock Shaft Serew Centre
56814		" " " " 307c with
00011		1513j
1513л	783	Feed Rock Shaft Screw Centre Nut
12381	767	Needle Bar (hollow)
*12382	770	" " Connecting Link with 794E.
43997		" " 12382 with
20001		12384
794e	782	Needle Bar Connecting Link Adjusting Screw
*12383		Needle Bar Connecting Stud
1904	770	" " Roller (roller
1001	110	only)
453c	783	Needle Bar Connecting Stud Set Screw
12384	770	Needle Bar Connecting Stud complete,
12001	110	Nos. 453c, 1904 and 12383
20188	767	Needle Bar Crank with 858c and 1065c.
1065c	-	" " Donition Conc.
2590		" " Position Screw

NO.	PLATE			NAM		
936r	773	Needle	Bar Scre	w Bus	hing	· • • • • • • • • • • • • • • • • • • •
4302	773	"	" Thre	ead G	uide	
233r	782	"	"		" Scr	ew
4303	773	"	Clamp w	ith 80	8F	
808F	782	44	" S	crew	<i></i>	
*24104	2001	Oscillati	ng Rock	Shaft		
24105		Oscillati	ng Roel	k Sha	ft com	plete, Nos.
		4784.	12388 ar	rd 241	04	
12388	767	Oscillati	ng Rock	Shaft	Hinge I	in
448c	783	44	"	"	"	" Set Screw
4784	1353	44	46	**	Oil Pad	
12389	766	"	Shaft			· · · · · · · · · · · ·
19496		"	"	Cran	k for 19	447
44134		"	"	"	" 44	135
2049	773	"	"	66	Pin	
457c		"	"	"		ew for 19447
453c		"	"	"	11 CO CO	
19448	2011	"	"	"	Slide	Block
	1371	**	"	44	611GE	" Cap
2200	1011	Sarour				Cap
12424	773					Block Cap
12424	113					
000	2011	Oscillation	washer.	Cmam1	. ORA. 1	Block Screw
9000	2011		_			
1510-	783					
1518 <sub>J</sub>	780					Block Screw
19449	2011					
19449	2011					Block com-
10447	0011	piete,	NOS. 220	D, 988	C, 12424	and 19448
19447	2011	Oscillati	ng Snait	Crai	nk com	plete, Nos.
4446=	#00a					6
44135	5806					plete, Nos.
***		1518J,	19449, 4	4134	and two	453c
12391	767	Presser I	3ar (holl	ow)		
20059	5736					h 453c
453c	783	44	" "	•	' Set	Screw
2062	771	"	" Lifte:			
689c	782	"				
1520 <sub>J</sub>	783	44	"	"	$\mathbf{Nut}$ .	
12327	770	"				sing Lever
11167	767	Presser I	Bar Sprin	g (ligl	nt) .051	wire
Nor	e: No.	11167 is s	ent with	this n	achine	unless
1101	anot	her Sprin	g is spec	ified o	n order	diffess
12139	2004	Drossor T	an Enri-	~ (m-	dium) d	)
20023	2004		sar Sprin			055 wire
			"			3 wire
11170	771		••	Was	ner	

no. 43925	PLATE 780	Presser	Foot	NAI for 4392			
		43925 is Presser l				,	ıless
26276	2038	Presser	Foot	Hinge P	in		
20358		46	"	Plate			
19335		"	"	Shank	<i>.</i>		
20359	781			(hinged)			
				above, fo 26276			
ν.	Tomes V	Vhen ord	oring	No. 203	50 eis	ve widt	h
1	OTE; V			ge from s	, ,	ve widi	11
		or curin	su cu	ge mom a	cam		
7298	2014	Presser		Hinge P	in		
19334		"	"	Plate			
19335		"	"	Shank			
19336	1308			(hinged)			
		Nos.	7298,	19334 a	nd 19	335	
190 n	782	Presser	Foot	Screw			
688J	783	Pressure	e Reg	ulating T	Thum	b Screw	V
2996	771	Shuttle		in	. <i></i>		
62739		"	46	Case.			
15140	2013	"	"	"	Latch		
2973	771	"	"	"	46		
2974	771	"	"	44	"	" F	ulcrum
		Pin	,		<b></b> .	<i></i>	
2975	771	Shuttle	Bobb	in Case		Spring	\$. <b>.</b>
592E	782	"	"	"	46	Stop S	crew
15141		Shuttle	Bobl	oin Case	Hing	ge, Nos	s. 2973,
		2974 :	and 1	5140			
7553	771	Shuttle	Bobb	in Case I			er
2523	771	46	44	""	46	66	Rivet
24412	1361	"	46	"	"		e
391 p	1366	**	"	46	"	"	Screw
62740	771			in Case			
		592E,	2523	3, 2975,	7553,	15141	, 15278
12393	771	Shuttle	Body				
591 F	782	"	Tensi	on Regu	lating	Screw	
15278	771	"	"	Sprin	g		
19292	771	Shuttle,	$1\frac{11}{16}$	in. diam	., No	s. 2996	, 12393
		and 6	<b>274</b> 0.		<i></i> .	<b></b>	
*12394		10 11 01 01 01 0		er ,			
12444	771	"	"	12394	with 1	two 126	6c
2049	773	44	"	Pin			
1266c	5806	"	64	Set Set	rew		
2531	767	"	Race	$Back\dots$	<b>.</b>	<i>.</i>	

NO. PLATE	NAME
2532 - 772	Shuttle Race Back Position Pin
2533 767	" " Spring
907р 782	" " " Screw
24413	" " Body
25000	" " 24413 with 24414 and
	two 1053D
24414 5837	Shuttle Race Cap
1053p 2006	" " Screw
24415 1361	Shuttle Race complete, Nos. 907p, 2531,
	2533, 24412, 25000 and two each 391p
	and 2532
145p 782	Shuttle Race Screw
12431	" " Slide
4307 772	" " Spring
725E 1387	" " " Screw
12432 2004	Shuttle Race Slide complete, Nos. 4307,
	12431 and two 725E
20060 5736	Slack Thread Regulator
225r 5736	" " Adjusting Screw.
2102 5806	Tension Disc
1560c 783	" Regulating Thumb Nut
32572 5806	" Releasing Disc
43944 5806	" " Lever
12398 773	" " Hinge Pin
12329 772	" " Spring
32574 5806	" " Pin
50327c 5806	" Screw Stud
44141 —-	" " 50327c with 1560c
43945 5806	" Spring
44118	Tension complete, Nos. 7336, 32572,
	32574, 43945, 43946, 44141 and two 2102
52454 5842	Thread Retainer
624c 8628	" Set Screw
12404 770	" Take-up Crank
3094 773	" " " Wedge
690E 782	" " " Screw
12408 770	" Lever
775E 782	" " Cap Screw
12166 773	" " Hinge Pin
12409 770	" " Link
11204 770	" " " Hinge Pin
435c 5806	" " " " " Set
	Screw
12410	Thread Take-up Lever complete, Nos.
	12166, 12408 and 12409
43946 5806	Thread Take-up Spring
7336 772	" " Regulator
· · · · · · · · · · · · · · · · · · ·	200000000000000000000000000000000000000

NO.	PLATE	NAME
<b>448</b> c	783	Thread Take-up Spring Regulator Set Scre
*43990		Thread Take-up complete, Nos. 775E, 11204, 12404, 12410 and 43997
43926	<b>574</b> 3	Throat Plate for 43923
Note		No. 43926 are sent with this machine, unless Throat Plates are specified on order
20356	1274	Throat Plate, large needle hole, for 20355
20357		" small needle hole, for 20355
691F	782	" Screw
44212	5844	Drip Pan with four 1 in. wire nails, for power table

SINGER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.\*\*" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

# LIST OF PARTS COMPLETE FOR

# **MACHINE No. 31-35**

FOR LIGHT OR HEAVY CLOTH, HAS VERTICAL TRIMMER THAT TRIMS FROM  $\frac{1}{16}$  TO  $\frac{1}{24}$  INCH FROM THE SEAM, DROP FEED, BOBBIN NO. 2996. MACHINES ARE FITTED WITH  $\frac{1}{26}$  INCH CUTTING BAR UNLESS OTHERWISE ORDERED, AND AN EXTRA  $\frac{3}{16}$  INCH CUTTING BAR AND PRESSER FOOT ARE ALSO FURNISHED. WHEN A DIFFERENT WIDTH IS ORDERED THE EXTRA CUTTING BAR WILL BE ONE SIZE LARGER EXCEPT WHEN  $\frac{1}{24}$  INCH IS REQUIRED.

NO.	PLATE	NAME
*43927		Arm with 11104
8582	773	" Dowel Pin
12453	773	" Oil Tube for intermediate bearing
12454	773	" " with 52045, for oiling 12409
11119	773	" " " " " " 12408
		and 16569
24131	2014	Arm Oil Tube with 52045 for oiling 20283
52045	8628	" " Packing (braided cotton)
748	782	" Screw (back)
8541	783	" " (front)
12427	766	" Shaft
*44123		" " 12427 with 16569, 20283 and
		24036
*44196		Arm Shaft 44123 with 20197
*11104		" " Bushing (front)
12357	767	" " Flanged Bushing (back)
4480	783	" " " " Set
		Screw
1441	782 o	Arm Shaft Screw
12193	2004	" Side Cover
286	o 783	" " Thumb Screw
12403	772	" Spool Pin and Thread Eyelet
11241	2003	" " Washer (cloth)
12358	2000	Balance Wheel (power) light rim, 23 in.
		pulley with two 448c
4370	2000	Balance Wheel (stand) heavy rim, 23/4 in.
		pulley with two 448c
2135	2000	Balance Wheel (stand) heavy rim, 21/2 in
		pulley, for 3022
2862		Balance Wheel (stand) heavy rim, 3 in
		pulley, for 3022

NO. PLATE	NAME
448c 783	Balance Wheel Set Screw
*12360	Bed
256л 2003	Clamp Stop Motion Clamp Screw
248A 2011	" " Stop Screw
2020 2003	" " Washer
*3023	" " Flanged Bushing
4933 2003	" " " " 3023
	with two 462c
2022 773	Clamp Stop Motion Flanged Bushing Pin
462c 773	" " Set
1020 110	Screw
0000-	
30221	Clamp Stop Motion complete, Nos. 248A, 256J, 2020 and 4933
20197 2001	Crank Connecting Rod with 20198 and
	two 896E
*20198 ——	Crank Connecting Rod Cap
896E 773	" " " Screw
908c 773	" " Hinge Screw
1619E 773	" " " " Nut.
16558 ——	Face Plate
62682 8628	" " Thread Eyelet
44181	" " Guard (lower)
12150 773	" " " " 44181
	with 12152
12152 773	Face Plate Thread Guard (lower) Rivet.
2827 773	" " (upper) with
	8505
8505 773	Face Plate Thread Guard (upper) Rivet
16559 5735	Face Plate complete, Nos. 2827, 12150
	and 16558
217p 1312	Face Plate Screw
12368 767	
313c 783	Feed Bar
56813 —	" " Screw Centre
	515C WITH 15155.
1519j 783	1\u_0
3033 770	Connecting Link
375c 782	Tinge Screw
1518 <sub>J</sub> 783	Nut
19103 1271	" Dog, 12 teeth (16 teeth to the inch)
Note: No	. 19103 is sent with this machine unless
another	Feed Dog is specified on order.
24573 1271	Feed Dog, 24 teeth (32 teeth to the inch).
208E 782	" "Screw
20283 2020	" and Feed Lifting Eccentric with
	446c

NO.	PLATE	NAME
<b>446</b> c	783	Feed and Feed Lifting Eccentric Set Screw
24036	2020	Feed and Feed Lifting Eccentric Sleeve
20284	2020	Feed Forked Connection
375c	782	" " " Hinge Screw
1518л	783	" " " Nut
*43993		Feed Forked Connection complete, Nos.
10000		818p, 3033, 3039, 20284 and two each
		375c and 1518J
44125	5804	Feed Lifting Rock Shaft
44126		Feed Lifting Rock Shaft complete, Nos.
		12376 and 44125
12376	770	Feed Lifting Rock Shaft Crank with 1571
		and 1813
157 <sub>J</sub>	782	Feed Lifting Rock Shaft Crank Clamping Screw
43976	5804	Feed Lifting Rock Shaft Crank Connect-
	001-	ing Rod with 43977 and two 966E
*43977		Feed Lifting Rock Shaft Crank Connect-
		ing Rod Cap
966E	5806	Feed Lifting Rock Shaft Crank Connect-
		ing Rod Cap Screw
375c	782	Feed Lifting Rock Shaft Crank Connect-
		ing Rod Hinge Screw
1518յ	783	Feed Lifting Rock Shaft Crank Connect-
		ing Rod Hinge Screw Nut
1813	783	Feed Lifting Rock Shaft Crank Roller
-		and Stud
307c	783	Feed Lifting Rock Shaft Screw Centre
56814		" " " " " " 307c
		with 1513j
<b>151</b> 3j	783	Feed Lifting Rock Shaft Screw Centre
		Nut
3039	768	Feed Regulator
1128E	2009	" " Hinge Screw
818p	783	" "Thumb Screw
12379	766	" Rock Shaft
29633	5736	" " Crank with 1571
157л	782	" " " Clamping Screw
20333		Feed Rock Shaft complete, Nos. 12379
907	700	and 29633
307c	783	Feed Rock Shaft Screw Centre
56814		
1810 -	700	15135 Contact North
1513 <sub>J</sub> 5726	783 $1271$	Feed Rock Shaft Screw Centre Nut
• • • • •		Knife
N	OTE: ]	Two No. 5726 are sent with this machine.

NO. PLATE	NAME
620 <sub>F</sub> 782	Knife Adjusting Screw
19297 5738	" Bar with 2301
24431 5841	" " Crank with 191c
1162c 1366	" " Coupling Pin
1564p 2038	" " " Head
2297 2038	" " " Spring
2022 773	" " Pin
191c 1366	" " Set Screw
24432	Knife Bar Crank complete, Nos. 1162, 1564p
	2297 and 24431
16563 5738	Knife Bar Driving Crank (forked)
16564 5738	" " " Bracket
24433	Knife Bar Driving Crank Bracket com-
	plete, Nos. 2022, 16563, 16564 and 24432
647c 774	Knife Bar Driving Crank Bracket Screw
24122 1317	" " Lifting Spring
24123 1317	" " Case
24124 1317	" " " Guide
*24906	" " " <u>" 24124 with</u>
	2523 and 24125
24125 1317	Knife Bar Lifting Spring Guide Bracket
621p 1317	u u u u u u
	Screw
2523 1317	Knife Bar Lifting Spring Guide Pin
2301 1317	" " Stop Pin
24128	Knife Bar complete, Nos. 621p, 19297,
	19391, 24109, 24906 and three 335н
19391 1321	Knife Holder with 620r, 2291 and two
	223F
24109 1321	Knife Holder Handle
335н 1317	" " Screw
335н 1317	" " Screw
223г 1317	" Screw
2291 1317	" " Washer
16568 5841	Needle Bar with 620r, 904r and 24391
*12382 770	" " Connecting Link with 794E
43997 —	" " 12382 with
40991 ——	40004
Mot Boo	
794E 782	Needle Bar Connecting Link Adjusting
	Screw
*12383	Needle Bar Connecting Stud
1904 770	" " Roller (roller
	only
453c 783	Needle Bar Connecting Stud Set Screw.
12384 770	Needle Bar Connecting Stud complete.
	Nos. 453c, 1904 and 12383

NO.	PLATE	NAME
16569	5738	Needle Bar Crank (eccentric) with 448c
		and 743c
	1317	Needle Bar Crank Position Screw
448c	783	" " Set Screw
24391	1321	" " Thread Guide
620r	782	" " Set Screw
	8628	" Set Screw
*24104	2001	Oscillating Rock Shaft
24105		Oscillating Rock Shaft complete, Nos.
		4784, 12388 and 24104
12388	767	Oscillating Rock Shaft Hinge Pin
448c		bet betek
4784	1353	On rad,,
12389	766	Snart
19496		Crank for 19447
44134		44150
2049	773	r III
457c		" " Set Screw for 19447 " " " " 44135
453c	783	
19448	2011 1371	Sinde Diock
220D	13/1	Cap
12424	773	ScrewOscillating Shaft Crank Slide Block Cap
12424	110	Screw Washer
9880	2011	Oscillating Shaft Crank Slide Block Screw
5000	2011	Stud
1518ı	783	Oscillating Shaft Crank Slide Block Screw
2020"	•00	Stud Nut
19449	2011	Oscillating Shaft Crank Slide Block com-
		plete, Nos. 226p, 988c, 12424 and 19448
19447	2011	Oscillating Shaft Crank complete, Nos.
		457c, 1518s, 19449 and 19496
44135	5806	Oscillating Shaft Crank complete, Nos.
		1518J, 19449, 44134 and two 453c
12391	767	Presser Bar (hollow)
12326	770	" Guide Bracket with 453c
453c	783	" " " Set Screw
2062	771	" " Lifter
689c	782	" " " Screw
1520յ	783	" " " Nut
12327	770	" " Lifting and Releasing Lever
		Bracket
11167	767	Presser Bar Spring (light) .051 wire
	Note	: No. 11167 is sent with this machine
		s another Spring is specified on order

NO. PLATE	NAME
12139 2004	Presser Bar Spring (medium) .055 wire
20023 2004	" " (heavy) .063 wire
11170 771	" " Washer
24722 1271	" Foot, for $\frac{1}{16}$ in. to $\frac{11}{64}$ in. gauge
19392 1271	" " $\frac{3}{16}$ in. gauge and above.
	. 24722, ½ in. gauge, and No. 19392, $\frac{3}{16}$ in.
gauge,	are sent with this machine unless other
	Gauges are specified on order
190 <sub>D</sub> 782	Presser Foot Screw
688ı 783	Pressure Regulating Thumb Screw
2996 771	Shuttle Bobbin
62739	" Case
15140 2013	" " Latch
2973 771	" " " Lever
2974 771	" " " " Fulerum
	Pin
2975 771	Shuttle Bobbin Case Latch Spring
592E 782	" " " Stop Screw
15141	Shuttle Bobbin Case Hinge, Nos. 2973, 2974 and 15140
meto 551	
7553 771	Shuttle Bobbin Case Position Finger
2523 771	Itiveo
24412 1361	1 late,
391р 1366	DULOW
62740 771	Shuttle Bobbin Case complete, Nos.
	591F, 592E, 2523, 2975, 7553, 15141, 15278 and 62739
Hook 12393 771 591F 782	Shuttle Body
591F 782	" Tension Regulating Screw
15278 771	" " Spring
19292 771	Shuttle, $1\frac{11}{16}$ in. diam., Nos. 2996, 12393
10-0- 774	and 62740
*12394	Shuttle Driver
12444 771	" 12394 with two 1266c
2049, 773	" " Pin
1266c 5806	" Set Screw
2531 767	" Race Back
2532 772	" " Position Pin
<b>25</b> 33 767	" " Spring
907p 782	" " " Screw
24413	" " Body
62502	" " 24413 with 24418 and
	two 1053D
24418 8628	Shuttle Race Cap
1053р 2006	" " " Screw

NO. PLATE	NAME
24419 —	Shuttle Race complete, Nos. 907D, 2531,
	2533, 24412, 62502, and two each 391D
	and 2532
145p 782	Shuttle Race Screw
12431	" " Slide
4307 772	" " Spring
725E 1387	" " " Screw
12432 2004	Shuttle Race Slide complete, Nos. 4307,
	12431 and two 725E
2102 5806	Tension Disc
1560c 783	" Regulating Thumb Nut
32572 5806	" Releasing Disc
43944 5806	" Lever
12398 773	" " Hinge Pin
12329 772	" " Spring
32574 5806	" " Pin
50327c 5806	" Screw Stud
44141	" " 50327c with 1560c
43945 5806	" Spring
12149 2014	" Thread Guard
44118	Tension complete, Nos. 7336, 32572,
	32574, 43945, 43946, 44141 and two
	2102
<b>52454</b> 5842	Thread Retainer
624c 8628	" Set Screw
12404 770	" Take-up Crank
3094 773	" " " Wedge
690e 782	" " " Screw
12408 770	" " Lever
775E 782	" " Cap Screw
12166 773	" " Hinge Pin
12409 770	" " Link
11204 770	Hinge Pin
435c 5806	Set
	Screw
12410	Thread Take-up Lever complete, Nos.
	12166, 12408 and 12409
43946 5806	Thread Take-up Spring
7336 772	" " Regulator
448c 783	" " SetScrew
*43990 ——	Thread Take-up complete, Nos. 775E,
	11204, 12404, 12410 and 43997
5729	Throat Plate Body
	•

NAME NO. PLATE 5730 1271 Throat Plate Cutting Bar.... Note: When ordering No. 5730 state required distance of trimmed edge from seam. Note: 5730,  $\frac{3}{16}$  in. gauge, is sent with this machine unless another Cauge is specified on order. 578p 5837 Throat Plate Cutting Bar Screw...... " " Slide..... 5731 1271 " " Adjusting Screw.... 578p 5837 5732 1271 Throat Plate complete for 19103 and 24573, Nos. 5729 to 5731 and three 578p..... Note: When ordering No. 5732 state required distance from trimmed edge to seam. Note: No. 5732, ½ in. gauge, is sent with this machine unless another Gauge is specified on order. 691F 782 Throat Plate Screw..... 44212 5844 Drip Pan with four 1 in. wire nails, for power table.....

SINGER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.\*\*"

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT SINGER made needles. 2

# LIST OF PARTS COMPLETE

# **MACHINE No. 31-37**

MAKES SINGLE, DOUBLE OR TRIPLE BOX PLAITS OR RUFFLES ACROSS STRIPS UP TO 21/4 INCHES WIDE, OR UPON THE EDGES OF WIDE FABRICS, AND STITCHES THEM DOWN FROM 1/16 TO 11/8 INCHES FROM THE EDGES, AT THE SAME TIME STITCHING THEM TO ANOTHER PIECE IF DESIRED.

NO. PLATE	NAME
*20490	Arm with 11104
8582 773	" Dowel Pin
12453 773	" Oil Tube for intermediate bearing
11119 773	" " with 52045, for oiling 12408
12454 773	" " " " " " 12409
24131 2014	" " " " " " 20283
52045 8628	" " Packing (braided cotton)
748E 782	" Screw (back)
854E 783	" " (front)
20400 5735	" Shaft
*44169	" " 20400 with 20188, 20283,
	20426 and 24036
*44199	Arm Shaft 44169 with 20197
*11104	" " Bushing (front)
12357 - 767	" "Flanged Bushing (back)
448c 783	" " " " Set
	Screw
144p 782	Arm Shaft Screw
12480 767	" Side Cap
219D 774	" " Screw
12193 2004	" " Cover
286р 783	" " Thumb Screw
12403 772	" Spool Pin and Thread Eyelet
11241 2003	" " Washer (cloth)
4370 2000	Balance Wheel (stand) heavy rim, 2¾ in.
	pulley, with two 448c
448c 783	Balance Wheel Set Screw
*20401	Bed
20197 2001	Crank Connecting Rod with 20198 and
	two 896E
*20198	Crank Connecting Rod Cap
896E 773	" " " Screw
908c 773	" " Hinge Screw
1619E 773	" " " " Nut.

NO.	PLATE	NAME
43890	5755	Edge Guide
212p	5755	" " Screw
20057		Face Plate
<b>*</b> 44181		" "Thread Guard (lower)
12150	773	" " " 44181
		with 12152
12152	773	Face Plate Thread (lower) Rivet
2827	773	" " Guard (upper) with
		8505
8505	773	Face Plate Thread Guard (upper) Rivet
20058	5735	Face Plate complete, Nos. 2827, 12150,
		and 20057
190p	782	Face Plate Screw
286p		" " Thumb Screw
12368	767	Feed Bar
313c		" " Screw Centre
56813		" " " " 313c with 1519j
1519 <sub>J</sub>	783	" " " Nut
3033	770	" Connecting Link
375c		" " Hinge Screw
1518j	783	" " " Nut.
20403	5744	" Dog, 11 teeth (22 teeth to the inch)
208E		" Screw
20283	2020	" and Feed Lifting Eccentric with
		446c
446c	783	Feed and Feed Lifting Eccentric Set Screw
24036	2020	" " " Sleeve
20284	2020	" Forked Connection
375c		" " Hinge Screw
15181	783	" " " " Nut
*43993		Feed Forked Connection complete, Nos.
10000		818p, 3033, 3039, 20284 and two each
		375c and 1518j
12376	770	Feed Lifting Rock Shaft Crank with 157J
12010	770	and 1813
157л	782	Feed Lifting Rock Shaft Crank Clamping
1010	.02	Screw
44125	5804	Feed Lifting Rock Shaft
44126		Feed Lifting Rock Shaft complete, Nos.
11120		12376 and 44125
43976	5804	Feed Lifting Rock Shaft Crank Connect-
		ing Rod with 43977 and two 966E
*43977		Feed Lifting Rock Shaft Crank Connect-
		ing Rod Cap
966в	5806	Feed Lifting Rock Shaft Crank Connect-
0001		ing Rod Can Screw

NO. PLATE	NAME
375c 782	Feed Lifting Rock Shaft Crank Connect-
	ing Rod Hinge Screw
1518л 783	Feed Lifting Rock Shaft Crank Connect-
	ing Rod Hinge Screw Nut
1813 783	Feed Lifting Rock Shaft Crank Roller and
	Stud
307c 783	Feed Lifting Rock Shaft Screw Centre
56814	" " " " " " 307c
	with 1513J
1513л 783	Feed Lifting Rock Shaft Screw Centre Nut
3039 768	Feed Regulator
1128E 2009	" " Hinge Screw
818p 783	" Thumb Screw
12379 766	" Rock Shaft
<b>29633</b> 5736	" " Crank with 1571
157 <sub>J</sub> 782	" " " Clamping Screw
20333	Feed Rock Shaft complete, Nos. 12379
	and 29633
307c 783	Feed Rock Shaft Screw Centre
56814	" " " " 307c with
	1513j
1513j 783	Feed Rock Shaft Screw Centre Nut
12381 767	Needle Bar (hollow)
	1.00010 210 (1.010)
*12382 770	" Connecting Link with 794E
	" " Connecting Link with 794E " " 12382 with
*12382 770 43997 —	" " Connecting Link with 794E" " 12382 with 12384
*12382 770	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting
*12382 770 43997 ——— 794E 782	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw
*12382 770 43997 — 794E 782 *12383 —	" " Connecting Link with 794E " " 12382 with 12384 Needle Bar Connecting Link Adjusting Screw Needle Bar Connecting Stud
*12382 770 43997 ——— 794E 782	" " Connecting Link with 794E " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller
*12382 770 43997 — 794E 782 *12383 — 770	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)
*12382 770 43997 — 794E 782 *12383 — 770 453c 783	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw
*12382 770 43997 — 794E 782 *12383 — 770	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw  Needle Bar Connecting Stud complete,
*12382 770 43997 ———————————————————————————————————	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw  Needle Bar Connecting Stud complete, Nos. 453c, 1904 and 12383
*12382 770 43997 ———————————————————————————————————	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw  Needle Bar Connecting Stud complete, Nos. 453c, 1904 and 12383  Needle Bar Crank with 858c and 1065c
*12382 770 43997 ———————————————————————————————————	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw  Needle Bar Connecting Stud complete, Nos. 453c, 1904 and 12383  Needle Bar Crank with 858c and 1065c " " Position Screw
*12382 770 43997 ——  794E 782  *12383 ——  1904 770  453c 783  12384 770  20188 767  1065c 2011  858c 783	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw  Needle Bar Connecting Stud complete, Nos. 453c, 1904 and 12383  Needle Bar Crank with 858c and 1065c " " Position Screw " " Set Screw
*12382 770 43997 ——  794E 782  *12383 —— 1904 770  453c 783 12384 770  20188 767 1065c 2011 858c 783 936E 773	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw  Needle Bar Connecting Stud complete, Nos. 453c, 1904 and 12383  Needle Bar Crank with 858c and 1065c " " Position Screw " " Set Screw " " Screw Bushing
*12382 770 43997 ——  794E 782  *12383 —— 1904 770  453c 783 12384 770  20188 767 1065c 2011 858c 783 936E 773 4302 773	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw  Needle Bar Connecting Stud complete, Nos. 453c, 1904 and 12383  Needle Bar Crank with 858c and 1065c " " Position Screw " " Set Screw " " Set Screw " " Screw Bushing " " Thread Guide
*12382 770 43997 —  794E 782  *12383 —  1904 770  453c 783 12384 770  20188 767 1065c 2011 858c 783 936E 773 4302 773 233b 782	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw  Needle Bar Connecting Stud complete, Nos. 453c, 1904 and 12383.  Needle Bar Crank with 858c and 1065c " " Position Screw " " Set Screw " " Screw Bushing " " Thread Guide " " Screw
*12382 770 43997 ——  794E 782  *12383 —— 1904 770  453c 783 12384 770  20188 767 1065c 2011 858c 783 936E 773 4302 773 233D 782 4303 773	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw  Needle Bar Connecting Stud complete, Nos. 453c, 1904 and 12383  Needle Bar Crank with 858c and 1065c " " Position Screw " " Set Screw " " Screw Bushing " " Thread Guide " " Screw " " Screw " " Screw
*12382 770 43997 ——  794E 782  *12383 —— 1904 770  453c 783 12384 770  20188 767 1065c 2011 858c 783 936E 773 4302 773 233p 782 4303 773 808r 782	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw  Needle Bar Connecting Stud complete, Nos. 453c, 1904 and 12383  Needle Bar Crank with 858c and 1065c " " Position Screw " " Screw Bushing " " Thread Guide " " Screw " Clamp with 808F " Screw
*12382 770 43997 ——  794E 782  *12383 —— 1904 770  453c 783 12384 770  20188 767 1065c 2011 858c 783 936E 773 4302 773 233D 782 4303 773 808F 782 *24104 2001	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw  Needle Bar Connecting Stud complete, Nos. 453c, 1904 and 12383  Needle Bar Crank with 858c and 1065c " " Position Screw " " Set Screw " " Screw Bushing " " Thread Guide " " " Serew " " Screw  Clamp with 808F " " Screw  Oscillating Rock Shaft
*12382 770 43997 ——  794E 782  *12383 —— 1904 770  453c 783 12384 770  20188 767 1065c 2011 858c 783 936E 773 4302 773 233p 782 4303 773 808r 782	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw  Needle Bar Connecting Stud complete, Nos. 453c, 1904 and 12383  Needle Bar Crank with 858c and 1065c " " Position Screw " " Set Screw " " Screw Bushing " " Thread Guide " " " Screw " Clamp with 808F " " Screw  Oscillating Rock Shaft
*12382 770 43997 ——  794E 782  *12383 —— 1904 770  453c 783 12384 770  20188 767 1065c 2011 858c 783 936E 773 4302 773 233b 782 4303 773 808F 782 *24104 2001 24105 ——	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw  Needle Bar Connecting Stud complete, Nos. 453c, 1904 and 12383  Needle Bar Crank with 858c and 1065c " " Position Screw " " Set Screw " " Screw Bushing " " Thread Guide " " " Screw " " Screw  Clamp with 808F " " Screw  Oscillating Rock Shaft  Oscillating Rock Shaft  Oscillating Rock Shaft complete, Nos. 4784, 12388 and 24104
*12382 770 43997 ——  794E 782  *12383 —— 1904 770  453c 783 12384 770  20188 767 1065c 2011 858c 783 936E 773 4302 773 233D 782 4303 773 808F 782 *24104 2001	" " Connecting Link with 794E " " " 12382 with 12384  Needle Bar Connecting Link Adjusting Screw  Needle Bar Connecting Stud " " Roller (roller only)  Needle Bar Connecting Stud Set Screw  Needle Bar Connecting Stud complete, Nos. 453c, 1904 and 12383  Needle Bar Crank with 858c and 1065c " " Position Screw " " Set Screw " " Screw Bushing " " Thread Guide " " " Screw " Clamp with 808F " " Screw  Oscillating Rock Shaft

NO. PLATE	NAME	
4784 1353	Oscillating Rock Shaft Oil Pad	
12389 766	" Shaft	
19496 ——	" Crank for 19447	· · · · · · · ·
44134	" " 44135	
2049 773	" " Pin	
457c 783	" " Set Screw f	
	" " " " " " " "	OF 19447
453c 783		
19448 2011	Shae Dio	©K
226р 1371		Сар
	Screw	
12424 773	Oscillating Shaft Crank Slide Blo	
	Screw Washer	
988c 2011	Oscillating Shaft Crank Slide Bloo	
	Stud	
1518j 783	Oscillating Shaft Crank Slide Bloc	
	Stud Nut	
19449 2011	Oscillating Shaft Crank Slide Blo	ck com-
	plete, Nos. 226p, 988c, 12424 ar	id 19448
19447 2011	Oscillating Shaft Crank comple	te, Nos.
	457c, 1518j, 19449 and 19496.	
44135 5806	Oscillating Shaft Crank comple	
	1518J, 19449, 44134 and two 45	
20404 5745	Plaiting Blade (lower)	
208p 5745	" " Screw	
20405 5746	" " (upper)	
228p 5746	" " Screw (left	
208p 5745		ht)
20406 5745	" " Holder (lower)	
212r 5745		p Screw
43887 5745		ge Stud
		ige staa
1668c 5745		
0005 5545	Nut	
8905 5745	Plaiting Blade Holder (lower) His	
20100	Nut Washer	
20408 5745	Plaiting Blade Holder (lower) Spi	
43888 5745	*	" Stop
50035E 5745		
	Screw	
1550н 5745	Plaiting Blade Holder (lower) Spr	
	Screw Nut	
20410 5746	Plaiting Blade Holder (upper)	
212г 5745		Screw.
43887 5745		ige Stud
1668c 5745		"
	Nut	
8905 5745	Plaiting Blade Holder (upper) His	nge Stud
<del></del>	Nut Washer	

NO.	PLATE			NAM	Œ		
20411	5746	Plaiting	Blade	Holder	(upper	) Sprin	g
<b>43888</b>	5745	46	"	46	44	"	Stop
50035E	5745	46	44	44	44	46	46
		Screw			<i>.</i>		
1550н	5745	Plaiting	Blade	Holder	(upper	Spring	Stop
				<b>.</b> . <i></i> .			
20412	5745	Plaiting	Blade	Separa	ting Spi	ring	
20413	5747	"		No. 1			
20414	5747	"	"	" 2			
20415	5747	44	44				
20416	5747	46	"				
20417	5748	"	44		. <b>. </b> .		
20418	5748		"	" 6			
20419	5748	"	"		/		
20420	5748	"	64				
20421	5749	46	"				
43830	5784	**	44				
43831	5784	"	"				
8386	5746	"	"	Position			
20422	5750	"	"	Shaft w			
20423	5751	44.	"		racket	with	155c
20120	0.01	and 4	1400				
141n	5750	Plaiting					
1667R		i taiting	4	Thumb			
20424	5750	"	Face	ntric wit			
	5750	"	44		Screw.		
20425	5750	"	Coor	(back)			
	5750	46	Gear	` '	et Sci	-	
20426	5752	"	"	(front)			
882c		"	"	,			
20427	5746	"	u		Set Scr		
20427	3740	"	u	(interm	ediate)		
20428			 		30		20427
20429	574C			nd 2042			
	5746 5746	Plaiting	Gear	(interm	,		
9754		"	"	"		osition .	
20430	5746	"	"	"	St	ud	
	5746	"	"				Screw
20491	5751		••	Cover w			ı two
00.400		402д		·		· · · · · ·	• • • •
20492	5751	Plaiting					
	5752	"	"	"		rew	
	5752		- "		crew		
20432	5751	"	Lever				
20433	5751	"	"	Bracke	t with 1	two 443	3c

NO.	PLATE	NAME
141 <sub>D</sub>	5750	Plaiting Lever Bracket Screw
20434	5752	" Connecting Rod with two
		794E
794E	5752	Plaiting Lever Connecting Rod Adjusting
		Screw
199 <sub>D</sub>	5752	Plaiting Lever Connecting Rod Cap Screw
20435	5752	" " Hinge Stud
443c	5752	" " Set Screw
20436	5752	" Regulating Stud
1668.	5752	" " Nut
20437	5752	" " " Washer
43889	5752	" Rock Shaft
20439	5752	" " Crank with two 200r
200r	5752	" " Set Screw
20440	5753	" " Lever
20441	5753	" " " Arm
<b>2044</b> 2	5753	" " " " Hinge Stud
155c	5753	
		Set Screw
20443	5753	Plaiting Rock Shaft Lever Connecting
		Rod
20444	5753	Plaiting Rock Shaft Lever Connecting
		Rod Crank with 1961
1961	5753	Plaiting Rock Shaft Lever Connecting
		Rod Crank Roller and Screw Stud
1521j	5753	Plaiting Rock Shaft Lever Connecting
		Rod Crank Roller and Screw Stud Nut
9525	5753	Plaiting Rock Shaft Lever Connecting
		Rod Crank Roller and Screw Stud Nut
		Washer
66F	5753	Plaiting Rock Shaft Lever Hinge Screw
		(back)
66F	5753	Plaiting Rock Shaft Lever Hinge Screw
		(front)
$32_{\rm F}$	5753	Plaiting Rock Shaft Lever Hinge Screw
		(intermediate)
12391	767	Presser Bar (hollow)
20059	5736	" Guide Bracket with 453c
453c	783	" " " Set Screw
2062	771	" " Lifter
689c	782	" " Screw
1520j	783	" " " Nut
12327	770	" " Lifting and Releasing Lever
		Bracket
11167	767	Presser Bar Spring (light) .051 wire
Non	re: No	. 11167 is sent with this machine unless
		ther Spring is specified on order.

NO. PLATE	NAME	
<b>12139</b> 2004	Presser Bar Spring (medium) .055 wir	re.,
20023 2004	" " (heavy) .063 wir	
11170 771	" " Washer	<b>.</b>
20445 5744	" Foot	
176в 2038	" " Screw	<b></b>
688л 783	Pressure Regulating Thumb Screw	<b>.</b>
20446 5754	Separating Blade	
20447 5751	" " Bracket	
145p 5752	" " Screw	
20448 5754	" " Holder	
185н 5754	" " Screw	
241p 5754	" " Screw	
2996 771	Shuttle Bobbin	
62739	" " Case	
15140 2013	" Latch	• • • •
2973 771	" " Lever	
2974 771	" " " " Fulc	
2013 111	r uic	
2975 771	Pin Shuttle Bobbin Case Latch Spring	
592E 782		
	Stop Scree	
15141	Shuttle Bobbin Case Hinge, Nos. 2	973,
5550 551	2974 and 15140	• • •
7553 771	Shuttle Bobbin Case Position Finger.	
2523 771	n	ivet
24412 1361	Plate	
391p 1366		rew
62740 771	Shuttle Bobbin Case complete, Nos. 59	
	592е, 2523, 2975, 7553, 15141, 15	
	and 62739	<b>.</b>
<b>123</b> 93 771	Shuttle Body	
591 F $782$	" Tension Regulating Screw	
15278 771	" " Spring	
19292 771	Shuttle, 111 in. diam., Nos. 2996, 12	393
	and 62740	
*12394	Shuttle Driver	
12444 771	" 12394 with two 1266c.	
2049 773	" " Pin	
1266c 5806	" Set Serew	
2531 767	" Race Back	
2532 772	" " Position Pin	
2533 767	" " Spring	
907p 782	" " Screw	
24413	" " Body	
25000	" " 24413 with 24414 :	
-0000	two 1053b	
24414 5837	Shuttle Race Cap	• • •
1053p 2006		
10000 2000	" " Screw	· · ·

NO. PLATE	NAME
24415 1361	Shuttle Race complete, Nos. 907D, 2531,
	2533, 24412, 25000 and two each 391D
	and 2532
145D 782	Shuttle Race Screw
20449	" " Slide
4307 772	" " Spring
50216E 8628	" " " Screw
20450 5754	Shuttle Race Slide complete, Nos. 4307,
	20449 and two 50216E
20060 5736	Slack Thread Regulator
225F $5736$	" " Adjusting Screw
20451 5755	Strip Guide (left)
20452 5755	" " (right)
20453 5755	" " Holder (back)
20454 5755	" " (front)
714D 5755	" " Thumb Screw
2102 5806	Tension Disc
1560c 783	" Regulating Thumb Nut
32572 5806	" Releasing Disc
43944 5806	" Lever
12398 773	" " Hinge Pin
12329 772	" " Spring
32574 5806	" " Pin
50327c 5806	" Screw Stud
44141 ——	" " 50327c with 1560c
43945 5806	" Spring
44118	Tension complete, Nos. 7336, 32572, 32574
	43945, 43946, 44141 and two 2102
<b>52454</b> 5842	Thread Retainer
624c 8628	" Set Screw
12404 770	" Take-up Crank
3094 773	" " Wedge
690e 782	" " " Screw
<b>12408</b> 770	" " Lever
775E 782	" " Cap Screw
12166 773	" " Hinge Pin
12409 770	" " Link
11204 770	" " Hinge Pin
435c 5806	" " " " " Set
	Screw
12410	Thread Take-up Lever complete, Nos.
	12166, 12408 and 12409
43946 5806	Thread Take-up Spring
7336 772	" " Regulator
448c 783	Set Screw
*43990	Thread Take-up complete, Nos. 775E,
	11204, 12404, 12410 and 43997

NO. PLATE	NAME
20455 5744	Throat Plate for 20403
691F 782	" Screw
44212 5844	Drip Pan with four 1 in. wire nails, for
	power table

SINGER Needles should be used in SINGER Machines
These Needles and their Containers are marked with the
Company's Trade Mark "SIMANCO.\*\*"

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT SINGER made needles. 2

# LIST OF PARTS COMPLETE FOR

# **MACHINE No. 31-39**

FOR DARNING LACE CURTAINS. THROAT PLATE WITH SMALL NEEDLE HOLE. NO FEED MECHANISM.

NO. PLATE	NAME
*44010 ——	Arm with 11104
8582 773	" Dowel Pin
21453 773	" Oil Tube for intermediate bearing
11119 773	" " with 52045, for oiling 12408
21454 773	""""""12409
52045 8628	" " Packing (braided cotton)
748E 782	" Screw (back)
854E 783	" " (front)
12427 766	" Shaft
*44172	" " 12427 with 20188
44192	" 44172 with 20197
*11104	" " Bushing (front)
12357 767	" "Flanged Bushing (back)
448c 783	" " " " Set
	Screw
144p 782	Arm Shaft Screw
12480 767	" Side Cap
219 <sub>D</sub> 774	" " " Screw
12193 2004	" " Cover
286ъ 783	" " Thumb Screw
12403 772	" Spool Pin and Thread Eyelet
11241 2003	" " Washer (cloth)
12358 2000	Balance Wheel (power) light rim, 23 in.
	pulley, with two 448c
4370 2000	Balance Wheel (stand) heavy rim, 23/4 in.
	pulley, with two 448c
2135 2000	Balance Wheel (stand) heavy rim, 21/2 in.
	pulley, for 3022
2862	Balance Wheel (stand) heavy rim, 3 in.
	pulley, for 3022
448c 783	Balance Wheel Set Screw
*12360	Bed
256л 2003	Clamp Stop Motion Clamp Screw
248A 2011	" " Stop Screw
2020 2003	" " Washer
*3023	" " Flanged Bushing
4933 2003	" " " " 3023
	with two 462c

NO DIAME	V-13/70
NO. PLATE	NAME
2022 773	Clamp Stop Motion Flanged Bushing Pin " " " Set
462c 773	" " " " Set Screw
3022л ——	Clamp Stop Motion complete, Nos. 248A, 256J, 2020 and 4933
20197 2001	Crank Connecting Rod with 20198 and two 896E
*20198	Crank Connecting Rod Cap
896E 773	" " Screw
908c 773	" " Hinge Screw
1619E 773	" " " Nut.
12366	Face Plate
*44181 —	" " Thread Guard (lower)
12150 773	" " 44181 with
12100 110	12152
12152 773	Face Plate Thread Guard (lower) Rivet
2827 773	" " (upper) with 8505
8505 773	" " " Rivet
12367 2000	Face Plate complete, Nos. 2827, 12150 and
12007 2000	12366
190р 782	Face Plate Screw
286p 783	" " Thumb Screw
<b>43886</b> 5738	Finger Protector
129p 5736	" " Screw
14017 5736	" " Washer
12381 767	Needle Bar (hollow)
*12382 770	" Connecting Link with 794E.
43997	" " " 12382 and
	12384
794E 782	Needle Bar Connecting Link Adjusting
	Screw
*12383	Needle Bar Connecting Stud
1904 770	" " Roller (roller
	only)
453c 783	Needle Bar Connecting Stud Set Screw
12384 770	Needle Bar Connecting Stud complete,
	Nos. 453c, 1904 and 12383
20188 767	Needle Bar Crank with 858c and 1065c
1065c 2011	" " Position Screw
858c 783	" " Set Screw
936E 773	" Screw Bushing
4302 773	" " Thread Guide
233р 782	" " " Screw
4303 773	" Clamp with 808F
808F 782	" Screw
*24104 2001	Oscillating Rock Shaft

NO. PLATE	
24105	Oscillating Rock Shaft complete, Nos.
	4784, 12388 and 24104
12388 767	Oscillating Rock Shaft Hinge Pin
448c 783	" " " " Set Screw
4784 1353	" " " Oil Pad
12389 766	" Shaft
19496	" Crank for 19447
44134 ——	" " " 44135
2049 773	" " Pin
457c 783	" " Set Screw for
	19447
453c 783	Oscillating Shaft Crank Set Screw for
	44135
19448 2011	Oscillating Shaft Crank Slide Block
226d 1371	" " " " Cap
	Screw
12424 773	Oscillating Shaft Crank Slide Block Cap
	Screw Washer
988c 2011	Oscillating Shaft Crank Slide Block Screw
	Stud
1518j 783	Oscillating Shaft Crank Slide Block Screw
	Stud Nut
19449 2011	Oseillating Shaft Crank Slide Block com-
	plete, Nos. 226p, 988c, 12424 and 19448
19447 2011	Oscillating Shaft Crank complete, No.
	457c, 1518j, 19449 and 19496
44135 5806	Oscillating Shaft Crank complete, Nos.
	1518J, 19449, 44134 and two 453c
2996 771	Shuttle Bobbin
62739	" " Case
15140 2013	" " Latch
2973 771	" " Lever
2974 771	" " " Fulcrum
	Pin
2975 771	Shuttle Bobbin Case Latch Spring
592E 782	" " " Stop Screw
15141	Shuttle Bobbin Case Hinge, Nos. 2973,
	2974 and 15140
7553 771	Shuttle Bobbin Case Position Finger
2523 - 771	" " " Rivet
24412 1361	" " " Plate
391р 1366	" " " Screw
62740 771	Shuttle Bobbin Case complete, Nos. 519F,
	592E, 2523, 2975, 7553, 15141, 15278
	and 62739
12393 771	Shuttle Body
591F $782$	" Tension Regulating Screw

NO. PLATE	NAME
15278 771	Shuttle Tension Spring
19292 771	Shuttle, 1 <sup>11</sup> / <sub>16</sub> in. diam., Nos. 2996, 12393
*10004	and 62740
*12394 12444 771	Shuttle Driver
	12394 WITH TWO 1200C
	Pin
	Set Screw
	Race Back
	Position Pin
2533 767 907p 782	Spring
24413 —	ocrew,
25000 —	" " Body
23000	two 1053b
24414 5837	Shuttle Race Cap
1053p 2006	" " Screw
	Shuttle Race complete, Nos. 907p, 2531,
21110 1001/	2533, 24412, 25000 and two each 391b
	and 2532
145p 782	Shuttle Race Screw
12431 —	" " Slide
4307 772	" " Spring
725E 1387	" " Serew
12432 2004	Shuttle Race Slide complete, Nos. 4307,
1-102 2001	12431 and two 725E
2102 5806	Tension Disc
1560c 783	" Regulating Thumb Nut
32572 5806	" Releasing Disc
43944 5806	" Lever
12398 773	" " Hinge Pin
12329 772	" " Spring
32574 5806	" " Pin
50327c 5806	" Screw Stud
44141 —	" " 50327c with 1560c
43945 5806	" Spring
12149 2014	" Thread Guard
44118	Tension complete, Nos. 7336, 32572, 32574
	43945, 43946, 44141 and two 2102
52454 5842	Thread Retainer
624c 8628	" Set Screw
12404 770	" Take-up Crank
3094 773	" " Wedge
690E 782	" " " Screw
12408 770	" " Lever
775E 782	" " Cap Screw
12166 773	" " Hinge Pin
12409 770	" " Link

NO.	PLATE			NAM	Œ		
11204	770	Thread	Take-u	p Lever	Link	Hinge	Pin
435c	5806	44	"	44	"	"	" Set
		Screw	·				
12410		Thread	Take-	ip Lev	er cor	nplete	, Nos.
		12166	, 12408	and 12	409		
<b>43946</b>	5806	Thread	Take-u	p Sprin	g		
7336	772	"	"	"	Regui	lator .	
448c	783	"	"	"			Screw
*43990		Thread	Take-	up con	plete,	Nos.	775E,
		11204	, 12404	, 12410	and 4	3997.	
12298		Throat :	Plate, l	arge nee	edle ho	ole	
12422	5743	"	" 8	mall ne	edle h	ole	
691F	782	"	" 8	Screw			
44212	5844	Drip Pa					
		power	r table.	<i>.</i>			

SINGER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.\*\*" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

# LIST OF PARTS COMPLETE FOR

# MACHINE No. 31-42

FOR FLOSSING CORSETS AND ORNAMENTAL STITCHING. STOPS
AUTOMATICALLY WITH PRESSER RAISED EACH TIME THE
NEEDLE RISES; NO FEED MECHANISM. THE WORK IS
MOVED BY HAND TO FORM THE DESIRED ORNAMENT.

NO. PLATE	NAME
*43801	Arm with 11104
8582 773	" Dowel Pin
12453 773	" Oil Tube for intermediate bearing
12454 773	" " with 52045, for oiling 12167.
11119 773	" " " " " " 12165.
52045 8628	" " Packing (braided cotton)
748E 782	" Screw (back)
854E 783	" " (front)
43802 5735	" Shaft
*44112	"      "     43802 with 43803
*44200	" " 44112 with 20197
20321 2048	" " Bushing (back)
448c 783	" " Set Serew
*11104	" " " (front)
12193 2004	" Side Cover
286р 783	" " Thumb Screw
12403 772	" Spool Pin and Thread Eyelet
11241 2003	" " " Washer (cloth)
*12360	Bed
20197 2001	Crank Connecting Rod with 20198 and
	two 896E
*20198	Crank Connecting Rod Cap
896E 773	" " Screw
908c 773	" " Hinge Screw
1619E 773	n nut.
12313 2049	Driving Pulley
12316 5738	rriction rang (leather)
12345 5739	Stop I II
1494 <sub>D</sub> 5739	ourew
12314 5739	spring
43818 5739	wasner
2269 773	Stop I III
12366 —	Face Plate
*44181	" " Thread Guard (lower) " " " 44181
12150 773	44181
	with 12152

NO. PLATE	NAME
12152 773	Face Plate Thread Guard (lower) Rivet
2827 773	" " (upper) with
2021 113	(upper) with
8505 773	Face Plate Thread Guard (upper) Rivet.
12367 2000	Face Plate complete, Nos. 2827, 12150 and 12366
190p 782	Face Plate Screw
286p 783	" " Thumb Screw
12381 767	Needle Bar (hollow)
*12196 5739	" Connecting Link with 794E.
44008 ——	" " " 12196 with
11000	12131
794E 782	Needle Bar Connecting Link Adjusting Screw
12131 5739	Needle Bar Connecting Stud with 155c
12131 5739 155c 5739	" " Set Screw
43803 5738	" Crank and Lifting Cam with
40000 0700	448c and 1362c
1362c 5739	Needle Bar Crank and Lifting Cam Posi-
	tion Screw
448c 783	Needle Bar Crank and Lifting Cam Set Screw
936E 773	Needle Bar Screw Bushing
4302 773	" " Thread Guide
233p 782	" " Serew
4303 773	" Clamp with 808F
808r 782	" Serew
*24104 2001	Oscillating Rock Shaft
24105	Oscillating Rock Shaft complete, Nos.
21100	4784, 12388 and 24104
12388 767	Oscillating Rock Shaft Hinge Pin
448c 783	" " " " Set Screw
4784 1353	" " " Oil Pad
12389 766	" Shaft
19496	" Crank for 19447
44134	" " " 44135
2049 773	" " " Pin
457c 783	" " Set Screw for 19447
453c 783	" " " " 44135
19448 2011	" " Slide Block
226p 1371	" " " " Cap
	Screw
12424 773	Oscillating Shaft Crank Slide Block Cap
	Screw Washer
988c 2011	Oscillating Shaft Crank Slide Block Screw
	Stud

NO.	PLATE	NAME
1518j	783	Oscillating Shaft Crank Slide Block Screw Stud Nut.
10440	0011	Oscillating Shaft Crank Slide Block com-
19449	2011	plete, Nos. 226b, 988c, 12424 and 19448
10447	2011	Oscillating Shaft Crank complete, Nos.
19447	2011	457c, 1518J, 19449 and 19496
44135	5806	Oscillating Shaft Crank complete, Nos.
44100	9900	1518J, 19449, 44134, and two 453c
12391	767	Presser Bar (hollow)
12326	770	" Guide Bracket with 453c
453c	783	" " Set Screw
12327	770	" " Lifting and Releasing Lever
12021	770	Bracket
12284	5738	Presser Bar Lifting Lever with 448c
		" " " Hinge Serew
802D	782	ninge weren
12285		Littet
12286	5739	Presser Bar Lifting Lever Lifter complete, Nos. 775E, 1976 and 12285
800c	5739	Presser Bar Lifting Lever Lifter Adjusting
0000	0100	Screw
1520J	5739	Presser Bar Lifting Lever Lifter Adjusting
_		Screw Nut
801E	5739	Presser Bar Lifting Lever Lifter Hinge
		Screw
1976	5739	Presser Bar Lifting Lever Lifter Roller
		(roller only)
775E	782	Presser Bar Lifting Lever Lifter Roller
		Cap Screw
12241	772	Presser Bar Lifting Lever Link
766p		" " " Hinge
1000	.02	Serew
12240	772	Presser Bar Lifting Lever Pin
448c	783	" " " " Set Serew
12287	5757	" "Spring (light) .0345 wire
,		No. 12287 is sent with this machine unless
	ar	nother Spring is specified on order
20363	5757	Presser Bar Spring (heavy) .0405 wire
11170	771	" " Washer
43804	5740	" Stop Collar with 1253c
1253c	5740	" " " Set Serew
43817	5741	" Foot
35599	2669	" for etching
190 <sub>D</sub>		" " Screw
688j	783	Pressure Regulating Thumb Screw
1648E		" " " Lock
10-10E	0110	Nut
		#755100000000000000000000000000000000000

NO. PLATE	NAME
2996 - 771	Shuttle Bobbin
62739 ——	" Case
15140 2013	" " Latch
2973 771	" " " Lever
2974 771	" " " " Fulcrum
	Pin
2975 771	Shuttle Bobbin Case Latch Spring
592E 782	" " Stop Screw
15141 —	Shuttle Bobbin Case Hinge, Nos. 2973,
10111	2974 and 15140
7553 771	Shuttle Bobbin Case Position Finger
2523 771	" " " " Rivet
24412 1361	Wiver
	1 late
391р 1366	burew
62740 771	Shuttle Bobbin Case complete, Nos. 591r,
	592E, 2523, 2975, 7553, 15141, 15278
	and 62739
12393 771	Shuttle Body
591 <sub>F</sub> 782	" Tension Regulating Screw
15278 771	" " Spring
19292 771	Shuttle 111 in. diam., Nos. 2996, 12393
	and 62740
*12394	Shuttle Driver
12444 771	" 12394 with two 1266c
2049 773	" " Pin
1266c 5806	" Set Screw
2531 767	" Race Back
2532 772	" " Position Pin
2533 767	" " Spring
907p 782	" " " Screw
24413	" " Body
25000	" " 24413 with 24414 and
20000	two 1053b
24414 5837	Shuttle Race Cap
1053p 2006	" " Screw
24415 1361	Shuttle Race complete, Nos. 907p, 2531,
24410 1001	2533, 24412, 25000 and two each 3910
145p 782	
	Shuttle Race Screw
12431 —	onde
4307 772	opring
725E 1387	Screw
12432 2004	Shuttle Race Slide complete, Nos. 4307,
40040	12431 and two 725E
12318	Starting Bell Crank
12343 5738	Starting Bell Crank complete, Nos. 12318
	to 12320

NO. PLATE	NAME
12312 2049	Starting Bell Crank Bracket with 443c
12344 —	Starting Bell Crank Bracket complete.
	Nos. 16c, 1513 <sub>J</sub> , 1517 <sub>J</sub> , 1885, 2018,
	12312, 12322, 12323, 12343, 25350 and
	44230
692D 783	Starting Bell Crank Bracket Screw
16c 5740	" " Hinge Screw
1517 <sub>J</sub> 5740	" " " " Nut
12319 5740	" " Pitnam Stud
25350 5740	" " " Cotter Pin
2018 1101	" " " Washer
1885 5740	" " Roller with 190p, 1054c
	and 5968
190р 782	Starting Bell Crank Roller Screw
1054c 5837	" " " " Stud
1513ј 783	" " " " " Nut
<b>5</b> 968 5837	" " " " Washer.
12320 5740	" " Stop Pin
44228 8629	Stop Pawl
44230	Stop Pawl complete, Nos. 376E, 44228 and
	44229
12322 5740	Stop Pawl Hinge Pin
443c 5740	" " Sct Screw
12323 5740	" " Spring
44229 8628	" " Wearing Block
376E 8628	" " " Screw
43941	" Wheel with 2269
43942 5738	DIOCK
840p 5740	ociew
25104 5741	E III
446c 783	Det Strew
43943 5735	Stop Wheel complete, Nos. 446c, 12316,
2102 5806	12345, 43941, 43942 and two 840p
2102 5806 1560c 783	Tension Disc
32572 5806	" Regulating Thumb Nut
43944 5806	" Releasing Disc
12398 773	Level
12329 772	ninge i m
32574 5806	opring
50327c 5806	" " Pin
44141 —	" Screw Stud
43945 5806	50527C WIGH 1500C
12149 2014	" Spring  Thread Guard
44118 —	Tension complete, Nos. 7336, 32572, 32574,
***110	43945, 43946, 44141 and two 2102
2455 2014	Thread Retainer Disc
2400 2014	Thread Actamer Disc

NO.	PLATE			NAM	т.		
	2014	Thread	Datain		_	rh1.	NT
		1 mreau	retaine				
_	2014	"	"		v Stud.		
43808	5741			-	ıg		
43809		Thread					
		1562J	, 43808	and two	o <b>245</b> 5.	• • • • • •	
12130		Thread					
3094	773		"	"		gе	
690e		"	"	"	46		w
12165	5741	"	"		r		
775E	782	"	"	44	Cap S	crew	
12166	773	"	"	"	Hinge	Pin	
12167	5741	"	"	"	Link.		
11204	770	44	"	44	**	Hinge	Pin
435c	5806	"	"	"	"	"	" Set
		Screw	7. <b></b>				
12164		Thread	Take-u	ap Lev	er con	nplete,	Nos.
		12165	to 121	ι <b>67</b> .			
*44179		Thread					
		775E,	11204,	12130,	12164	and 44	800
43946	5806	Thread	Take-u	p Sprin	g		
7336	772	44	"	· · · · · ·		ator	
4480	783	"	"	"			Screw
12298		Throat	Plate, la	arge ne	edle ho	le	
12422	5743	"			edle ho		
Nor	e: Nos.	12298 an	d 12422	are sen	t with t	his ma	$_{ m chine}$
691 F	782	Throat	Plate 8	Screw			
44212	5844	Drip P	an with	four	1 in. w	ire nai	ls, for
		powe	r table.			<b></b> .	
	LIS	T OF P	ARTS	то ві	E USE	D WI	ГН
						_	

# 31-42 MACHINE

#### WHEN OPERATED HEAD ON

NO.	PLATE			N.	AME	
19219	1206	Bed	Frame	Cushio	n (leathe	r)
1580	1206	"	66	66	Screw.	. <b></b>
19220	1206	66	46	46	Spring.	
19226	1206	44	66	Hinge	Connection	on
19398		44	**	46	"	19226 with
		21	1E and	19397		
19397	1206	Bed	Frame	Hinge	Connection	on Cap
211E	1206	"	**	"	"	" Screw.
16555	1206	"	1.0	"	Plate	
14010	1206	"	"	"	" Riv	et
20067	819	$\mathbf{Bed}$	Frame	with 1		16555, 19398
		fo	ur each	19219,	19220, s	ix each 14010,
		W	ood scre	ws 11/4	in. No.12	and eight 158c
						-

NO. PLATE	NAME
27636 363	Starting Treadle
9082 773	" Bearing Cotter Pin
43810 5760	" Extension
51075R 5843	" " Bolt with 51581 R
51581R 5843	" " " Nut
6055 5741	" " " Washer
326E 5741	" " Screw
6055 5741	" " " Washer
43811 5760	" Pitman Rod (lower)
12283 5741	" " " Joint
43812 5760	" " (upper)
12317 5741	" " " Joint
43813 5741	" " " Clamp with
10010 0111	354c
354c 1101	Starting Treadle Pitman Rod Clamp Screw
43814 ——	Starting Treadle Pitman complete, Nos.
40014	12283, 12317 and 43811 to 43813
25089 5741	Starting Treadle Pitman Cotter Pin
11742 5741	" " Washer
2878 363	" " Stand
43815	Starting Treadle complete, Nos. 326E,
10010	2878, 9082, 27636, 43810, 51075R, two
	6055 and four wood screws 1 in. No. 16
12816	Starting Troudle and Pitman complete
43816	Starting Treadle and Pitman complete, Nos. 11742, 25089, 43814 and 43815
43816 14229 5760	Nos. 11742, 25089, 43814 and 43815 Table Belt Guide (lower) Bracket with
14229 5760	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c
14229 5760 14230 5760	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley
14229 5760	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley " " " " Shaft with
14229 5760 14230 5760 14231 5757	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley  " " " Shaft with 858c
14229 5760 14230 5760	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley  " " " " Shaft with 858c  Table Belt Guide (lower) Pulley Shaft Oil
14229 5760 14230 5760 14231 5757	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley  " " " Shaft with 858c
14229 5760 14230 5760 14231 5757 858c 783	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley
14229 5760 14230 5760 14231 5757 858c 783	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley  " " Shaft with 858c  Table Belt Guide (lower) Pulley Shaft Oil Hole Plug Screw  Table Belt Guide (lower) Pulley Shaft Set Screw
14229 5760 14230 5760 14231 5757 858c 783 448c 783	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley  " " " Shaft with 858c
14229 5760 14230 5760 14231 5757 858c 783 448c 783	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley  " " " Shaft with 858c
14229 5760 14230 5760 14231 5757 858c 783 448c 783 14232 5760	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley
14229 5760 14230 5760 14231 5757 858c 783 448c 783 14232 5760	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley
14229 5760 14230 5760 14231 5757 858c 783 448c 783 14232 5760	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley  " " " Shaft with 858c  Table Belt Guide (lower) Pulley Shaft Oil Hole Plug Screw  Table Belt Guide (lower) Pulley Shaft Set Screw  Table Belt Guide (lower) Pulley Shaft Set Screw  Table Belt Guide (lower) complete, Nos. 14229 to 14231 and four wood screws 1½ in. No. 10 R. H. B  Table Belt Guide (upper) Bracket with 448c
14229 5760 14230 5760 14231 5757 858c 783 448c 783 14232 5760 10857 5760 10859 5760	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley  " " " " Shaft with 858c  Table Belt Guide (lower) Pulley Shaft Oil Hole Plug Screw  Table Belt Guide (lower) Pulley Shaft Set Screw  Table Belt Guide (lower) Pulley Shaft Set Screw  Table Belt Guide (lower) complete, Nos. 14229 to 14231 and four wood screws 1½ in. No. 10 R. H. B  Table Belt Guide (upper) Bracket with 448c  Table Belt Guide (upper) Pulley
14229     5760       14230     5760       14231     5757       858c     783       448c     783       14232     5760       10857     5760       10858     5757	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley
14229 5760 14230 5760 14231 5757 858c 783 448c 783 14232 5760 10857 5760 10859 5760	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley
14229 5760 14230 5760 14231 5757 858c 783 448c 783 14232 5760 10857 5760 10858 5757 448c 783	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley
14229     5760       14230     5760       14231     5757       858c     783       448c     783       14232     5760       10857     5760       10858     5757	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley
14229 5760 14230 5760 14231 5757 858c 783 448c 783 14232 5760 10857 5760 10858 5757 448c 783	Nos. 11742, 25089, 43814 and 43815  Table Belt Guide (lower) Bracket with 448c  Table Belt Guide (lower) Pulley

# STARTING TREADLE PARTS

#### FOR 31-42 MACHINE

NO.	PLATE	NAME				
25082	5760	Treadle				
28054	5742	"	Centre	e		
20039	5760	"	"	Brack	ket with 28054 and	
		two v	vood sc	rews 1	in. No. 10	
12439		Treadle	Pitma	an coi	mplete, Nos. 12283,	
					wo 12281	
			•			
12281	5760	Treadle				
43813	5741	"	44	"	Clamp with 354c	
3540	774		"		" Screw	
12317	5741	"	"	"	Joint (connecting	
12283	5741				Joint (treadle)	
7958	5741	"	"	Stud	Pin	
11742	5741	"	"	Was	her	
2960	5742	"	Screw	Centr	e	
46661		44			296c with 1507 R	
20040	5760	"	"	"	Bracket with 46661	
		and t	wo woo	d scre	ws 1 in. No. 10	
15071	R 5742	Treadle	Screw	Centr	e Nut	

# **MACHINE BASE**

NO. PLATE	E NAME
19219 1206	Bed Frame Cushion (leather)
158c 1206	
19220 1206	
19226 1206	
19398	" " " " 19226 with
	211E and 19397
19397 1206	Bed Frame Hinge Connection Cap
211E 1206	" " " " Screw
16555 1206	" " " Plate
14010 1206	" " " Rivet
20067 819	Bed Frame with two each 16555, 19398,
	four each 19219, 19220, six each 14010,
	wood screws 11/4 in. No. 12 and eight
	158c

# **ATTACHMENTS and ACCESSORIES**

NO.	PLATE	NAME
51075E	5843	Machine Hinge Bolt with 51581E
51581E	5843	" " " Nut
6055	5843	" " " Washer
12361	772	" Connection
44139	772	" " Plate
44140		Machine Hinge complete, Nos. 12361,
		44139 and Merlized wood screw 11/4 in.
		No. 14
44180		Machine Hinge complete, Nos. 6055, 12361,
		44139, and 51075E
12405	774	Machine Rest (felt)
28084		" " Pin
41400	6120	" " (wood) 31/8 in. long
120342	2045	Oiler (copper plated) with 120343
120343	2045	" Spout, 3½ in. long
26026	2045	Screw Driver (machine)
26485	2045	" (shuttle tension)
35018	2045	Tape Delivery Wire for 31-37 Machine
8909	2045	Wrench for 1513, 1517, 1518 and 51581
4822	2045	" " 1521 and 1528
8908	2045	" " 1519, 1520 and 1620
19221	2045	" 936, 1516 and 1619
22003	2045	" " 1550
20461	2045	" " 1582 and 1668
20364	2045	" " 1648

# **BELT GUARDS**

NO.	PLATE			N	AME
41929	5844	Belt	Guard		
8418	5842	"	44		n
8419	5842		"		Washer (leather)
8420		**	"	"	8418 with 8419 and
		we	ood scre	w 11/4	in. No. 9 R. H. B
41930	5842	Belt	Guard	Hinge	
41931		Belt	Guard	comp	lete, Nos. 8420, 41929
		tw	o 4193	0 and	four wood screws 34 in.
		N	о. 9		

#### FOR BENCH STAND

126356	5763	Belt	$\mathbf{Guard}$	B
126363	8629	"	"	Bracket,

NO.	PLATE			NAM	ÍΕ	
126364	8629	Belt	Guard	Extension		
162 n	8628	66	"			
9331	8628	"	"	"	46	Washer
1480 c	8628	44	44	Retaining	Screw	
50551յ	8628	44	14	Set Screw		
126365		Belt	Guar	l (adjusta	able)	complete for
		79	758, N	os. 162d, 1	480D,	9331, 50551 <sub>J</sub> ,
		12	6356, 1	26363, 126	6364 a	nd two wood
		se	rews 1 i	n.No. 10.		

# **BINDERS**

When Ordering Binders send Sample of the Binding and Material to be Bound

## BINDER (Adjustable)

#### SIZE 1

NO.	PLATE			NAM	E
25644	2024	Bed wit	h 256	45	
25645	2024	Folder			
25646		" (	Guide	(lower)	with 25855
25855	2038	44	"	"	Screw Stud
25647	2024	"	"	(upper)	)
15771	2024	"	"		Thumb Nut
25648	2024				
334r	2038				v
7071	2021	"	44	"	Washer
25650	2024	Binder o	compl	lete, No	s. 334d, 1577d, 7071,
		25644	and	25646 to	25648
190r	782	Binder 8	Screw	• • • • • • •	

### **BINDER** (Adjustable)

#### SIZE 2

This Binder is the same as 25650 with the following exceptions:

NO.	PLATE	NAME
25651		Bed with 25652, in place of 25644
25652		Folder, in place of 25645
25653		Binder complete, Nos. 334p, 1577p, 7071,
		25646 to 25648 and 25651

# BINDER (Adjustable)

#### SIZE 3

This Binder is the same as 25650 with the following exceptions:

NO.	PLATE	NAME
25654		Bed with 25655, in place of 25644
25655		Folder, in place of 25645
		Binder complete, Nos. 334p, 1577p, 7071,
		25646, to 25648 and 25654

# BINDER (Adjustable)

### FOR SOFT HATS

	TON SOLI THAT
NO. PLATE	NAME
36456 6254	Bed
36457 6254	Folder with 25669, 36458 and two 7476
36458 6254	" Guide Block
7476 2038	" " Rivet
25669	" Slide with 25670 and 25671
25670 2038	" " Block
25671 2038	" " Rivet
25672 6254	" Carrier with 656E
656E 2038	" " Adjusting Screw
1536р 6254	" " " Thumb Nut
25673 6254	u u u u u
20010 7-7-	Guide
401E 2038	Folder Slide Carrier Adjusting Thumb
	Nut Guide Screw
334р 2038	Folder Slide Carrier Screw
36459 6254	Guide (back, lower)
36460 6254	" (back, upper)
233р 782	" (back) Screw
36461 6254	" (front, lower)
36462 6254	" (front, upper)
233р 782	" (front) Screw
25677 6254	Pressure Spring
334р 2038	" Screw
36463 6254	Binder complete, Nos. 401E, 1536D, 25672,
	25673, 25677, 36456, 36457, 36459 to
	36462, two 233p and three 334p
190р 782	Binder Screw
28713 1391	Presser Foot, for soft hat binding
Note: Pr	resser Foot 28713 is used with, but not
	included in 36463

# BINDER (Adjustable) FOR 31-19 MACHINE

NO.	PLATE	NAME
24344	1267	Feed Dog, 17 teeth (14 teeth to the inch).
*26951		Folder (lower)
*26952		" (upper)
26953	1379	Folder with Ribbon Tension complete,
		Nos. 26951, 26952, two each 193r, 7071 and nine 26486
193F	1379	Folder Screw
7071	1379	" " Washer
26954	1378	Lifting Presser Foot
26486	2022	Ribbon Tension Pin (straight)
26955	1378	Throat Plate with Extension for 24344
19376	1378	Vibrating Presser Foot
26956		Binder complete, Nos. 283D, 19376, 24344 and 26953 to 26955
283r	1379	Binder Thumb Screw

## **BINDER** (Adjustable)

#### FOR CAP FRONTS

#### FOR 31-20 MACHINE

NO.	PLATE	NAME
26695	2024	Bed with 9558
25698	2024	Folder
9558	2038	" Steady Pin
26696	2024	Guide (lower) with 1141p and 9780
1141 r	5806	" " Screw Stud
9780	2038	" " Stud
1566c	2024	" " Thumb Nut
26697	2024	" (upper)
152F	2038	" Screw
7071	2021	" " Washer
25703	2024	Pressure Spring with 26698
26698	2024	" Lifting Button
334r	2038	" Screw
7071	2021	" " Washer
26694	2024	Binder complete, Nos. 334p, 1566p, 25698
		25703, 26695, to 26697, two 152r and
		three 7071

## BINDER (Adjustable)

# FOR LEATHER BINDING, CANVAS BAGS, LEGGINGS, ETC.

NO. PLATE	NAME
36340 5807	Bed with two each 1036c and 1266c
36341 5807	Edge Guide
671p 5807	" " Thumb Screw
36342 5807	Guide (lower)
36343 5807	" (upper)
286p 5807	" Thumb Screw
1036c 5806	Leveling Screw (back)
1266c 5806	" " (front)
36344 5807	Binder complete, Nos. 286D, 671D and
	36340 to 36343

### **BINDER** (Adjustable)

#### FOR SLEEVE FACINGS ON MILITARY COATS

NO.	PLATE	NAME
120165	5839	Binder on 28971
28972	.5839	Arm
940n	5742	" Hinge Screw
28973	5839	Hinge Plate
28971	2669	Shank
286n	783	" Thumb Screw
7071	2021	" " Washer
120166	5839	Binder complete, Nos. 286p, 940p, 7071,
		28972, 28973 and 120165

# **BINDER** (Adjustable)

#### FOR GENERAL WORK

NO.	PLATE	NAME	
25657	1949	Bed with 656E and three 447F	
25662	1949	Binding Guide	
233p	782	" " Set Screw	
25658	1949	Guide (centre, large) with 589E	
25659	1949	" (centre, small) with 589E	
656E	2038	" (centre) Screw	
1566p	2024	" " Thumb Nut	
25660	1949	" (lower)	
8975	8628	" " Rivet	
25661	1949	" (upper)	
589E	2038	" Clamping Screw	
1571D		" " Thumb Nut	

NO.	PLATE	NAME
207 <sub>F</sub>	2021	Guide (upper) Screw
7071	2021	" " Washer
447F	2038	Leveling Screw
25663	1949	Presser Foot
25664	1949	Binder (adjustable) complete, Nos. 207F,
-0001	2010	233b, 1566b, 1571b, 7071, 25657 to
		25663 and two 8975
152F	782	Binder Screw
7071	2021	" " Washer
1071	2021	wasner
		BINDER (Adjustable)
	TO TU	JRN IN UPPER EDGE ONLY. FOR LIGHT
		OR MEDIUM WEIGHT MATERIAL
NO.	PLATE	NAME
120242	7790	Bed with 1036c
120244	7790	Folder (upper)
120245	7790	Guide (centre)
120246	7790	" (lower)
286p	783	" Thumb Screw
1036c	7790	Leveling Screw
120247	7790	Binder (adjustable) complete, Nos. 286n,
		120242 and 120244 to 120246
35066	5644	Presser Foot for 120247
7298	2014	" " Hinge Pin
120143		" " Plate
19335		" " Shank
120144	5847	Presser Foot (hinged) complete, for
<b></b>		120247, Nos. 7298, 19335 and 120143.
26603	7696	Feed Dog for 120247, 20 teeth (16 teeth to
		the inch)
26605	7696	Throat Plate for 26603
		BINDER (Adjustable)
	TO	TURN IN BOTH EDGES. FOR LIGHT
		OR MEDIUM WEIGHT MATERIAL
	PLATE	NAME
120242	7791	Bed with 1036c
120243	7791	Folder (lower)
120244	7791	" (upper)
120245	7791	Guide (centre)
286p	783	" Thumb Screw
1036c	7790	Leveling Screw
120248	7791	Binder (adjustable) complete, Nos. 2860
		and 120242 to 120245

NO.	PLATE	NAME
35066	5644	Presser Foot for 120248
7298	2014	" " Hinge Pin
120143		" " Plate
19335		" " Shank
120144	5847	Presser Foot (hinged) complete for 12024S,
		Nos. 7298, 19335 and 120143
26603	7696	Feed Dog for 120248, 20 teeth (16 teeth to
		the inch)
26605	7696	Throat Plate for 26603
		BINDER (English)
NO.	PLATE	NAME
12425	2021	
		Feed Dog, 13 teeth (16 teeth to the inch).
25721	2021	Folder
$207_{\rm F}$	2021	" Screw
7071	2021	" Washer
25983	2021	Presser Foot
26614	2021	Ribbon Tension Pin (bent)

26616 2021

7071 2021

## BINDER (English)

25722 2021 Ribbon Tension complete, Nos. 26614,

190b 782 Ribbon Tension Screw.....

" (straight)......
" Plate.....

26616 and four 26615.....

" " Washer.....

25721, 25722, 25983, 26249 and two 7071.....

This Binder is the same as 26250 with the following exceptions:

NO.	PLATE	NAME
12370	2692	Feed Dog, 15 teeth (16 teeth to the inch),
/		in place of 12425
26465	2692	Throat Plate, large needle hole, for 12370,
		in place of 26249
35741		Throat Plate, small needle hole, for 12370,
		in place of 26249
26466		Binder complete, Nos. 190p, 207f, 12370,
		25721, 25722, 25983, 26465 or 35741
		and two 7071

## BINDER (English)

# This Binder is the same as 26250 with the following exceptions:

NO.	PLATE	NAME
44252	5813	Feed Dog, 12 teeth (12 teeth to the inch),
		in place of 12425
44253	5813	Feed Dog, 16 teeth (16 teeth to the inch),
		in place of 12425
28655	1382	Throat Plate, small needle hole, for 44252
		and 44253, in place of 26249
28656		Throat Plate, large needle hole, for 44252
		and 44253, in place of 26249
28657		Binder complete, Nos. 190p, 207r, 12369
		or 12457, 25721, 25722, 25983, 28655
		or 28656 and two 7071

# BINDER (English)

#### FOR CUT CLOTH

No.	PLATE	NAME
19474	2022	Feed Dog, 14 teeth (16 teeth to the inch).
25733	2022	Folder, for ½ inch binding
2071	2021	" Serew
7071	2021	" " Washer
26400	2022	Presser Foot
26617	2022	Ribbon Tension Pin (bent)
26486	2022	" " (straight)
26618	2022	" " Plate
25734	2022	Ribbon Tension complete, Nos. 26617,
		26618 and seven 26486
1901	782	Ribbon Tension Screw
7071	2021	" " Washer
26401	2022	Throat Plate for 19474
26402		Binder complete, Nos. 207F, 19474, 25733,
		25734, 26400, 26401, two 190p and three
		7071

# BINDER (English)

NO.	PLATE	NAME
26603	1381	Feed Dog, 20 teeth (16 teeth to the inch).
120001	5838	" (spiked teeth) 12 teeth (10 teeth
		to the inch)
28334	1380	Folder
193F	1379	" Screw
7071	1379	" " Washer

NO.	PLATE	NAME
28676	1381	Presser Foot
26617	2022	Ribbon Tension Pin (bent)
26486	2022	" " (straight)
28336		" " Plate
28337	1380	Ribbon Tension complete, Nos. 26617,
		28336 and eight 26486
2331	1380	Ribbon Tension Screw
28677	1381	Throat Plate for 26603
28678		Binder complete, Nos. 193F, 7071, 26603
		or 120001, 28334, 28337, 28676, 28677
		and two 233b

BINDERS

# BINDER (English)

#### FOR CARPETS

# This Binder is the same as 28678 with the following exceptions:

NO.	PLATE	NAME
12370	1382	Feed Dog, 15 teeth (16 teeth to the inch),
		in place of 26603
28775	1382	Throat Plate for 12370, in place of 28677.
28776		Binder complete, Nos. 193F, 7071, 12370,
		28334, 28337, 28676, 28775 and two 233p.

### **BINDER** (English)

#### FOR AWNINGS

NO. PLATE	NAME
120434 8211	Feed Dog, 7 teeth (16 teeth to the inch)
120433 8211	Folder
207F 2021	" Screw.*
7071 8211	" " Washer
120435 8211	Presser Foot
26614 2021	Ribbon Tension Pin (bent)
26615 2021	" " (straight)
26616 2021	" ' Plate
25722 2021	Ribbon Tension complete, Nos. 26614,
	26616 and four 26615
190p 782	Ribbon Tension Screw
7071 2021	" " Washer
120436 8211	Throat Plate for 120434
120437	Binder complete, Nos. 190p, 207f, 25722,
	120433 to 120436 and two 7071

### **BINDER** (English)

#### FOR SLIP COVERS AND GENERAL WORK

# This Binder is the same as 120437 with the following exceptions:

NO.	PLATE	NAME
120458	8211	Presser Foot, in place of 120435
120459		Binder complete, Nos. 190p, 207f, 25722,
		120433, 120434, 120436, 120458 and
		two 7071

### BINDER (English)

#### FOR 31-15 MACHINE

	FOR SI-13 MACHINE
NO. PLATE	NAME
120120 - 5838	Folder with 665p and 120121
120121 5838	" Guide
665p 1388	" " Screw
220p 2038	" Screw
7806 5838	" " Washer
26614 - 2021	Ribbon Tension Pin (bent)
26615 - 2021	" " (straight)
120122 5838	" Plate
120123 5838	Ribbon Tension complete, Nos. 26614,
	120122 and six 26615
$190_{D}$ $782$	Ribbon Tension Screw
7071 - 2021	" " Washer
120124 5838	Feed Dog, 6 teeth (16 teeth to the inch)
120125 5838	Presser Foot
120126 5838	Throat Plate for 120124
120127	Binder complete, Nos. 220p, 7806, 120120,
	120123 to 120126 and two each 190p
	and 7071

## BINDER (English)

#### FOR 31-19 MACHINE

NO. PLAT	NAME
26699 133	Feed Dog, 14 teeth (16 teeth to the inch).
25744 131	Folder and Ribbon Tension with nine
	26486, for ½ in. binding
25745	- Folder and Ribbon Tension with nine
	26486, for 3/8 in. binding
671p 131	Folder and Ribbon Tension Thumb Screw
26702 133	Lifting Presser Foot
26486 202	Ribbon Tension Pin (straight)
26700 131	Throat Plate with Extension for 26699
26703 131	Vibrating Presser Foot
26701	Binder complete, Nos. 671p, 25744, 25745,
	26699, 26700, 26702 and 26703

## BINDER (English)

#### FOR 31-19 MACHINE

# This Binder is the same as 26250 with the following exceptions:

NO.	PLATE	NAME
20106	1382	Feed Dog, 13 teeth (16 teeth to the inch)
		in place of 12425
26702	1314	Lifting Presser Foot, in place of 25983
28783	1382	Throat Plate for 20106, in place of 26249.
26703	1314	Vibrating Presser Foot
28784		Binder complete, Nos. 190p, 207F, 20106,
		25721, 25722, 26702, 26703, 28783 and
		two 7071

### **BINDER** (English)

#### FOR CIRCULAR BINDING ON IMITATION LEATHER

#### FOR 31-19 MACHINE

NO.	PLATE	NAME
120434	8211	Feed Dog, 7 teeth (16 teeth to the inch)
120433	8211	Folder
207 F	2021	" Screw
7071	8211	" " Washer
120465	8630	Lifting Presser Foot
120436	8211	Throat Plate
120466	8630	Vibrating Presser Foot
120467		Binder (English) complete, Nos. 207r,
		7071, 120433, 120434, 120436, 120465
		and 120466

6-1

### BINDER FOR CIRCULAR BINDING

(BIAS FOLDED STRIPS)

#### FOR LADIES' LAWN TIES, ETC.

NO.	PLATE			N.	AME			
28790	2645	Feed I	og, 11	l teeth	(24 te	ecth to	the inch	ı).
28857	2645	Folder	<b>.</b> .					٠.
207s	2645	46	Screw	7				
7071	2645	44	46	Wash	er			٠.
28858	2645	Presser	Foot	with 2	42b, 2	23219 a	nd 2885	9.
28859	2645	**	"	Edge	Guid	e <b>.</b>		
23219	2645	"	"	"	"	Posit	ion Pin.	
2421	2645	"	44	i.e	"	Screw		

28824 2646 Feed Dog, 6 teeth (24 teeth to the inch).

" " " ½ in. tape......

25707 2605

122	BINDERS				BINDERS	
NO. PLAT	E NAME		NO.	PLATE	NAME	
28860 2645	5 Strip Guide		28825	2646	Lifting Presser Foot	
207F 2645	=		28826	2646	Throat Plate for 28824	
7071 2645			28827	2646	Vibrating Presser Foot	
28792 2645			28828		Binder complete, Nos. 207r, 7071 and 28823	
28861	- Binder complete, Nos. 28790, 28792, 28857,	1	20020		to 28827	
20001	28858, 28860 and two each 207r and 7071				00 20024	
	2000, 2000 and 000 and 2011 and 1011	ı			BINDERS (Foot)	
BIND	ER FOR CIRCULAR BINDING		No.	PLATE	NAME	
FOR	SANDALS, SLIPPERS, SHOE TONGUES, ETC.	28665 2606 Binder (foot)				
28666 2606 " " right ha				right hand		
	FOR 31-19 MACHINE		28667	2606	" " left hand	
			36700	5808	" left	
NO. PLAT			28717	1388	" " right	
28790 2645			35069	2666	" for strip, to turn the upper	
120493 8630	, , , , , , , , , , , , , , , , , , , ,				edge in, for skirt facings, etc	
100404 0000	gauges		28769	1390	Binder (foot) to turn top only	
120494 8630	Folder with two 13681, for $\frac{17}{32}$ in. to $\frac{19}{32}$ in.					
100101 000	gauges	1		RIND	ER (Transverse) ON SHANK	
120495 8630	0 Folder with two 1368s, for $\frac{5}{8}$ in. to 1 in.					
205 221	gauges				(WITH TAPE REEL)	
207г 264					FOR WOOLEN COATS	
7071 2645	9					
28791 2645			NO.	PLATE	NAME	
36620 2645			120532	8631	Binder (transverse) on Shank	
337в 2645			43525	8631	" Steady Pin	
7806 2648			510973		" Thumb Screw	
28792 - 2645		No.	3146	1353	" " Washer	
28793 2645	5 Vibrating Presser Foot		<b>26603</b>	1381	Feed Dog, 20 teeth (16 teeth to the inch).	
28794 ——	- Binder complete, Nos. 207f, 337p, 7071,		120534	8631	Presser Foot	
	7806, 28790  to  28793, 36620  and  120493,		120535	8632	Tape Reel Arm with 11656 and 120537	
	120494 or 120495		11656	8631	" " Steady Pin	
1368j 8630	Binder Screw for 120494 and 120495		$51097$ $_{ m J}$	8631	" " Thumb Screw	
510221 8630	0 " " 120493		120536	8632	" Disc with 120538 and 120539	
			120537	8632	" " " Pin	
			120538	8632	" " Stud (wood)	
BIND	ER FOR CIRCULAR BINDING		120539		" " " Sleeve	
	(BIAS BINDING)		120540	8631	Throat Plate with 43525, for 26603	
FOR S	USPENDER ENDS AND TABS WITH MOVABLE		120533		Binder (transverse) on Shank complete,	
1011 3	FOLDER FOR FINISHING OFF				Nos. 3146, 26603, 120532, 120534 to 120536, 120540 and two 51097J	
	FOR 31-19 MACHINE				DINDERS ON SHANK	
NO. PLAT	E NAME				BINDERS ON SHANK	
28823 2640			NO.	PLATE	NAME	
207F 2645			25705		Binder on Shank, for 3% in. tape	
7071 2643			25706		" " " † in. tape	
	6 Feed Dog. 6 teeth (24 teeth to the inch)		25707	2605	" " " 1/2 in. tape	

NO.	PLATE	NAME
25708		Binder on Shank for $\frac{9}{16}$ in, tape
25709		" " " 5% in. tape
25710		" " " $\frac{11}{16}$ in. tape
25711		" " " " 34 in. tape
25712		" " " 13 in. tape
25713		" " " 7% in. tape
25714		" " " 15 in. tape
25715		" " " 1 in. tape
28611	1396	" " suspender webs
28612	1396	Presser Foot for 28611
28631	2602	Binder on Shank
28632	2602	" " to turn edges under
28633	1399	" " " top edge only,
		for binding coats
28634	2602	Binder on Shank, to turn top edge only, for
		raw edge binding
28635	1398	Binder on Shank, for 78 in. binding
28636	2601	" " to turn top edge only,
		for men's trouser bottoms
28637	2626	Binder on Shank, for bias binding, to turn
_000.		top edge only, with guide for inserting
		canvas strip
28638	2600	Binder on Shank, for dress shields
28639	2603	" " to turn top edge only,
20000	4000	for suspenders
28640	2627	Binder on Shank, for 1¼ in, binding, for
20040	2021	soft blankets
28641	2603	Binder on Shank, for 11 in. binding
28643	2603	" " with Guide (wire) for
20010	2000	mattress work
28693	2607	Binder on Shank, for binding the arm holes
200,00	2007	in cotton garments
28692	2607	Presser Foot for 28693
28704	2610	Binder on Shank
28724	2614	" " for binding the neck of
20121	2011	knit underwear
28938	2658	Presser Foot for 28724
28730	2615	Binder on Shank.
28732	2627	" " to turn under both edges
_3.05		of binding
28733	2614	Binder on Shank, for binding corset covers
28734	2615	" " with ribbon guide, for
		dress shields
28765	2622	Binder and Folder on Shank, for folding
		and binding sleeves
99766	2622	Process Foot for 28763

NO.	PLATE	NAME
28910	2659	
28804	2619	Binder on Shank for binding dress shields
35040	2658	Presser Foot for 28804
28751		
28751	2618	Binder and Guide on Shank, for binding upper edge of button hole strip and guiding strip and body for shirt waists
28752	2618	Presser Foot for 28751
28851	2648	Binder on Shank, for 3 in. strip of bobbinette material, to bind ¾ in. wide
28970	2659	Binder on Shank, for bias binding, to turn both edges under
35065	2677	Binder on Shank, for strip, to turn in upper edge only, for skirt facings, etc
19474	1258	Feed Dog, 14 teeth (16 teeth to the inch) for 35208
19475	1258	Throat Plate for 19474
35208	1971	Binder on Shank, to turn in both edges, for
		bias or straight binding, for skirts, wrappers, shirt waists, etc
35066	2682	Presser Foot for 35065 and 35208
7298	2014	" " Hinge Pin
120143		" " Plate
19335		" " Shank
120144	5847	Presser Foot (hinged) complete for 35065 and 35208, Nos. 7298, 19335 and 120143
35082	2680	Binder on Shank, for raw edge bias binding, for wrappers, etc
35182	2684	Binder on Shank, for cut strip, with heavy cord stitch in centre of strip, for ladies' dressing sacques, etc
35183	1252	Presser Foot for 35182
26603	1381	Feed Dog, 20 teeth (16 teeth to the inch) for 28731
120001	5838	Feed Dog, 12 teeth (10 teeth to the inch) for 28731
35454	2616	Presser Foot for 28731
26605	7696	Throat Plate, large needle hole, for 26603
28731	2616	Binder on Shank, to turn under both edges of binding ½ in
26603	7696	Feed Dog, 20 teeth (16 teeth to the inch) for 35226
120001	5838	Feed Dog, 12 teeth (10 teeth to the inch) for 35226
35231	1252	Presser Foot for 35226
26605	7696	Throat Plate, large needle hole, for 26603
35226	1972	Binder on Shank, for mattress work

NO.	PLATE	NAME	NO.	PLATE	NAME
19474		Feed Dog, 14 teeth (16 teeth to the inch)	35233	2674	Vibrating Presser Foot for 35226
202.2	_001	for 35325	35226	1972	Binder on Shank, for mattress work
35066	2067	Presser Foot for 35325			•
7298	2014	" " Hinge Pin		BIN	IDERS (Horn) ON SHANK
120143		" " Plate			
19335		" " Shank		PLATE	NAME
120144	5947	Presser Foot (hinged) complete for 35325,	28619	1399	Binder (horn) on Shank
120144	0011	Nos. 7298, 19335 and 120143		1399	Presser Foot for 28619
24572	2067	Throat Plate, small needle hole, for 19474	35067	2678	Binder (horn) on Shank, for strip, to turn
	2067	Binder on Shank, to turn top edge only,			both edges in, for ladies' collars, etc
35325	2007	for shirt bosoms, skirt trimmings, etc.	35066	2682	Presser Foot for 35067
00000	7000	Feed Dog, 20 teeth (16 teeth to the inch)	7298	2014	" " Hinge Pin
26603	1090	3,	120143		" " Plate
100001	<b>*</b> 000	for 35354	19335		" " Shank
120001	5838	Feed Dog, 12 teeth (10 teeth to the inch)	<b>12</b> 0144	5847	Presser Foot (hinged) complete, for 35067,
		for 35354			Nos. 7298, 19335 and 120143
35444		Presser Foot Body	28642	2603	Binder (horn) on Shank
35445		" Tension Plate with 35446	28941	2661	" " for bias binding,
35446		Guide I II			to turn under both edges of binding
931	r 2669	" " Screw	35062	2676	Binder (horn) on Shank, for 1/2 in. to 11/2
2656	2669	" " Spring			in. wide, for tape, for mattresses
35447	2669	Presser Foot (tension plate) complete for	35063	2676	Presser Foot for 35062
		35354, Nos. 93F, 2656, 35444 and 35445			
26605	7696	Throat Plate, large needle hole, for 26603			
		TO: 1 TO 13 CH 1			
35352	970	Binder Folder on Shank			BUX PLAIIEK
35352 35353	970 970	" " Hinge Plate			BOX PLAITER
35353				PLATE	BUX PLAIIER  NAME
35353	970 в 5742	" " Hinge Plate		PLATE 2632	
35353 1425	970 в 5742	" " Hinge Plate " " Screw " " Friction Washer	28343	2632	NAME Centre Guide
35353 14251 2749	970 в 5742 5742	" " Hinge Plate	28343	2632 оте: V	NAME Centre Guide
35353 14251 2749	970 в 5742 5742	" " Hinge Plate " " Screw " " Friction Washer Binder on Shank (hinged) complete, for	28343	2632 оте: V	NAME Centre Guide
35353 14251 2749	970 B 5742 5742 970	" " Hinge Plate	<b>28343</b> N	2632 оте: V	NAME Centre Guide
35353 1425) 2749 35354	970 B 5742 5742 970	" " Hinge Plate " " Screw " " Friction Washer Binder on Shank (hinged) complete, for mattress work, Nos. 1425B, 2749, 35352 and 35353 Binder with tension slots on shank, for	<b>28343</b> N	2632 OTE: V p 2632	NAME Centre GuideWhen ordering No. 28343 state width of lait for which it is required.
35353 1425) 2749 35354	970 B 5742 5742 970	" " Hinge Plate	28343 N 28344 1900	2632 OTE: V p 2632	NAME Centre Guide
35353 1425) 2749 35354	970 B 5742 5742 970	" " Screw " " " Friction Washer Binder on Shank (hinged) complete, for mattress work, Nos. 1425 B, 2749, 35352 and 35353 Binder with tension slots on shank, for turning in both edges of bias cut bind- ing, for light or medium weight material	28343 N 28344 1900	2632 OTE: V p 2632 782	NAME Centre Guide
35353 1425) 2749 35354	970 B 5742 5742 970	" " Hinge Plate	28343 N 28344 190b 7071 10165	2632 OTE: V p 2632 782 2021	NAME  Centre Guide
35353 14251 2749 35354 120257	970 B 5742 5742 970 5847	" " " Screw " " " Friction Washer Binder on Shank (hinged) complete, for mattress work, Nos. 1425B, 2749, 35352 and 35353 Binder with tension slots on shank, for turning in both edges of bias cut bind- ing, for light or medium weight material  FOR 31-19 MACHINE	28343 N 28344 1900 7071 10165 28345	2632 OTE: V p 2632 782 2021 2633	NAME Centre Guide
35353 14251 2749 35354 120257	970 B 5742 5742 970	" " " Screw " " " Friction Washer Binder on Shank (hinged) complete, for mattress work, Nos. 1425B, 2749, 35352 and 35353 Binder with tension slots on shank, for turning in both edges of bias cut bind- ing, for light or medium weight material  FOR 31-19 MACHINE Feed Dog, 14 teeth (16 teeth to the inch)	28343 N 28344 1900 7071 10165 28345	2632 OTE: V p 2632 782 2021 2633 2632 2632	NAME  Centre Guide
35353 14251 2749 35354 120257	970 B 5742 5742 970 5847	" " " Screw " " " Friction Washer Binder on Shank (hinged) complete, for mattress work, Nos. 1425 B, 2749, 35352 and 35353 Binder with tension slots on shank, for turning in both edges of bias cut bind- ing, for light or medium weight material  FOR 31-19 MACHINE Feed Dog, 14 teeth (16 teeth to the inch) for corset work, for 35209	28343 N 28344 1900 7071 10165 28345 28346 401E	2632 OTE: V 2632 782 2021 2633 2632 2632 2038	NAME Centre Guide
35353 14251 2749 35354 120257 19474 35210	970 B 5742 5742 970 5847 1258	" " Hinge Plate " " " Screw " " " Friction Washer Binder on Shank (hinged) complete, for mattress work, Nos. 1425 B, 2749, 35352 and 35353 Binder with tension slots on shank, for turning in both edges of bias cut bind- ing, for light or medium weight material  FOR 31-19 MACHINE  Feed Dog, 14 teeth (16 teeth to the inch) for corset work, for 35209 Lifting Presser Foot for 35209	28343 N 28344 190b 7071 10165 28345 28346 401E 28347	2632 OTE: V p 2632 782 2021 2633 2632 2632	NAME  Centre Guide  When ordering No. 28343 state width of lait for which it is required.  Centre Guide Holder with 10165  " " " Screw  " " Washer  Folder Blade (left)  " " (right)  " " Screw  Sliding Bracket (left)
35353 14251 2749 35354 120257 19474 35210 19475	970 B 5742 5742 970 5847 1258 1252 1258	" " Hinge Plate	28343 N 28344 1900 7071 10165 28345 28346 401E 28347 28348	2632 OTE: V p 2632 782 2021 2633 2632 2632 2038 2632 2632 2632	NAME  Centre Guide  When ordering No. 28343 state width of lait for which it is required.  Centre Guide Holder with 10165  " " " Screw  " " " Washer  " " Stop Pin  Folder Blade (left)  " " (right)  " " Screw  Sliding Bracket (left)  " " (right)  " " (right)
35353 14257 2749 35354 120257 19474 35210 19475 35211	970 B 5742 5742 970 5847 1258 1252 1258 1252	" " " Screw " " " Friction Washer Binder on Shank (hinged) complete, for mattress work, Nos. 1425B, 2749, 35352 and 35353 Binder with tension slots on shank, for turning in both edges of bias cut bind- ing, for light or medium weight material  FOR 31-19 MACHINE  Feed Dog, 14 teeth (16 teeth to the inch) for corset work, for 35209 Lifting Presser Foot for 35209 Throat Plate, large needle hole, for 19474 Vibrating Presser Foot for 35209	28343 N 28344 190D 7071 10165 28345 28346 401E 28347 28348 28349	2632 ote: V p 2632 782 2021 2633 2632 2632 2038 2632	NAME  Centre Guide.  When ordering No. 28343 state width of lait for which it is required.  Centre Guide Holder with 10165  " " " Screw  " " " Washer  " " Stop Pin  Folder Blade (left)  " " (right)  " " Screw  Sliding Bracket (left)  " " (right)  " " Arm (left) with 2301
35353 14251 2749 35354 120257 19474 35210 19475	970 B 5742 5742 970 5847 1258 1252 1258 1252	" " " Screw " " " Friction Washer Binder on Shank (hinged) complete, for mattress work, Nos. 1425 B, 2749, 35352 and 35353  Binder with tension slots on shank, for turning in both edges of bias cut bind- ing, for light or medium weight material  FOR 31-19 MACHINE  Feed Dog, 14 teeth (16 teeth to the inch) for corset work, for 35209  Lifting Presser Foot for 35209 Throat Plate, large needle hole, for 19474 Vibrating Presser Foot for 35209 Binder on Shank, to turn in both edges, for	28343 N 28344 190b 7071 10165 28345 28346 401E 28347 28348 28349 28350	2632 OTE: V p 2632 782 2021 2633 2632 2632 2632 2632 2632 2632 2632	NAME Centre Guide When ordering No. 28343 state width of lait for which it is required.  Centre Guide Holder with 10165 " " Screw " " Stop Pin Folder Blade (left) " " (right) " " Screw Sliding Bracket (left) " " (right) " " Arm (left) with 2301 " " (right) with 2301
35353 14257 2749 35354 120257 19474 35210 19475 35211	970 B 5742 5742 970 5847 1258 1252 1258 1252	" " " Screw " " " Friction Washer Binder on Shank (hinged) complete, for mattress work, Nos. 1425B, 2749, 35352 and 35353  Binder with tension slots on shank, for turning in both edges of bias cut bind- ing, for light or medium weight material  FOR 31-19 MACHINE  Feed Dog, 14 teeth (16 teeth to the inch) for corset work, for 35209  Lifting Presser Foot for 35209  Throat Plate, large needle hole, for 19474 Vibrating Presser Foot for 35209  Binder on Shank, to turn in both edges, for bias binding, for binding the inside of	28343 N 28344 190b 7071 10165 28345 28346 401E 28347 28348 28349 28350 28351	2632 OTE: V 2632 782 2021 2633 2632 2632 2632 2632 2632 2632 2632 2632	NAME Centre Guide When ordering No. 28343 state width of lait for which it is required.  Centre Guide Holder with 10165 " " Screw " " Washer " " Stop Pin Folder Blade (left) " " (right) " " (right) " " " (right) " " Arm (left) with 2301 " " (right) with 2301
35353 14257 2749 35354 120257 19474 35210 19475 35211 35209	970 B 5742 5742 970 5847 1258 1252 1258 1252 1972	" " " Screw " " " Friction Washer Binder on Shank (hinged) complete, for mattress work, Nos. 1425B, 2749, 35352 and 35353 Binder with tension slots on shank, for turning in both edges of bias cut bind- ing, for light or medium weight material  FOR 31-19 MACHINE  Feed Dog, 14 teeth (16 teeth to the inch) for corset work, for 35209 Throat Plate, large needle hole, for 19474 Vibrating Presser Foot for 35209 Binder on Shank, to turn in both edges, for bias binding, for binding the inside of small circles, corsets, etc	28343 N 28344 190b 7071 10165 28345 28346 401E 28347 28348 28349 28350	2632 OTE: V 2632 782 2021 2633 2632 2632 2632 2632 2632 2632 2632 2632	NAME Centre Guide When ordering No. 28343 state width of lait for which it is required.  Centre Guide Holder with 10165 " " Screw " " Washer " " Stop Pin Folder Blade (left) " " (right) " " Screw Sliding Bracket (left) " " (right) " " Arm (left) with 2301 " " " Extension Bracket " " " " " "
35353 14257 2749 35354 120257 19474 35210 19475 35211	970 B 5742 5742 970 5847 1258 1252 1258 1252 1972	" " " Screw " " " Friction Washer Binder on Shank (hinged) complete, for mattress work, Nos. 1425B, 2749, 35352 and 35353 Binder with tension slots on shank, for turning in both edges of bias cut bind- ing, for light or medium weight material  FOR 31-19 MACHINE  Feed Dog, 14 teeth (16 teeth to the inch) for corset work, for 35209 Lifting Presser Foot for 35209 Throat Plate, large needle hole, for 19474 Vibrating Presser Foot for 35209 Binder on Shank, to turn in both edges, for bias binding, for binding the inside of small circles, corsets, etc Feed Dog, 20 teeth (16 teeth to the inch)	28343 N 28344 1900 7071 10165 28345 28346 401E 28347 28348 28349 28350 28351 200F	2632 782 2021 2633 2632 2632 2038 2632 2632 2632 2632 2632 2632 2632	NAME  Centre Guide  When ordering No. 28343 state width of lait for which it is required.  Centre Guide Holder with 10165  " " Screw  " " Washer  " " Washer  Folder Blade (left)  " " (right)  " " Screw  Sliding Bracket (left)  " " (right)  " " Arm (left) with 2301  " " " Extension Bracket  " " " " Screw
35353 14257 2749 35354 120257 19474 35210 19475 35211 35209 26603	970 B 5742 5742 970 5847 1258 1252 1258 1252 1972	" " " Screw " " " Friction Washer Binder on Shank (hinged) complete, for mattress work, Nos. 1425B, 2749, 35352 and 35353 Binder with tension slots on shank, for turning in both edges of bias cut bind- ing, for light or medium weight material  FOR 31-19 MACHINE  Feed Dog, 14 teeth (16 teeth to the inch) for corset work, for 35209 Throat Plate, large needle hole, for 19474 Vibrating Presser Foot for 35209 Binder on Shank, to turn in both edges, for bias binding, for binding the inside of small circles, corsets, etc Feed Dog, 20 teeth (16 teeth to the inch) for 35226	28343 N 28344 1900b 7071 10165 28345 28346 401E 28347 28348 28349 28350 28351 200F	2632 OTE: V 2632 782 2021 2633 2632 2632 2632 2632 2632 2632 2632 2632 2632 2633 2038	NAME Centre Guide When ordering No. 28343 state width of lait for which it is required.  Centre Guide Holder with 10165 " " Screw " " Washer " " Stop Pin Folder Blade (left) " " (right) " " Screw  Sliding Bracket (left) " " (right) with 2301 " " " (right) with 2301 " " " Extension Bracket " " " " Screw  Sliding Bracket Arm Screw
35353 14257 2749 35354 120257 19474 35210 19475 35211 35209	970 B 5742 5742 970 5847 1258 1252 1258 1252 1972 7696	" " Hinge Plate " " " Screw " " " Friction Washer Binder on Shank (hinged) complete, for mattress work, Nos. 1425B, 2749, 35352 and 35353  Binder with tension slots on shank, for turning in both edges of bias cut bind- ing, for light or medium weight material  FOR 31-19 MACHINE  Feed Dog, 14 teeth (16 teeth to the inch) for corset work, for 35209 Lifting Presser Foot for 35209 Throat Plate, large needle hole, for 19474 Vibrating Presser Foot for 35209 Binder on Shank, to turn in both edges, for bias binding, for binding the inside of small circles, corsets, etc Feed Dog, 20 teeth (16 teeth to the inch) for 35226 Lifting Presser Foot for 35266	28343 N 28344 1900b 7071 10165 28345 28346 401E 28347 28348 28349 28350 28351 200F	2632 OTE: V 2632 782 2021 2633 2632 2632 2632 2632 2632 2632 2632 2632 2633 2038 2038	NAME  Centre Guide  When ordering No. 28343 state width of lait for which it is required.  Centre Guide Holder with 10165

NO.	PLATE			NAME		
5140	2038	Sliding	Bracket	Lockin	g Pin	
26439	2038	"	"	44		ng with
		468c.				
$1564_{D}$	2038	Sliding	Bracket	Lockin	g Pin H	ead
2297	2038	"	"	"	" S	pring
2296	2038	"	"	. "	"	" Bush-
		ing				
468c	2038					ring Bush-
		ing S	et Screw	v		
2301	5843	Sliding	Bracket	Stop P	in	
233ъ	1375	44	"	" S	erew	
28352		Box Pla	iter con	iplete, N	Vos. 2834	l3 to 28351
		two e	ach 190:	<b>D</b> , 200ғ,	514c, 91	l4г, 1564D,
		2296,	2297,	7071,	26438, 2	6439, four
		401E	and six	233v		
Non	æ: Wh	nen order	ring No.	28352	state wi	dth of
		lait for				
28353	2633	Presser	Foot w	ith 283	54, 2835	5 and two
		665D,	for 283	52		
28354	2633	Presser	Foot G	uide (lei	ft)	
28355	2633	"	"	" (rig	zht)	
665p	2633	44	44	" Ser	ew	
				<b>.</b>		

# **CORDERS**

When ordering Corders, or parts thereof, state size or number of cords to the inch.

# **CORDER** (Adjustable)

#### FOR SHORT TURNS ON CUSHIONS

NO.	PLATE	NAME
26795	5839	Cord Guide
26796	5839	" " Arm with 26798 and three
		6037
1044E	1377	Cord Guide Arm Hinge Screw
120206	5839	" " Bed with 457c
4570	5806	" " Leveling Screw
26798	5839	" " Bracket
6037	1377	" " Rivet
190ı	1377	Cord Guide Screw
120207	5839	Corder complete, Nos. 190p, 1044p, 26795,
		26796 and 120206
120001	7696	Feed Dog, 12 teeth (10 teeth to the inch)
		spiked teeth
120208	5838	Presser Foot (grooved)
26605	7696	Throat Plate, large needle hole, for 120001
26606		" small needle hole, for 120001

### CORDER FOR TOP CORDING

NO.	PLATE	NAME
25788	2026	Arm with 25789
190n	2026	" Adjusting Screw
25791	2026	" Bracket
25790	2026	" Hinge Pin
879p	2026	" Locking Screw
25789	2026	" Tip
25792	2026	Arm and Bracket complete, Nos. 190p,
		879D, 25788, 25790 and 25791
12372	778	Feed Dog, 13 teeth (12 teeth to the inch)
25984	2025	Presser Foot
12442	778	Throat Plate, small needle hole, for 12372
26328	;	Corder complete, Nos. 12372, 12442, 25792,
		25984 and two 135p
135p	2026	Corder Screw

## CORDER FOR TOP AND BOTTOM CORDING

This Corder is the same as 26328 with the following exceptions:

NO.	PLATE	NAME
<b>26</b> 166	2025	Feed Dog, 13 teeth (12 teeth to the inch),
		in place of 12372
26167	2025	Presser Foot, in place of 25984
26168	2025	Throat Plate for 26166, in place of 12442.
26169		Corder complete, Nos. 25792, 26166 to
		26168 and two 135p

# CORDER FOR TOP AND BOTTOM CORDING

This Corder is the same as 26328 with the following exceptions:

NO.	PLATE	NAME
28629	1384	Feed Dog, 13 teeth (14 teeth to the inch),
		in place of 12372
26167	2025	Presser Foot, in place of 25984
28630	1384	Throat Plate for 28629, in place of 12442
28788		Corder complete, Nos. 25792, 26167, 28629,
		28630 and two 135p

## CORDER (Bow) FOR TOP CORDING

NO.	PLATE			NAME
26647	2027	Corder	Bow	
4604	2027	"	"	Rivet
25789	2027	46	"	Tip

NO.	PLATE	NAME
26648	2027	Presser Foot
26649	2027	Corder (bow) complete, Nos. 4604, 25789,
		26647 and 26648
C	ORNI	ER (Bow) FOR TOP CORDING
		, , ,
ю. 26937	PLATE	NAME.
4604	1385 1385	Corder Bow
25789	1385	Mivet
26648	1385	" " Tip
26938	1385	Corder (bow) complete, Nos. 4604, 25789,
20900	1.000	26648 and 26937
	COB	DER FOR EDGE CORDING
NO.	PLATE	NAME
35026	2673	Corder on Shank
35027	2674	Feed Dog, 15 teeth (14 teeth to the inch).
35028 35029	$2674 \\ 2674$	Presser Foot
35030	2074	
39030		Corder complete, for edge cording plush, Nos. 35026 to 35029
		FELLER
NO.	PLATE	NAME
26403	2029	Feller (foot)
		FINALD ALLED
		FINGER GUARD
NO.	PLATE	NAME
36818	5809	Finger Guard
36819	5809	" " Friction Washer
50316ј	5809	" " Hinge Screw
36820	5809	" " Holder with 1961
196.		" " Clamping Screw
36821	5809	Finger Guard complete, Nos. 36818 to
		36820 and 503161
		FINGER GUARD
120496	5809	Finger Guard
120497	5809	" " Holder with 503021
50302j	5809	" " Set Screw
236,	5809	" Screw
120498	5809	Finger Guard complete, Nos. 2361, 120496
-		and 120497

# **EDGE FOLDERS**

		NAME
NO. 28615	PLATE 1397	Edge Folder with Cord Guide on Shank,
20010	1991	to insert and sew on insertion in one
		operation
28616	1397	Presser Foot (grooved) for 28615
28903	2782	Edge Folder (left hand) with right hand
		upper guide on Shank, to turn up the
		body of bobbinette curtains and sew on
		insertion in one operation
28625	2627	Edge Folder (double) with Strip Folder
		and Cord Tube on Shank, for inserting
		cord, folding strip and stitching be-
		tween the two folded edges of goods
28626	1391	Presser Foot with groove on bottom to the
		right of needle hole, for 28625
28646	2604	Edge Folder (double) on Shank, for men's
		skeleton coat seams, to turn to outside
28649	2604	Edge Folder on Shank
28702	2609	with Chief Burp
		Edge Folder, for strip when stitched to project over edge of goods
00=00	2200	Presser Foot for 28702
28703		Edge Folder (double) on Shank, for canvas
28709 $28735$		" " on Shank, for seaming un-
40,100	2010	brellas
28767	2620	Edge Folder (double) on Shank, the under
20101	2020	fold to extend $\frac{1}{16}$ in. beyond edge of the
		upper fold,
26948	2601	Edge Folder on Shank, to turn edge of
		yoke and insert body of shirt
28753	2618	Edge Folder and Guide on Shank, for top
		fold only,
12450	2690	Feed Dog, 11 teeth (18 teeth to the inch),
		for 35175
35176	2690	Presser Foot for 35175
12464		Throat Plate, large needle hole, for 12450
12451		" small needle hole, for 12450
35178		Edge Folder on Shank
35255	2693	Feed Dog, 14 teeth (16 teeth to the inch) for 35253
35254	£ 2693	Presser Foot for 35253
3525 <del>-</del>		Throat Plate for 35255
35253		Edge Folder (double) on Shank, for join-
55200		ing yokes to the back of shirts

NO.	PLATE	NAME
28958	2668	Edge Folder and Binder (combination) for
		seaming ladies' skirts and making imi-
		tation plait
36292	5810	Edge Folder (double) on Shank 28971
28972	5810	" " Holder
35610	2669	" " Friction Washer
9401	1366	" " Hinge Screw
28973	5810	" " Shank
28971	2669	" " Shank
2861	783	" " Thumb Screw
7071	1379	" " Washer
36293	5810	Edge Folder (double) hinged, adjustable,
		complete, Nos. 286p, 940r, 7071, 28792, 28973, 35610 and 36292
12369	2699	Feed Dog, 12 teeth (12 teeth to the inch), for 36293
36294	5810	Presser Foot for 36293
12411	2699	Throat Plate for 12369
120135	5846	Edge Folder (double) for turning in two
	•	edges and inserting loops in one opera-
120136	5846	Presser Foot for 120135
120197	5848	Edge Folder (upper) with lower right hand
		guide on shank, for military uniforms
		FOR 31-27 MACHINE
28811	2625	Edge Folder (suspended) right hand, com-
20011	2020	plete, for turning edge and ruffling folded
		edge on skirts
28833	2649	Edge Folder (left hand) on Shank, with
20000	2048	right hand upper folder and separating
		blade
28862	2649	Edge Folder (double) on Shank, right hand
20002	2010	upper, left hand lower, with separating
		blade for wrappers
28358	2624	Edge Folder (suspended) left hand, to turn
20000	2021	edge under
28359	1395	Edge Folder (double) with Separating Blade
-0000	1000	on Shank, lower folder, to turn the edge
		of the goods under
28549	1395	Edge Folder (double) with Separating Blade
-0010	1000	on Shank, lower folder, to turn the edge
		of the goods up
28756	2619	Edge Folder (left hand) on Shank, with
		right hand lower guide
35922	2619	Ruffling Blade for 28756

NO.	PLATE	NAME
28755	2621	Edge Folder (left hand) on Shank, with
		right hand upper guide and separating
		blade
28758	2620	EdgeFolder (double) with Separating Blade
		on Shank, lower folder, to turn the edges
		of the goods up
28760	2627	Edge Folder (right hand) on Shank, with
		left hand lower guide
28763	2621	Edge Folder (left hand) on Shank, with
		right hand lower guide
		•

#### FOR 31-19 MACHINE

NO.	PLATE	NAME
35178	2692	Feed dog, 14 teeth (14 teeth to the inch)
35179	2692	Lifting Presser Foot
35180	2692	Throat Plate for 35178
35181	2692	Vibrating Presser Foot
35177	2691	Edge Folder (double) on Shank, for oil
		cloth and leather

# STRIP FOLDERS

NO.	PLATE	NAME
28613	1396	Strip Folder on Shank, for overall shoulder straps
28614	1396	Presser Foot for 28613
28617	1398	Strip Folder on Shank, for inserting folded strip, for trimming mantles
28618	1398	Presser Foot (grooved) for strip, for 28617
28647	2626	Strip Folder on Shank
<b>2</b> 8648	2626	" " for making straps
28698	2608	" " " with cord tube
28699	2608	Presser Foot (grooved) to the right of needle hole, for 28698
28708	2611	Strip Folder on Shank, for folding strip and stitching down centre
28764	2622	Strip Folder on Shank, with left hand upper guide
<b>28848</b>	2648	Strip Folder on Shank, for folding overall straps
<b>2</b> 8849	1387	Presser Foot with guide on bottom to the left of needle hole, for 28848
19474	2067	Feed Dog, 14 teeth (16 teeth to the inch) for 35345
35346	2669	Presser Foot for 35345
<b>2</b> 4572	2067	Throat Plate, small needle hole, for 19474

STRIP	FOL	TAUT	) C
SIMIC	$\Gamma VL$	ענועו	A.C

NO.	PLATE	NAME				
35345	953	Strip Folder on Shank, for making straps				
35347	970	" (double) hinged, for turning				
	in the right hand edges of strips, for					
		making strip, for 35348				
35348	970	Strip Folder, for turning in the upper and				
		lower edges of strip, made on 35347				
35349	970	Strip Folder Holder and Guide				
190n	782	" " " " Screw				
7071	2021	a a a a a a				
		Washer				
19474	1258	Feed Dog, 14 teeth (16 teeth to the inch)				
		for 35351				
35350	8630	Presser Foot for 35351				
24572	2067	Throat Plate, small needle hole, for 19474				
35351		Attachment complete, for making two-				
		piece apron straps, cloth suspenders,				
		etc., Nos. 19474, 24572, 35347 to 35350				
		and two each 190p and 7071				
35855	1253	Strip Folder on Shank, for collar bands				
26603	26603 1381 Feed Dog, 20 teeth (16 teeth to the inch)					
. 05050	for 35855					
35856	2669	Presser Foot for 35855				
26605	7696	Throat Plate, large needle hole, for 26603				
28728	28728 2628 Strip Folder on Shank, to turn in the raw edge on lower fold					
190101	120191 5845 Strip Folder on Shank, to turn in both					
120191	edges					
28754	2628 Strip Folder on Shank, for suspender					
20101	straps, to turn both edges					
28945	2666					
straps						
		***************************************				
		FOR 31-19 MACHINE				
NO.	PLATE	NAME				
19474	2067	Feed Dog, 14 teeth (16 teeth to the inch)				
35322	2697	Lifting Presser Foot				
24572	2067					
35323	-	Vibrating Presser Foot				
35324	2684	Strip Folder on Shank, for making four-ply				
		bands, for ladies' stock collars, etc				
		STRIP FOLDER (Foot)				
NO.	PLATE	NAME				
28705	2627	Strip Folder with arm				
28706	2627	" " Hinge Bracket with 448c and				
_0.00	2021	2273				

NO. PLATE	NAME
448c 783	Strip Folder Hinge Bracket Set Screw
96ъ 2038	" " Screw
<b>2617</b> 3 2038	" " Lock Stud
26174 2038	" " " Spring
228 <sub>D</sub> 2038	" " " " Screw
<b>227</b> 3 2038	" Stop Pin
28707 2627	Strip Folder (foot, hinged) complete, for
	folding and stitching plaits on shirt
	bosom, Nos. 96p, 228p, 26173, 26174,
	28705 and 28706
	GUIDES
NO. PLATE	NAME
<b>25</b> 866 2045	Guide, for flush throat plate
<b>25874</b> 2045	" raised throat plate
35190 2697	" " 28967
<b>25873</b> 2045	" (combination)
<b>28658</b> 1377	" (roller) with 1852
1852 1377	" Roller for 28658
284v 1366	" Thumb Screw (long)
732n 1366	" " " (short)
3146 1353	" " Washer
<b>28971</b> 8211	Guide
<b>28972</b> 8211	" Holder
35610 8211	" " Friction Washer
940p 8211	" " Hinge Screw
120427 8211	" Shank
286p 8211	" Thumb Screw
7071 8211	" " Washer
120428 8211	Guide (adjustable, hinged) complete, Nos.
	286b, 940b, 7071, 28971, 28972, 35610
	and 120427
	<del></del>
	EDGE GUIDE
	LDGL GOIDL
NO. PLATE	NAME
<b>28</b> 838 2650	Edge Guide (suspended) left hand, for
	31-27 Machine
	EDGE GUIDE (Roller)
NO. PLATE	NAME
26803 1375	Edge Guide Bed with 2362
20000 1010	A A T T II

36760 1375

PLATE

\*28680 1376

NAME

Folder (left).....

28679 1376 Hemmer Bed with 28681.....

12457.....

20147....

26428 2028 Hemmer (foot) 1/8 in. hem, for 12437 and

NO. PLATE	NAME		NO. PLATE	NAME
<b>26805</b> 1375	Edge Guide Slide Cap (left)		233д 1376	Hemmer Folder (left) Screw
207r 1375	" " " Screw		2362 1376	" " Steady Pin
<b>2362</b> 1375	" " " Steady Pin		28681 1376	" " (right)
<b>26806</b> 1375	" " " (right)		28685 1376	" " Disengaging Lever
207F 1375	" " " Screw (large)	*	94D 1376	" " " Hinge
233 <sub>D</sub> 1375	" " " " (small)			Screw
26807 1375 94p 1375	" " Lever	(ii	2362 1376	Hemmer Folder Disengaging Lever Stop Pin
51809 1375	" " Roller and Stud		28682 1376	Hemmer Slide with 28687 and two each
<b>26808</b> 1375	" " " Spring			2362 and 12152
<b>26809</b> 1375	" " Cover		28683 1376	Hemmer Slide Cap (left)
12152 1375	" " " " Rivet		28684 1376	" " (right)
<b>26810</b> 1375	Edge Guide (roller) complete, Nos. 94p,		207г 1376	" " Screw (back)
	233D, 26803, 26805 to 26808, 36760, two		233р 1376	" " " (front)
	207r and four 220p		28686 1376	" " Spring
190 <sub>D</sub> 1375	Edge Guide Screw		28687 1376	" " Cover
		•	12152 1376	" " " Rivet
	EDGE GUIDE (Roller)		<b>28688</b> 1376	Hemmer complete, Nos. 94p, 28679, 28680,
	· ·	*		28682 to 28686, two 207r and three 233p
	FOR GLOVE WORK		190р 1376	Hemmer Screw
NO. PLATE	NAME		18055 2038	Presser Foot Hinge Pin
36185 6252	Edge Guide Arm with 1988		28689	" " Plate
36186 6252	" " Friction Washer		28690	" " Shank
1425p 6252	Theton waster		26231 1353	" " Spring
1988 6252	" " Hinge Screw " " Roller and Screw Stud		28691 1391	Presser Foot (spring hinged) complete, Nos.
36187 6252	" " Bed with four 465F			18055, 26231, 28689 and 28690
465F 6252	" " Leveling Screw			
36188 6252	Edge Guide (roller) complete, Nos. 14250	<i>₹</i>		HERRIEDE (F)
00100 0202	and 36185 to 36187			HEMMERS (Foot)
	and solds to sold	•	NO. PLATE	NAME
	STRIP GUIDE		<b>2</b> 8663 2028	Hemmer (foot) $\frac{1}{16}$ in. hem, for 12372, 12455, 20002, 20117 and 20151
NO. PLATE	NAME		25919	Hemmer (foot) $\frac{5}{64}$ in. hem, for 12372,
28712 2612	Strip Guide on Shank			12455, 20002, 20117 and 20151
			<b>25920</b> 2028	Hemmer (foot) 1/8 in. hem, for 12372, 12455, 20002, 20117 and 20151
	HEMMERS		25921	Hemmer (foot) long, 1/8 in. hem, for shirts,
	HEMMER	٠		for 12372, 12455, 20002, 20117 and 20151
WITH LEVER FO	R OPENING THE FOLDER AND RELEASING THE		25922 2028	Hemmer (foot) $\frac{3}{16}$ in. hem, for 12369 and
	AT IT CAN BE FINISHED WITHOUT REMOVING	(2)		12457
•	ER FROM MACHINE. FOR SKIRTS, OVERALLS,	• •	<b>25</b> 923	
	CLOSED ARTICLES.			for 12369 and 12457
NO DIATE	NAME.		25924	Hemmer (foot) ¼ in. hem, for 12369 and

NO.	PLATE	NAME
36085		Hemmer (foot) 16 in. hem, slotted, for lace
28664		" $\frac{3}{32}$ in. hem, slotted, for lace
28662	2028	" " 1/8 in. hem, slotted, for lace
28661	2028	" " 3 in. hem, for gusset work
28741	2028	" 1/8 in. hem, for bagging
28669	2606	" Spring for 28670
26459	5806	" " Rivet
28670	2606	" (foot) ¼ in. hem, with 28669 and two 26459
28742	1388	Hemmer (foot) to make stitch in centre of hem
26607	1387	Presser Foot Body for 26610, 26611 and 35016
35016		Hemmer, 16 in hem, for 26607
26610	1387	" ½ in. hem, for 26607
26611		" 3 in. hem, for 26607
35539	2669	" (foot) $\frac{1}{16}$ in. hem, for China silk,
		etc
120325	8627	Hemmer (foot) $\frac{1}{16}$ in. hem, with guide on bottom to the right of needle hole
35710	1252	Hemmer (foot) $\frac{3}{32}$ in. hem, with guide on bottom to the right of needle hole
35682		Hemmer (foot) 1/8 in. hem, with guide on bottom to the right of needle hole
36524		Hemmer (foot) $\frac{5}{32}$ in. hem, with guide on bottom to the right of needle hole
35997		Hemmer (foot) $\frac{3}{16}$ in. hem, with guide on bottom to the right of needle hole
36309		Hemmer (foot) $\frac{7}{32}$ in. hem, with guide on bottom to the right of needle hole
36072	<del></del>	Hemmer (foot) ¼ in. hem, with guide on bottom to the right of needle hole
35711	1252	Feed Dog, 21 teeth (18 teeth to the inch) for 35712.
35712	1252	Throat Plate, small needle hole, for 35711, for 35682, 35710, 35997, 36072, 36309, 36524 and 120325
N	Kote: V	When ordering No. 35712 state width of hem for which it is required
	Nos	. 36980 to 36983 for 12437 and 20147
NO.	PLATE	NAME
36980		Hemmer (foot) 3 in. hem
36981		" " 3 in, hem
36982		" " 18 in. hem
36983		" " ¼ in. hem

## HEMMER (Foot) ADJUSTABLE FOR TENNIS SHOES

NO. PLAT	E NAME
120073	Hemmer Block with 39395
50441p 5839	" " Hinge Screw
39395 5839	" " Pin
120074	- " " Spring
651p 2011	
120075	- " Guide
50169 5839	" " Screw
120076	- " Plate
219p 774	" " Screw
120077	- " Shank
120078 5839	Hemmer (foot) adjustable, complete, Nos.
	219p, 651p, 50169p, 50441p and 120073
	to 120077

#### **HEMMER (Foot) PLAIN BOTTOM**

NO.	PLATE	NAME						
28795		Hemmer	(foot)	plain	bottom,	$\frac{1}{16}$ in. hem		
26160		"	"	44	44	$\frac{3}{32}$ in. hem		
26161	2028	"	**	"	. "	$\frac{1}{8}$ in. hem		
26162		"	**	44	"	$\frac{3}{16}$ in. hem		
26163		"	44	"	"	$\frac{1}{4}$ in. hem		
6267	2028	"	Folder					
25888	2028							

Note: When ordering Nos. 6267 or 25888, state width of hem and No. of Hemmer for which it is required.

### **HEMMERS ON SHANK**

NO.	PLATE	NAME
12450	777	Feed Dog, 11 teeth (18 teeth to the inch)
		for 26655
26656	2030	Presser Foot for 26655
12464	777	Throat Plate, large needle hole, for 12450
12451	2689	" small needle hole, for 12450
26652		Hemmer, $\frac{3}{32}$ in. hem, for $26655$
26654	2032	" Rivet
26653	2032	" Shank
26655	2031	Hemmer on Shank complete, Nos. 26652
		to 26654
26659		Hemmer for 26660
26660	2031	Hemmer on Shank complete, 3 in. hem,
		for umbrella work, Nos. 26653, 26654 and 26659

140

NO.	PLATE	NAME
26661		Hemmer (wide) for 26662
<b>2</b> 6662	2031	Hemmer on Shank complete, Nos. 26653,
		26654 and 26661
26663		Hemmer for 26664
26664	2030	Hemmer on Shank complete, for raw edge
		silk, Nos. 26653, 26654 and 26663
26665		Hemmer, ½ in. hem, for 26666
26666	2030	Hemmer on Shank complete, Nos. 26653,
		26654 and 26665
<b>2</b> 6934		Hemmer (narrow) for 26935
26935	1386	Hemmer on Shank complete, Nos. 26653,
		26654 and 26934
28947		Hemmer for 28948
28948	1386	Hemmer on Shank complete, for one fold,
		with right hand lower guide, for lace,
		Nos. 26653, 26654 and 28947
36520		Hemmer, 1/4 in. hem, for 36521
36521	5811	Hemmer on Shank complete, Nos. 26653,
		26654 and 36520
36711		Hemmer 1/4 in. hem, for 36712
36712	5811	Hemmer on Shank complete, for umbrella
		work, Nos. 26653, 26654 and 36711
28623	2602	Hemmer and Corder on Shank, to take
		goods from above to cord bottom
28624	2602	Presser Foot with groove on bottom to the
		right of needle hole, for 28623
28627	2600	Hemmer on Shank, for 3/8 in. hem, for
		Marseilles quilts
28628	2600	Presser Foot for 28627
28650	2604	Hemmer on Shank, for hemming heavy
		Canton flannel
28651	2605	Hemmer on Shank, for turning tops and
		bottoms of canvas leggins
28652	2605	Hemmer on Shank, for $1\frac{9}{16}$ in. to 2 in. hem
28653		" " $2\frac{9}{16}$ in. to 3 in. hem
28700	2609	" (short head) on Shank, for hem-
		ming stable blankets
28701	1391	Presser Foot (tube) for laying braid on
		stable blankets, for 28700
36589		Presser Foot for 28700
28710	2612	Hemmer on Shank, for 1/8 in. hem
120337	8210	" " " ½ in. to ¾ in.
	2001	hem, for bottom of shirt waists
28711	2607	Hemmer on Shank, for 3 in. hem, for hem-
00510	2216	ming towels
28719	2613	Hemmer on Shank, for ¼ in. to ½ in. hem
120287	2613	Hemmer

NO.	PLATE	NAME
120288	2613	Hemmer Shank
<b>28720</b>	2613	Hemmer on Shank, 34 in. to 1 in. hem, com-
		plete, Nos. 120287 and 120288
<b>12</b> 0338	8625	Hemmer, for 120340
120339	8625	" Shank for 120340
1443ј	8625	" " Screw
120340	8625	Hemmer on Shank complete, for 1/2 in. to
		2 in. hem, Nos. 120338, 120339 and two
		1443j
28721		Hemmer on Shank, 11/4 in. to 2 in. hem
36776		" " 2¼ in. to 3 in. hem
28722	2613	" " for heavy woven goods
28723	2614	" " with guide, for hem-
		ming and stitching on lace in one opera-
		tion
120367	8630	Hemmer on Shank, for handkerchiefwork
28736	2617	" " " umbrella work
28737	2615	" " soft material, to
		turn the hem under
28738	2617	Hemmer on Shank, 3/8 in. hem, to turn the
		hem under
28739	2626	Hemmer on Shank, 3 in. hem, for sheets
		and pillow slips, to turn the hem under
28935	2661	Hemmer on Shank, for bobbinette material,
		to turn the hem under
35022	1386	Hemmer on Shank, for $\frac{1}{16}$ in. hem, with
		right hand lower guide for lace
35475	976	Hemmer on Shank, for $\frac{5}{32}$ in. hem, with
		right hand lower guide for lace
35023	2672	Hemmer on Shank, for 1 in. hem, with
		left hand lower guide for lace
120452	2672	Hemmer on Shank, for $\frac{1}{32}$ in. to $\frac{1}{8}$ in.
		gauges, for Windsor ties
35064	2631	Hemmer on Shank, for 1 in. to 2 in. hem,
		for general work
35104	2684	Hemmer on Shank, for bottom of shirt
		waists, for inserting drawing or shirring
_		string
	2676	Presser Foot, for light work, for 35104
	2669	" " heavy work, for 35104
35166	2694	Hemmer on Shank, for 1 in. hem, to turn
		the goods under
120289	2694	Hemmer on Shank, for 2 in. hem, to turn
		the goods under
	1396	Presser Foot for 35166
19474	2695	Feed Dog, 14 teeth (16 teeth to the inch)
		for 35236

.

NO.	PLATE	NAME
35063	2676	Presser Foot for 35236
19475	2695	Throat Plate for 19474
35236	1971	Hemmer on Shank, for $\frac{7}{16}$ in. hem and
40200		above, for bottom of shirt waists
19474	2695	Feed Dog, 14 teeth (16 teeth to the inch)
101.1	2000	for 35241
35066	2695	Presser Foot for 35241
7298	2014	" " Hinge Pin
120143		" " Plate
19335		" " Shank
120144	5847	Presser Foot (hinged) complete, for 35241,
120111	0011	Nos. 7298, 19335 and 120143
19475	2695	Throat Plate for 19474
35241	2695	Hemmer on Shank, for Canton flannel, etc.
26603	5644	Feed Dog, 20 teeth (16 teeth to the inch)
20000	0011	35863
35066	5644	Presser Foot for 35863
26605	5644	Throat Plate, large needle hole, for 26603
35863	5644	Hemmer on Shank, for canvas work
35679	932	" Folder on Shank for 35681
35353	932	" " Hinge Plate for 35681
	932	
36006	932	" " Screw
00000	502	35681
35681	932	Hemmer on Shank (hinged) complete, for
		mattress work, Nos. 1425p, 35353,
		35679 and 36006
26603	932	Feed Dog, 20 teeth (16 teeth to the inch)
		for 35681
35966	932	Presser Foot for 35681
26605	932	Throat Plate, large needle hole, for 26603
		FOR 31-27 MACHINE
NO.	PLATE	NAME
28777	2623	Hemmer (double) on Shank, for headings
28778	2623	Presser Foot for 28777
28779	2623	Ruffling Blade for 28777
35700	976	Hemmer (left hand) with right hand lower
		guide on Shank
		HEMSTITCHER
NO.	PLATE	NAME
28671	1392	Hemstitcher
20011	1000	

## LAP SEAM FELLER

NO.	PLATE	NAME					
28673	2607	Lap Seam Feller (right hand) on Shank,					
		to fold top only					
28674	2607	Lap Seam Guide on Shank					

### PRESSER FEET

NO.	PLATE			NAME
25985	2029			(single toe) for gathering
26638	2029		"	(double toe) for gathering
26639		"	"	with 228p, for 26641
26640	2029	"	"	Adjustable Guide for 26641
228r	2038	44	"	" Screw
26641	2029	"	"	${\bf 26639withAdjustableGuide}$
		No.	26640	, for tailor work
26642				
26643	2029	"	"	Guide
26644	5843	44	"	" Hinge Pin
26645	5843	"	"	" Spring
3371	1388	"	44	" Screw
26646	2029			(spring guide) complete, Nos.
				26642 to 26645
26650	2029			, for braiding
26651	2032	"	"	" folding umbrella straps
26801	1387	"	"	Adjustable Guide for 26802
725	р 1387	"	"	" Screw
26802	1387	**	"	with two adjustable guides,
				1 and two 725b
26936	1387		r Foot	, for etching
26978	1391	**	46	Graduated Adjustable Guide
335	ь 1317	Presse	r Foot	, Graduated Adjustable Guide
26977	1391	Presser	r Foot	t with Graduated Adjustable
				o. 26978 and 335p, for tailor
		worl	ś	
28668	2606	Presse	r Foot	t (strip folding)
28672	1391	"	"	two grooves to the right of
		need	lle hol	le, for cording
28675	1391	Presse	r Foo	t (pointed toe) for stitching
		box	plaiti	ng on body of material
28714	2611	Presse	r Foot	t (strip folding) for shirt-waist
-				
28715	1391	Presse	r Foot	t (tube) for laying fringe-edged
		brai	d	

1

NO.	PLATE	NAME
28716	2610	Presser Foot (strip folding) for raw edge
		strip, to turn edges under, for making 3/8
0.5055		in. to 1 in. strip
35877		Presser Foot (strip folding) for raw edge
		strip, to turn edges under, for making $1\frac{1}{16}$ in. to 2 in. strip
28725	1388	Presser Foot Spring Guide
	1388	" " " Screw
28726	1388	" (right hand spring guide) with
-00	2000	665b and 28725, for $\frac{1}{32}$ in. to $\frac{1}{4}$ in.
		gauge
	Nore:	When ordering Nos. 28725 or 28726 state
•	MOLE.	required distance from edge of
		goods to seam.
28743	1388	Presser Foot (grooved) with tube, for cording
28744	1389	Presser Foot (strip folding) grooved, with
		two cord tubes, for making double corded
		strip
28745	1389	Presser Foot (strip folding) to fold both
		edges of strip
28746	1388	Presser Foot (tube) for guiding and stitch-
00747	1000	ing the left hand edge of ribbon
28747	1389	Presser Foot, bias binding, the velveteen to project $\frac{3}{16}$ in
28768	1390	Presser Foot (strip folding) for folding a
20100	1000	2½ in. strip to a 1 in. strip, to be stitched
		on shirt bosoms for imitation tuck
28830	1387	Presser Foot (grooved) for cording, for
		carriage work
28908	2658	Presser Foot Spring Guide for 28909
	1388	" " " Screw
28909	2658	" (left hand spring guide) with
		665p and 28908
28920	1387	Presser Foot, for braiding, to stitch braid
00044	2665	on right hand edge
28944	2000	Presser Foot (strip folding) for making raw edge straps of bias chiffon
35189	2697	Feed Dog, 6 teeth (20 teeth to the inch)
00109	2091	for 28967
35190	2697	Guide for 28967
28964		Presser Foot Body
28965	2658	" " Knife
28966	2658	" " Clamp
198р	2658	" " " Screw
15072	2658	" " Steady Pin

NO.	PLATE	NAME
28967	2658	Presser Foot complete, for grooving in-
		soles, Nos. 1980, 15072 and 28964 to 28966
35191	2697	Throat Plate, for under braiding, for 35189
62527	5806	Presser Foot Hinge Pin
24488		" " Plate
19223		" " Shank
24489	5837	Presser Foot (hinged) complete, for heavy
		work, Nos. 19223, 24488 and 62527
28770		Presser Foot
28771	1388	" " Guide
15072	1388	" " Hinge Pin
28772	1388	" " Spring
3371		" " " Screw
2113	1388	" " Steady Pin
28773	1388	Presser Foot (spring guide) for gores, Nos.
		337D, 2113, 15072 and 28770 to 28772.
35129	2682	Presser Foot (strip folding) for covering
		cord with folded strip
35184	2682	Presser Foot, for darning
35172	2682	" (tube) for guiding and stitch-
		ing the right hand edge of ribbon
35242	2698	Feed Dog, 12 teeth (18 teeth to the inch)
		for 35243
35243	2698	Presser Foot (strip folding) with tube, for
		inserting cord, for making loops, for dress-
05044	0400	ing gowns
35244	2698	Throat Plate for 35242
35690	1246	Presser Foot (strip folding) for making
44150	F0.40	straps from 1 in. to 1½ in. wide
44158	5842	Feed Dog, 15 teeth (14 teeth to the inch)
26276	2038	Presser Foot Hinge Pin
44159		f late
44160	F040	Shank
44161	5842	Presser Foot (hinged) complete, Nos. 26276 44159 and 44160
44162	5842	
35995	5645	Throat Plate for 44158
99999	0040	Presser Foot with right hand folder, for
		folding and stitching facing to shoe
36022	5645	lining. Presser Foot with 665p and 36023, for blind
30022	5045	stitch cording, for 12 to 40 ligne cord, for
36023	5645	ornamental cording on skirts, suits, etc. Presser Foot Cord Guide for 36022
N	OTE: V	When ordering Nos. 36022 or 36023 state
	th	e size or send sample of cord for which
		it is to be used.

NO.	PLATE			N.	AME			
665r	5645	Presser	Foot	Cord (	Guide	Screw.	<b></b>	
36182	5808	"	"	with 66	35 Dan	d 36183	, for blind	
		stitch	brai	ding, fo	r sou	ta <mark>che</mark> b	raid	
36183	5808	Presser	Foot	Braid	Guide	<i></i>		
1	VOTE: V	When ore	dering	Nos.	36182	or 361	83 send	
	samp	ole of bra	id for	which	it is	to b <b>e</b> u	sed.	
665	1388	Presser	Foot	Braid	Guide	Screw	·	
36622	5808	"	"					
36623	5808	"	46				and two	,
		50202	2D					
36576	5808	Presser	Foot	Finger	Guar	rd	<b>.</b>	
50202r	5808	44	. 44	"	"	Scre	w	

#### PRESSER FOOT (Glass Plate)

NO.	PLATE		NAME
26607	1387	Presser Foot	Body
26608	1387	" "	Plate (glass)
26609		Presser Foot	(glass plate) complete, Nos.
		26607 and	26608

## PRESSER FEET WITH GRADUATED ADJUSTABLE GUIDES

NO.	PLATE	NAME
28949		Presser Foot
28950	2658	" Graduated Adjustable Guide
28951	2671	
		Clamping Lever
2653	2671	Presser Foot Graduated Adjustable Guide
		Clamping Lever Hinge Pin
28952	2671	Presser Foot Graduated Adjustable Guide
		Clamping Lever Spring
26092	2671	Presser Foot Graduated Adjustable Guide
		Clamping Lever Spring Rivet
28953	2658	Presser Foot with Graduated Adjustable
		Guide complete, for tailor work, Nos.
		2653, 26092 and 28949 to 28952
35134	2671	Presser Foot
35002	2671	" Extension
35003	2671	" Graduated Adjustable Guide
		(long, left)
35004	2671	Presser Foot Graduated Adjustable Guide
		(long, right)
35005	2671	Presser Foot Graduated Adjustable Guide
		(short, right)

NO.	PLATE	NAME
35006	2671	Presser Foot Graduated Adjustable Guide
		(short, right) flush
35135	2671	Presser Foot Graduated Adjustable Guide
		Clamp
35136	2671	Presser Foot Graduated Adjustable Guide
		Clamp Lever
337	в 2671	Presser Foot Graduated Adjustable Guide
		Clamp Screw
36696	2671	Presser Foot Graduated Adjustable Guide
		Clamp Steady Pin
35137		Presser Foot with Extension and Graduated
		Adjustable Guides complete, Nos. 337B,
		35002 to 35006, 35134 to 35136 and
		36696

#### FOR 31-27 MACHINE

NO.	PLATE			NAM	Æ			
28761	1390	Presser Foot with 219 F and 28762, for stitch-						
		ing r	ibbon	and net	mate	rial		
28762	1390	Presser	Foot	Ribbon	Guid	e		
2191	774	"	. "	"	"	Screw		

#### PRESSER FOOT EXTENSIONS

NO.	PLATE	NAME
12435	780	Presser Foot with 228p
62527	5806	" " Hinge Pin
20155		" " Plate
20156		" " Shank
20157	780	Presser Foot (hinged) complete, Nos. 228p
		20155, 20156 and 62527
26279		Presser Foot Extension, $\frac{1}{16}$ in., for 12435 and 20157
26280		Presser Foot Extension, 1/8 in., for 12435 and 20157
26281	1387	Presser Foot Extension, ¼ in., for 12435 and 20157
26282		Presser Foot Extension, 3 in., for 12435 and 20157
26283		Presser Foot Extension, ½ in., for 12435 and 20157
2281	2038	Presser Foot Extension Screwfor 12435 and 20157
44158	5842	Feed Dog. 15 teeth (14 teeth to the inch)
26276	2038	Presser Foot Hinge Pin
44159		" " Plate
44160		" " Shank

NO.	PLATE	NAME					
44161	5842	Presser Foot (hinged) complete, Nos. 26276,					
24202	001=	44159 and 44160					
44162	5842	Throat Plate for 44158					
	PRE	SSER FOOT STRIP GAUGE					
No.	PLATE	NAME					
12435	780	Presser Foot with 228p					
62527	5806	" " Hinge Pin					
20155		" " Plate					
20156		" " Shank					
20157	780	Presser Foot (hinged) complete, Nos. 228p, 20155, 20156 and 62527					
25967	1387	Presser Foot Strip Gauge for 12435 and					
998-	2038	20157 Presser Foot Strip Gauge Screw					
2201	2000	Tresser Foot Strip Gauge Screw					
	PiP	ING ATTACHMENTS					
NO.	PLATE	NAME					
<b>2</b> 8621	1397	Piping Attachment and Strip Folder on					
		Shank, for ear seat cushions					
28622	1397	Presser Foot (grooved) for 28621					
28740	2617	Piping Attachment on Shank					
28803	2619	for namel,					
000=4	0001	without cord					
28974	2661	Piping Attachment on Shank					
28975	2658	Presser Foot for 28974					
44253	5813	Feed Dog, 16 teeth (16 teeth to the inch)					
		for 35245					
35246	2699	Presser Foot for 35245					
44256		Throat Plate for 44253					
35245	2699	Piping Attachment on Shank					
36129	5812	" (double adjustable) on					
		Shank with upper edge folder					
36131	5812	Presser Foot for 36129					
		QUILTERS					
		401m1m110					
NO.	PLATE	NAME					
28659	1392	Quilter Guide for 28660					
25992	1392	" Holder with two 207F, for					
		25992					
2071	2021	Quilter Guide Holder Set Screw					
2071	2021	" Set Screw					
28660	1392	Quilter complete, Nos. 25992 and 28659					

NO. PLATE	NAME
120479 8212	Quilter Guide (left)
120480 8212	" (right)
120481 8212	" " Bracket
120482	120481 With 120483
	and two 209c
120483 8212	Quilter Guide Disengaging Sleeve
120484 8212	" " " Spring
602D 8628	
200 0000	Screw
209c 8628	Quilter Guide Set Screw
120485	Quilter complete, Nos. 602p, 120479, 120480, 120482 and 120484
	120480, 120482 and 120484
	DUEEL EDG
	RUFFLERS
	RUFFLER (Power)
NO. PLATE	NAME
26005 984	Driving Lever
69p 5742	" " Hinge Screw
35019 984	" " Spring
1666p 984	" " " Adjusting Nut
26007 984	Foot
207 F 2021	" Screw
26016 984	Frame
26017 984	Needle Clamp with 808F
808F 782	" " Serew
26010 984	Ruffling Blade with \$505
811n 5742	" " Hinge Screw
26011 984	" Lever with 26189 and 26629
812b 984	" " Adjusting Thumb
	Screw
1621E 984	Ruffling Blade Lever Adjusting Thumb
	Screw Nut
26629 2014	Ruffling Blade Lever Protector
26189 2014	nivet
8505 773	Mivet
26018 984	Ruffler complete, Nos. 69D, 207F, 811D,
	812B, 1621E, 1666b, 26005, 26007, 26010,
a.a.a	26011, 26016, 26017 and 35019
24303 1344	Feed Dog, 6 teeth (14 teeth to the inch)
24306 1344	Throat Plate for 24303
	RUFFLER (Power)

NO. PLATE	NAME
25998 984	Driving Lever Spring
1582n 984	" " " Adjusting Nut
25993 984	Frame with 25994 to 25996 and 26001
25995 2014	" Block
25996 2014	" " Rivet
25994 2014	" Stud
207 F 2021	" " Set Screw
26718 1370	Needle Clamp Body
1943 1370	" " Roller
1115 <sub>F</sub> 1370	" " Screw
26719 984	Needle Clamp complete, Nos. 1115F, 1943
	and 26718
25999 984	Ruffling Blade
26002 2014	" " Clamp
337p 1388	" " Screw
26000 984	" Lever
560в 984	" " Adjusting Thumb
	Screw
1603E 984	Ruffling Blade Lever Adjusting Thumb
	Screw Nut
26001 2014	Ruffling Blade Lever Stop Pin
26229 984	" Presser Foot
26230 984	Ruffler complete, Nos. 69p, 207f, 560b,
	1582D, 1603E, 25993, 25997 to 26000,
	26002, 26229, 26719 and two 337p

### **RUFFLER** (Power)

# WITH RIGHT AND LEFT GUIDES WITH SEPARATING BLADES AND DISENGAGING LEVER TO THROW RUFFLING BLADE OUT OF ACTION.

NO.	PLATE			NAM	Œ
26722	2035	Drivin	ng Leve	r	
11010	2035	"	"	Hinge	Screw
26668	2035	44	"		<b>5</b>
16400	2035	44	"		
26669	2035	Frame	e		
26670	2034	Guide	(left) w	ith 266	79 and two 662D
26671	2035	"	(right)	with 20	6679 and two 662D
2231	2035	"	Screw.		
26718	1370	Needl	e Clamp	Body.	
1943	2034	"	"		
11151	2034	44	"	Screw	• • • • • • • • • • • • • • • • • • •
26719	2034	Needl	e Clamp	comple	ete, Nos. 1115 <sub>F</sub> , 1943
		and	26718		*******
26675	2035	Ruffli	ng Blad	e. <b></b> ,	

NO. PLATE	NAME
26676 2035	Ruffling Blade Clamp
337р 2035	" " Screw
26723 2034	" " Lever
812в 2035	" " " Adjusting Thumb
	Serew
1621 E 2035	Ruffling Blade Lever Adjusting Thumb
	Screw Nut
26678  2035	Ruffling Blade Lever Disengaging Lever
102в 2035	u u u u
	Hinge Screw
2301  2035	Ruffling Blade Lever Disengaging Lever
	Stop Pin
<b>26679</b> 2035	Separating Blade
662n 2035	" " Screw
26724 - 2034	Ruffler complete, Nos. 102b, 223b, 812b,
	1101c, 1621E, 1640c, 2301, 26668 to
	26671, 26675, 26676, 26678, 26719,
	26722, 26723 and two 337p

#### **RUFFLER** (Power)

#### WITH LEVER FOR THROWING RUFFLING BLADE INTO ACTION, FOR INTERMITTENT RUFFLING, SUCH AS YOKING SHIRTS, ETC.

NO.	PLATE			NAX	1E		
28590	1371	Driving	Leve	r		<b>.</b>	
1101c	1371	"	"				
1647c	1371	46	"	. <b>"</b> "			······
28591	1371	"	"	Sprin			
28592	1371	"	44				
28593	1371	Frame					<i></i>
26718	1370						
1943	1370	"	44				
1115e		44	"				
26719	1370	Needle	Clam				15г, 1943
20113	1010				٠,		
28594	1371						
1858		1103301	44				<b>.</b>
62527	5806	"	"				
28813	1371	"	"	(HgHe)			
	1371	"	"	"			
28596		"	"	"	SHAIR		
28597	1371	44	"	44	"	Cap	Canana
198u		"	"	"	"		Screw
2656	1371	"	"	"	"		ng
706n		"	"	"		•	Screw
2521	1371	"	**	••	Spring	5	• • • • • • • •

NO.	PLATE			NA	ME
28814		Presser	Foot (	right)	complete, Nos. 2521,
					62527
28815	1371	Ruffling	Blade	<i></i> .	
24203	1371	"	**	Holde	er
$226_{D}$	1371	"	**	"	Cap Screw
24204	1371	44	66	"	Spring
24205	1371	"	"	"	" Stop
24206	1371	44	"	"	Stud
1550н	1371	"	46	"	" Nut
28607	1371	"	"	"	Stop
28600	1371	"	44	Lever	·
560в	1371	46	"	44	Adjusting Thumb
		Screw			
1603E	1371	Ruffling	Blade	Leve	r Adjusting Thumb
		Screw	Nut		
1049D	1371	Ruffling	Blade	Lever	Stop Screw
665p	1371	"	"	Screw	
28601	1371	Starting	Lever	with 1	190ъ
190p	1371	"	46	Clam	ping Screw
28816	1370	Ruffler o	omple	te, No	s. 185н, 226p, 560в,
		706o, 1	l049d,	1101c,	1550н, 1603Е, 1647с,
		2656,	24203	to 242	206, 26719, 28590 to
		28594,	28597	28600	,28601,28607,28814,
		28815,	two 6	650 an	d three 198p
28603	1370	Feed Do	g, 10 t	eeth (1	16 teeth to the inch)
28817	1370	Throat I	late fo	or 2860	3
28605	1372				right hand) with left
		hand 1	ower g	guide a	nd separating blade
		on sha	ink, to	fold	top band only, for
		making	g yoke	s, for 2	28816
28818	1372				(right hand) with
					r ruffling shirt body
		and pu	tting.i	in yoke	es, for 28816

## **SEAMERS**

NO.	PLATE		NAME
26657		Seamer,	for umbrella work
26361		"	Edge Guide
26654	2032		Rivet
26653	2032		Shank
26658	2032	Seamer o	complete, Nos. 26361, 26653, 26654
		and 20	3657

## **SEPARATING BLADE (Hinged)**

#### FOR 31-27 MACHINE

35279   2062   Separating Blade   "
35272 2061 " " Bracket
76p 2061 " " " Hinge Screw
76b 2061 " " " Latch Lever with 35275  102b 2061 Separating Blade Arm Latch Lever Hinge Screw  10135 2061 Separating Blade Arm Latch Lever Spring 239b 2061 " " " " " "  Screw  35275 2061 Separating Blade Arm Latch Lever Spring Screw  35275 2061 Separating Blade Arm Latch Lever Spring W " " " " " "  Screw  35275 2061 " " Holder  102b 2061 " " " Hinge Screw  35277 2061 " " " Spring  108b 2061 " " " Spring  4604 2061 " " " Stop Pin  14026 2061 " " " Stop Pin  337b 2061 " " Screw
35274 2061
102b 2061   Separating Blade Arm Latch Lever Hinge Screw
102b 2061   Separating Blade Arm Latch Lever Hinge Screw
10135   2061   Separating Blade Arm Latch Lever Spring   Screw
10135   2061   Separating Blade Arm Latch Lever Spring   Screw
Screw    35275   2061   Separating Blade Arm Latch Lever Stud.     35276   2061   " " Holder
35275       2061       Separating Blade Arm Latch Lever Stud.         35276       2061       " Holder
35275       2061       Separating Blade Arm Latch Lever Stud.         35276       2061       " Holder
102b 2061 " " " Holder
35277 2061 " " " Spring
108b 2061 " " " Screw 4604 2061 " " " Stop Pin 14026 2061 " " " Stop Pin 337b 2061 " " Screw
108p 2061 " " " Screw 4604 2061 " " " Stop Pin 14026 2061 " " Stop Pin 337p 2061 " " Screw
14026 2061 " " Stop Pin 337b 2061 " " Screw
337b 2061 " " Screw
337D 2001 Screw
35280 —— Separating Blade (hinged) complete, Nos.
76p, 108p, 4604, 10135, 14026, 35272 to
35274, 35276, 35277, 35279, two each
102p, 239p and 337p
35283 2062 Edge Folder (lower) right hand, on Shank
35284 2064 " " (upper) left hand
217 <sub>F</sub> 2061 " " Screw
35282 2064 " Guide (upper) left hand
217 <sub>F</sub> 2061 " " Screw
35285 2062 Presser Foot
35286 2062 Ruffling Blade

## **THROAT PLATES**

NO.	PLATE	NAME
12450	1383	Feed Dog, 11 teeth (18 teeth to the inch)
28342	1383	Throat Platewith 337p and 26080, for 12450,
		for under braiding
26080	1383	Throat Plate Needle Hole Plate for 26760
		and 28342
337E	1383	Throat Plate Needle Hole Plate Screw
44252	5813	Feed Dog, 12 teeth (12 teeth to the inch)
44253	5813	" " 16 teeth (16 teeth to the inch)

NO.	PLATE	NAME
28654	1383	Throat Plate, for under braiding, for 44252 and 44253
26760	1383	Throat Plate, with 337p and 26080, for under braiding, for 44252 and 44253
19474	5813	Feed Dog, 14 teeth (16 teeth to the inch)
36906	5813	Throat Plate with under guide, for rick rack, for 19474

## TUBULAR TRIMMING ATTACHMENT

NO.	PLATE	NAME	
35879	5643	Strip Wire	
35880	5643	Feed Dog, 6 teeth (16 teeth to the inch)	
35881	5643	Presser Foot (strip folding) with tube	
35018	5643	Tape Delivery Wire	
35882	5643	Throat Plate for 35880	
35883		Tubular Trimming Attachment complete,	
for making $\frac{1}{8}$ in., $\frac{5}{32}$ in. and $\frac{3}{16}$ in. trim-			
mings, Nos. 35018 and 35879 to 35882			
Note: When ordering No. 35883, state size required.			

#### TUCKER

NO.	PLATE	NAME
36655	8213	Driving Lever
36656	8213	" " Hinge Stud
36657	8213	" Lock Spring
36658	8213	" " " Rivet
120500	8213	Frame
26718	1370	Needle Clamp Body
1943	1370	" " Roller
1115г	1370	" " Serew
26719	984	Needle Clamp complete, Nos. 1115F, 1943
		and 26718
36660	8213	Tuck Guide
50238в	8213	" "Thumb Screw
36661	8213	" " " Washer
36662	8213	" Marker (lower)
36663		" " 36662 with 36664
		and two 36648
36664	8213	Tuck Marker (upper)
120572	8213	" " Clamping Plate
50238в	8213	" " " Thumb
		Screw
36648	8213	Tuck Marker Rivet
36667	8213	" Smoothing Spring

NO.	PLATE	NAME
86354	8213	Tuck Smoothing Spring Rivet
36561	8213	Tucker complete, Nos. 26719, 36655 to
		36657, 36660, 36661, 36663, 36667,
		120500, 120572 and two each 36658,
		50238в and 86354

## **TUCKER** (Power)

NO. PLATE	NAME
26099 2037	Bed
26100 2037	Cloth Guide
291р 2038	" "Thumb Screw
26101 2037	" Slide with 26102 and two
	26092
4604 2038	Cloth Guide Slide Rivet
401E 2038	" " Screw
36378 2037	Leveling Plate
12143 2037	Presser Foot
26368 2037	Tuck Marking Bar
<b>2</b> 6369	Tuck Marking Bar complete, Nos. 26368
	and 26370 to 26372
26105 2037	Tuck Marking Bar Bracket
<b>26106</b> 2038	" " " Hinge Pin
220р 2038	" " " " " Set
	Screw
26107 2037	Tuck Marking Bar Lifting Spring
26108 2037	" " Pressure Spring
26109 2037	" " " Clamp
	with 196F
196 <sub>F</sub> 2038	Tuck Marking Bar Pressure Spring Clamp
	Set Screw
334р 2038	Tuck Marking Bar Set Screw
26370 2038	£1111
26371 2038	Guide Fin
26372 2038	opring
26102 2037	riate
26092 2038	Kivet
26111 2037	amooning apring
4604 2038	nivet
26377 2037	Tucker complete, Nos. 220p, 291p, 334p,
	401E, 12143, 26099 to 26101, 26105 to
	26109, 26111, 26369, 26378 and three
170- 0000	4604
176 <sub>D</sub> 2038	Tucker Screw

## TUCKER (Long Arm)

NO. PLATE	NAME
26568 2635	Edge Guide
26569 2635	" " Slide
287p 783	" " Thumb Screw
7071 2021	" " " Washer
939р 5843	" " Thumb Screw
26597	Edge Guide complete, Nos. 287p, 7071,
	26568 and 26569
26686 8630	Presser Foot
26570 2634	Tuck Guide Plate
26571 2634	" " Arm with 5944
58p 782	" " " Hinge Screw
26684 2634	" " " Bracket
732p 1366	" " " Thumb Serew
5944 5843	" " Guide Pin
287p 783	" " Thumb Screw
7071 2021	" " " Washer.
26683	Tuck Guide Plate complete, Nos. 58p, 287p,
	732p, 7071, 26570, 26571, 26684 and two
	wood screws 1 in. No. 12
26685 ——	Tucker complete, Nos. 939b, 26597, 26683
-	and 26686
Note: E	3ed Frame 20067 is used with, but not
	included in, 26685.

## **WELT GUIDE**

(ADJUSTABLE) WITH SWITCH

NO. PLATE	NAME
26143 - 2039	Bed
26144 - 2039	Cap
238p 2039	" Screw
26145 - 2039	Carrier
26146	" Slide
26344 2039	" " Stop
240p 2039	" " Adjusting Screw
26147 2039	" Tongue
26148	Carrier complete, Nos. 233b, 26145 to 26147 and 26149.
26138 2039	Carrier Slide Switch Cam with Shaft
26139 2039	" " " Shaft Head
	with Lever with 337p
337р 2039	Carrier Slide Switch Cam Shaft Head Set Serew
910 <sub>F</sub> 2039	Welt Guide Adjusting Screw

NO.	PLATE	NAME
26149	2039	Width Guide
233n	2039	" Screw
26150	2039	Welt Guide complete, Nos. 240D, 910F,
		26138, 26139, 26143, 26144, 26148,
		26344 and three 238p
190 <sub>D</sub>	782	Welt Guide Screw
7071	2021	" " Washer
26681	2039	Presser Foot
1928	2039	Roller, 11/4 in. diam., fine, with 386p and
		1528p
16573	2039	Roller Arm
386D	5842	" " Screw
1528p	5842	" " " Nut
19394		Roller Presser complete, 11/4 in, fine roller,
		Nos. 1928 and 16573
N	OTE: I	Presser Foot 26681 and Roller Presser 19394

are used with, but not included in, 26150

## **BOBBIN WINDERS BOBBIN WINDER**

FOR 4370

NO.	PLATE	NAME
15072	2014	Bobbin Position Pin
12168	2003	Bracket
692 <sub>D</sub>	783	" Screw
12169	2003	Frame
12171	2003	Frame complete, Nos, 333p, 5960, 5961,
		5963, 12169 and 15077
32 <sub>D</sub>	782	Frame Hinge Screw
5960	768	Friction Wheel (leather)
5961	768	" " Washer
333р	782	" " Serew
15077	773	Spindle with 15072
5963	768	" Flange
12170	773	Spring
180r	782	" Serew
12172		Bobbin Winder complete, Nos. 32p, 180F,
		12168, 12170 and 12171

D	^	D	b	IM	WI	M	ED
-	u	-	0		w		ER

FOR 2135 AND 2862

This Bobbin Winder is the same as 12172 with the following exceptions:

NO.	PLATE	NAME
12201	2003	Frame complete, Nos. 333D, 5960, 5961,
		5963, 12169 and 15077, in place of 12171
12202		Bobbin Winder complete, Nos. 32p, 180r,
		12168, 12170 and 12201

#### **BOBBIN WINDER**

FOR 12358

This Bobbin Winder is the same as 12172 with the following exceptions:

NO.	PLATE	NAME
20307	2020	Frame, in place of 12169
20308		Frame complete, Nos. 333p, 5960, 5961,
		5963, 15077 and 20307, in place of 12171
20309		Bobbin Winder complete, Nos. 32D, 180f,
		12168, 12170 and 20308

#### **BOBBIN WINDER**

(HAMBURG)

FOR 2135 AND 2862

This Bobbin Winder is the same as 12172 with the following exceptions:

NO.	PLATE	NAME
43981	6119	Frame, in place of 12169
43982	6119	Frame complete, Nos. 5960, 5961, 5963,
		12336, 15077 and 43981, in place of
		12171
12336	2003	Spindle for spool, in place of 333p
12337		Bobbin Winder complete, Nos. 32D, 180F,
		12168, 12170 and 43982

#### **BOBBIN WINDER**

(HAMBURG)

FOR 4370

This Bobbin Winder is the same as 12172 with the following exceptions:

NO.	PLATE	NAME
43981	6119	Frame, in place of 12169

NO.	PLATE	NAME
43983	6119	Frame complete, Nos. 5960, 5961, 5963
		12336, 15077 and 43981, in place of 1217
12336	2003	Spindle for spool, in place of 333p
20498		Bobbin Winder complete, Nos. 32p, 180F
		12168, 12170 and 43983

#### **BOBBIN WINDER**

#### (SWINGING AUTOMATIC, RIGHT HAND) FOR 2996 FOR POWER TABLE

NO.	PLATE	NAME
27552	1162	Base
15072	2014	Bobbin Position Pin
27302	1162	Frame
50356p	5806	" Hinge Screw
1620 <sub>J</sub>	5806	" " Nut
27303	773	" Spring
27553	1162	Pulley
*27849		Spindle
27538	1162	" 27849 with 15072, 27850 and 41828
*27850		" Collar
41828		" " Pin
27306	1162	Spool Pin
27307	1162	" Stand
27308	1162	Spool Stand complete, Nos. 418E, 1562J,
		2106, 10141, 11241, 27306, 27307 and
		two each 2455 and wood screws 1 in. No. 10
11241	2003	Spool Washer (cloth)
27312	2003	Stop Latch
35r	2011	" " Hinge Screw
2455	2014	Tension Disc
1562j	2014	" Regulating Thumb Nut
418r	z 2014	" Screw Stud
10141	2014	" Spring
2106	2014	" Thread Guide
27650		Bobbin Winder, Nos. 35D, 1620J, 27302,
		27303, 27312, 27538, 27552, 27553,
		50356p and two wood screws 1 in. No. 7
27554		Bobbin Winder (swinging automatic, right
		hand) complete, Nos. 27308 and 27650

#### **BOBBIN WINDER**

(SWINGING AUTOMATIC, RIGHT HAND) FOR 2996 FOR STAND

## This Bobbin Winder is the same as 27554 with the following exceptions:

27647 2445 Bobbin Winder, Nos. 35p, 1620j, 27303, 27303, 27312, 27538, 27540, 27541, 50356 and two wood screws 1 in. No. 7, i	NO.	PLATE	NAME
27541 2445 Pulley, in place of 27552	27540	0 2445	Base, in place of 27552
27303,27312,27538,27540,27541,50356 and two wood screws 1 in. No. 7, i	27541	1 2445	Pulley, in place of 27552
27303,27312,27538,27540,27541,50356 and two wood screws 1 in. No. 7, i	27647	7 2445	Bobbin Winder, Nos. 35p, 1620j, 27302,
Parco of = 1000			27303,27312,27538,27540,27541,50356b and two wood screws 1 in. No. 7, in place of 27650
27544 — Bobbin Winder (swinging automatic, right	27544	4 —	Bobbin Winder (swinging automatic, right hand) complete, Nos. 27308 and 27647

#### **BOBBIN WINDER**

(SWINGING AUTOMATIC, RIGHT HAND) FOR 19131 FOR POWER TABLE

## This Bobbin Winder is the same as 27554 with the following exceptions:

NO.	PLATE	NAME
27587	1162	Stop Latch, in place of 27312
27651	1162	Bobbin Winder, Nos. 35p, 1620J, 27302,
		27303, 27538, 27552, 27553, 27587,
		50356p and two wood screws 1 in. No.
		7, in place of 27650
27588		Bobbin Winder (swinging automatic, right
		hand) complete, Nos. 27308 and 27651

#### **BOBBIN WINDER**

(SWINGING AUTOMATIC, RIGHT HAND) FOR 19131 FOR STAND

## This Bobbin Winder is the same as 27554 with the following exceptions:

NO.	PLATE	NAME
27540	2445	Base, in place of 27552
27541	2445	Pulley, in place of 27553
27587	1162	Stop Latch, in place of 27312
27875		Bobbin Winder, Nos. 35p, 1620s, 27302
		27303, 27538, 27540, 27541, 27587
		50356p, and two wood screws 1 in. No
		7, in place of 27650
27876		Bobbin Winder (swinging automatic, right
		hand) complete. Nos. 27308 and 2787

#### **BOBBIN WINDER**

#### (SWINGING AUTOMATIC, RIGHT HAND) FOR 2996, 19131 AND 24051 FOR POWER TABLE

NO. PLATE	NAME
225433 3469	Bobbin Winder and Tension Bracket Base
225453 3470	Frame with 202277 and 225438
<b>225454</b> 3471	" Hinge Pin
202277 3471	" Oil Packing (wick)
225438 3471	" " Well Cap
225455 3471	" Spring
225456 3471	" " Plunger
202473 3470	Pulley with 200105c
200105с	" Set Screw
225381 3470	Spindle
225444 3471	Stop Latch
200056E 3471	" Screw
225458 3471	" " Thumb Lever
225459 3471	" " " Hinge Stud
225460 3471	" " " Joint Stud
202478 3471	" " Trip Lever
200299н 3471	" " " Hinge Screw
225461 3471	Tension Bracket with 201499B
200082р 3471	" " Screw
228026	" " Washer
2102 3471	" Disc
202407 3471	" Spring
201499в 3471	" Stud
201572в 3471	" " Thumb Nut
225462	Tension Bracket complete, Nos. 201572B,
	202407, 225461 and two 2102
225382 3469	Bobbin Winder (swinging automatic, right
	hand) complete, Nos. 200056E, 200082D,
	200299н, 202473, 202478, 225381, 225433,
	225444, 225453 to 225456, 225458 to
	225460, 225462, 228026 and two wood
	screws 34 in. No. 13 R. H. B

### **DRIVING ATTACHMENT**

FOR 31-15, 31-16, 31-19, 31-27, 31-32, 31-34, 31-35 AND 31-39 MACHINES

NO.	PLATE	NAME
16592	818	Balance Wheel (friction) with 7958, 16524
		and two 435c
16524		Balance Wheel Friction Ring (leather)

NO. PLATE	NAME
7958 5741	Balance Wheel Friction Ring Stop Pin
24355 5757	" " Oil Cover
210p 5742	" " " Screw
435c 5742	" Set Screw
16514 768	Bobbin Winder Frame
32p 782	
•	ringe screw
16515 768	Bobbin Winder Frame complete, Nos. 333D,
5960 768	5960, 5961, 5963, 15077 and 16514 Bobbin Winder Friction Wheel (leather)
5961 768	" " Washer
333p 782	wasner wasner
эээр 184	
15050 0014	Screw
15072 2014	Bobbin Winder Position Pin
15077 773	Spindle with 13012
5963 768	Fange
27306 1162	spoor I III
27307 1162	otand
<b>27308</b> 1162	Bobbin Winder Spool Stand complete,
	Nos. 418E, 1562), 2106, 10141, 11241,
	27306, 27307 and two each 2455 and
	wood screws 1 in. No. 10
11241 2003	Bobbin Winder Spool Washer (cloth)
12170 773	" " Spring
180r 782	" " Serew
16516 774	" Stop Latch with 152F and
	1550н
152F 782	Bobbin Winder Stop Latch Adjusting
	Screw
1550н 783	Bobbin Winder Stop Latch Adjusting
	Screw Nut
75p 782	Bobbin Winder Stop Latch Hinge Screw
27303 773	" " " Spring
2269 773	" " " Stop Pin
2455 2014	" Tension Disc
1562л 2014	" " Regulating
	Thumb Nut
418E 2014	Bobbin Winder Tension Screw Stud
10141 2014	" " Spring
2106 2014	" " " Thread Guard
16530 818	Bracket
692p 783	" Screw
12458 818	Drip Pan with four I in. wire nails, for
	Drop Feed Machine
20291 2049	Drip Pan with four 1 in. wire nails, for
	power table, for Wheel Feed Machines
16518 818	Driving Arm with 2269, 2928 and two 15132
2928 774	" " Brake (leather)

NO. I	LATE	NAME
15132	773	Driving Arm Brake Rivet
12178	774	" Friction Plug (wood)
427E	783	" " " Adjusting
		Screw
1508c	783	Driving Arm Friction Plug Adjusting
		Screw Nut
693D	782	Driving Arm Hinge Screw
1579c	783	" " " Nut
12475	818	" Pitman
20371	768	" " Crank
2022	773	" " " Pin
20372	768	" " " Spring
65p	782	" " Hinge Screw
16522		Driving Arm complete, Nos. 32D, 75D,
		180f, 427e, 693d, 1508c, 1579c, 12170,
		12178, 16515, 16516, 16518, 16530 and
		27303
16594	818	Driving Friction Pulley, 25 in. diam.,
		with 861p and 10236
10236	774	Driving Friction Pulley Centre Bearing
861p	5742	" " Oil Hole Plug
		Screw
27072		Shaft Driving Pulley (sectional grooved)
		12 in. diam., $1\frac{3}{16}$ in. bore with two 597c
597c	2011	Shaft Driving Pulley Clamping Screw
12479	768	Starting Crank
2022	773	" " Pin
12477	768	" " Shaft
*44176		" " 12477 with 12479,
		20371 and two 2022
126036	8497	Treadle
126205	8629	" Bracket (left)
126206	8629	Treadle Bracket (left) complete, Nos. 23258,
		126205, 126207, 126208 and two wood
		screws 1 in. No. 14
126207	8629	Treadle Bracket (left) Hook
23258	8628	" " " Friction
		Washer
126208	8633	Treadle Bracket (left) Hook Rivet
46681	8497	" (right)
60502		" " 46681 with two
00002		wood screws 1 in. No. 14
27637	818	Treadle Pitman Rod (lower)
27638	5841	" " Spring
6055	5741	" " " Washer
14081	818	" (upper)
14001	010	(abber)

NO.	PLATE	NAME
9079	5844	Treadle Pitman Rod (upper) Clamp with
		354c
354c		Treadle Pitman Rod (upper) Clamp Screw
14233	818	Treadle Pitman complete, Nos. 2762, 6055,
		14081, 27637, 27638 and two 9079
126209	<del></del>	Treadle complete, Nos. 60502, 126036 and
		126206
126213		Treadle and Pitman complete, Nos. 14233
		and 126209
2762	1206	Treadle Stop Collar with 362F
362r	2009	" " Set Screw
12478		Driving Attachment with Bobbin Winder
		and Treadle complete, Nos. 210D, 692D,
		12475, 16522, 16592, 16594, 20372,
		24355, 27072, 27308, 44176, 126213 and
		two 65D

#### DRIVING ATTACHMENT

FOR 31-20, 31-22 AND 31-24 MACHINES

This Driving Attachment is the same as 12478 with the following exceptions:

NO.	PLATE	NAME
110.	ILAID	24111125
19258	2009	Bobbin Winder Stop Latch with 152r and
		1550н, in place of 16516
19260		Driving Arm complete, Nos. 32D, 75D,
		180F, 427E, 693D, 1508c, 1579c, 12170,
		12178, 16515, 16518, 16530, 19258 and
		27303, in place of 16522
20141		Driving Attachment with Bobbin Winder
		and Treadle complete, Nos. 210p, 692p,
		12475, 16592, 16594, 19260, 20372,
		24355, 27072, 27308, 44176, 126213 and
		two 65p

### FOOT LIFTER PARTS

NO.	PLATE			NAME
5596	768	Bell	Crank	
56848		"	"	5596 with 5599 and 5601
5599	768	"	"	Bracket
178E	782	"	"	" Screw
5601	773	"	"	Hinge Pin
<b>5</b> 735	1353	"	"	Spring
5598	768	Bell	Crank	complete, Nos. 5735 and 56848

NO. PLATE NAME 5670 — Chain, length 26 in. to 35 in...... Note: When ordering 5670, state length required. 4879 2004 Chain Connecting Link for 4885..... 766 Lifting Lever with 448c, for 20008 and 20290..... 20340 2049 Lifting Lever with 448c, for 43928 and 43929..... 12415 768 Lifting Lever Connecting Rod for 20008, 43928 and 43929..... 2020 Lifting Lever Connecting Rod for 20290 20255 " " Joint.... 12416 774 " " Hinge 76p 782 Screw.... 1521E 772 Lifting Lever Connecting Rod Lock Nut 802p 782 " Hinge Screw..... " Link for 20008, 20290 and 12241 772 43929..... Lifting Lever Link for 43928..... 21301 1353 782 " " Hinge Screw...... 766<sub>D</sub> 12240 772 Pin for 20008 and 20290... " " 43929..... 16586 5843 " " 43928..... **19372** 1313 " Set Screw..... 448c 783 2763 819 Rock Shaft..... 12242 819 Rock Shaft Hanger with two wood screws 1 in. No. 10..... 6337 819 Rock Shaft Lifting Bracket with two 356c. .. .. .. " Hook for 4880 12243 and 5598...... 7125 819 Rock Shaft Lifting Bracket Hook for 4880 and 5670..... 783 Rock Shaft Lifting Bracket Hook Set Screw 356c " " Set Screw..... 356c 783 2770 819 " " Stop Dog with 356c....... " " Set Screw...... 356c 4880 Rock Shaft complete, Nos. 2763, 2770, 7125, 12243 and two each 6337 and 12242... 4881 819 Treadle..... 4882 2004 Shaft..... 4883 2004 Spring..... 4884 819 Stand ..... 4885 819 Treadle complete, Nos. 4879, 4881 to 4884 and two wood screws 1 in. No. 16.....

FOOT LIFTER PARTS

KNEE	LIFTER	. PART

NO.	PLATE	NAME
20008		Foot Lifter complete for 31-15, 31-16, 31-20,
		31-22, 31-27, 31-32 and 31-34 Machines,
		Nos. 76p, 766p, 802p, 1521e, 4880, 4885,
		5598, 5670, 12237, 12240, 12241, 12415,
		12416, and two 178E
20290		Foot Lifter complete for 31-24 Machine,
		Nos. 76p, 766p, 802p, 1521e, 4880, 4885,
		5598, 5670, 12237, 12240, 12241, 12416,
		20255 and two 178E
43928		Foot Lifter complete for 31-19 Machine,
		Nos. 76d, 766d, 802d, 1521E, 4880, 4885,
		5598, 5670, 12415, 12416, 19372, 20340,
		21301 and two 178E
<b>4</b> 3929	—	Foot Lifter complete for 31-35 Machine,
		Nos. 76d, 766d, 802d, 1521E, 4880, 4885,
		5598, 5670, 12241, 12415, 12416, 16586,
		20340 and two 178E

### **KNEE LIFTER PARTS**

NO.	PLATE	NAME
5596	768	Bell Crank
56848		" 5596 with 5599 and 5601
5599	768	" " Bracket
178:	E 782	" " Screw
5601	773	" " Hinge Pin
5735	1353	" " Spring
5598	768	Bell Crank complete, Nos. 5735 and 56848
12237	766	Lifting Lever with 448c, for 12445, 20256,
		20466 and 43933
20340	2049	Lifting Lever with 448c, for 20341, 43930,
		43931 and 43934
12415	768	Lifting Lever Connecting Rod for 12445,
		20341, 20466, 43930, 43931 and 43934
<b>2</b> 0255	2020	Lifting Lever Connecting Rod for 20256
		and 43933
12416	774	Lifting Lever Connecting Rod Joint
76:	D 782	" " " " Hinge
		Screw
1521	E 772	Lifting Lever Connecting Rod Lock Nut.
802	D 782	" " Hinge Screw
12241	772	" Link for 12445, 20256, 20466,
		43930, 43933 and 43934
21301	1353	Lifting Lever Link for 20341 and 43931
766	D 782	" " Hinge Screw
12240	772	" Pin for 12445, 20256, 20466
		and 43933

NO. PI	ATE	NAME
16586 5	843	Lifting Lever Pin for 43930 and 43934
19372 1	313	" " " 20341 and 43931
448c	783	" " Set Screw
2763	766	Rock Shaft for 12250
20091 5	735	" " " 20465
7539	766	" " Hanger with two wood screws
		1 in. No. 10, for 12250
2764 5	735	Rock Shaft Hanger (back) with two wood
		screws 1 in. No. 10, for 20465
16128 5	735	Rock Shaft Hanger (front) with two wood
-00		screws 1 in. No. 10, for 20465
2765 5	735	Rock Shaft Knee Arm
	766	" " " Hub with 356c, for
2100	100	2768
00460 5	795	
20462 5	735	Rock Shaft Knee Arm Hub with 356c, for
		20463
	783	Rock Shaft Knee Arm Hub Set Screw
2768 -		Rock Shaft Knee Arm complete for 12250,
00460		Nos. 2765 to 2767
20463		Rock Shaft Knee Arm complete for 20465,
9767 5	705	Nos. 2765, 2767 and 20462
	735	Rock Shaft Knee Arm Plate with 356c " " Set Screw
	783 735	bet berew
20404 3	130	Litting Arm with 550c, for
050-	<b>=</b> 00	20465
	783	Rock Shaft Lifting Arm Set Screw
6337	766	Dracket with two 550C,
		for 12250
	766	Rock Shaft Lifting Bracket Hook for 12250
	783	DetDelew
	783	bet berew
	735	Brob Dog with 300c
	<b>78</b> 3	bet berew
12250 -		Rock Shaft complete for 12445, 20256,
		20341 and 43930, Nos. 2763, 2768, 2778,
		6337 and two each 2770 and 7539
20465 5	735	Rock Shaft complete for 20466, 43931,
		43933 and 43934, Nos. 2764, 16128,
		20091, 20463, 20464 and two 2770
12445 –		Knee Lifter complete (power table or stand
		25265) for 31-15, 31-16, 31-20, 31-22,
		31-27, 31-32 and 31-34 Machines, Nos.
		76р, 766р, 802р, 1521е, 5598, 12237,
		12240, 12241, 12250, 12415, 12416 and
		two 178E

T T N T T TOTAL	י חדים י	NIT	
KNIFF	GRI	$\mathbf{N}\mathbf{D}$	LI

NO.	PLATE	NAME
20341		${\bf Knee} {\bf Lifter} {\bf complete} ({\bf power} {\bf table} {\bf or} {\bf stand}$
		25265) for 31-19 Machine, Nos. 76p,
		766D, 802D, 1521E, 5598, 12250, 12415,
		12416, 19372, 20340, 21301 and two 178E.
20256		Knee Lifter complete (power table or stand
		25265) for 31-24 Machine, Nos. 76D,
		766ь, 802ь, 1521ь, 5598, 12237, 12240,
		12241, 12250, 12416, 20255 and two 178E
43930		Knee Lifter complete (power table or stand
		25265) for 31-35 Machine, Nos. 76p,
		766p, 802p, 1521E, 5598, 12241, 12250,
00.400		12415, 12416, 16586, 20340 and two178E
<b>20</b> 466		Knee Lifter complete (Stand 25255) for
		31-15, 31-16, 31-20, 31-22, 31-27, 31-32 and 31-34 Machines, Nos. 76p, 766p,
		802p, 1521e, 5598, 12237, 12240, 12241,
		12415, 12416, 20465 and two 178e
43931		Knee Lifter complete (Stands 25255 and
10501		25265) for 31-19 Machine, Nos. 76p,
		766p, 802p, 1521E, 5598, 12415, 12416,
		19372, 20340, 20465, 21301 and two 178E
43933		Knee Lifter complete (Stand 25255) for
		31-24 Machine, Nos. 76p, 766p, 802p,
		1521E, 5598, 12237, 12240, 12241, 12416,
		20255, 20465 and two 178E
43934		Knee Lifter complete (Stand 25255) for
		31-35 Machine, Nos. 76p, 766p, 802p,
		1521E, 5598, 12241, 12415, 12416, 16586,
		20340, 20465 and two 178E

### **KNIFE GRINDER**

#### FOR 5726

NO.	PLATE			NAME	}		
27565	1104	Emery	Wheel,	2 in. di	am		
1508j	1105	"	44	Clampi	ing N	ut	
27822	1105	46	"	. 46 .	6	' Wa	sher
27567	1105	"	"	Shaft		<b>.</b>	
60934		Emery	WheelS	haft275	67 wit	h 1508	3 <mark>, 275</mark> 65
		2756	9 and 2'	7822			
<b>27</b> 568	1105	Emery	Wheel	Shaft	Oil	Hole	Cover
		(rub	ber)				
27569	1105	Emery	Wheel	Shaft P	ulley.		
3101	x 1105	"	"	"S	crew (	Centre	e
1516a	1105	"	"	"	"	"	Nut
27564	1104	Frame	with 27	574			

NO.	PLATE	NAME
899л	1105	Knife Clamping Screw
126392	8632	" Holder
27657		" Body for 27658
<b>27679</b>		" " " 27681
27658	1105	Knife Holder complete for 5726, for 27661,
		Nos. 8991, 27657 and 27660
27681	6255	Knife Holder complete, Nos. 899, 11833,
		27660 and 27679
<b>126393</b>		Knife Holder complete, Nos. 227 <sub>J</sub> , 899 <sub>J</sub> ,
		27660, 126392 and 126394
<b>27323</b>	1105	Knife Holder Guide Bar
27572	1104	" " Bracket with
		27574
310ĸ	1105	Knife Holder Guide Bar Bracket Screw
		Centre
1516ј	1105	Knife Holder Guide Bar Bracket Screw
		Centre Nut
27573	1105	Knife Holder Guide Bar Bracket Spring
27574	1105	
		Hook
27659	1105	Knife Holder Stop Collar with 237k
237ĸ	1105	" " Set Screw
27660	6255	" Position Pin for 27658 and 126393
27660	6255	" " (lower) for 27681
11833	6255	" (upper) for 27681
<b>261</b> <sub>J</sub>	1105	" Regulating Thumb Screw
126394	8633	" Stop
227 <sub>J</sub>		" " Screw
<b>*6058</b> 3		Knife Grinder, Nos. 261 <sub>J</sub> , 27323, 27564,
		27572, 27573, 27659, 60934, two 27568
		and four each 310k and 1516j
27661		Knife Grinder complete, Nos. 27662, 60583,
		either 27658, 27681 or 126393 and three
		wood screws 1 in. No. 10
<b>2</b> 7662	1104	Wrench for 1508 and 1516
		DENCH STAND
		BENCH STAND

ю. <b>79</b> 758	PLATE ——	wood screws	tand with screws $\frac{3}{4}$ in. Four each 1	in. No. No. 10 R	10, thre	e wood and A
12405	8633	Machine	Cushion	(felt) for	79758	
28084	8633	"	"	" Pin		
27130	8633	"	"	(leather)	for 122	48

NO.	PLATE	NAME
44243	8633	Machine Hinge Connection
2809	8633	" " Hinge Pin
33887	8633	" " Plate
44244		Machine Hinge complete, Nos. 2809, 33887, 44243 and Merlized wood screw 1¼ in. No. 14.
12248	8632	Machine Rest with 27130 and two wood screws 1 in. No. 12

### **STAND**

#### HIGH SPEED

NO.	PLATE	NAME
25329	3813	Band Wheel, 16 in. diam., with 1312c
1312c	3817	" Set Screw
25421	3814	" " Shaft
25422	3815	" " Driver (left)
<b>254</b> 23	3815	" " Driver (left)
		(left)
25424	3815	Band Wheel Shaft Driver (left) Clutch
		(right) with 5564
25425	3817	Band Wheel Shaft Driver (left) Clutch
		Spring
5564	3817	Band Wheel Shaft Driver (left) Clutch
		Spring Hook
25426	3815	Band Wheel Shaft Driver (right)
25427	3815	" " " Clutch
		(left)
25428	3815	Band Wheel Shaft Driver (right) Clutch
		(right) with 5564
25425	3817	Band Wheel Shaft Driver (right) Clutch
		Spring
5564	3817	Band Wheel Shaft Driver (right) Clutch
		Spring Hook
25429	3815	Band Wheel Shaft Driving Flange with
		356c
3560	3817	Band Wheel Shaft Driving Flange Set
0,00	0021	Screw
*46604		Band Wheel Shaft Driving Flange (left)
FUUUF		complete, Nos. 25422 to 25425, 25429
		and 25434
* * * * * * * * *		
*46605		Band Wheel Shaft Driving Flange (right)
		complete, Nos. 25425 to 25429 and 25434
25370		Belt, size $\frac{1}{4}$ in., length $67\frac{1}{2}$ in., with $25127$
25127	3817	" Hook

NO. PLA	TE	NAME
25430 38	14 Brace	e
748 R 38	17 "	Screw
20467 570	62 Drip	Pan with eight 1 in, wire nails
25431 383	13 Drivi	ing Arm (left) with 435c and 25435
<b>25432</b> 38	13 "	" (right) with 435c and 25435
25433 38	16 "	" Hinge Pin
435c 38	17 "	" " Set Screw
<b>25434</b> 38	15 "	Pinion
<b>254</b> 35 38	16 "	Segment (rack)
534 R 38	17 "	" Bolt with 1510 R
1510 R 38	17 "	" " Nut
25446 38	17 "	" " Washer
<b>25349</b> 38	13 Foot	Rest
25350 38	17 "	" Cotter Pin
<b>25435</b> 38	16 "	" Hinge Pin
25436 38	13 Leg (	(left)
<b>254</b> 37 38	13 " (	(right)
25438 38	14 " \$	Stay Rod
1508n 38	17 "	" " Nut
25086 38	13 Wren	nch for 1510
25255 —	— Stand	d (iron work) complete, Nos. 25086,
	253	329, 25421, 25430 to 25432, 25436 to
	254	438, 46604, 46605, two each 25345,
	253	349, 25350, 25433 and four each 534R,
	748	8R, 1508R and 25446

### **STAND**

#### ROCKING TREADLE, BALL BEARING PITMAN

NO.	PLATE	NAME
25301	3825	Band Wheel, 16 in. diam., with 972c
46519	3825	" " Crank
46520		Band Wheel Crank and Pitman (ball bear-
	•	ing) complete, Nos. 1520R, 25371, 46506
		to 46509, 46519, 46523, 46630, 46655 and six 25362
2970	3826	Band Wheel Crank Screw Centre
46629		" " " " 297c
		with 1507R
15071	₹ 3826	Band Wheel Crank Screw Centre Nut
9720	3826	" Set Screw
25016		Belt, size $\frac{1}{4}$ in., length $69\frac{1}{2}$ in. with $25127$
25127	3817	" Hook
46667		Brace
82985	5216	" 46667 with three 46629
<b>74</b> 81	3817	" Screw

NO.	PLATE	NAME
46528	6142	Brace Section (left) with 46629
46663	6142	" (right) with two 46629
880 F	5843	" " Screw
46662	6142	Brace (sectional) complete, Nos. 46528,
		46663 and three 880R
82973	5216	Leg
25362	3826	Pitman Ball, size 3 in
46506	3826	" Bearing Adjusting S c r e w
		Ring
46507	3826	Pitman Ball Bearing Adjusting Screw
		Ring Locking Washer (brass)
46508	3826	Pitman Ball Bearing Ring
46509	3826	" " Case
46655	3826	" " Separator
46523	3825	" Rod with 25360
<b>*25360</b>		" " Ball
25371	3826	" " Bushing
25361	3826	" " Screw Bearing
46630		"""""25361
		with 1670 R
	3826	Pitman Rod Ball Screw Bearing Nut
	3826	" Lock Nut
46524	3825	Treadle
	3826	" Screw Centre
46629		" " 297c with 1507r
	3826	" " Nut
<b>2</b> 5086	3813	Wrench for 1507 and 1670
<b>25200</b>		" " 972
25265		Stand (iron work) complete, Nos. 25086,
		25200, 25301, 46520, 46524, 82985, two
		82973 and four 748r
		STAND
		FOR ELECTRIC MOTOR
NO.	PLATE	NAME
2970	3826	Band Wheel Crank Screw Centre
46629		" " " " 297c
		with 1507R

**46528** 6142 " Section (left) with 46629......

" 46667 with three 46629.....

" Screw.....

82985 5216

748R 3817

NO.	PLATE			NA	ME
46663 8801	6142 3 5843	Brace			with two 46629
46662	6142				mplete, Nos. 46528,
82973	5216	Leg		<i></i>	
25082	5760	Tread	le,	<i>.</i>	
2976	3826	"	Screw	Centr	e
46629		"	"	"	297c with 1507r
15071	а 3826	"	"	"	Nut
7958	5741	Motor	Pitman	Pin	
25086	3825	Wrene	h for 15	07	
25279		2508	32 <b>, 2</b> 5086	, 8298	somplete, Nos. 7958, 5, two 82973 and four

### **STAND**

## ROCKING TREADLE, BALL BEARING PITMAN, FOR FOOT POWER AND S. D. 11 OR S. A. 12 ELECTRIC MOTORS

NO. PLATE	NAME
25301 3825	Band Wheel, 16 in. diam., with 972c
46519 3825	" " Crank
46656	Band Wheel Crank and Pitman (ball bear-
	ing) complete, Nos. 1520R, 25371, 46506
	to 46509, 46519, 46630, 46655, 46658 to
	46660 and six 25362
297c 3826	Band Wheel Crank Screw Centre
46629	" " " " 297c
	with 1507R
1507R $3826$	Band Wheel Crank Screw Centre Nut
972c 3826	" Set Screw
25016	Belt, size 1/4 in., length 69 1/2 in., with 25127,
	from band wheel to machine
46657 ——	Belt, size 1/4 in., length 36 1/2 in., with 25127,
	from motor to machine
<b>25127</b> 3826	Belt Hook
46667 ——	Brace
82985 5216	" 46667 with three 46629
748r 3826	" Screw
<b>46662</b> 6142	Brace (sectional) complete, Nos. 46528,
	46663 and three 880 R
<b>4</b> 6528 6142	Brace Section (left) with 46629
<b>4666</b> 3 6142	" (right) with two 46629
880r 5843	" Screw
82973 5216	Leg
<b>25</b> 362 3826	Pitman Ball, size 3 in

NO.	PLATE	NAME
46506	3826	Pitman Ball Bearing Adjusting Screw
		Ring
46507	3826	Pitman Ball, Bearing Adjusting Screw
		Ring Locking Washer (brass)
46508	3826	Pitman Ball Bearing Ring
46509	3826	" " Case
46655	3826	" "Separator
46658	5843	" Rod (lower) with 25360
*25360		" " " Ball
25371	3826	" " " Rushing
25361	3826	" " Screw Bearing
46630		
		25361 with 1670R
1670 r	3826	Pitman Rod (lower) Ball Screw Bearing
		Nut
46659	5841	Pitman Rod (upper)
$1520  \mathrm{F}$	3826	" " Lock Nut
46660	5843	" " Coupling
46524	3825	Treadle
	3826	" Screw Centre
46629		" " 297c with 1507 R
1507 n	3826	" " " Nut
10875	5841	Wrench for 46660
25086	3825	" " 1507 and 1670
25200	3825	" " 972
25284		Stand (iron work) complete, Nos. 10875,
		25086, 25200, 25301, 46524, 46656,
		82985, two 82973 and four 748 R
67175	5843	Hook for 67072
67176	5844	Treadle Pitman Rod (lower)
67086	5844	" " (upper)
9079	5844	" " Clamp with 354c
354c		" " " Screw
67177	5844	Treadle Pitman complete, Nos. 9079, 67086
		and 67176

### TRIMMINGS FOR END AND BACK LEAF TABLE

NO.	PLATE	NAME
25001	3825	Back Leaf Bracket with two wood screws
		1 in. No. 10
25002	3825	Back Leaf Scroll Bracket with ¾ in. No. 9
		and two 1 in. No. 12 wood screws
25003	3825	Back Leaf Sliding Hinge, Nos. 25149,
		three 25151 and six wood screws ¾ in.
		No. 7

NO. PLA	ГE	NAME	1
25151 382	5 Back Leaf	Sliding Hing	ge Plate
25149 382	25 " "	"	Rod
<b>25057</b> 382	5 End Leaf	Support com	plete, Nos. 25143,
	,		o wood screws 5/8
<b>25168</b> 382			ket
<b>25060</b> 382			on with wood screw
	$1\frac{1}{2}$ in.	No. 12 R. H	. в
<b>2516</b> 9 382	5 End Leaf 8	Support Leve	r
<b>2514</b> 3 574	2 " "		Hinge Pin
20022 574	2 Machine I	Rest (felt) for	machine on stand

## THREAD UNWINDERS **THREAD UNWINDER**

#### FOR ONE LARGE SPOOL OR ONE LARGE CONE OF THREAD

NO.	PLATE	NAME
225389	8523	Spool Rest with 201018c
225388	8523	" Rod
2003836	8633	." " Set Screw
2010180	8633	" Set Screw
202490	8523	" Stand with 200383c
225391	8523	Thread Guide
201696J	8633	" " Lock Nut
225392	8523	" Rod with 208E and 225393
208i	a 782	" " Screw
225393	8633	" " Washer
225394	8523	Thread Unwinder complete, Nos. 201696J,
		202490, 225388, 225389, 225391, 225392
		and three wood screws 7/8 in. No. 12
<b>277</b> 39	8520	Thread Cone (wood) for large cones
225390	8520	" Holder, for inverted cones.
No	TE: No	s. 27739 and 225390 are used with, but
		not included in, 225394

#### THREAD UNWINDER

#### FOR TWO LARGE SPOOLS OR TWO LARGE CONES OF THREAD

This Thread Unwinder is the same as 225394 with the following exceptions:

NAME 225395 7233 Spool Rest with 201018c, in place of 225389

NO.	PLATE	NAME
225396	7233	Thread Unwinder complete, Nos. 201696J.
		202490, 225388, 225392, 225395, two
		225391 and three wood screws 1/2 in. No.
		12
<b>27739</b>	8520	Thread Cone (wood) for large cones
225390	8520	" " Holder, for inverted cones .
No	TE: No	s. 27739 and 225390 are used with, but
		not included in 225396

#### THREAD UNWINDER

## FOR ONE LARGE SPOOL OR ONE LARGE CONE OF THREAD OBSOLETE, USE 225394

NO.	PLATE	NAME
<b>2</b> 7623	2836	Spool Pin
1550	5753	" Set Screw
41526	2836	" Rest
60701		" " 41526 with 155c and 1149c
41527		" " 60701 with 27623
1149c	5742	" Set Screw
27940	2836	" Stand with 453c
41514	2836	" Weight, 4 in. diam., with 41515
41515	5742	" Centre Pin
27739	2836	Thread Cone (wood)
41630	2836	" Guard with 208E and 41569
41569	5842	" " Eyelet
41637	2836	" Rod (lower)
41638	2836	" " (upper)
41639	2836	" " Coupling with two
		456c
456c	773	Thread Guard Rod Coupling Set Screw
41640		Thread Guard Rod complete, 30 in. long,
		Nos. 41637 to 41639
453c	783	Thread Guard Rod Set Screw
208E	782	" " Screw
41529	2836	Thread Unwinder complete, Nos. 27739,
		27940, 41514, 41527, 41630, 41640 and
		three wood screws 1 in. No. 12

#### THREAD UNWINDER

## FOR TWO LARGE SPOOLS OR TWO LARGE CONES OF THREAD OBSOLETE, USE 225396

This Thread Unwinder is the same as No. 41529 with the following exceptions:

NO.	PLATE	NAME
41530	2837	Spool Rest, in place of 41526

NO.	PLATE	NAME
60455		Spool Rest 41530 with 1149c and two 155c
		in place of 60701
41531		Spool Rest 60455 with two 27623, in place
		of 41527
41631	2837	in place of 41630
41533	2837	Thread Unwinder complete, Nos. 27940, 41531, 41631, 41640, two each 27739,
		41514 and three wood screws 1 in. No. 12

### **OBSOLETE PARTS**

NO.	PLATE	NAME
*20399		Arm with 11104, for 31-37 Machine
29599	2014	" Oil Tube Packing (felt) for 11119,
		12454 and 24131
25330	3816	Band Wheel Brake (rubber) for 25418
25418	3814	" " Lever with 443c and
		25330, for 25255
25419	3816	Band Wheel Brake Lever Hinge Pin for
		25418
4430	3817	Band Wheel Brake Lever Hinge Pin Set
		Screw
25420	3816	Band Wheel Brake Lever Spring for 25418
<b>28</b> 366	2645	Binder Folder for 28794, use 120493, 120494
		or 120495
12484	2003	Bobbin Winder Spring for 12172, 12202
		and 12337
12365	2001	Crank Connecting Rod with 14013 and
		two 896e, for 375
12496	2001	Crank Connecting Rod with 14013 and
		two 896E, for 908, use 20197
*14013		Crank Connecting Rod Cap for 12365 and
		12496
	c 782	Crank Connecting Rod Hinge Screw
1518	л <b>7</b> 83	
		for 375
20021	5761	Drip Pan with four 1 in. wire nails, for
		power table, for Drop Feed Machines,
		use 44212
12225	768	Driving Arm Pitman Crank for 12476, for 12478 and 20141
		Driving Arm Pitman Crank Spring for
12476	774	12225, for 12478 and 20141
07000	0.00	Driving Attachment Treadle for 27642
27636 9082		" " Bearing
9082	113	Cotter Pin for 27642
		Cotter i in for 21012

NO.	PLATE	NAME
2877	818	Driving Attachment Treadle Pitman Rod
15190	010	(upper) for 15130
15130	818	Driving Attachment Treadle Pitman com-
		plete for 15131, Nos. 2762, 2877, 6055,
2878	000	9079, 27637 and 27638
2010	363	Driving Attachment Treadle Stand for 27642
27642		Driving Attachment Treadle complete for
		14234 and 15131, Nos. 2878, 9082,
		27636 and four wood screws 1 in. No. 16
15131		Driving Attachment Treadle and Pitman
		complete for 12478 and 20141, Nos.
		15130 and 27642, use 126042
14234		Driving Attachment Treadle and Pitman
		complete for 12478 and 20141, Nos.
		14233 and 27642
20402	5756	Edge Guide for 31-37 Machine
12371	779	Feed Dog, for shirt work, for 31-15 Machine
20009	1258	Feed Dog, for tailor work, for 31-15, 31-20
		and 31-22 Machines
20329	776	Feed Dog for 31-32 Machine
12369	776	Feed Dog, for cloth, 12 teeth (12 teeth to
		the inch) for 31-15, 31-19, 31-20 and
		31-22 Machines
12457	2699	Feed Dog, for cloth, 16 teeth (16 teeth to
		the inch) for 31-15, 31-19, 31-20 and
		31-22 Machines
20303	776	Feed Dog (reversible) for 31-32 Machine
12428	767	Feed and Feed Lifting Eccentric with 446c,
		for 31-15, 31-16, 31-20, 31-22 and 31-24
		Machines
12429	2002	Feed Forked Connection for 31-15, 31-16,
		31-20, 31-22 and 31-24 Machines
12331	5757	Feed Forked Connection for 31-32 Ma-
		chine, use 44003
12374	766	Feed Lifting Rock Shaft for 12375
12375		Feed Lifting Rock Shaft complete for
		31-15, 31-16, 31-19, 31-20, 31-22, 31-24,
		31-27, 31-32, 31-34, 31-35 and 31-37
		Machines, Nos. 3043, 12374 and 12376,
		use 44126
12200	774	Feed Lifting Rock Shaft Crank (back)
		with 462c, use 3043
<b>304</b> 3	770	Feed Lifting Rock Shaft Crank (back)
		with 462c for 12375

NO.	PLATE	NAME
2049	773	Feed Lifting Rock Shaft Crank (back) Pin
4620		" " " " " Set
1020	. 119	Screw
12430	2002	Feed Lifting Rock Shaft Crank Connecting
		Rod with 12204 and two 966E, for 31-15,
		31-16, 31-19, 31-20, 31-22, 31-24, 31-27,
		31-32, 31-34, 31-35 and 31-37 Machines
*12204		Feed Lifting Rock Shaft Crank Connect-
		ing Rod Cap for 12430
58 F	z 782	Feed Regulator Hinge Screw
12380		Feed Rock, Shaft complete, Nos. 3043 and
		12379, use 20333
20239		Feed Rock Shaft complete for 31-24 Ma-
		chine, Nos. 3043, 20238 and 20247, use
		20334
28969	2669	Guide (adjustable, hinged) complete, Nos.
		286p, 940p, 7071, 28971 to 28973 and
		35610, use 120428
27680		Knife Grinder Knife Holder Body for
		27682
27682	6255	Knife Grinder Knife Holder complete for
-		27661, Nos. 899, 11833, 27660 and
		27680, use 126393
46522	3825	Leg for 25265, 25279 and 25284
19363	1312	Lifting Presser Bar Guide Bracket with
		453c, for 31-19 Machine
20367	770	Needle Bar Connecting Stud Slide Block
		for 20368
20368	770	Needle Bar Connecting Stud complete.
		Nos. 453c, 12383 and 20367, use 12384
12385	767	Needle Bar Crank with 855c, and 858c,
	-	use 20188
855c	783	Needle Bar Crank Position Screw for 12385
696E	782	" " Plug Screw
12495	2014	" " " Rivet
1072F	1317	" Set Screw for 16568
36578		Oiler (copper plated) with 36579 (Attach-
		ments and Accessories) use 120342
36579		Oiler Spout, 31/2 in. long, with 120117, for
		36578
120117		Oiler Spout Washer (leather) for 36579
12188	768	Oil Cover for 12478 and 20141
397D	782	" " Screw
24020	2009	" Cup for 24024
44004	2565	" " 44007
24023	2009	" Extension with 24075, for 24024
12486		" " Packing (felt) for 24024
		S . ,

NO.	PLATE	NAME
24024	2009	Oil Cup complete for 31-16 Machine, Nos.
		12486, 24020 and 24023, use 44007
44007	2565	Oil Cup complete for 31-16 Machine, Nos. 44004 to 44006, use 44225
12386	767	Oscillating Rock Shaft for 375, for 12387,
12497	2001	" " " 908 and 1902,
		for 12498, use 24104
12387		Oscillating Rock Shaft complete, Nos. 4784, 12386 and 12388
12498		Oscillating Rock Shaft complete, Nos. 4784, 12388 and 12497, use 24105
878J	783	Oscillating Rock Shaft Hinge Pin Oil Hole Stop Screw
12459	773	Oscillating Rock Shaft Hinge Pin Oil Hole Stop Screw Washer (leather)
12443	772	Oscillating Rock Shaft Oil Pad for 16508.
16508	772	" " " Holder
		with 12443
2381	D 782	Oscillating Rock Shaft Oil Pad Holder Screw
1902	783	Oscillating Shaft Crank Roller and Screw Stud.
1518.	J 783	Oscillating Shaft Crank Roller and Screw Stud Nut
460	c 783	Oscillating Shaft Crank Set Screw for 19447
229	D 782	Oscillating Shaft Crank Slide Block Cap Screw for 19449, use 226p
12390	771	Oscillating Shaft Crank complete, Nos. 457c, 1518j, 1902 and 19496
20407	5756	Plaiting Blade Holder (lower) Hinge Stud for 20438
20409	5756	Plaiting Blade Holder (lower) Spring Stop for 20438
20431	5757	Plaiting Gear Cover for 31-37 Machine
	<b>D</b> 5756	" " Screw
20438	5756	" Rock Shaft for 20409, for 31-37 Machine
43805	5742	Presser Foot for 31-42 Machine
2532	772	" " Hinge Pin for 20157, 20311, 20346 and 24489
<b>2</b> 532	1371	Presser Foot (right) Hinge Pin for 28814
24545		" " Shank for 24546
24546	780	Presser Foot (spring hinged) complete for 12425, 12481, 19474 and 20119, Nos. 24544, 24545, 26231 and 62527
95001	2020	

NO. PLATE	NAME
25990 2029	Quilter complete, Nos. 25991 and 25992, use 120485
24117 2006	Shuttle Bobbin Case Guide Plate for 24120
1053ъ 2006	Shuttle Bobbin Case Guide Plate Screw for 24120.
15003 771	Shuttle Bobbin Case Hinge, Nos. 2972 to 2974 for 12417 and 19293
20592	Shuttle Bobbin Case Hinge, Nos. 2974, 20593 and 20594, for 20591, use 20652
20652	Shuttle Bobbin Case Hinge, Nos. 2973, 2974 and 20593 for 20653
2972 771	Shuttle Bobbin Case Latch for 15003
<b>20</b> 593 2012	" " " 20592 and 20652
<b>20594</b> 2012	Shuttle Bobbin Case Latch Lever for 20592.
<b>2521</b> 1371	Shuttle Bobbin Case Latch Spring for 20591 and 20653
<b>205</b> 95 2012	Shuttle Bobbin Case Position Finger for 20591, 20651 and 20653
12417 —	Shuttle Bobbin Case complete for 12392, Nos. 591F, 592E, 2523, 2526, 2975, 7553 and 15003, use 19293.
<b>1929</b> 3 771	Shuttle Bobbin Case complete for 19292, Nos. 591r, 592r, 2523, 2975, 7553, 15003 and 15098, use 24074
20591 2012	Shuttle Bobbin Case complete for 20590, Nos. 591r, 592r, 2521, 2523, 20592, 20595 and 20600, use 20653
20653 2012	Shuttle Bobbin Case complete for 20655 Nos. 591r, 592r, 2521, 2523, 20595 20652 and 20654, use 20651
20651 2012	Shuttle Bobbin Case complete for 20655 Nos. 591r, 592e, 2523, 2975, 20595 20650 and 20654
24074 2013	Shuttle Bobbin Case complete for 12487 and 19292, Nos. 591r, 592r, 2523, 2975 7553, 15098 and 15141, use 62740
20596 2012 462c 773	Shuttle Body for 20590 and 20655 " Driver Set Screw for 12444 and
12392 ——	19406
20590 ——	Shuttle, 1 <sup>1</sup> / <sub>18</sub> in. diam., Nos. 19131, 20591, and 20596, for 31-20 Machine, use 20655

OBSOLETE PARTS

182

NO.	PLATE	NAME
20655	2012	Shuttle, 111 in. diam., Nos. 19131, 20596
		and 20651, for 31-20, 31-22 and 31-24
		Machines
5708		Shuttle Race Body for 5707
12490	**	12409
19402		19404
24008 62623		" " 62623 " " 24008 with 24009 and
02023		two 1053b, for 24010
24118		Shuttle Race Body for 24120
5709	767	" " Cap for 5707
12491	2005	" " " 12489
19403	2006	" " " 19404
662n	782	" " Screw for 5707, 12489
		and 19404
4621	5843	Shuttle Race Cap Steady Pin for 19404
5707	767	Shuttle Race complete for 31-15 and 31-16
		Machines, Nos. 648p, 2531, 2533, 5708, 5709 and two each 662p and 2532
10400		
12489		Shuttle Race (sectional) complete for 31-16 Machine, Nos. 6480, 2531, 2533,
		12490 to 12494 and two each 85p, 662p
		and 2532, use 20005
19404	1356	Shuttle Race complete for 31-20 Machine,
10101	1000	Nos. 648b, 662b, 2419, 2533, 4621,
		19402, 19403 and two 2532, use 24325
24010	1357	Shuttle Race complete for 31-20 Machine,
		Nos. 648p, 2419, 2533, 62623 and two
		2532, use 24325
24120	2006	Shuttle Race complete for 31-20, 31-22
		and 31-24 Machines, Nos. 907D, 2419,
		<sup>2533</sup> , 24009, 24117, 24118, two 2532 and
		four 1053p, use 24325
647F	774	Shuttle Race Serew, use 1450
12395		" " Slide, use 12431
240D	782	" " Spring Serew for 12396
10000		and 20450
12396		Shuttle Race Slide complete, Nos. 4307, 12395 and two 240p, use 12432
2526	5842	Shuttle Tension Spring for 12417, use
2020	0012	15098
15098	771	Shuttle Tension Spring for 19293 and
-		24074
20600	2012	Shuttle Tension Spring for 20591
43806		Stop Wheel with 2269, for 43807
12325	5738	" "Block for 43807

1	NO.	PLATE	NAME
4	3807	5735	Stop Wheel complete for 31-42 Machine,
			Nos. 446c, 12316, 12325, 12345, 43806
			and two 840p, use 43943
:	2921	772	Tension Disc for 44147
2	0037	2009	" Releaser for 44147
2	0185	2011	" " 20370
20	0314	1353	" " 29549
13	2354	772	" use 20037
13	2397	772	Tension Releasing Lever for 31-19 and
			31-42 Machines
20	0186	2011	Tension Releasing Lever for 31-22 Ma-
			chine
20	0370	2048	Tension Releasing Lever for 20185, for
			31-22 Machine
2	9549	1353	Tension Releasing Lever for 31-15, 31-16,
			31-20, 31-24, 31-27, 31-32, 31-34 and
			31-37 Machines
	<b>41</b> 3¢	783	Tension Screw Stud for 33892
33	3892		" " 413c with 1560c, for
			44174 and 44149, Nos. 20061 to 20063,
			for 31-15, 31-16, 31-20, 31-22, 31-24,
			31-27, 31-32, 31-34 and 31-37 Machines
	0061	1353	Tension Screw Stud Bushing
	0062	1353	" " Flange
	0063	1353	" " " Collar
20	0064	2014	" Thread Guard
	190o	782	Screw
44	1147		Tension complete for 31-19 and 31-42 Ma-
			chines, Nos. 2923, 7336, 8511, 20037,
			33892 and two 2921
44	1149		Tension complete for 31-39 Machine, Nos.
			2923, 7336, 8511, 33892 and two 2102
		No	ов. 12400 то 12402 гоп 12399
	460c	783	Thread Retainer Set Screw
	2400	773	" " Sleeve
	2401	773	" " Spring
12	2402	773	" " Stud
	460c	783	" " Set Screw for 12402
12	2399		Thread Retainer complete for 31-15, 31-16
			31-19, 31-20, 31-22, 31-24, 31-27, 31-32,
			31-34, 31-35, 31-37 and 31-39 Machines,
			Nos. 12400 to 12402, use 52379
	430c	783	Thread Take-up Lever Link Hinge Pin
			Set Screw for 31-15, 31-16, 31-19, 31-20,
			31-22, 31-24, 31-27, 31-32, 31-34, 31-35,
			31-37 and 31-39 Machines

NO.	PLATE	NAME
8511	773	Thread Take-up Spring for 44147 and 44149
12413	779	Throat Plate, large needle hole, for 12371
12441		" small needle hole, for 12371
20010	1258	" large needle hole, for 20009,
		use 44137
20024		Throat Plate, small needle hole, for 20009,
		use 44138
12438	776	Throat Plate, large oblong needle hole, for
		20329
20192		Throat Plate, small oblong needle hole, for
		20329
12411	776	Throat Plate, large needle hole, for 12369,
		12457 and 20303
12449		Throat Plate, small needle hole, for 12369,
		12457 and 20303

SINGER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Tradé Mark "SIMANCO.\*\*"

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT SINGER made needles. 2

### NUMERICAL LIST OF PARTS

NO. PLATE	NAME
16c 5740	Starting Bell Crank Hinge Screw for 12344
32p 782	Bobbin Winder Frame Hinge Screw for
	12172, 12202, 12337, 16522, 19260,
	20309 and 20498
32 <sub>F</sub> 5753	Plaiting Rock Shaft Lever Hinge Screw
	(intermediate) for 31-37 Machine
35ъ 2011	Bobbin Winder Stop Latch Hinge Screw
	for 27647, 27650, 27651 and 27875
58E 782	Feed Regulator Hinge Screw, obsolete
58D 782	Tucker Tuck Guide Plate Arm Hinge
	Screw for 26683
65 <sub>D</sub> 782	Driving Attachment Driving Arm Pitman
	Hinge Screw for 12478 and 20141
66F $5753$	Plaiting Rock Shaft Lever Hinge Screw
	(back) for 31-37 Machine
66F $5753$	Plaiting Rock Shaft Lever Hinge Screw
	(front) for 31-37 Machine
69 <sub>D</sub> 5742	Ruffler Driving Lever Hinge Screw for
	26018 and 26230
75D 782	Bobbin Winder Stop Latch Hinge Screw
	for 16522 and 19260
76p 782	Lifting Lever Connecting Rod Joint Hinge
	Screw (Foot and Knee Lifters) for
	12445, 20008, 20256, 20290, 20341,
	20466, 43928, 43929, 43930, 43931,
70- 0001	43933 and 43934 Separating Blade Arm Hinge Screw for
76p 2061	35280
85p 2005	Shuttle Race Ring Clamp Screw for 12489
000 2000	and 20005
93г 2669	Presser Foot Tension Plate Screw for
39F 2003	35447
94р 1375	Edge Guide Slide Lever Hinge Screw for
010 2010	26810
94p 1376	Hemmer Folder Disengaging Lever Hinge
¥	Screw for 28688
96p 2038	Strip Folder Hinge Screw for 28707
102р 2035	Ruffler Ruffling Blade Lever Disengaging
	Lever Hinge Screw for 26724
102n 2061	Separating Blade Arm Latch Lever Hinge
	Serew for 35280
102р 2061	Separating Blade Holder Hinge Screw for
	35280

NO. PLATE	NAME
108p 2061	Separating Blade Holder Spring Screw for 35280
129p 5736	Finger Protector Screw for 31-39 Machine
131ъ 2019	Presser Foot Roller Screw for 20243
134 <sub>D</sub> 2019	Reciprocating Spring Presser Shaft Bracket
	(back) Screw for 31-24 Machine
135 <sub>D</sub> 2026	Corder Screw for 26169, 26328 and 28788
141p 5750	Plaiting Cam Shaft Bracket Screw for 31-37 Machine
141 <sub>D</sub> 5750	Plaiting Lever Bracket Screw for 31-37 Machine
144 <sub>D</sub> 782	Arm Shaft Screw for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35, 31-37 and 31-39 Machines
145 <sub>D</sub> 5752	Plaiting Gear Cover Screw for 31-37 Machine
145 <sub>D</sub> 1324	Ruffling Arm Shaft Bracket (right) Screw for 31-27 Machine
145р 5752	Separating Blade Bracket Screw for 31-37
145p 782	Machine
152F 2038	Binder Guide (upper) Screw for 26694
152F 2038	" Screw for 25664
152r 782 152r 782	Bobbin Winder Stop Latch Adjusting
	Screw for 16516 and 19258
155c 5739	Needle Bar Connecting Stud Set Screw for 12131
155c 5753	Plaiting Rock Shaft Lever Arm Hinge Stud Set Screw for 20423
155c 5753	Thread Unwinder Spool Pin Set Screw for 60455 and 60701
157 <sub>J</sub> 782	Feed Lifting Rock Shaft Crank Clamping
-0.0	Screw for 12376
157 <sub>J</sub> 782	Feed Rock Shaft Crank Clamping Serew for 29633
158c 1206	Bed Frame Cushion Serew for 20067
159p 1324	Ruffling Arm Shaft Bracket (left) Screw
1000 1024	for 31-27 Machine
162n 8628	Belt Guard Extension Screw for 126365
175b 5736	Lifting Presser Bar Guide Bracket Support
	Serew for 31-19 Machine
176b 2038	Presser Foot Screw for 31-37 Machine
176p 2038	Tucker Screw for 26377
178E 782	Bell Crank Bracket Screw (Foot and Knee
	Lifters) for 12445, 20008, 20256, 20290,
	20341, 20466, 43928, 43929, 43930,
	JP024 12022 and 12021

NO. PLATE	NAME
178F $5750$	Plaiting Gear (back) Set Screw for 20425
180F $782$	Bobbin Winder Spring Screw for 12172,
	12202, 12337, 16522, 19260, 20309 and
	20498
181 <sub>D</sub> 1323	Ruffling Regulator Stop Screw for 31-27
	Machine
185н 1371	Presser Foot (left) Screw for 28816
185н 5754	Separating Blade Holder Screw for 31-37 Machine
190 <sub>D</sub> 782	Binder Screw for 25650, 25653, 25656 and
	36463
190 <sub>D</sub> 782	Binder Ribbon Tension Screw for 26250,
	26402, 26466, 28657, 28784, 120127,
	120437 and 120459
190 <sub>D</sub> 782	Box Plaiter Centre Guide Holder Screw for 28352
190р 2026	Corder Arm Adjusting Screw for 25792
190ь 1377	" Cord Guide Screw for 120207
190 <sub>D</sub> 1375	Edge Guide Screw for 26810
190ь 782	Face Plate Screw for 31-15, 31-16, 31-20,
	31-22, 31-24, 31-27, 31-32, 31-34, 31-37,
	31-39 and 31-42 Machines
190p 1376	Hemmer Serew for 28688
190 <sub>D</sub> 782	Presser Foot Screw for 31-15, 31-16, 31-20,
	31-22, 31-24, 31-27, 31-32, 31-34, 31-35 and 31-42 Machines
190р 782	Reciprocating Spring Presser Regulator
1300 102	Crank Clamping Screw for 20247
190p 782	Reciprocating Spring Presser Shaft Bracket
1005 102	(front) Screw for 31-24 Machine
190 <sub>D</sub> 782	Ruffling Arm Clamping Screw for 26889.
190p 1371	Ruffler Starting Lever Clamping Screw
	for 28601
190u 782	Starting Bell Crank Roller Screw for 1885
190b 782	Strip Folder Holder and Guide Screw for 35351
190p 782	Tension Thread Guard Screw, obsolete
190p 782	Welt Guide Screw for 26150
191c 1366	Knife Bar Crank Set Screw for 24431
191 <sub>F</sub> 2019	Reciprocating Spring Presser Shaft Crank
	(back) Set Screw for 20254
193r 1379	Binder Folder Serew for 26953, 28678 and 28776
193 <sub>D</sub> 1312	Lifting Presser Foot Screw for 31-19 Ma-
	chine
196л 5809	Finger Guard Holder Clamping Serew for 36820.
	99949

NO. PLATE

NAME

NO. PLATE	NAME
196г 2038	Tucker Tuck Marking Bar Pressure Spring
	Clamp Set Screw for 26109
198 <sub>D</sub> 2658	Presser Foot Knife Clamp Screw for 28967
198ь 1371	" (right) Shank Cap Screw for 28816
199ъ 1312	Lifting Presser Bar Bell Crank Cap Screw for 24716.
199 <sub>D</sub> 1312	Lifting Presser Bar Bell Crank Connecting Link Cap Screw for 24716
199 <sub>D</sub> 5752	Plaiting Lever Connecting Rod Cap Screw for 31-37 Machine
199ь 1312	Vibrating Presser Bar Cap Screw for 19366
200 <sub>F</sub> 2633	Box Plaiter Sliding Bracket Arm Exten-
	sion Bracket Screw for 28352
200F 5752	Plaiting Rock Shaft Crank Set Screw for 20439
206р 5756	Plaiting Gear Cover Screw for 31-37 Ma-
	chine, obsolete
207F $2021$	Binder Folder Screw for 26250, 26402,
	26466, 28657, 28784, 28794, 28861,
	120437, 120459 and 120467
207 F 2021	Binder Guide (upper) Screw for 25664
207г 2645	" Screw for 28828
207 F 2645	" Strip Guide Screw for 28861
207ғ 1375	Edge Guide Slide Cap (left) Screw for 26810
207ғ 1375	Edge Guide Slide Cap (right) Screw (large) for 26810
207 <sub>F</sub> 1376	Hemmer Slide Cap Screw (back) for 28688
$207_{\rm F}$ $2021$	Quilter Guide Holder Set Screw for 25992
207F $2021$	" Set Screw for 25992
207 F 2021	Ruffler Foot Screw for 26018
207F 2021	" Frame Stud Set Screw for 26230
207f 1344	Ruffling Arm Adjusting Screw for 26890
208E 782	Feed Dog Screw for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35 and 31-37 Machines
208p 5745	Plaiting Blade (lower) Screw for 31-37 Machine
208p 5745	Plaiting Blade (upper) Screw (right) for 31-37 Machine
208E 782	Thread Unwinder Thread Guard Screw for 41630 and 41631
208E 782	Thread Unwinder Thread Guide Rod Screw for 41630, 41631 and 225392
209c 8628	Quilter Guide Set Screw for 120482

NO. PLATE	NAME
210р 5742	Driving Attachment Balance Wheel Oil Cover Screw for 12478 and 20141
211E 1206	Bed Frame Hinge Connection Cap Screw for 19398
212p 5755	Edge Guide Screw for 31-37 Machine
212г 5745	Plaiting Blade Holder (lower) Cap Screw for 31-37 Machine
212г 5745	Plaiting Blade Holder (upper) Cap Screw for 31-37 Machine
217r 2061	Edge Folder Screw for 35283 and 35284
217 <sub>F</sub> 2061	" Guide (upper) Screw for 35282
217p 1312	Face Plate Screw for 31-35 Machine
217p 1312	Vibrating Presser Foot Screw for 31-19
217D 1012	Machine
219р 774	Arm Side Cap Screw for 31-15, 31-16, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-37 and 31-39 Machines
219p 774	Face Plate Screw for 31-19 Machine
219p 774	Hemmer Plate Screw for 120078
219F 774	Presser Foot Ribbon Guide Screw for
	28761
219F 774	Ruffling Arm Set Screw for 26889
219г 774	Vibrating Presser Bar Cap Screw for 19367
220p 2038	Binder Folder Screw for 120127
220р 1375	Edge Guide Leveling Screw for 26810
220p 2038	Tucker Tuck Marking Bar Bracket Hinge
	Pin Set Screw for 26377
223 <sub>F</sub> 1317	Knife Screw for 19391
223р 2035	Ruffler Guide Screw for 26724
225г 5736	Slack Thread Regulator Adjusting Screw for 31-15, 31-16, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34 and 31-37 Machines
225F 1323	Ruffling Regulator Set Screw for 24211
226в 1371	Oscillating Shaft Crank Slide Block Cap Screw for 19449
226р 1371	Ruffler Ruffling Blade Holder Cap Screw for 28816
226р 1344	Ruffling Blade Holder Cap Screw for 28845
227л ——	Knife Grinder Knife Stop Screw for 126393
228p 5746	Plaiting Blade (upper) Screw (left) for
·	31-37 Machine
228p 2038	Presser Foot Adjustable Guide Screw for 26639
228D 2038	Presser Foot Extension Screw for 12435 and 20157
	was =

NO. PLATE	NAME
228p 2038	Presser Foot Strip Gauge Screw for 12435 and 20157
228р 2038	Strip Folder Lock Stud Spring Screw for 28707
229p 782	Oscillating Shaft Crank Slide Block Cap
229D 102	Screw for 19449, obsolete use 206b
229 <sub>D</sub> 782	Reciprocating Spring Presser Regulator
2200 102	Crank Roller Cap Screw for 1942
233р 782	Binder Binding Guide Set Screw for 25664
233р 782	" Guide (back) Screw for 36463
233D 782	" (front) Screw for 36463
233р 1380	" Ribbon Tension Screw for 28678
	and 28776
233р 782	Box Plaiter Sliding Bracket Cap Screw for 28352.
233р 1375	Box Plaiter Sliding Bracket Stop Screw for
	. 28352
233p 1375	Edge Guide Slide Cap (right) Screw (small)
	for 26810
233 <sub>D</sub> 1376	Hemmer Folder (left) Screw for 28688
233р 1376	" Slide Cap Screw (front) for 28688
233р 782	Needle Bar Thread Guide Screw for 31-15,
	31-16, 31-19, 31-20, 31-27, 31-32, 31-34,
200	31-37, 31-39 and 31-42 Machines
233р 782	Reciprocating Spring Presser Blade Screw for 20253
233р 2039	Welt Guide Width Guide Screw for 26148
236л 5809	Finger Guard Screw for 120498
237ĸ 1105	Knife Grinder Knife Holder Stop Collar Set Screw for 27659
238p 2039	Welt Guide Cap Screw for 26150
238р 782	Oscillating Rock Shaft Oil Pad Holder
	Screw, obsolete
239р 2061	Separating Blade Arm Latch Lever Spring Screw for 35280
240p 782	Shuttle Race Slide Spring Screw for 12396
	and 20450
240ь 2039	Welt Guide Carrier Slide Stop Adjusting Serew for 26150
241 <sub>D</sub> 5754	Separating Blade Screw for 31-37 Machine
242 <sub>D</sub> 2645	Presser Foot Edge Guide Screw for 28858
248 <sub>A</sub> 2011	Clamp Stop Motion Clamp Stop Screw for 3022
256л 2003	Clamp Stop Motion Clamp Screw for 3022
261 <sub>j</sub> 1105	Knife Grinder Knife Regulating Thumb
	Screw for 60583
283p 1379	Binder Thumb Screw for 26956

NO. PLATE	NAME
284p 1366	Guide Thumb Screw (long) for 25866,
	25873, 25874 and 28658
286p 783	Arm Side Cover Thumb Screw
286D $5807$	Binder Guide Thumb Screw for 36344,
	120247 and 120248
286ь 783	Binder Shank Thumb Serew for 120166
286p 783	Edge Folder Thumb Screw for 36293
286p 783	Face Plate Thumb Screw for 31-15, 31-16,
	31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-37, 31-39 and 31-42 Machines
286в 783	Guide Thumb Screw for 28969 and 120428
287p 783	Tucker Edge Guide Slide Thumb Screw
	for 26597
287D 783	Tucker Tuck Guide Plate Thumb Serew
	for 26683
291 <sub>D</sub> 2038	Tucker Cloth Guide Thumb Screw for
	26377
296c 3826	Band Wheel Crank Serew Centre for
	46629
296c 5742	Starting Treadle Screw Centre for 46661.
297c 3826	Band Wheel Crank Centre Screw for 46629
297c 3826	Treadle Screw Centre for 46629
307c 783	Feed Lifting Rock Shaft Screw Centre for 56814
307c - 783	Feed Rock Shaft Screw Centre for 56814
310к 1105	Knife Grinder Emery Wheel Shaft Screw Centre for 60583
310к 1105	Knife Grinder Knife Holder Guide Bar Bracket Screw Centre for 60583
313c 783	Feed Bar Screw Centre for 56813
326e 5741	Starting Treadle Extension Screw for
	43815
333D 782	Bobbin Winder Friction Wheel Washer Screw for 12171, 12201, 16515 and 20308
334ъ 2038	Binder Folder Slide Carrier Screw for 36463
334 <sub>D</sub> 2038	Binder Pressure Spring Screw for 25650, 25653, 25656, 26694 and 36463
334 <sub>D</sub> 2038	Tucker Tuck Marking Bar Set Screw for 26377
335н 1317	Knife Holder Handle Serew for 24128
335н 1317	" Screw for 24128
335p 1317	Presser Foot Graduated Adjustable Guide
	Screw for 26977
335в 1313	Vibrating Presser Bar Spring Screw for
337р 2645	31-19 Machine

NO. PLATE

NAME

NO.	PLATE	NAME
3371	1388	Presser Foot Guide Spring Screw for 26646 and 28773
337 F	2671	Presser Foot Graduated Adjustable Guide
		Clamp Screw for 35137
3371	1388	Ruffler Ruffling Blade Clamp Screw for 26230 and 26724
$337_{\rm D}$	2061	Separating Blade Screw for 35280
337n	1383	Throat Plate Needle Hole Plate Screw for 26760 and 28342
337D	2039	Welt Guide Carrier Slide Switch Cam Shaft Head Set Screw for 26139
354c	774	Driving Attachment Treadle Pitman Rod (upper) Clamp Screw for 9079
2540	1101	Starting Treadle Pitman Rod Clamp
9940	1101	Screw for 43813
354c	1101	Treadle Pitman Rod Clamp Screw for 9079
356c	3817	Band Wheel Shaft Driving Flange Set Screw for 25429
356c	783	Rock Shaft Knee Arm Hub Set Screw for
		2766 and 20462
356c	783	Rock Shaft Knee Arm Plate Set Screw for 2767
356c	783	Rock Shaft Lifting Arm Set Screw for 20464.
356c	783	Rock Shaft Lifting Bracket Hook Set Screw for 6337.
356c	783	Rock Shaft Lifting Bracket Set Screw for
356c	783	Rock Shaft Stop Dog Set Screw for 2770.
362F		Driving Attachment Treadle Stop Collar
		Set Screw for 2762
375c	782	Crank Connecting Rod Hinge Screw, obsolete
375c	782	Feed Connecting Link Hinge Screw for
		43992, 43993 and 44188
375c	782	Feed Forked Connection Hinge Screw for 43992, 43993 and 44188
375c	782	Feed Lifting Rock Shaft Crank Connect-
		ing Rod Hinge Screw for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32,
		31-34, 31-35 and 31-37 Machines
375c	782	Lifting Presser Bar Bell Crank Driving
		Arm Eccentric Connection Hinge Screw
		for 31-19 Machine
376E	8628	Stop Pawl Wearing Block Screw for 44230
386D		Roller Arm Screw for 1928

NO. PLAID	MAME
391р 1366	Shuttle Bobbin Case Position Plate Screw for 24325, 24415 and 24419
397p 782	Oil Cover Screw, obsolete
401E 2038	Binder Folder Slide Carrier Adjusting
2022 2000	Thumb Nut Guide Screw for 36463
401E 2038	Box Plaiter Folder Blade Screw for 28352
401E 2038	Tucker Cloth Guide Slide Screw for 26377
402p 5752	Plaiting Gear Cover Plate Screw for 20491
413c 783	Tension Screw Stud for 33892, obsolete
418E 2014	Bobbin Winder Tension Screw Stud for
410E 2014	27308
418p 2014	Thread Retainer Screw Stud for 43809
427E 783	Driving Attachment Driving Arm Friction
1212 100	Plug Adjusting Screw for 16522 and
	19260
430c 783	Thread Take-up Lever Link Hinge Pin
	Set Screw for 31-15, 31-16, 31-19, 31-20,
	31-22, 31-24, 31-27, 31-32, 31-34, 31-35,
	31-37 and 31-39 Machines, obsolete
435c 5742	Driving Attachment Balance Wheel Set
1000 0112	Screw for 16592
435c 3817	Driving Arm Hinge Pin Set Screw for
	25431 and 25432
435c 5806	Thread Take-up Lever Link Hinge Pin Set Screw
443c 3817	Band Wheel Brake Lever Hinge Pin Set
	Screw for 25418, obsolete
443c 5752	Plaiting Lever Hinge Stud Set Screw for
	20433
443c 5740	Stop Pawl Hinge Pin Set Screw for 12312
446c 783	Feed and Feed Lifting Eccentric Set Screw
	for 12428 and 20283
446c 783	Feed Cam and Feed Lifting Eccentric Set
	Screw for 12197
446c 783	Stop Wheel Set Screw for 43807 and 43943
447F $2038$	Binder Leveling Screw for 25657
448c 783	Arm Shaft Bushing (back) Set Screw for
448c 783	31-42 Machine.
448c 783	Arm Shaft Flanged Bushing (back) Set Screw for 31-15, 31-16, 31-19, 31-20,
	or oo or o4 or o7 or o1 o4 o1 o4
	31-22, 31-24, 31-27, 31-32, 31-34, 31-35,
	31-37 and 31-39 Machines
448c 783	Balance Wheel Set Screw for 4370 and
	12358
448c 783	Lifting Lever Pin Set Screw for 12237 and
	20340

NO. P	LATE	NAME
448c	783	Needle Bar Crank and Lifting Cam Set Screw for 43803
440	700	Needle Bar Crank and Lifting Eccentric
448c	783	Set Screw for 19365
448c	783	Needle Bar Crank Set Screw for 16569
448c	783	Oscillating Rock Shaft Hinge Pin Set
440U	100	Screw
448c	783	Presser Bar Lifting Lever Pin Set Screw for 12284
448c	783	Strip Folder Hinge Bracket Set Screw for 28706
448c	783	Table Belt Guide (lower) Pulley Shaft Set
		Screw for 14229
448c	783	Table Belt Guide (upper) Pulley Shaft Set Screw for 10857
448c	783	Thread Take-up Spring Regulator Set
		Screw
449c	5746	Plaiting Gear (intermediate) Stud Set
		Screw for 20423
453c	783	Lifting Presser Bar Guide Bracket Set
		Screw for 19363 and 24589
453c	783	Needle Bar Connecting Stud Set Screw for 12384 and 20368
453c	783	Oscillating Shaft Crank Set Screw for 44135
453c	783	Presser Bar Guide Bracket Set Screw for
		12326, 20059 and 43917
453c	783	Reciprocating Spring Presser Shaft Crank
		(front) Set Screw for 20252
453c	1323	Ruffling Eccentric Collar Set Screw for 24208
453c	1323	Ruffling Eccentric Set Screw for 24207
453c	783	Thread Unwinder Thread Guard Rod Set
4		Screw for 27940
456c	773	Reciprocating Spring Presser Shaft Collar Set Screw for 20251
456c	773	Thread Unwinder Thread Guard Rod Coupling Set Screw for 41639
457c	5806	Corder Cord Guide Bed Leveling Screw for 120206
457c	783	Oscillating Shaft Crank Set Screw for
10.0	••••	12390 and 19447
458c		Plaiting Eccentric Set Screw for 20424
460c	783	Oscillating Shaft Crank Set Screw for 19447, obsolete
460c	1323	Ruffling Arm Shaft Collar Set Screw for
		0.00

NO. PLATE	NAME
<b>460</b> c 783	Thread Retainer Set Screw for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-35, 31-37 and 31-39 Machines, obsolete
<b>460c</b> 783	Thread Retainer Stud Set Screw for 12402, obsolete
<b>462</b> c 773	Clamp Stop Motion Flanged Bushing Set Screw for 4933
462c 773	Feed Lifting Rock Shaft Crank (back) Set Screw for 3043 and 12200, obsolete
462c 773	Shuttle Driver Set Screw for 12444 and 19406, obsolete.
465F $6252$	Edge Guide Bed Leveling Screw for 36187
468c 2038	Box Plaiter Sliding Bracket Locking Pin Spring Bushing Set Screw for 26439
514c 2038	Box Plaiter Sliding Bracket Locking Pin for 28352
534R 3817	Driving Segment Bolt with 1510r, for 25255
560в 984	Ruffler Ruffling Blade Lever Adjusting Thumb Screw for 26230 and 28816
578 <sub>D</sub> 5837	Throat Plate Cutting Bar Screw for 5732
578ъ 5837	" "Slide Adjusting Screw for 5732
589E 2038	Binder Guide (upper) Clamping Screw for 25658 and 25659
591F 782	Shuttle Tension Regulating Screwfor 12417, 19293, 20591, 20651, 20653, 20756, 24074 and 62740
592E 782	Shuttle Bobbin Case Latch Stop Screw for 12417, 19293, 20591, 20651, 20653, 20756, 24074 and 62740
597c 2011	Driving Attachment Shaft Driving Pulley Clamping Screw for 27072
602 <sub>D</sub> 8628	Quilter Guide Disengaging Sleeve Spring Screw for 120485
620 <sub>F</sub> 782	Knife Adjusting Screw for 19391
620F 782	Needle Bar Thread Guard Set Screw for 16568
621b 1317	Knife Bar Lifting Spring Guide Bracket Screw for 24128
624n 8628	Thread Retainer Set Screw for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35, 31-37 and 31-39 Machines
647c 774	Knife Bar Driving Crank Bracket Screw for 31-35 Machine

NO. PLA	ГE	NAME
647F 77	4 Shuttle	e Race Screw, obsolete, use 145b
648p 78		" Back Spring Screw for 5707,
	1248	39, 19404, 20005 and 24010
651p 201		er Block Spring Screw for 120078
651p 201		Clamp Thread Guard Screw for
0012 201		03
656E 203	8 Binder	Folder Slide Carrier Adjusting
0001 200	Sere	w 25672
656E 203		Guide (centre) Screw for 25657
662p 203		Separating Blade Screw for 26670
0020 200	and	26671
662n 78	32 Shuttl	e Race Cap Screw for 5707, 12489,
		04 and 20005
665p 138		Folder Guide Screw for 120120
665p 138	88 Presse	r Foot Braid Guide Screw for 36182
665p 564		" Cord Guide Screw for 36022
665p 263		" Guide Screw for 28353
665 <sub>D</sub> 138		" Spring Guide Screw for
	2872	26 and 28909
665p 137	1 Ruffler	r Ruffling Blade Screw for 28816
665p 134	l4 Rufflir	ng Blade Screw for 28845
671p 580	7 Binder	Edge Guide Thumb Screw for 36344
671 <sub>D</sub> 131		Folder and Ribbon Tension Thumb
	Scre	w for 26701
688j 78	3 Pressu	re Regulating Thumb Screw for
		5, 31-16, 31-19, 31-20, 31-22, 31-24,
		27, 31-32, 31-34, 31-35, 31-37 and
	31-4	2 Machines
689c 78		g Presser Bar Lifter Screw for 31-19
0000 10		chine
689c 78		r Bar Lifter Screw for 31-15, 31-16,
0000 10		20, 31-22, 31-24, 31-27, 31-32, 31-34,
	21.2	35 and 31-37 Machines
200 77		
	82 Threa	d Take-up Crank Wedge Screw
		t Plate Screw
692p 78		n Winder Bracket Screw for 12172,
000 5		02, 12337, 20309 and 20498
692p 78	83 Drivin	ng Attachment Bracket Screw for
000 5		78 and 20141
692D $78$		ng Bell Crank Bracket Screw for
400 F		12 Machine.
693D 78		ng Attachment Driving Arm Hinge
000 - =		ew for 16522 and 19260
		e Bar Plug Screw, obsolete
706p 13		er Foot (right) Shank Stop Screw for

NO. PLATE	NAME
714ы 5755	Strip Guide Thumb Screw for 31-37 Machine
725E 1387	Shuttle Race Slide Spring Screw for 12432
725E 1387	Presser Foot Adjustable Guide Screw for 26802
732 <sub>D</sub> 1366	Guide Thumb Screw (short) for 25866, 25873, 25874 and 28658
732в 1366	Tucker Tuck Guide Plate Bracket Thumb Serew for 26683
742E 1323	Ruffling Eccentric Connection Cap Screw for 24219
743c 1313	Needle Bar Crank and Lifting Eccentric Position Screw for 19365
743c 1317	Needle Bar Crank Position Screw for 16569
748E 782	Arm Screw (back)
748R 3817	Brace Screw for 25255, 25265, 25279 and 25284
766р 782	Lifting Lever Link Hinge Screw (Foot and
	Knee Lifters) for 12445, 20008, 20256,
	20290, 20341, 20466, 43928, 43929,
700- 700	43930, 43931, 43933 and 43934
766р 782	Presser Bar Lifting Lever Link Hinge Screw for 31-42 Machine
775E 782	Presser Bar Lifting Lever Lifter Roller Cap Screw for 12286
775E 782	Thread Take-up Lever Cap Screw for 43990, 43991 and 44179
794E 782	Needle Bar Connecting Link Adjusting Screw for 12196 and 12382
794E 5752	Plaiting Lever Connecting Rod Adjusting Screw for 20434
800c 5739	Presser Bar Lifting Lever Lifter Adjusting Screw for 31-42 Machine
801E 5739	Presser Bar Lifting Lever Lifter Hinge Screw for 31-42 Machine
802p 782	Lifting Lever Hinge Screw (Foot and Knee Lifters) for 12445, 20008, 20256, 20290, 20341, 20466, 43928, 43929, 43930, 43931, 43933 and 43934
802 <sub>D</sub> 782	Presser Bar Lifting Lever Hinge Screw for 31-42 Machine.
808F 782	Needle Clamp Screw for 4303 and 24103.
808r 782	Ruffler Needle Clamp Screw for 26017
811р 5742	" Ruffling Blade Hinge Screw for
812в 984	26018 Ruffler Ruffling Blade Lever Adjusting Thumb Screw for 26018 and 26724

NO. PLATE	NAME
818D 783	Feed Regulator Thumb Screw for 43993 and 44188
834 <sub>D</sub> 5740	Feed Regulating Thumb Screw for 31-32 Machine
835D 5740	Feed Regulator Handle Screw for 31-32 Machine
840 <sub>D</sub> 5740	Stop Wheel Block Screw for 43807 and 43943
854E 783	Arm Screw (front)
855c 783	Needle Bar Crank Position Screw for 12385, obsolete
858c 783	Needle Bar Crank Set Screw for 12385 and 20188
858c 783	Table Belt Guide (lower) Pulley Shaft Oil Hole Plug Screw for 14231
861p 5742	Driving Attachment Driving Friction Pulley Oil Hole Plug Screw for 16594
878j 783	Oscillating Rock Shaft Hinge Pin Oil Hole Stop Screw, obsolete
879р 2026	Corder Arm Locking Screw for 25792
880r 5843	Brace Section Screw for 46662
882c 5752	Plaiting Gear (front) Set Screw for 20426
896E 773	Crank Connecting Rod Cap Screwfor 12365, 12496 and 20197
899л 1105	Knife Grinder Knife Clamping Screw for 27658, 27681, 27682 and 126393
904F 8628	Needle Set Screw for 16568
907 <sub>D</sub> 782	Shuttle Race Back Spring Screw for 24120, 24325, 24415 and 24419
908c 773	Crank Connecting Rod Hinge Screw
910 <sub>F</sub> 2039	Welt Guide Adjusting Screw for 26150
914r 2038	Box Plaiter Sliding Bracket Arm Screw for 28352
936E 773	Needle Bar Screw Bushing for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-37, 31-39 and 31-42 Machines
939р 5843	Tucker Edge Guide Thumb Screw for 26685
940р 5742	Binder Arm Hinge Screw for 120166
940r 1366	Edge Folder Holder Hinge Screw for 36293
940o 5742	Guide Holder Hinge Screw for 28969 and 120428
965D 1312	Lifting Presser Bar Bell Crank Driving Arm Shaft Bracket Screw for 31-19 Ma-

NUMERICAL LIST OF PARTS

NO. PLATE	NAME
966£ 5806	Feed Lifting Rock Shaft Crank Connecting
	Rod Cap Screw for 12430 and 43976
972c 3826	Band Wheel Set Screw for 25301
988c 2011	Oscillating Shaft Crank Slide Block Screw
	Stud for 19449
1036c 7790	Binder Leveling Screw for 120242
1036c 5806	" (back) for 50540
1044D 1377	Corder Cord Guide Arm Hinge Screw for 120207.
1049 <sub>D</sub> 1371	Ruffler Ruffling Blade Lever Stop Screw for 28816
1053 <sub>D</sub> 2006	Shuttle Bobbin Case Guide Plate Screw for 24120, obsolete
1053p 2006	Shuttle Race Cap Screw for 24998, 25000,
1000D 2000	62502 and 62623
1054c 5837	Starting Bell Crank Roller Screw Stud for 1885
1065c 2011	Needle Bar Crank Position Screw for
10000 2011	20188
1072 <sub>F</sub> 1317	Needle Set Screw for 16568, obsolete
1099r 2019	Reciprocating Spring Presser Blade Holder Hinge Screw for 20253
1101c 2035	Ruffler Driving Lever Hinge Screw for 26724 and 28816
1108г 1323	Ruffling Regulator Thumb Screw for 31-27
11001 1023	Machine
1115г 1370	Tucker Needle Clamp Screw for 26719
1115 <sub>F</sub> 1370	Ruffler Needle Clamp Screw for 26719
1128E 1366	Feed Regulator and Reverser Hinge Screw
	for 31-32 Machine
1128£ 2009	Feed Regulator Hinge Screw for 31-15,
	31-16, 31-19, 31-20, 31-22, 31-24, 31-27,
	31-34, 31-35 and 31-37 Machines
1141 <sub>D</sub> 5806	Binder Guide (lower) Screw Stud for
	26696
1149c 5742	Thread Unwinder Spool Rest Set Screw
	for 60455 and 60701
1162c 1366	Knife Bar Crank Coupling Pin for 24432
1253c 5740	Presser Bar Stop Collar Set Screw for 43804
1266c 5806	Binder Leveling Screw (front) for 36340
1266c 5806	Shuttle Driver Set Screw for 12444 and 19406
1312c 3817	Band Wheel Set Screw for 25329
1362c 5739	Needle Bar Crank and Lifting Cam Posi-
	tion Screw for 43803
1368 <sub>J</sub> 8630	Binder Screw for 120494 and 120495

NO. PLATE	NAME
1423р 5742	Ruffling Separating Blade Screw for 31-27 Machine
1425в 5742	Binder Folder Hinge Screw for 35354
1425p 6252	Edge Guide Arm Hinge Screw for 36188
1425p 932	Hemmer Folder Hinge Screw for 35681
1443л 8625	" Shank Screw
1480p 8628	Belt Guard Retaining Serew for 126365
1494p 5739	Driving Pulley Screw for 31-42 Machine
1507R 3826	Band Wheel Crank Serew Centre Nut for
	46629
1507R 5742	Starting Treadle Serew Centre Nut for 46661
1507 R 3826	Treadle Screw Centre Nut for 46629
1508c 783	Driving Attachment Driving Arm Friction Plug Adjusting Screw Nut for 16522
1500 1105	and 19260
1508л 1105	Knife Grinder Emery Wheel Clamping
1500- 9017	Nut for 60934
1508R 3817	Leg Stay Rod Nut for 25255
1510n 3817 1513j 783	Driving Segment Bolt Nut for 534
19191 789	Feed Lifting Rock Shaft Screw Centre
1513 <sub>J</sub> 783	Nut for 56814
<b>15</b> 13 <sub>J</sub> 783	Feed Rock Shaft Screw Centre Nut for 56814
1513 <sub>J</sub> 783	Starting Bell Crank Roller Screw Stud Nut for 12344.
1516л 1105	Knife Grinder Emery Wheel Shaft Screw
10103 1100	Centre Nut for 60583
1516л 1105	Knife Grinder Knife Holder Guide Bar
1010# 1100	Bracket Screw Centre Nut for 60583
1517ј 5740	Starting Bell Crank Hinge Serew Nut for
101.0	12344
1518J 783	Crank Connecting Rod Hinge Screw Nut
2010. 700	for 375, obsolete
1518J 783	Feed Connecting Link Hinge Screw Nut
1010	for 43992, 43993 and 44188
1518j 783	Feed Forked Connection Hinge Screw
20200	Nut for 43992, 43993 and 44188
1518 <sub>J</sub> 783	Feed Lifting Rock Shaft Crank Connect-
101/10	ing Rod Hinge Screw Nut for 31-15,
	31-16, 31-19, 31-20, 31-22, 31-24, 31-27,
	31-32, 31-34, 31-35 and 31-37 Machines
1518ј 783	Lifting Presser Bar Bell Crank Driving
-0.200 100	Arm Eccentric Connection Hinge Screw
	Nut for 31-19 Machine
1518ј 783	Oseillating Shaft Crank Roller and Screw
10100 100	Stud Nut for 19200, shoolets

NO. PLATE	NAME
1518J 783	Oscillating Shaft Crank Slide Block Screw Stud Nut for 19447 and 44135
1518J 783	Reciprocating Spring Presser Regulator Crank Roller and Screw Stud Nut for
	20247
1519л 783	Feed Bar Screw Centre Nut for 56813
1520л 783	Lifting Presser Bar Lifter Screw Nut for 31-19 Machine
1520R 3826	Pitman Rod Lock Nut for 46520
1520R 3826	" (upper) Lock Nut for 46656
1520л 783	Presser Bar Lifter Screw Nut for 31-15,
	31-16, 31-20, 31-22, 31-24, 31-27, 31-32,
	31-34, 31-35 and 31-37 Machines
1520J 5739	Presser Bar Lifting Lever Lifter Adjust-
	ing Screw Nut for 31-42 Machine
1521E 772	Lifting Lever Connecting Rod Lock Nut
	(Foot and Knee Lifters) for 12445,
	20008, 20256, 20290, 20341, 20466,
	43928 to 43931, 43933 and 43934
1521 <sub>J</sub> 5753	Plaiting Rock Shaft Lever Connecting
	Rod Crank Roller and Screw Stud Nut
	for 31-37 Machine
1528 <sub>D</sub> 5842	Roller Arm Screw Nut for 1928
1536р 6254	Binder Folder Slide Carrier Adjusting Thumb Nut for 36463
1550н 783	Bobbin Winder Stop Latch Adjusting
	Screw Nut for 16516 and 19258
1550н 5745	Plaiting Blade Holder (lower) Spring Stop
	Screw Nut for 31-37 Machine
1550н 5745	Plaiting Blade Holder (upper) Spring Stop
	Screw Nut for 31-37 Machine
1550л 783	Presser Foot Roller Screw Nut for 20243
1550н 1371	Ruffler Ruffling Blade Holder Stud Nut for 28816
1550н 1344	Ruffling Blade Holder Stud Nut for 28845
1560c 783	Tension Regulating Thumb Nut for 33892 and 44141
1562л 2014	Bobbin Winder Tension Regulating Thumb Nut for 27308
1562л 2014	Thread Retainer Regulating Thumb Nut for 43809
1564D 2038	Box Plaiter Sliding Bracket Locking Pin Head for 28352
1564D 2038	Knife Bar Crank Coupling Pin Head for
1566р 2024	Binder Guide (centre) Thumb Nut for 25664

NO. P	LATE	NAME		NO.	PLATE
1566ъ 2	2024	Binder Guide (lower) Thumb Nut for 26694		1904	770
1571 <sub>D</sub> 1	1949	Binder Guide (upper) Clamping Thumb	•		
		Nut for 25664		1904	770
1577p 2	2024	Binder Folder Guide (upper) Thumb Nut			
		for 25650, 25653 and 25656	ı	1928	2039
1579c	783	Driving Attachment Driving Arm Hinge			
		Screw Nut for 16522 and 19260		1942	2019
1582 <sub>D</sub>	984	Ruffler Driving Lever Spring Adjusting			
		Nut for 26230			
1603E	984	Ruffler Ruffling Blade Lever Adjusting		1943	1370
		Thumb Screw Nut for 26230 and 28816		1943	1370
1619E	773	Crank Connecting Rod Hinge Screw Nut		1961	5753
1620j	5806	Bobbin Winder Frame Hinge Screw Nut			
		for 27647, 27650, 27651 and 27875			
1621E	984	Ruffler Ruffling Blade Lever Adjusting		1976	5739
		Thumb Screw Nut for 26018 and 26724	:	10.0	0.00
1640c	2035	Ruffler Driving Lever Spring Adjusting		1988	6252
		Nut for 26724	,	-000	020-
1641E	1323	Ruffling Regulator Stop Screw Nut for		2018	1101
		31-27 Machine			
1641E	1323	Rufl'ing Regulator Thumb Screw Nut for		2020	2003
		31-27 Machine			
1647c	1371	Ruffler Driving Lever Hinge Screw Nut		2022	773
		for 28816			
1648E	5740	Pressure Regulating Thumb Screw Lock			
1000		Nut for 31-42 Machine			
1666d	984	Ruffler Driving Lever Spring Adjusting	1	2022	773
1007-		Nut for 26018			• • • •
1667R	5750	Plaiting Cam Thumb Nut for 31-37 Ma-		2022	773
1000-	5715	chinePlaiting Blade Holder (lower) Hinge Stud			
1668c	9149			2022	773
1660~	E745	Nut for 31-37 Machine		2049	773
1668c	9739	Nut for 31-37 Machine	,		
1668л	5759	Plaiting Regulating Stud Nut for 31-37	•	2049	773
10001	0102	Machine			
1670R	3826	Pitman Rod Ball Serew Bearing Nut for		2049	773
10101	0020	46630		2049	773
1670R	3826	Pitman Rod (lower) Ball Screw Bearing	1 *		
10101	0020	Nut for 46630		2049	773
1813	783	Feed Lifting Rock Shaft Crank Roller and		2062	771
1010	.00	Stud for 12376			
1852	1377	Guide Roller for 28658			
	5740	Starting Bell Crank Roller with 1900,		2102	3471
	.,	1054c and 5968, for 12344		2102	5806
1902	783	Oscillating Shaft Crank Roller and Screw		2106	2014
		Stud for 12390, obsolete			

NO.	PLATE	NAME
1904	770	Needle Bar Connecting Stud Roller (roller only) for 12384
1904	770	Reciprocating Spring Presser Regulator Crank Roller (roller only) for 1942
1928	2039	Roller, 1½ in. diam., fine, with 386p and 1528p, for 19394
1942	2019	Reciprocating Spring Presser Regulator Crank Roller and Screw Stud with 229p, 1904 and 12424, for 20247
1943	1370	Tucker Needle Clamp Roller for 26719
1943	1370	Ruffler Needle Clamp Roller for 26719
1961	5753	Plaiting Rock Shaft Lever Connecting Rod Crank Roller and Screw Stud for 20444
1976	5739	Presser Bar Lifting Lever Lifter Roller (roller only) for 12286
1988	6252	Edge Guide Arm Roller and Screw Stud for 36185
2018	1101	Starting Bell Crank Pitman Stud Washer for 12344
2020	2003	Clamp Stop Motion Clamp Washer for 3022
2022	773	Clamp Stop Motion Flanged Bushing Pin for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35 and 31-39 Machines
2022	773	Driving Attachment Driving Arm Pitman Crank Pin for 44176
2022	773	Driving Attachment Starting Crank Pin for 44176
2022	773	Knife Bar Crank Pin for 24433
2049	773	Feed Lifting Rock Shaft Crank (back) Pin, obsolete
2049	773	Lifting Presser Bar Bell Crank Driving Arm Pin for 19361
2049	773	Oscillating Shaft Crank Pin
2049	773	Reciprocating Spring Presser Shaft Crank (back) Pin for 31-24 Machine
2049	773	Shuttle Driver Pin
2062	771	Presser Bar Lifter for 31-15, 31-16, 31-20, 31-27, 31-32, 31-34, 31-35 and 31-37 Machines
2102	3471	Bobbin Winder Tension Disc for 225462
2102	5806	Tension Disc for 44118 and 44149
2106	2014	Bobbin Winder Tension Thread Guide for 27308

NO.	PLATE	NAME
2113	1388	Presser Foot Guide Spring Steady Pin for
		28773
2135	2000	Balance Wheel (stand) heavy rim, 2½ in.
		pulley, for 3022, for 31-15, 31-16, 31-19,
		31-20, 31-22, 31-24, 31-27, 31-32, 31-34,
0000		31-35 and 31-39 Machines
2269	773	Bobbin Winder Stop Latch Stop Pin for 16518
2269	773	Driving Pulley Spring Washer Stop Pin
2209	110	for 43806 and 43941
2273	2038	Strip Folder Stop Pin for 28706
2291	1317	Knife Screw Washer for 19391
2291	1344	Ruffling Arm Adjusting Screw Washer for
		26890
2296	2038	Box Plaiter Sliding Bracket Locking Pin
		Spring Bushing for 28352
2297	2038	Box Plaiter Sliding Bracket Locking Pin
		Spring for 28352
2297	2038	Knife Bar Crank Coupling Pin Spring for
0001	FO.10	24432
2301	5843	Box Plaiter Sliding Bracket Stop Pin for 28349 and 28350
2301	1317	Knife Bar Stop Pin for 19297
2301	2035	Ruffler Ruffling Blade Lever Disengaging
2001	2000	Lever Stop Pin for 26724
2362	1375	Edge Guide Slide Cap (left) Steady Pin
		for 26803
2362	1376	Hemmer Folder (left) Steady Pin for
		28682
2362	1376	Hemmer Folder Disengaging Lever Stop
		Pin for 28682
2419	2006	Shuttle Race Back for 19404, 24010, 24120
0455	2014	and 24325
$2455 \\ 2455$	2014 2014	Thread Retainer Disc for 43809
$\frac{2433}{2521}$	1371	Presser Foot (right) Spring for 28814
2521	1371	Shuttle Bobbin Case Latch Spring for
2021	1011	20591 and 20653, obsolete
2523	771	Shuttle Bobbin Case Position Finger Rivet
		for 12417, 19293, 20591, 20651, 20653,
		20756, 24074 and 62740
2523	1317	Knife Bar Lifting Spring Guide Pin for
		24906
2526	5842	Shuttle Tension Spring for 12417, obsolete,
0.00	=0=	use 15098
2531	767	Shuttle Race Back for 5707, 12489, 20005,

NO.	PLAID	1112172
253	2 772	Presser Foot Hinge Pin for 20157, 20311, 20346 and 24489, obsolete
253	2 1371	Presser Foot (right) Hinge Pin for 28814,
253	2 772	obsolete
<b>2</b> 53	3 767	Shuttle Race Back Spring for 5707, 12489, 19404, 20005, 24010, 24120, 24325, 24415 and 24419
265	3 2671	Presser Foot Graduated Adjustable Guide Clamping Lever Hinge Pin for 28953
265	6 1371	Presser Foot (right) Shank Spring for 28816
265	6 2669	" Tension Plate Spring for 35447
274	9 5742	Binder Folder Hinge Screw Friction Washer for 35354
276	2 1206	Driving Attachment Treadle Stop Collar with 362F, for 14233 and 15130
276	3 819	Rock Shaft for 4880 and 12250
276		" " Hanger (back) with two wood
	_ •	screws 1 in. No. 10, for 20465
276		Rock Shaft Knee Arm for 2768 and 20463
276	6 766	2768
276	7 5735	Rock Shaft Knee Arm Plate with 356c, for 2768 and 20463
276	8	Rock Shaft Knee Arm complete, for 12250 Nos. 2765 to 2767
277	0 819	Rock Shaft Stop Dog with 356c, for 4880, 12250 and 20465
277	8 766	Rock Shaft Lifting Bracket Hook for 12250
280	9 8633	Machine Hinge Connection Hinge Pin for 44244
282	7 773	Face Plate Thread Guard (upper) with 8505, for 12367, 16559, 19355 and 20058
286	2 —	Balance Wheel (stand) heavy rim, 3 in. pulley, for 3022, for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35 and 31-39 Machines
287	7 818	Driving Attachment Treadle Pitman Rod (upper) for 15130, obsolete
287	8 363	Starting Treadle Stand for 43815
287		Driving Attachment Treadle Stand for
		27642, obsolete
292		Tension Disc for 44147
292	3 772	Tension Spring for 44147 and 44149

NO. PLATE

NO.	PLATE	NAME
2928	774	Driving Attachment Driving Arm Brake
		(leather) for 16518
2972	771	Shuttle Bobbin Case Latch for 15003, obsolete
2973	771	Shuttle Bobbin Case Latch Lever for 15003,
		15141, 20650 and 20652
2974	771	Shuttle Bobbin Case Latch Lever Fulerum
		Pin for 15003, 15141, 20592, 20650 and 20652
2975	771	Shuttle Bobbin Case Latch Spring for
		12417, 19293, 20651, 20756, 24074 and 62740
2996	771	Shuttle Bobbin for 12392, 12487 and 19292
30221	–	Clamp Stop Motion complete for 31-15,
00220		31-16, 31-19, 31-20, 31-22, 31-24, 31-27,
		31-32, 31-34, 31-35 and 31-39 Machines,
		Nos. 248A, 256J, 2020 and 4933
*3023		Clamp Stop Motion Flanged Bushing for
		4933
3033	770	Feed Connecting Link for 43992, 43993 and 44188
3039	768	Feed Regulator for 43993 and 44188
3043	770	" Lifting Rock Shaft Crank (back)
		with 462c, for 12375, 12380 and 20239, obsolete
3094	773	Thread Take-up Crank Wedge
3146	1353	Binder Thumb Screw Washer for 120533
3146	1353	Guide Thumb Screw Washer for 25866,
		25873, 25874, and 28658
4302	773	Needle Bar Thread Guide for 31-15, 31-16,
		31-19, 31-20, 31-27, 31-32, 31-34, 31-37,
		31-39 and 31-42 Machines
4303	773	Needle Clamp with 808F, for 31-15, 31-16,
		31-19, 31-20, 31-27, 31-32, 31-34, 31-37,
4005	==0	31-39 and 31-42 Machines
4307	772	Shuttle Race Slide Spring for 12396, 12432 and 20450
4370	2000	Balance Wheel (stand) heavy rim, 2¾ in.
		pulley, with two 448c, for 31-15, 31-16,
		31-19, 31-20, 31-22, 31-24, 31-27, 31-32,
1001	9007	31-34, 31-35, 31-37 and 31-39 Machines Corder Bow Rivet for 26649 and 26938
4604	$2027 \\ 2061$	Separating Blade Holder Spring Stop Pin
4604	2001	for 35280
4604	2038	Tucker Cloth Guide Slide Rivet for 26377
4604	2038	Tucker Tuck Smoothing Spring Rivet for
1001	2000	26377

NO. F	LATE	NAME
	5843	Shuttle Race Cap Steady Pin for 19404,
1021	00-0	obsolete
4784	1353	Oscillating Rock Shaft Oil Pad for 12387,
		12498 and 24105
4822	2045	Wrench for 1521 and 1528 (Attachments
		and Accessories)
4855	1312	Lifting Presser Bar Lifter for 31-19 Ma-
		chine
4879	2004	Foot Lifter Chain Connecting Link for
4000	819	4885 Foot Lifter Rock Shaft complete for 20008
4880	819	20290, 43928 and 43929, Nos. 2763,
		2770, 7125, 12243 and two each 6337
		and 12242 (Foot Lifters)
		Nos. 4881 to 4884 for 4885
4881	819	Treadle
4882	2004	" Shaft
4883	2004	" Spring
4884	819	" Stand
4885	819	Foot Lifter Treadle complete for 20008,
		20290, 43928 and 43929, Nos. 4879,
		4881 to 4884 and two wood screws 1 in.
		No. 16 (Foot Lifters)
4933	2003	Clamp Stop Motion Flanged Bushing
		3023 with two 462c, for 3022j
5564	3817	Band Wheel Shaft Driver (left) Clutch
FF0.4	0017	Spring Hook for 25424  Band Wheel Shaft Driver (right) Clutch
5564	3817	Spring Hook for 25428
5596	768	Bell Crank for 56848
5598	768	
9990	100	20256, 20290, 20341, 20466, 43928 to
		43931, 43933 and 43934, Nos. 5735 and
		56848 (Foot and Knee Lifters)
5599	768	
5601	773	
5670		Foot Lifter Chain, length 26 in. to 35 in.
0011		(Foot Lifters) for 20008, 20290, 43928
		and 43929
5707	767	Shuttle Race complete for 31-15 and 31-16
		Machines, Nos. 648p, 2531, 2533, 5708,
		5709 and two each 662p and 2532, obso-
		lete
5708		- Shuttle Race Body for 5707, obsolete
5709		
5726	127	Knife for 31-35 Machine

NO.	PLATE	NAME
		Nos. 5729 to 5731 for 5732
5729		Throat Plate Body
5730	1271	" " Cutting Bar
5731	1271	" " Slide
5732	1271	Throat Plate complete for 19103 and 24573, Nos. 5729 to 5731 and three 578p
5735	1353	Bell Crank Spring for 5598
5944	5843	Tucker Tuck Guide Plate Guide Pin for 26571
5960	768	Bobbin Winder Friction Wheel (leather) for 12171, 12201, 16515, 20308, 43982 and 43983
5961	768	Bobbin Winder Friction Wheel Washer for 12171, 12201, 16515, 20308, 43982 and 43983
5963	768	Bobbin Winder Spindle Flange for 12171, 12201, 16515, 20308, 43982 and 43983
5968	5837	Starting Bell Crank Roller Screw Washer for 1885
5990	2011	Presser Bar Lifter for 31-22 Machine
6037	1377	Corder Cord Guide Bracket Rivet for 26796
6055	5741	Driving Attachment Treadle Pitman Rod (lower) Spring Washer for 14233 and 15130
6055	5843	Machine Hinge Bolt Nut Washer for 44180.
6055	5741	Starting Treadle Extension Bolt Nut Washer for 43815
6055	5741	Starting Treadle Extension Screw Washer for 43815
6267	2028	Hemmer Folder
6337	819	Rock Shaft Lifting Bracket with two 356c, for 4880 and 12250
6533	1323	Ruffling Arm Shaft Collar with 460c, for 31-27 Machine
7071	1379	Binder Folder Screw Washer for 26250, 26402, 26466, 26953, 28657, 28678, 28776, 28784, 28794, 28861, 120437, 120459 and 120467
7071	2021	Binder Guide (upper) Screw Washer for 25664 and 26694
7071	2021	Binder Pressure Spring Screw Washer for 25650, 25653, 25656 and 26694

NO.	PLATE	NAME
7071	2021	Binder Ribbon Tension Screw Washer for 26250, 26402, 26466, 28657, 28784, 120127, 120437 and 120459
7071	2645	Binder Screw Washer for 25664 and 28828
7071	2021	" Shank Thumb Screw Washer for 120166
7071	2645	Binder Strip Guide Screw Washer for 28861
7071	2021	Box Plaiter Centre Guide Holder Screw Washer for 28352
7071	1379	Edge Folder Thumb Screw Washer for 36293
7071	2021	Guide Thumb Screw Washer for 28969 and 120428
7071	2021	Strip Folder Holder and Guide Screw Washer for 35351
7071	2021	Tucker Edge Guide Slide Thumb Screw Washer for 26597
7071	2021	Tucker Tuck Guide Plate Thumb Screw Washer for 26683
7071	2021	Welt Guide Screw Washer for 26150
7125	819	Rock Shaft Lifting Bracket Hook for 4880 and 5670
7298	2014	Presser Foot Hinge Pin for 19336, 20270 and 120144
7336	772	Thread Take-up Spring Regulator for 44118, 44147 and 44149
7476	2038	Binder Folder Guide Block Rivet for 36457
7483	2019	Reciprocating Spring Presser Blade Spring
		Hook for 20252
7539	766	Rock Shaft Hanger with two wood screws 1 in. No. 10, for 12250
<b>755</b> 3	771	Shuttle Bobbin Case Position Finger for 12417, 19293, 24074 and 62740
7806	5838	Binder Folder Screw Washer for 120127
7806	2645	"Ribbon Guide Screw Washer for 28794
7958	5741	Starting Treadle Pitman Stud Pin for 31-42 Machine
7958	5741	Driving Attachment Balance Wheel Friction Ring Stop Pin for 16592
7958	5741	Motor Pitman Pin for 25279
8386	5746	Plaiting Cam Position Pin for 20422
8418	5842	Belt Guard Button for 8420
8419	5842	" " Washer (leather) for 8420.
		8420

NO. PLATE

NO.	PLATE	NAME
8420		Belt Guard Button 8418 with 8419 and wood screw 1½ in. No. 9 R. H. B., for 41931
8505	773	Face Plate Thread Guard (upper) Rivet for 2827
8505	773	Ruffler Ruffling Blade Rivet for 26010
8511	773	Thread Take-up Spring for 44147 and 44149, obsolete.
8582	773	Arm Dowel Pin
8905	5745	Plaiting Blade Holder (lower) Hinge Stud Nut Washer for 31-37 Machine
8905	5745	Plaiting Blade Holder (upper) Hinge Stud Nut Washer for 31-37 Machine
8908	2045	Wrench for 1519, 1520 and 1620 (Attachments and Accessories)
8909	2045	Wrench for 1513, 1517, 1518 and 51581 (Attachments and Accessories)
8975	8628	Binder Guide (lower) Rivet for 25664
9079	5844	Driving Attachment Treadle Pitman Rod (upper) Clamp with 354c, for 14233 and 15130
9079	5844	Treadle Pitman Rod Clamp with 354c, for 67177
9082	773	Driving Attachment Treadle Bearing Cotter Pin for 27642, obsolete
9082	773	Starting Treadle Bearing Cotter Pin for 43815
9331	8628	Belt Guard Extension Screw Washer for 126365
9525	5753	Plaiting Rock Shaft Lever Connecting Rod Crank Roller and Screw Stud Nut Washer for 31-37 Machine
9558	2038	Binder Folder Steady Pin for 26695
9754	5746	Plaiting Gear (intermediate) Position Pin for 20428
9780	2038	Binder Guide (lower) Stud for 26696
9804	2019	Reciprocating Spring Presser Blade Spring for 20253
10135	2061	Separating Blade Arm Latch Lever Spring for 35280
10141	2014	Bobbin Winder Tension Spring for 27308
10165	2633	Box Plaiter Centre Guide Stop Pin for 28344.
10236	774	Driving Attachment Driving Friction Pulley Centre Bearing for 16594

	LIMIN	NAME
10856	5760	Table Belt Guide (upper) complete for 31-42 Machine when operated head on, Nos. 10857 to 10859 and three wood screws 1¼ in. No. 12 R. H. B
		Nos. 10857 to 10859 for 10856
10857	5760	Table Belt Guide (upper) Bracket with 448c
10858	5757	Table Belt Guide (upper) Pulley Shaft
10859	5760	" " " Pulley
10875	5841	Wrench for 46660 for 25284
*11104		Arm Shaft Bushing (front)
<b>1</b> 1119	773	"Oil Tube with 52045, for oiling 12165, 12408, 16569, 19365 and 24207
11167	767	Lifting Presser Bar Spring (light) .051 wire, for 31-19 Machine
11167	767	Presser Bar Spring (light) .051 wire, for 31-15, 31-16, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35 and 31-37 Machines
11170	771	Lifting Presser Bar Spring Washer for 31-19 Machine
11170	771	Presser Bar Spring Washer for 31-15, 31-16, 31-20, 31-22. 31-24, 31-27, 31-32, 31-34, 31-35, 31-37 and 31-42 Machines
11204	770	Thread Take-up Lever Link Hinge Pin for 43990, 43991 and 44179
11241	2003	Arm Spool Pin Washer (cloth)
11241	2003	Bobbin Winder Spool Washer (cloth) for 27308
11656	8631	Tape Reel Arm Steady Pin for 120535
11742	5741	Starting Treadle Pitman Washer for 43816
11833	6255	Knife Grinder Knife Position Pin (upper) for 27681 and 27682
12130	5741	Thread Take-up Crank for 44179
12131	5739	Needle Bar Connecting Stud with 155c, for 44008
<b>12</b> 139	2004	Lifting Presser Bar Spring (medium) .055 wire, for 31-19 Machine
<b>12</b> 139	2004	Presser Bar Spring (medium) .055 wire, for 31-15, 31-16, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35 and 31-37 Machines
12142	780	Presser Foot for 12370, 20352 and 43979
12143	780	" " 12369, 12457, 20106, 20349 and 26377

NO.	PLATE	NAME
12144	780	Presser Footfor 12372, 12437, 12455, 12468,
		12481, 20002, 20117, 20138, 20147,
		20151, 20158, 20162, 20304, 20336
		and 20471
12149	2014	Tension Thread Guard for 31-19, 31-35,
		31-39 and 31-42 Machines
12150	773	Face Plate Thread Guard (lower) 44181
		with 12152, for 12367, 16559, 19355 and
		20058
12152	1375	Edge Guide Slide Spring Cover Rivet for
		36760
12152	773	Face Plate Thread Guard (lower) Rivet
12152	1376	for 12150
12102	1910	28682
12164		Thread Take-up Lever complete for 44179,
		Nos. 12165 to 12167
12165	5741	Thread Take-up Lever for 12164
12166	773	" " " Hinge Pin for 12164
		and 12410
12167	5741	Thread Take-up Lever Link for 12164
12168	2003	Bobbin Winder Bracket for 12172, 12202,
12169	2003	12337, 20309 and 20498 Bobbin Winder Frame for 12171 and 12201
12109	773	" "Spring for 12172, 12202,
12110	110	12337, 16522, 19260, 20309 and 20498
12171	2003	Bobbin Winder Frame complete for 12172,
		Nos. 333p, 5960, 5961, 5963, 12169 and
		15077
12172		Bobbin Winder complete for 4370, Nos.
		32р, 180ғ, 12168, 12170 and 12171
12178	774	Driving Attachment Driving Arm Fric-
10100	<b>#</b> 00	tion Plug (wood) for 16522 and 19260
12188 12193	$\frac{768}{2004}$	Oil Cover for 12478 and 20141, obsolete Arm Side Cover
12193	2004 5739	Needle Bar Connecting Link with 794E,
12190	0109	for 44008
12197	2001	Feed Cam and Feed Lifting Eccentric
		with 446c, for 44124
12200	774	Feed Lifting Rock Shaft Crank (back)
		with 462c, obsolete, use 3043
12201	2003	Bobbin Winder Frame complete for 12202,
		Nos. 333p, 5960, 5961, 5963, 12169 and
		15077
12202		Bobbin Winder complete for 2135 and 2862,

NO.	PLATE	NAME
*12204		Feed Lifting Rock Shaft Crank Connecting Rod Cap for 12430, obsolete
12225	768	Driving Arm Pitman Crank for 12476, for 12478 and 20141, obsolete
12237	766	Lifting Lever with 448c, for 12445, 20008, 20256, 20290, 20466 and 43933
12240	772	Lifting Lever Pin for 12445, 20008, 20256, 20290, 20466 and 43933
12240	772	Presser Bar Lifting Lever Pin for 31-42 Machine
12241	772	Lifting Lever Link for 12445, 20008, 20256, 20290, 20466, 43929, 43930, 43933 and 43934
12241	772	Presser Bar Lifting Lever Link for 31-42 Machine
12242	819	Rock Shaft Hanger with two wood screws 1 in. No. 10, for 4880
12243	819	Rock Shaft Lifting Bracket Hook for 4880 and 5598
12248	8632	Machine Rest with 27130 and two wood screws 1 in. No. 12, for 79758
12250		Rock Shaft complete for 12445, 20256, 20341 and 43930, Nos. 2763, 2768, 2778, 6337 and two each 2770 and 7539
12258	1308	Presser Foot (wide) for 12369, 12457, 20106 and 20349
12259	780	Presser Foot for 12425, 12481, 19474 and 20119
12260	780	Presser Foot for 12437, 12450, 20147 and 20348
12261	1308	Presser Foot for 12481 and 43978
12281	5760	Starting Treadle Pitman Rod for 12439
12283	5741	" " (lower)
		Joint for 43814
12283	5741	StartingTreadlePitmanRodJoint(treadle) for 12439
12284	5738	Presser Bar Lifting Lever with 448c, for 31-42 Machine
12285		Presser Bar Lifting Lever Lifter for 12286
12286	5739	Presser Bar Lifting Lever Lifter complete for 31-42 Machine, Nos. 775E, 1976 and 12285
12287	5757	Presser Bar Spring (light) .0345 wire, for 31-42 Machine
12298		Throat Plate, large needle hole, for 31-39 and 31-42 Machines

NO.	PLATE	NAME
12311	5837	Presser Foot, for shirt work, for 31-15 and
10010	0040	31-20 Machines
12312	2049	Starting Bell Crank Bracket with 443c,
10010	0040	for 12344
12313	2049	Driving Pulley for 31-42 Machine
12314	5739	" Spring for 31-42 Machine. " Friction Ring (leather) for
12316	5738	- 8,
10017	5743	43807 and 43943 Starting Treadle Pitman Rod (upper)
12317	5741	Joint for 43814
12317	5741	Starting Treadle Pitman Rod Joint (con-
12317	9/41	necting stud) for 12439
		neeting study for 12455
		Nos. 12318 to 12320 for 12343
12318		Starting Bell Crank
12319	5740	" " Pitman Stud
12320	5740	" " Stop Pin
12321	2049	Stop Pawl for 12344, obsolete, use 44230
12322	5740	" " Hinge Pin for 12344
12323	5740	Feed Regulator Handle Friction Spring
		for 31-32 Machine
12323	5740	Stop Pawl Spring for 12344
12325	5738	" Wheel Block for 43807, obsolete
12326	770	Presser Bar Guide Bracket with 453c, for
		31-35 and 31-42 Machines
12327	770	Lifting Presser Bar Lifting and Releasing
		Lever Bracket for 31-19 Machine
12327	770	Presser Bar Lifting and Releasing Lever
		Bracket for 31-15, 31-16, 31-20, 31-22,
		31-24, 31-27, 31-32, 31-34, 31-35, 31-37
		and 31-42 Machines
12329	772	Tension Releasing Lever Spring for 31-15,
		31-16, 31-19, 31-20, 31-22, 31-24, 31-27,
		31-32, 31-34, 31-35, 31-37, 31-39 and
		31-42 Machines
12331	5757	Feed Forked Connection for 31-32 Ma-
		chine, obsolete, use 44003
12332	5740	Feed Regulator and Reverser for 43992
12333	5740	" Handle for 31-32 Machine
12335	1308	Presser Foot (narrow) for 12369, 12457,
****		20106 and 20349
<b>1</b> 2336	2003	Bobbin Winder Spindle, for spool, for
4000=		43982 and 43983
<b>12</b> 337		Bobbin Winder (Hamburg) complete for
		2135 and 2862, Nos. 32p, 180r, 12168,
		12170 and 43982

NO.	PLATE	NAME
12343	5738	Starting Bell Crank complete for 12344, Nos. 12318 to 12320
12344	_	Starting Bell Crank Bracket complete, for 31-42 Machine, Nos. 16c, 1513 <i>J</i> , 1517 <i>J</i> , 1885, 2018, 12312, 12322, 12323, 12343, 25350 and 44230
12345	5739	Driving Pulley Friction Ring Stop Pin for 43807 and 43943
12348	5837	Presser Foot, for outside stays and strips, for 31-15 and 31-20 Machines
12354	772	Tension Releaser, obsolete, use 20037
*12355		Arm with 11104, for 31-15, 31-16, 31-20, 31-22 and 31-34 Machines
12357	767	Arm Shaft Flanged Bushing (back) for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35, 31-37 and 31-39 Machines
12358	2000	Balance Wheel (power) light rim, $2\frac{3}{18}$ in. pulley, with two 448c, for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35 and 31-39 Machines
*12360		Bed for 31-15, 31-16, 31-19, 31-20, 31-22, 31-27, 31-32, 31-34, 31-35, 31-39 and 31-42 Machines
12361	772	Machine Hinge Connection for 44140 and 44180
12365	2001	Crank Connecting Rod with 14013 and two 896E, for 375, obsolete
12366		Face Plate for 12367
12367	2000	Face Plate complete for 31-39 and 31-42 Machines, Nos. 2827, 12150 and 12366
12368	767	Feed Bar for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-35 and 31-37 Machines
12369	776	Feed Dog, for cloth, 12 teeth (12 teeth to the inch) for 31-15, 31-19, 31-20 and 31-22 Machines, 28654, 28657 and 36293, obsolete
12370	2692	Feed Dog, for cloth, 15 teeth (16 teeth to the inch) for 31-15, 31-19, 31-20 and 31-22 Machines, 26466 and 28776
12371	779	Feed Dog, for shirt work, for 31-15 Machine, obsolete
12372	778	Feed Dog, 13 teeth (12 teeth to the inch) beveled for hemmer, for 31-15 Machine and 26328

NO. PLATE

...

NO.	PLATE	NAME
12374	766	Feed Lifting Rock Shaft for 12375, obso-
12375		lete Feed Lifting Rock Shaft complete for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35 and 31-37 Machines, Nos. 3043, 12374 and 12376,
		obsolete, use 44126
12376	770	Feed Lifting Rock Shaft Crank with 157s and 1813, for 12375 and 44126
12379	766	Feed Rock Shaft for 12380 and 20333
12380		Feed Rock Shaft complete, Nos. 3043 and 12379, obsolete, use 20333
12381	767	Needle Bar (hollow) for 31-15, 31-16, 31-19,
		31-20, 31-27, 31-32, 31-34, 31-37, 31-39 and 31-42 Machines
12382	770	Needle Bar Connecting Link with 794E, for 43997
<b>*1238</b> 3		Needle Bar Connecting Stud for 12384 and
12384	770	20368  Needle Bar Connecting Stud complete for
12001	110	43997, Nos. 453c, 1904 and 12383
12385	767	Needle Bar Crank with 855c and 858c, obsolete, use 20188
12386	767	Oscillating Rock Shaft for 375 and 12387, obsolete
12387		Oscillating Rock Shaft complete, Nos.
12388	767	4784, 12386 and 12388, obsolete Oscillating Rock Shaft Hinge Pin for 12387,
		12498 and 24105
12389	766	Oscillating Shaft
12390	771	Oscillating Shaft Crank complete, Nos. 457c, 1518E, 1902 and 19496, obsolete
12391	767	Lifting Presser Bar (hollow) for 31-19
		Machine
12391	767	Presser Bar (hollow) for 31-15, 31-16, 31-20,
		31-22, 31-24, 31-27, 31-32, 31-34, 31-35,
12392		31-37 and 31-42 Machines.
12092		Shuttle, 1 <sup>11</sup> / <sub>16</sub> in. diam., Nos. 2996, 12393 and 12417, obsolete, use 19292
12393	771	Shuttle Body for 12392 and 19292
12394		" Driver for 12444
12395	,	"Race Slide for 12396, obsolete, use 12431
12396		Shuttle Race Slide complete, Nos. 4307,
		12395 and two 240p, obsolete, use 12432
12397	772	Tension Releasing Lever for 31-19 and and 31-42 Machines, obsolete

110.	LDUIL	NAME
12398	773	Tension Releasing Lever Hinge Pin for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35, 31-37, 31-39 and 31-42 Machines
12399		Thread Retainer complete for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35, 31-37 and 31-39 Machines, Nos. 12400 to 12402, obsolete use, 52379
	Nos	з. 12400 то 12402 гог 12399, овзолете
12400	773	Thread Retainer Sleeve
12401	773	" " Spring
12402	773	" " Stud
12403	772	Arm Spool Pin and Thread Eyelet
12404	770	Thread Take-up Crank for 43990
12405	8633	Machine Cushion (felt) for 79758
12405	774	" Rest, felt (Attachments and
		Accessories)
12408	770	Thread Take-up Lever for 12410
12409	770	" " Link for 12410
12410		Thread Take-up Lever complete for 43990
12411	776	and 43991, Nos. 12166, 12408 and 12409 Throat Plate, large needle hole, for 12369,
12412	778	12457 and 20303, obsolete
12413	779	and 43979  Throat Plate, large needle Itole, for 12371,
12414		obsolete
12415	768	20002 and 20304
12416	774	20008, 20341, 20466, 43928 to 43931 and 43934
12410	11.4	Lifting Lever Connecting Rod Joint (Foot and Knee Lifters) for 12445, 20008, 20256, 20290, 20341, 20466, 43928 to 43931, 43933 and 43934
12417		Shuttle Bobbin Case complete for 12392, Nos. 591r, 592r, 2523, 2526, 2975, 7553 and 15003, obsolete, use 19293
12422	5743	Throat Plate, small needle hole, for 31-39 and 31-42 Machines.
12424	773	Oscillating Shaft Crank Slide Block Cap Screw Washer for 19449
12424	773	Reciprocating Spring Presser Regulator Crank Roller Cap Screw Washer for 1942

NO.	PLATE	NAME
12425	779	Feed Dog, for cloth, 13 teeth (16 teeth to the inch) for 31-15 and 31-20 Machines and 26250
12426 12427	779 766	Throat Plate, large needle hole, for 12425 Arm Shaft for 44121, 44122, 44123, 44124, 44172 and 44217
12428	767	Feed and Feed Lifting Eccentric with 446c, for 44217 and obsolete for 31-15, 31-16, 31-20, 31-22 and 31-24 Machines
12429	2002	Feed Forked Connection for 31-15, 31-16, 31-20, 31-22 and 31-24 Machines, obsolete
12430	2002	Feed Lifting Rock Shaft Crank Connecting Rod with 12204 and two 966E, for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35, and 31-37 Machines, obsoletc
12431 12432	2004	Shuttle Race Slide for 12432
12435	780	Presser Foot with 228p, for 25967 and 26279 to 26283
12437	777	Feed Dog, 12 teeth (14 teeth to the inch) four teeth at right of needle (square corner) for 31-15 Machine
12438	776	Throat Plate, large oblong needle hole, for 20329, obsolete
12439		Starting Treadle Pitman complete for 31-42 Machine, Nos. 12283, 12317, 43813 and two 12281
12440 12441	777	Throat Plate, small needle hole, for 12437 " " " " 12371, obsolete
12442	778	Throat Plate, small needle hole, for 12372, 20002, 20304 and 26328
12443	772	Oscillating Rock Shaft Oil Pad for 16508, obsolete
12444	771	Shuttle Driver 12394 with two 1266c, for 31-15, 31-16, 31-19, 31-27, 31-32, 31-34, 31-35, 31-37, 31-39 and 31-42 Machines

NO.	PLATE	NAME
12445		Knee Lifter complete (power table or stand 25265) for 31-15, 31-16, 31-20, 31-22 31-27, 31-32 and 31-34 Machines, Nos 76p, 766p, 802p, 1521e, 5598, 12237 12240, 12241, 12250, 12415, 12416 and
		two 178E
12449		Throat Plate, small needle hole, for 12369 12457 and 20303, obsolete
12450	777	Feed Dog, for cloth, 11 teeth (18 teeth to the inch) for 31-15 and 31-20 Machines 26655, 28342 and 35175
12451	2689	Throat Plate, small needle hole, for 12450 and 20348.
12453	773	Arm Oil Tube for intermediate bearing.
12454	773	" " with 52045, for oiling 12165
10455	770	and 12409Feed Dog, 13 teeth (14 teeth to the inch
12455	779	beveled for hemmer, for shirt work, fo
		31-15 Machine
12456	779	Throat Plate, small needle hole, for 1245.
12457	2699	Feed Dog, for cloth, 16 teeth (16 teeth t
12101	2000	the inch) for 31-15, 31-19, 31-20 and
		31-22 Machines, 26760, 28654, 2865 and 35245, obsolete
12458	818	Drip Pan with four 1 in. wire nails, fo
12100	OIG	Drop Feed Machines
12459	773	Oscillating Rock Shaft Hinge Pin Oil Hol
		Stop Screw Washer (leather) obsolete.
12464	777	Throat Plate, large needle hole, for 12456 and 20348.
12465		Throat Plate, large needle hole, for 1243'
12466		" small needle hole, for 1242.
12467	781	Presser Foot, for umbrella work, for 31-1.
		and 31-20 Machines
12468	777	Feed Dog, 16 teeth (16 teeth to the inch
		beveled for hemmer, for shirt work, fo 31-15 Machine
12469		Throat Plate, large needle hole, for 1246
		and 20471
12470	777	Throat Plate, small needle hole, for 1246 and 20471
12474	1308	Presser Foot for 12372, 12481, 20002 20138 and 20162
12475	818	Driving Attachment Driving Arm Pitman
		for 12478 and 20141
12476	774	Driving Arm Pitman Crank Spring fo 12225 for 12478 and 20141, obsolete

NO.	PLAT	E NAME
1247	7 76	8 Driving Attachment Starting Crank Shaft for 44176
1247	8	<ul> <li>Driving Attachment with Bobbin Winder and Treadle complete for 31-15, 31-16, 31-19, 31-27, 31-32, 31-34, 31-35 and 31-39 Machines, Nos. 210d, 692d, 12475 16522, 16592, 16594, 20372, 24355, 27072, 27308, 44176, 126213 and two 65d</li> </ul>
12479	768	
12480	767	
12481	778	
12482		Throat Plate, large needle hole, for 12481 and 43978
12483	778	Throat Plate, small needle hole, for 12481 and 43978.
12484	2003	Bobbin Winder Spring for 12172, 12202 and 12337, obsolete
12486		Oil Cup Packing (felt) for 24024, obsolete
12487		Shuttle, $1\frac{11}{16}$ in. diam., Nos. 2996, 12488
12488	2013	and 62740 for 31-16 Machine.
12489	2013	Shuttle Body for 12487
14409		Shuttle Race (sectional) complete for 31-16
		Machine, Nos. 648p, 2531, 2533, 12490
		to 12494 and two each 85D, 662D and 2532, obsolete, use 20005
12490		Shuttle Race Body for 12489, obsolete
12491	2005	" Cap for 12489, obsolete
	Nos	. 12492 to 12494 for 12489 and 20005
12492	2005	Shuttle Race Ring
12493	2005	" " Clamp (left)
12494	2005	" " (right)
12495	2014	Needle Bar Plug Screw Rivet, obsolete
12496	2001	Crank Connecting Rod with 14013 and two 896E, for 908, obsolete, use 20197
12497	2001	Oscillating Rock Shaft for 908 and 1902
12498		for 12498, obsolete, use 24104 Oscillating Rock Shaft complete, Nos.
		4784, 12388 and 12497, obsolete, use 24105
14010	1206	Bed Frame Hinge Plate Rivet for 20067

NO.	PLATE	NAME
<b>*14</b> 013		Crank Connecting Rod Cap for 12365 and 12496, obsolete
14017	5736	Finger Protector Screw Washer for 31-39 Machine
14026	2061	Separating Blade Holder Stop Pin for 32280
14081	818	Driving Attachment Treadle Pitman Rod (upper) for 14233
		Nos. 14229 to 14231 for 14232
14229	5760	Table Belt Guide (lower) Bracket with 448c
14230	5760	Table Belt Guide (lower) Pulley
14231	5757	" " " " Shaft with
14232	5760	Table Belt Guide (lower) complete for 31-42 Machine, when operated head on, Nos. 14229 to 14231 and four wood screws
14233	818	<ul> <li>1¼ in. No. 10 R. H. B.</li> <li>Driving Attachment Treadle Pitman complete, for 14234 and 126213, Nos. 2762, 6055, 14081, 27637, 27638 and two 9079</li> </ul>
<b>1</b> 4234		Driving Attachment Treadle and Pitman complete for 12478 and 20141, Nos. 14233 and 27642, obsolete
15003	771	Shuttle Bobbin Case Hinge, Nos. 2972 to 2974, for 12417 and 19293, obsolete
<b>1</b> 5072	2014	Bobbin Winder Position Pin for 15077 and 27538.
15072	1388	Presser Foot Guide Hinge Pin for 28773
15072	2658	" "Knife Clamp Steady Pin for 28967
15077	773	Bobbin Winder Spindle with 15072, for 12171, 12201, 16515, 20308, 43982 and 43983
15098	771	Shuttle Tension Spring for 19293 and 24074, obsolete
<b>1</b> 5130	818	Driving Attachment Treadle Pitman complete for 15131, Nos. 2762, 2877, 6055, 9079, 27637 and 27638, obsolete
15131		Driving Attachment Treadle and Pitman complete for 12478 and 20141, Nos. 15130 and 27642, obsolete, use 126042.
15132	773	Driving Attachment Driving Arm Brake Rivet for 16518
<b>15140</b>	2013	Shuttle Bobbin Case Latch for 15141
15141		" " Hinge for 24074 and 62740, Nos. 2973, 2974 and 15140
		•

.

NO.	PLATE	NAME
15278	771	Shuttle Tension Spring for 62740
16128	5735	Rock Shaft Hanger (front) with two wood screws 1 in. No. 10, for 20465
16508	772	Oscillating Rock Shaft Oil Pad Holder with 12443, obsolete.
16514	768	Bobbin Winder Frame for 16515
16515	768	Bobbin Winder Frame complete for 16522
10010	100	and 19260, Nos. 333p, 5960, 5961, 5963, 15077 and 16514
16516	774	Bobbin Winder Stop Latch with 152r and 1550H, for 16522
16518	818	Driving Attachment Driving Arm with 2269, 2928 and two 15132, for 16522 and 19260
16522	<del></del>	Driving Attachment Driving Arm complete for 12478, Nos. 32p, 75p, 180f, 427g, 693p, 1508c, 1579c, 12170, 12178, 16515
16524		16516, 16518, 16530 and 27303 Driving Attachment Balance Wheel Fric-
10500	010	tion Ring (leather) for 16592
16530	818	Driving Attachment Bracket for 16522 and 19260
16555	1206	Bed Frame Hinge Plate for 20067
16558		Face Plate for 16559
16559	5735	Face Plate complete for 31-35 Machine, Nos. 2827, 12150 and 16558
16563	5738	Knife Bar Driving Crank (forked) for 24433
16564	5738	Knife Bar Driving Crank Bracket for 24433
16568	5841	Needle Bar with 620r, 1904r and 24391, for 31-35 Machine
16569	5738	Needle Bar Crank (eccentric) with 448c and 743c, for 44123
16573	2039	Roller Arm for 19394
16586	5843	Lifting Lever Pin for 43929, 43930 and 43934
16592	818	Driving Attachment Balance Wheel (friction) with 7958, 16524 and two 435c, for 12478 and 20141
16594	818	Driving Attachment Driving Friction Pulley, $2\frac{5}{16}$ in. diam., with 861p and 10236, for 12478 and 20141
18055	2038	Presser Foot Hinge Pin for 28691
19103	1271	Feed Dog, 12 teeth (16 teeth to the inch) for 31-35 Machine
19131	2012	Shuttle Bobbin for 20590, 20655 and 20758
19219	1206	Bed Frame Cushion (leather) for 20067.
-0-10	1200	Loca Frame Cushion (leather) for 20007

NO.	PLATE	NAME
19220	1206	Bed Frame Cushion Spring for 20067
19221	2045	Wrench for 936, 1516 and 1619 (Attach-
		ments and Accessories)
19223		Presser Foot Shank for 20311 and 24489
19226	1206	Bed Frame Hinge Connection for 19398
19229	2004	Needle Bar (hollow) for high lift, for 31-22 and 31-24 Machines
19258	2009	Bobbin Winder Stop Latch with 152r and 1550n, for 19260
19260		Driving Attachment Driving Arm complete for 20141, Nos. 32p, 75p, 180f, 427e, 693p, 1508c, 1579c, 12170, 12178, 16515, 16518, 16530, 19258 and 27303
19292	771	Shuttle, 1 <sup>11</sup> / <sub>16</sub> in. diam., Nos. 2996, 12393 and 62740, for 31-15, 31-19, 31-27, 31-32, 31-34, 31-35, 31-37, 31-39 and 31-42 Machines.
19293	771	Shuttle Bobbin Case complete for 19292, Nos. 591r, 592r, 2523, 2975, 7553, 15003 and 15098, obsolete, use 24074
19297	5738	Knife Bar with 2301, for 24128
19334		Presser Foot Plate for 19336
19335		" " " Shank for 19336, 20359 and
10000		120144
19336	1308	Presser Foot (hinged) complete, for 12370, 20355, 43979 and 44136, Nos. 7298, 19334 and 19335.
19354		Face Plate for 19355
19355	5735	Face Plate complete for 31-19 Machine, Nos. 2827, 12150 and 19354
19356	1312	Lifting Presser Bar Bell Crank for 24716
19357	1312	" " " Connect-
		ing Link for 24716
		Nos. 19358 to 19360 for 19361
19358	1312	Lifting Presser Bar Bell Crank Driving Arm
19359	1312	Lifting Presser Bar Bell Crank Driving Arm Shaft
19360	767	Lifting Presser Bar Bell Crank Driving Arm Shaft Bracket
19361		Lifting Presser Bar Bell Crank Driving Arm Shaft Bracket complete for 31-19 Machine, Nos. 2049 and 19358 to 19360
19362	1313	Lifting Presser Bar Bell Crank Driving Arm Eccentric Connection for 62637

Arm Eccentric Connection for 62637...

NO. PLATE

NAME

NO.	PLATE	NAME
19363	1312	Lifting Presser Bar Guide Bracket with
		453c, for 31-19 Machine, obsolete
19364	1312	Lifting Presser Foot for 19370
19365	767	Needle Bar Crank and Lifting Eccentric
		with 448c and 743c, for 62637
19366	1313	Vibrating Presser Bar for 24716
	No	s. 19367 to 19369 for 31-19 Machine
19367	1313	Vibrating Presser Bar Cap
19368	1313	" " Cushion (rawhide).
19369	1313	" " Spring
19370	1312	" Footfor 12370 and 43979
19372	1313	Lifting Lever Pin for 20341, 43928 and
		43931
19374	1313	Vibrating Presser Foot for 12369 and 12457
19375	1313	Lifting Presser Foot for 19374 and 19376
19376	1313	Vibrating Presser Foot for 20106, for 31-19
		Machine and for 24344 for 26956
19391	1321	Knife Holder with 620r, 2291 and two
		223F, for 24128
19392	1271	Presser Foot, for $\frac{3}{16}$ in. gauge and above,
		for 31-35 Machine
19394		Roller Presser complete, 11/4 in. fine roller,
		for 26150, Nos. 1928 and 16573
19397	1206	Bed Frame Hinge Connection Cap for
		19398
19398		Bed Frame Hinge Connection 19226 with
		211E and 19397, for 20067
19402		Shuttle Race Body for 19404, obsolete
19403	2006	" Cap for 19404, obsolete
19404	1356	Shuttle Race complete for 31-20 Machine,
		Nos. 648p, 662p, 2419, 2533, 4621, 19402,
		19403 and two 2532, obsolete, use 24325
19405		Throat Plate, small needle hole, for 20117
19406	2012	Shuttle Driver with two 1266c, for 31-20,
10100	2012	31-22 and 31-24 Machines
10400		
19409		Throat Plate, large needle hole, for 20138
		and 20162
19410	1263	Throat Plate, small needle hole, for 20138
		and 20162
19412	1260	Throat Plate, large needle hole, for 20147
		and 44177
19413		Throat Plate, small needle hole, for 20147
		and 44177
19415	1262	Throat Plate, large needle hole, for 20151
		and 44144

	]	Nos. 25657 то 25663 гол 25664
25657	1949	Binder Bed with 656E and three 447F
25658	1949	" Guide (centre, large) with 589E
25659	1949	" (centre, small) with 589E
25660	1949	" " (lower)
25661	1949	" (upper)
25662	1949	" Binding Guide
<b>25663</b>	1949	Presser Foot
25664	1949	Binder (adjustable) complete, for general
		work, Nos. 207f, 233d, 1566d, 1571d,
		7071, 25657 to 25663 and two 8975
25669		Binder Folder Slide with 25670 and 25671,
		for 36457
<b>25670</b>	2038	Binder Folder Slide Block for 25669
25671	2038	" " " Rivet for 25669
25672	6254	" " Carrier with 656E,
		for 36463
25673	6254	Binder Folder Slide Carrier Adjusting
		Thumb Nut Guide for 36463
25677	6254	Binder Pressure Spring for 36463
25698	2024	" Folder for 26694
<b>2570</b> 3	2024	" Pressure Spring with 26698, for
		26694
25705		Binder on Shank, for 3/8 in. tape
25706		τε m. cape
25707	2605	72 m. tape
25708		16 m. tape
25709		% in. tape
25710		16 m. cape
25711		% in. tape
25712		16 m. tape
25713		/8 ш. опре
25714		16 m. tape
25715		" " " 1 in. tape " Folder for 26250, 26466, 28657 and
25721	2021	28784
25722	2021	Binder Ribbon Tension complete for 26250,
23122	2021	26466, 28657 and 28784, Nos. 26614,
		26616 and four 26615, 120437 and 120459
25733	2022	Binder Folder, for $\frac{1}{2}$ in. binding, for 26402
25734	2022	Binder Ribbon Tension complete for 26402,
20104	4044	Nos. 26617, 26618 and seven 26486
25744	1314	Binder Folder and Ribbon Tension with
20177	TOIT	nine 26486, for ½ in. binding, for 26701
25745		Binder Folder and Ribbon Tension with
#01-40		nine 26486, for 1/2 in. binding, for 26701
		THE SOLOGIOI AND DESCRIPTION TO TOTAL

NO.	PLATE	NAME
25788	2026	Corder Arm with 25789, for 25792
25789	2026	" " Tip for 25788
25789	2027	" Bow Tip for 26649 and 26938
25790	2026	" Arm Hinge Pin for 25792
25791	2026	" " Bracket for 25792
25792	2026	Corder Armand Bracket complete for 26169,
		26328, and 28788, Nos. 190D, 879D, 25788,
		25790, and 25791
25855	2038	Binder Folder Guide (lower) Screw Stud
		for 25646
25866	2045	Guide, for flush throat plate
25873	2045	" (combination)
25874	2045	" for raised throat plate
<b>25</b> 888	2028	Hemmer Tongue
N	os. 2591	19 to 25921 for 12372, 12455, 20002, 20117
		AND 20151
25919		Hemmer (foot) $\frac{5}{64}$ in. ham
25920	2028	" '½ in. hem
25921		" long, 1/8 in. hem, for shirts
N	os. 259	922 to 25924 for 12369 and 12457
25922	2028	Hemmer (foot) $\frac{3}{16}$ in. hem
25923		" $\log_{16}$ in. hem, for shirts
25924		" " ¼ in. hem
25967	1387	Presser Foot Strip Gauge for 12435 and
		20157
25983	2021	Presser Foot for 26250, 26466 and 28657.
25984	2025	" " 26328
25985	2029	" (single toe) for gathering
25990	2029	Quilter complete, Nos. 25991 and 25992,
		obsolete, use 120485
25991	2029	Quilter Guide for 25990, obsolete
25992	2029	" Holder with two 207F, for
		25990 and 28660
25993	984	Ruffler Frame with 25994 to 25996 and
		26001, for 26230
		•
	N	os. 25994 to 25996 for 25993
25994	2014	Ruffler Frame Stud
25995	2014	" " Block
25996	2014	" " Rivet
	N	оs. 25997 то 26000 гоя 26230
25997	984	Ruffler Driving Lever
25998	984	" " Spring
25999	984	" Ruffling Blade
26000	984	" " Lever
	204	Licy Cl

NO.	PLATE	NAME
26001	2014	Ruffler Ruffling Blade Lever Stop Pin for
		25993
26002	2014	Ruffler Ruffling Blade Clamp for 26230
26005	984	" Driving Lever for 26018
26007	984	" Foot for 26018
26010	984	" Ruffling Blade with 8505, for 26018
26011	984	" " Lever with 26189
		and 26629, for 26018
26016	984	Ruffler Frame for 26018
26017	984	" Needle Clamp with 808F, for 26018
26018	984	Ruffler (power) complete, Nos. 69D, 207F,
		811р, 812в, 1621в, 1666р, 26005, 26007,
		26010, 26011, 26016, 26017 and 35019
26026	2045	Screw Driver, machine (Attachments and Accessories)
26080	1383	Throat Plate Needle Hole Plate for 26760
_0000	2000	and 28342
26092	2671	Presser Foot Graduated Adjustable Guide
		Clamping Lever Spring Rivet for 28953
26092	2671	Ruffling Separating Blade Rivet for 43920
26092	2038	Tucker Tuck Marking Plate Rivet for
		26101
		Nos. 26099 to 26101 for 26377
26099	2037	Tucker Bed
26100	2037	" Cloth Guide
26101	2037	Tucker Cloth Guide Slide with 26102 and
		two 26092
26102	2037	Tucker Tuck Marking Plate for 26101
		_
		Nos. 26105 to 26109 for 26377
26105	2037	Tucker Tuck Marking Bar Bracket
26106	2038	" " " " Hinge
		Pin
26107	2037	Tucker Tuck Marking Bar Lifting Spring
26108	2037	" " PressureSpring
26109	2037	
		Clamp with 196r
26111	2037	Tucker Tuck Smoothing Spring for 26377
26138	2039	Welt Guide Carrier Slide Switch Cam with
		Shaft, for 26150
26139	2039	Welt Guide Carrier Slide Switch Cam
		Shaft Head with Lever with 337D, for
		26150
26143	2039	Welt Guide Bed for 26150
26144	2039	" Cap for 26150

Nos. 26145 to 26147 for 26148

NO.	PLATE	NAME
26145	2039	Welt Guide Carrier
26146		" " " Slide
26147	2039	" " Tongue
26148	*****	Welt Guide Carrier complete for 26150,
		Nos. 233D, 26145 to 26147 and 26149
26149	2039	Welt Guide Width Guide for 26148
26150	2039	Welt Guide (adjustable) with Switch com-
		plete, Nos. 240p, 910r, 26138, 26139,
		26143, 26144, 26148, 26344 and three
		238р
26160		Hemmer (foot) plain bottom, $\frac{3}{32}$ in. hem
26161	2028	" " " ½ in. hem
26162		" " " " <del>3</del> in. hem
26163		" " " 1/4 in. hem
26166	2025	Feed Dog, 13 teeth (12 teeth to the inch)
		for 26169
26167	2025	Presser Foot for 26169 and 28788
26168	2025	Throat Plate for 26166, for 26169
26169		Corder complete, for top and bottom
		eording, Nos. 25792, 26166 to 26168 and
		two 1350
26173	2038	Strip Folder Lock Stud for 28707
26174	2038	" " " Spring for 28707
26189	2014	Ruffler Ruffling Blade Lever Protector
00000	004	Rivet for 26011
26229	984	Ruffler Ruffling Presser Foot for 26230.
26230	984	Ruffler (power) complete, Nos. 69p, 207r,
		560в, 1582в, 1603E, 25993, 25997 to 26000, 26002, 26229, 26719 and two
		337D
00001	0014	
26231	2014	Presser Foot Spring for 20346, 24546, 24983 and 28691
26249	2021	Throat Plate for 12425 for 26250
26250	2021	Binder (English) complete, Nos. 190b,
20250		207 <sub>F</sub> , 12425, 25721, 25722, 25983, 26249
		and two 7071
26276	2038	Presser Foot Hinge Pin for 20359 and
		44161
	Nos.	26279 to 26283 for 12435 and 20157
26279		Presser Foot Extension, 1 in
26280		" " " ½ in
26281	1387	" " " ½ in
<b>26282</b>		" " " 3/8 in
26283		" " " ½ in

NO.	PLATE	NAME
26328		Corder complete, for top cording, Nos.
		12372, 12442, 25792, 25984 and two 1350
26344	2039	Welt Guide Carrier Slide Stop for 26150
26361		Seamer Edge Guide for 26658
26368	2037	Tucker Tuck Marking Bar for 26369
26369		Tucker Tuck Marking Bar complete for
20000		26377, Nos. 26368 and 26370 to 26372
		Nos. 26370 to 26372 for 26369
26370	2038	Tucker Tuck Marking Pin
26371	2038	" " Guide Pin
26372	2038	" " Spring
26377	2037	Tucker (power) complete, Nos. 220p, 291p
		334D, 401E, 12143, 26099 to 26101, 26105 to 26109, 26111, 26369, 26378 and three 4604
26378	2037	Tucker Leveling Plate for 26377
26400	2022	Presser Foot for 26402
26401	2022	Throat Plate for 19474 for 26402
26402		Binder (English) complete, for cut cloth,
		Nos. 207F, 19474, 25733, 25734, 26400, 26401, two 190b and three 7071
26403	2029	Feller (foot)
26428	2028	Hemmer (foot) 1/8 in. hem, for 12437 and 20147
26438	2632	Box Plaiter Sliding Bracket Cap for 28352
26439	2038	" " Locking Pin
		Bushing with 468c, for 28352
26459	5806	Hemmer Spring Rivet for 28670
26465	2692	Throat Plate, large needle hole, for 12370,
		for 26466.\
26466		Binder (English) complete, Nos. 190b, 207f, 12370, 25721, 25722, 25983, 26465 or 35741 and two 7071.
26485	2045	Screw Driver, shuttle tension (Attach-
20100	2010	ments and Accessories)
26486	2022	Binder Ribbon Tension Pin (straight) for
		25734, 25744, 25745, 26953 and 28337
26568	2635	Tucker Edge Guide for 26597
26569	2635	" " Slide for 26597
<b>2657</b> 0	2634	" Tuck Guide Plate for 26683
26571	2634	" " " Arm with 5944,
26597		for 26683

NUMERICAL LIST OF PARTS

NO.	PLATE	NAME		
26603	1381	Feed Dog, 20 teeth (16 teeth to the inch)		
		for 28678, 28731, 35226, 35354, 35681,		
		35855, 35863, 120247, 120248 and 120533		
26605	7696	Throat Plate, large needle hole, for 26603		
		and 120001		
26606		Throat Plate, small needle hole, for 26603		
		and 120001		
26607	1387	Presser Foot Body for 26609 to 26611 and		
		35016		
26608	1387	Presser Foot Plate (glass) for 26609		
26609		Presser Foot (glass plate) complete, Nos.		
00010	1005	26607 and 26608		
26610	1387	Hemmer, ½ in. hem, for 26607		
26611		" <sup>3</sup> / <sub>16</sub> in. hem, for 26607		
26614	2021	Binder Ribbon Tension Pin (bent) for 25722		
26615	2021	and 120123.		
20015	2021	Binder Ribbon Tension Pin (straight) for 25722 and 120123		
26616	2021	Binder Ribbon Tension Plate for 25722.		
26617	2021	" " Pin (bent) for		
20011	2022	25734 and 28337		
26618	2022	Binder Ribbon Tension Plate for 25734.		
26629	2014	Ruffler Ruffling Blade Lever Protector for		
20020	2011	26011		
26638	2029	Presser Foot (double toe) for gathering.		
26639		" with 228p, for 26641		
26640	2029	" Adjustable Guide for 26641		
26641	2029	" 26639 with Adjustable Guide		
		No. 26640, for tailor work.		
		,		
	10	os. 26642 to 26645 for 26646		
26642		Presser Foot		
26643	2029	" " Guide		
26644	5843	" " Hinge Pin		
26645	5843	" " Spring		
<b>2664</b> 6	2029	Presser Foot (spring guide) complete, Nos.		
		337b and 36642 to 26645		
26647	2027	Corder Bow for 26649		
26648	2027	Presser Foot for 26649 and 26938		
26649	2027	Corder (bow) complete, for top cording,		
00050	2006	Nos. 4604, 25789, 26647 and 26648		
26650	2029	Presser Foot, for braiding		
26651	2032	fording amorena straps		
26652		Hemmer, $\frac{3}{32}$ in. hem, for 26655		
26653	2032	" Shank for 26655, 26660, 26662,		
		26664, 26666, 26935, 28948, 36521 and		

NO.	PLATE	NAME
26653	2032	Seamer Shank for 26658
26654	2032	Hemmer Rivet for 26655, 26660, 26662, 26664, 26666, 26935, 28948, 36521 and 36712
26654	2032	Seamer Rivet for 26658
26655	2031	Hemmer on Shank complete, Nos. 26652 to 26654
26656	2030	Presser Foot for 26655
26657		Seamer, for umbrella work, for 26658
26658	2032	Seamer complete, Nos. 26361, 26653, 26654 and 26657
26659		Hemmer for 26660
26660	2031	Hemmer on Shank complete, $\frac{3}{32}$ in. hem, for umbrella work, Nos. 26653, 26654 and 26659
26661		Hemmer (wide) for 26662
26662	2031	Hemmer on Shank complete, Nos. 26653, 26654 and 26661
26663		Hemmer for 26664
26664	2030	Hemmer on Shank complete, for raw edge silk, Nos. 26653, 26654 and 26663
26665		Hemmer, ½ in. hem, for 26666
26666	2030	Hemmer on Shank complete, Nos. 26653, 26654 and 26665
		Nos. 26668 to 26671 for 26724
26668	2035	Ruffler Driving Lever Spring
26669	2035	" Frame
26670	2034	"Guide (left) with 26679 and two 662p
26671	2035	Ruffler Guide (right) with 26679 and two 662p
26675	2035	Ruffler Ruffling Blade for 26724
26676	2035	" " Clamp for 26724
26678	2035	" " Lever Disengaging
		Lever for 26724
26679	2035	Ruffler Separating Blade for 26670 and 26671
26681	2039	Presser Foot for 26150
26683		Tucker Tuck Guide Plate complete for 26685, Nos. 58p, 287p, 732p, 7071, 26570, 26571, 26684 and two wood screws 1 in. No. 12
26684	2634	Tucker Tuck Guide Plate Bracket for 26683
26685		Tucker (long arm) complete, Nos. 939D, 26597, 26683 and 26686

NO.	PLATE	NAME		NO.	PLATE	NAME
26686	8630	Presser Foot for 26685		.,		os. 26805 to 26808 for 26810
26694	2024	Binder (adjustable) complete, for capfronts,				
		for 31-20 Machine, Nos. 334p, 1566p,		26805	1375	Edge Guide Slide Cap (left)
		25698, 25703, 26695 to 26697, two 152F		26806	1375	(118nc)
		and three 7071	(†	26807	1375	Devel
	».	90005 90007 90004		26808	1375	opring
	IN	os. 26695 to 26697 for 26694	<b>6.</b>	26809	1375	Edge Guide Slide Spring Cover for 36760
26695	2024	Binder Bed with 9558		26810	1375	Edge Guide (roller) complete, Nos. 94n,
26696	2024	" Guide (lower) with 1141p and 9780				233p, 26803, 26805 to 26808, 36760, two
26697	2024	" (upper)		26888	1344	207r and four 220p
26698	2024	" Pressure Spring Lifting Button		26889	1344	" (upper) with 190p and 219r.
		for 25703		20009	1944	for 26890
26699	1314	Feed Dog, 14 teeth (16 teeth to the inch)		26890	1244	Ruffling Arm (adjustable) for 28845, Nos.
		for 26701		20090	1944	2291, 26888, 26889 and two 207F
26700	1314	Throat Plate with Extension for 26699,		26934		Hemmer (narrow) for 26935
		for 26701	CI CI	26935		Hemmer on Shank complete, Nos. 26653,
26701		Binder (English) complete for 31-19 Ma-		20000	1000	26654 and 26934
		chine, Nos. 671p, 25744, 25745, 26699,	64	26936	1387	Presser Foot, for etching
0.0700	1014	26700, 26702 and 26703	:	26937	1385	Corder Bow for 26938
26702		Lifting Presser Foot for 26701 and 28784		26938	1385	Corder (bow) complete, for top cording,
26703	1314	Vibrating Presser Foot for 26701 and 28784				Nos. 4604, 25789, 26648 and 26937
26718	1370	Ruffler Needle Clamp Body for 26719		26948	2601	Edge Folder on Shank, to turn edge of
26718 26719	1370 984	Tucker Needle Clamp Body for 26719				yoke and insert body of shirt
20719	984	Ruffler Needle Clamp complete for 26230,		*26951		Binder Folder (lower) for 26953
		26724 and 28816, Nos. 1115r, 1943 and 26718		*26952		" (upper) for 26953
26719	084	Tucker Needle Clamp complete for 36561				
20113	<i>5</i> 01	Nos. 1115F, 1943 and 26718	· (\$			Nos. 26953 to 26955 for 26956
26722	2035	Ruffler Driving Lever for 26724		26953	1379	Binder Folder with Ribbon Tension com-
26723	2034	" Ruffling Blade Lever for 26724	(gr			plete, Nos. 26951, 26952, two each 193F,
26724		Ruffler (power) complete, with right and	/			7071 and nine 26486
	2001	left guides, with separating blades and	1	26954	1378	Lifting Presser Foot
		disengaging lever to throw ruffling blade		26955	1378	Throat Plate with Extension, for 24344
		out of action, Nos. 102p, 223p, 812g,		26956		Binder (adjustable) complete for 31-19
		1101c, 1621E, 1640c, 2301, 26668 to				Machine, Nos. 283p, 19376, 24344 and
		26671, 26675, 26676, 26678, 26719,	\			26953 to 26955
		26722, 26723 and two 337p		26977	1391	Presser Foot with Graduated Adjustable
26760	1383	Throat Plate with 337D and 26080, for	j			Guide No. 26978 with 3350, for tailor
		under braiding, for 12369 and 12457	: 4			work
26795	5839	Corder Cord Guide for 120207		26978	1391	Presser Foot Graduated Adjustable Guide
26796	5839	" " " Arm with 26798 and	<b>†</b> *			for 26977
		three 6037, for 120207	₹,≪	27072		Driving Attachment Shaft Driving Pulley
26798	5839	Corder Cord Guide Bracket for 26796				(sectional grooved) 12 in. diam., $1\frac{3}{16}$ in.
26801	1387	Presser Foot Adjustable Guide for 26802				bore, with two 597c, for 12478 and 20141
26802	1387	" with two adjustable guides,		<b>271</b> 30	8633	Machine Cushion (leather) for 12248
	•	Nos. 26801 and two 725p		27302	1162	Bobbin Winder Frame for 27647, 27650,
26803	1375	Edge Guide Bed with 2362, for 26810				27651 and 27875

NO.	PLATE	NAME
27303	773	Bobbin Winder Frame Spring for 27647,
		27650, 27651 and 27875
27303	773	Bobbin Winder Stop Latch Spring for
		16522 and 19260
27306	1162	Bobbin Winder Spool Pin for 27308
27307	1162	" " Stand for 27308
27308	1162	Bobbin Winder Spool Stand complete for
		12478, 20141, 27544, 27554, 27588 and
		27876, Nos. 418E, 1562J, 2106, 10141,
		11241, 27306, 27307 and two each 2455
		and wood screws 1 in. No. 10
27312	2003	Bobbin Winder Stop Latch for 27647 and 27650
27323	1105	Knife Grinder Holder Guide Bar for 60583
27538	1162	Bobbin Winder Spindle 27849 with 15072,
		27850 and 41828, for 27647, 27650, 27651
		and 27875
27540	2445	Bobbin Winder Base for 27647 and 27875
27541	2445	" Pulley for 27647 and 27875
27544		Bobbin Winder (swinging automatic, right
		hand) complete for 2996, for stand, Nos.
		27308 and 27647
27552	1162	Bobbin Winder Base for 27650 and 27651
27553	1162	" Pulley for 27650 and 27651
27554		Bobbin Winder (swinging automatic, right
		hand) complete for 2996, for power table,
		Nos. 27308 and 27650
27564	1104	Knife Grinder Frame with 27574, for
	4404	60583
27565	1104	Knife Grinder Emery Wheel, 2 in. diam.,
27567	1105	for 60934
21001	1100	Knife Grinder Emery Wheel Shaft for 60934
27568	1105	Knife Grinder Emery Wheel Shaft Oil Hole
		Cover (rubber) for 60583
27569	1105	Knife Grinder Emery Wheel Shaft Pulley
		for 60934
27572	1104	Knife Grinder Knife Holder Guide Bar
	***	Bracket with 27574, for 60583
27573	1105	Knife Grinder Knife Holder Guide Bar
27574	1105	Bracket Spring for 60583
41014	1100	Knife Grinder Knife Holder Guide Bar Bracket Spring Hook for 27564 and
		27572
27587	1162	Bobbin Winder Stop Latch for 27651 and
21001	1102	27875
		##U1U

NO.	PLATE	NAME
27588		Bobbin Winder (swinging automatic, right
		hand) complete for 19131, for power
		table, Nos. 27308 and 27651
27623	2836	Thread Unwinder Spool Pin for 41527 and
		41531
27636	363	Driving Attachment Treadle for 27642,
		obsolete
27636	363	Starting Treadle for 43815
27637	818	Driving Attachment Treadle Pitman Rod
		(lower) for 14233 and 15130
27638	5841	Driving Attachment Treadle Pitman Rod
		(lower) Spring for 14233 and 15130
27642		Driving Attachment Treadle complete for
		14234 and 15131, Nos. 2878, 9082, 27636
		and four wood screws 1 in. No. 16, obsolete
27647	2445	Bobbin Winder for 27544, Nos. 350, 1620J,
		27302, 27303, 27312, 27538, 27540,
		27541, 50356p and two wood screws 1
0=0=0		in. No. 7
27650		Bobbin Winder for 27554, Nos. 35p, 1620J,
		27302, 27303, 27312, 27538, 27552,
		27553, 50356D and two wood screws 1 in. No. 7
27651	1162	Bobbin Winder for 27588, Nos, 35p, 1620J,
-,001	1102	27302, 27303, 27538, 27552, 27553,
		27587, 50356b and two wood screws 1
		in. No. 7
27657		Knife Grinder Knife Holder Body for
		27658
27658	1105	Knife Grinder Knife Holder complete for
		5726 and 27661, Nos. 8991, 27657 and
0=0×0		27660
27659	1105	Knife Grinder Knife Holder Stop Collar with 237κ, for 60583
27660	6255	Knife Grinder Knife Position Pin for
		27658 and 126393
27660	6255	Knife Grinder Knife Position Pin (lower)
27661		for 27681 and 27682
2/001		Knife Grinder complete for 5726, Nos.
		27662, 60583, either 27658, 27681 or 27682 and three wood screws 1 in. No. 10
27662	1104	Wrench for 1508 and 1516 for 27661
27679		Knife Grinder Knife Holder Body for
		27681
27680		Knife Grinder Knife Holder Body for
		27682, obsolete

NO.	PLATE	NAME
27681	6255	Knife Grinder Knife Holder complete for
2/001	0200	27661, Nos. 899 <i>s</i> , 11833, 27660 and 27679
27682	6255	Knife Grinder Knife Holder complete for 27661, Nos. 899J, 11833, 27660 and
27739	8520	27680, obsolete, use 126393
27822	1105	Knife Grinder Emery Wheel Clamping Nut Washer for 60934
*27849		Bobbin Winder Spindle for 27538
*27850		" " Collar for 27538
27875		" for 27876, Nos. 35D, 1620J,
		27302, 27303, 27538, 27540, 27541,
		27587, 50356p and two wood screws 1 in. No. 7
27876		Bobbin Winder (swinging automatic, right
21010		hand) complete for 19131, for stand,
		Nos. 27308 and 27875
27940	2836	Thread Unwinder Spool Stand with 453c,
21010		for 41529 and 41533
28054	5742	Starting Treadle Centre for 20039
28084	8633	Machine Cushion (felt) Pin for 79758
28084	8633	" Rest Pin (Attachments and
		Accessories)
28334	1380	Binder Folder for 28678 and 28776
28336		" Ribbon Tension Plate for 28337
28337	1380	Binder Ribbon Tension complete for 28678 and 28776, Nos. 26617, 28336 and eight 26486
<b>28</b> 342	1383	Throat Plate with 337p and 26080, for
		12450 for under braiding
		Nos. 28343 to 28351 for 28352
28343	2632	Box Plaiter Centre Guide
28344	2632	" " " Holder with
		10165
28345	2632	Box Plaiter Folder Blade (left)
28346	2632	" " " (right)
28347	2632	" "Sliding Bracket (left)
28348	2632	" " " (right)
28349	2632	
		with 2301
28350	2632	Box Plaiter Sliding Bracket Arm (right)
		with 2301
28351	2632	Box Plaiter Sliding Bracket Arm Exten-
		sion Bracket

NO.	PLATE	NAME
28352		Box Plaiter complete, Nos. 28343 to 28351,
		two each 190D, 200F, 514C, 914F, 1564D,
		2296, 2297, 7071, 26438, 26439, four
		401E and six 233D
28353	2633	Presser Foot with 28354, 28355 and two
20000	2000	665p, for 28352
28354	2633	Presser Foot Guide (left) for 28353
28355	2633	" " (right) for 28353
28358	2624	Edge Folder (suspended) left hand, to turn
48998	2024	
00250	1005	edge under, for 31-27 Machine
28359	1395	Edge Folder (double) with Separating
		Blade on Shank, lower folder to turn the
		edge of the goods under, for 31-27 Machine
28366	2645	Binder Folder for 28794, obsolete, use
20000	2010	120493, 120494 or 120495
28549	1395	Edge Folder (double) with Separating
	-	Blade on Shank, lower folder to turn
		the edge of the goods up, for 31-27 Ma-
		chine
		Nos. 28590 to 28594 for 28816
28590	1371	Ruffler Driving Lever
28591	1371	Dping
28592	1371	Conat
<b>285</b> 93	1371	" Frame
28594	1371	Presser Foot (left)
28596	1371	" (right) Shank for 28814
28597	1371	" " Cap for 28816
28600	1371	Ruffler Ruffling Blade Lever for 28816
28601	1371	" Starting Lever with 1900, for 28816
28603	1370	Feed Dog, 10 teeth (16 teeth to the inch)
28605	1372	for 28816 Edge Folder (upper, right hand) with left
28000	13/2	
		hand lower guide and separating blade
		on shank, to fold top band only, for
0000	40-4	making yokes, for 28816
28607	1371	Ruffler Ruffling Blade Holder Stop for 28816
28611	1396	Binder on Shank, for suspender webs
28612	1396	Presser Foot for 28611
28613	1396	Strip Folder on Shank, for overall shoulder
		straps
28614	1396	Presser Foot for 28613 and 35166
28615	1397	Edge Folder with Cord Guide on Shank,
		to insert and sew on insertion in one
		operation

NO.	PLATE	NAME
28616	1397	Presser Foot (grooved) for 28615
28617	1398	Strip Folder on Shank, for inserting folded
	2000	strip, for trimming mantles
28618	1398	Presser Foot (grooved) for strip, for 28617
28619	1399	Binder (horn) on Shank
28620	1399	Presser Foot for 28619
28621	1397	Piping Attachment and Strip Folder on Shank, for car-seat cushions
28622	1397	Presser Foot (grooved) for 28621
28623	2602	Hemmer and Corder on Shank, to take goods from above to cord bottom
28624	2602	Presser Foot with groove on bottom to the right of needle hole, for 28623
28625	2627	Edge Folder (double) with Strip Folder and Cord Tube on Shank, for inserting
		cord, folding strip and stitching between the two folded edges of goods
<b>2862</b> 6	1391	Presser Foot with groove on bottom to the right of needle hole, for 28625
28627	2600	Hemmer on Shank, for 3% in. hem, for Marseilles quilts
28628	2600	Presser Foot for 28627
28629	1384	Feed Dog, 13 teeth (14 teeth to the inch)
	-001	for 28788
28630	1384	Throat Plate for 28629 for 28788
28631	2602	Binder on Shank
28632	2602	" " to turn edges under
28633	1399	" " " top edge only,
	2000	for binding coats
28634	2602	Binder on Shank, to turn top edge only,
		for raw edge binding
28635	1398	Binder on Shank, for 1/8 in. binding
28636	2601	" " to turn top edge only, for
		men's trouser bottoms
28637	2626	Binder on Shank, for bias binding, to turn
		top edge only, with guide for inserting
		canvas strip
28638	2600	Binder on Shank, for dress shields
28639	2603	" " to turn top edge only,
		for suspenders
28640	2627	Binder on Shank, for 1¼ in. binding, for soft blankets
28641	2603	Binder on Shank, for 11 in. binding
28642	2603	" (horn) on Shank
28643	2603	" on Shank with Guide (wire) for
· <del>-</del>		mattress work

NO.	PLATE	NAME
28646	2604	Edge Folder (double) on Shank, for men's
	-001	skeleton coat seams, to turn to outside
28647	2626	Strip Folder on Shank
28648	2626	" " " for making straps
28649	2604	Edge Folder on Shank
<b>28</b> 650	2604	Hemmer on Shank, for hemming heavy Canton flannel
28651	2605	Hemmer on Shank, for turning tops and bottoms of canvas leggings
28652	2605	Hemmer on Shank, for 1 % in, to 2 in, hem
28653		" " " 2 9 in. to 3 in. hem
28654	1383	Throat Plate, for under braiding, for 12369 and 12457
28655	1382	Throat Plate, small needle hole, for 12369 and 12457, for 28657
28656		Throat Plate, large needle hole, for 12369 and 12457, for 28657
28657		Binder (English) complete, Nos. 190b, 207f, 12369 or 12457, 25721, 25722, 25983, 28655 or 28656 and two 7071
28658	1377	Guide (roller) with 1852
28659	1392	Quilter Guide for 28660
28660	1392	Quilter complete, Nos. 25992 and 28659
28661	2028	Hemmer (foot) $\frac{3}{16}$ in. hem, for gusset work
28662	2028	" ' 1/8 in. hem, slotted for lace
28663	2028	" $\frac{1}{16}$ in. hem, for 12372, 12455,
		20002, 20117 and 20151
28664		Hemmer (foot) $\frac{3}{32}$ in. hem, slotted for lace
28665	2606	Binder (foot)
28666	2606	" " right hand
28667	2606	" left hand
<b>28668</b>	2606	Presser Foot (strip folding)
28669	2606	Hemmer Spring for 28670
28670	2606	" (foot) 1/4 in. hem, with 28669
		and two 26459
28671	1392	Hemstitcher
28672	1391	Presser Foot, two grooves to the right of needle hole, for cording
28673	2607	Lap Seam Feller (right hand) on Shank, to fold top only
28674	2607	Lap Seam Guide on Shank
28675	1391	Presser Foot (pointed toe) for stitching
		box plaiting on body of material
28676	1381	Presser Foot for 28678 and 28776
28677	1381	Throat Plate for 26603 for 28678

ł

NO.	PLATE	NAME
28678		Binder (English) complete, Nos. 193F, 7071, 26603 or 120001, 28334, 28337, 28676,
		28677 and two 233D
28679	1376	Hemmer Bed with 28681, for 28688
*28680	1376	" Folder (left) for 28688
28681	1376	" (right) for 28679
		Nos. 28682 to 28686 for 28688
<b>28682</b>	1376	Hemmer Slide with 28687 and two each
20200		2362 and 12152
28683	1376	Hemmer Slide Cap (left)
28684 28685	1376 1376	" " (right) " Folder Disengaging Lever
28686	1376	" Slide Spring
28687	1376	" " Cover for 28682
28688	1376	Hemmer complete, with lever for opening
20000	1010	the folder and releasing the hem so that
		it can be finished without removing the
		hemmer from machine, for skirts, over-
		alls or similar closed articles, Nos. 94D,
		28679, 28680, 28682 to 28686, two 207F
		and three 233p
28689		Presser Foot Plate for 28691
28690		" " Shank for 28691
28691	1391	Presser Foot (spring hinged) complete for
		28688, Nos. 18055, 26231, 28689 and 28690
28692	2607	Presser Foot for 28693
28693	2607	Binder on Shank, for binding the arm
		holes in cotton garments
28698	2608	Strip Folder on Shank with cord tube
28699	2608	Presser Foot, grooved to the right of needle
		hole, for 28698
28700	2609	Hemmer (short head) on Shank, for hemming stable blankets
28779	2623	Ruffling Blade for 28777
28783		Throat Plate for 20106 for 28784
28784		Binder (English) complete for 31-19 Ma-
-0.0.		chine, Nos. 190D, 207F, 20106, 25721,
		25722, 26702, 26703, 28783 and two
		7071
28788	3 —	Corder complete, for top and bottom
		cording, Nos. 25792, 26167, 28629,
		28630 and two 135p
28790	2645	Feed Dog, 11 teeth (24 teeth to the inch)
		for 28794 and 28861
2879	1 2645	Lifting Presser Foot for 28794

NO.	PLATE	NAME
19416		Throat Plate, small needle hole, for 20151
		and 44144
19418	1262	Throat Plate, large needle hole, for 20158 and 44156
19419		Throat Plate, small needle hole, for 20158 and 44156
19447	2011	Oscillating Shaft Crank complete, Nos. 457c, 15181, 19449 and 19496
19448	2011	Occillating Shaft Crank Slide Block for 19449.
19449	2011	Oscillating Shaft Crank Slide Block complete for 19447 and 44135, Nos. 226p, 988c, 12424 and 19448
19474	1258	Feed Dog, 14 teeth (16 teeth to the inch) for corset work, for 31-15 Machine, 26402, 35208, 35209, 35236, 35241, 35324, 35325, 35345, 35351 and 36906
19475	1258	Throat Plate, large needle hole, for 19474
19496		Oscillating Shaft Crank for 12390 and 19447
19497	1261	Throat Plate, large needle hole, for 20117
20002	778	Feed Dog, 18 teeth (16 teeth to the inch) beveled for hemmer, for 31-15 Machine
20003		Shuttle Race Body for 20005
20004	2005	" Cap for 20005
20005	2005	Shuttle Race (sectional) complete for 31-16 Machine, Nos. 648p, 2531, 2533, 12492 to 12494, 20003, 20004 and two each 85p, 662p, 2532 and 21202
20008		Foot Lifter complete for 31-15, 31-16, 31-20, 31-22, 31-27, 31-32 and 31-34 Machines, Nos. 76p, 766p, 802p, 1521e, 4880, 4885, 5598, 5670, 12237, 12240, 12241, 12415, 12416 and two 178e
20009	1258	Feed Dög, for tailor work, for 31-15, 31-20 and 31-22 Machines, obsolete
20010	1258	Throat Plate, large needle hole, for 20009, obsolete, use 44137
20018	1258	Feed Dog, 17 teeth (15 teeth to the inch) for finishing knit underwear, for 31-15 Machine
20019	1258	Throat Plate, large needle hole, for 20018
20020	1308	Presser Foot for 20018
20021	5761	Drip Pan with four 1 in. wire nails, for power
		table, for Drop Feed Machines, obsolete, use 44212

NO.	PLATE	NAME
20022	5742	Machine Rest (felt) for machine on stand
•'		(Trimmings for End and Back Leaf Table)
20023	2004	Lifting Presser Bar Spring (heavy).063 wire, for 31-19 Machine
20023	2004	Presser Bar Spring (heavy) .063 wire, for 31-15, 31-16, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35 and 31-37 Machines
20024		Throat Plate, small needle hole, for 20009, obsolete, use 44138
20037	2009	Tension Releaser for 44147, obsolete
20038	780	Presser Foot for 20303
20039	5760	Starting Treadle Centre Bracket with 28054 and two wood screws 1 in. No. 10, for 31-42 Machine
20040	5760	Starting Treadle Screw Centre Bracket with 46661 and two wood screws 1 in. No. 10, for 31-42 Machine
20057		Face Plate for 20058
20058	5735	Face Plate complete for 31-15, 31-16, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34 and
		31-37 Machines, Nos. 2827, 12150 and 20057
20059	5736	Presser Bar Guide Bracket with 453c, for 31-15, 31-16, 31-20, 31-24, 31-27, 31-32, 31-34 and 31-37 Machines
20060	5736	Slack Thread Regulator for 31-15, 31-16, 31-20, 31-22, 31-24, 31-32, 31-34 and 31-37 Machines
Nos.		ro 20063 for 31-15, 31-16, 31-20, 31-22 4, 31-27, 31-32, 31-34 and 31-37 Machines, obsolete
20061	1353	Tension Screw Stud Bushing
20062	1353	r lange
20063	1353	Conar
20064	2014	Tiffead Guard, obsolete
20067	819	Bed Frame with two each 16555, 19398, four each 19219, 19220, six each 14010, wood screws 1¼ in. No. 12 and eight 158c, for all machines and also for 31-42 Machine when operated head on
20091	5735	Rock Shaft for 20465
20106	1259	Feed Dog, for cloth, 13 teeth (16 teeth to the inch) for 31-19 and 31-20 Machines and 28784
20107	1259	Throat Plate, small needle hole, for 20106

NO.	PLATE	NAME
20117		Feed Dog, 16 teeth (16 teeth to the inch)
		for shirt work, beveled for hemmer, for
		31-20 Machine
20119	1259	Feed Dog, 18 teeth (16 teeth to the inch)
		for heavy work on duck, overalls, etc.,
		for 31-15 and 31-20 Machines
20120	1259	Throat Plate, large oblong needle hole, for
		20119
20138	1263	Feed Dog, 13 teeth (12 teeth to the inch)
		for shirt work, beveled for hemmer, for
		31-20 and 31-24 Machines
20141		Driving Attachment with Bobbin Winder
		and Treadle complete for 31-20, 31-22
		and 31-24 Machines, Nos. 210p, 692p,
		12475, 16592, 16594, 19260, 20372,
		24355, 27072, 27308, 44176, 126213 and
		two 65p
20147	1260	Feed Dog, for shirt work, 12 teeth (14
		teeth to the inch) for 31-20 Machine
20151	1262	Feed Dog, 13 teeth (14 teeth to the inch)
		for shirt work, beveled for hemmer, for
		31-20 Machine
20155		Presser Foot Plate for 20157
20156		" " Shank for 20157
20157	780	Presser Foot (hinged) complete for 25967
		and 26279 to 26283, Nos. 228p, 20155,
201 50	1000	20156 and 62527
20158	1262	Feed Dog, 17 teeth (16 teeth to the inch) for shirt work, for 31-20 Machine
00100	1000	Feed Dog, 17 teeth (16 teeth to the inch)
20162	1263	for shirt work, beveled for hemmer, for
		31-20 and 31-24 Machines
20185	2011	Tension Releaser for 20370 for 31-22 Ma-
20189	2011	chine, obsolete
20186	2011	Tension Releasing Lever for 31-22 Ma-
20100	2011	chine, obsolete
20187		Throat Plate, small oblong needle hole, for
2010.		20119
20188	767	Needle Bar Crank with 858c and 1065c,
20100		for 44122, 44124, 44130, 44169, 44172
		and 44217
20192		Throat Plate, small oblong needle hole, for
		20329, obsolete
20197	2001	Crank Connecting Rod with 20198 and
		two 896E, for 44189, 44192, 44195 to
		44197, 44199, 44200, 44207 and 44217
*20198		Crank Connecting Rod Cap for 20197

NO.	PLATE	E NAME
*20236		Arm with 11104, for 31-24 Machine
*20237		Bed for 31-24 Machine.
<b>2</b> 0238	2000	Feed Rock Shaft for 20239 and 20334
20239		Feed Rock Shaft complete for 31-24 Ma-
		chine, Nos. 3043, 20238 and 20247
		obsolete, use 20334
20240	2019	Presser Bar Lifter for 31-24 Machine
20241		" Foot Body for 20243
20242	2019	" " Roller for 20243
20243	2019	Presser Foot (roller) complete for 31-24
		Machine, Nos. 131p. 1550 1, 20241 and
		20242
		Nos. 20244 to 20246 for 20253
20244	2019	Reciprocating Spring Presser Blade
20245	2019	" " Holder
20246	2019	" " " Spring
		Bracket
20247	2020	Reciprocating Spring Presser Regulator
		Crank with 15181, 1942 and two 190n
		for 20239 and 20334
	Nos.	20248 to 20251 for 31-24 Machine
20248	2000	Reciprocating Spring Presser Shaft
20249	2020	" " " Rwodent
000=0		(back)
20250	2020	ReciprocatingSpring PresserShaftBracket
20251	9010	(front)
20201	2019	Reciprocating Spring Presser Shaft Collar
20252	2019	with 456c.
20202	2019	Reciprocating Spring Presser Shaft Crank
		(front) with 7483 and two 453c, for
20253		20253 Reciprocating Spring Presser Shaft Crank
		(front) complete for 31-24 Machine,
		Nos. 1099r, 9804, 20244 to 20246, 20252
		and two 233p
20254	2020	Reciprocating Spring Presser Shaft Crank
		(back) with 191r, for 31-24 Machine
20255	2020	Lifting Lever Connecting Rod for 20256,
		20290 and 43933
20256		Knee Lifter complete (power table or stand
		25265) for 31-24 Machine, Nos. 76D,
		766р, 802р, 1521Е, 5598, 12237, 12240,
		12241, 12250, 12416, 20255 and two
		178E
20268		Presser Foot Plate for 20270

NO.	PLATE	NAME
20269		Presser Foot Shank for 20270
20270	1308	Presser Foot (hinged) complete for 12369.
		12457, 20106 and 20349, Nos. 7298.
20275	1259	20268 and 20269.
20210	1203	Feed Dog, 13 teeth (18 teeth to the inch)
20276	1259	for umbrella work, for 31-15 Machine Presser Foot for 20275
20277	1259	Throat Plate, large needle hole, for 20275
20283	2020	Food and Food Lifting To the state of the st
-0200	2020	Feed and Feed Lifting Eccentric with 446c for 44121 to 44123, 44130, 44169 and
		31-37 Machine.
20284	2020	Feed Forked Connection for 43993
20290		Foot Lifter complete for 31-24 Machine,
		Nos. 76d, 766d, 802d, 1521e, 4880, 4885.
		5598, 5670, 12237, 12240, 12241, 12416
		20255 and two 178E
20291	2049	Drip Pan with four 1 in, wire nails, for
		power table, for Wheel Feed Machines
<b>20</b> 303	776	Feed Dog, 12 teeth (12 teeth to the inch)
		for 31-32 Machine, obsolete
20304	778	Feed Dog, 13 teeth (12 teeth to the inch)
0000=	2022	for 31-32 Machine
20307	2020	Bobbin Winder Frame for 20308
20308		Bobbin Winder Frame complete for 20309,
		Nos. 333D, 5960, 5961, 5963, 15077 and
20309		20307.  Bobbin Winder complete for 12358, Nos.
		32D, 180F, 12168, 12170 and 20308
20310		Presser Foot Plate for 20311.
20311	781	Presser Foot (hinged) complete for 12372,
		12437, 12455, 12468, 12481, 20002,
		20117, 20138, 20147, 20151, 20158,
		20162, 20336 and 20471, Nos. 2532,
		19223 and 20310
<b>*20</b> 312		Arm with 11104, for 31-27 Machine
<b>*2</b> 0313		" " 11104, for 31-32 Machine
20314	1353	Tension Releaser for 29549, obsolete
20315		Throat Plate, large needle hole, for 20106
20321	2048	Arm Shaft Bushing (back) for 31-42 Ma-
		chine
20328	781	Presser Foot for 20303
20329	776	Feed Dog for 31-32 Machine, obsolete
20332	2049	Arm Shaft for 44130
20333		Feed Rock Shaft complete for 31-15, 31-16.
		31-19, 31-20, 31-22, 31-27, 31-32, 31-34.
		31-35 and 31-37 Machines, Nos. 12379
		and 29633

į

NO.	PLATE	NAME
20334		Feed Rock Shaft complete for 31-24
		Machine, Nos. 20238, 20247 and 29633
20336	1274	Feed Dog, 16 teeth (16 teeth to the inch)
		beveled for hemmer, for shirt work, for
		31-15 Machine
20337		Throat Plate, large needle hole, for 20336
20338	1274	" small needle hole, for 20336
*20339		Arm with 11104, for 31-19 Machine
20340	2049	Lifting Lever with 448c, for 20341, 43928
20040	2049	to 43931 and 43934
20341		Knee Lifter complete (power table or stand
20041		
		25265) for 31-19 Machine, Nos. 76b,
		766p, 802p, 1521E, 5598, 12250, 12415,
		12416, 19372, 20340, 21301 and two
		178E
20342	781	Presser Foot for 12450 and 20348
20343	781	" with guide on bottom to the
		right of needle hole, for 12369, 12450,
		12457 and 20348
20344		Presser Foot Plate for 20346
20345		" "Shank for 20346
20346	781	Presser Foot (spring hinged) complete for
		12372, 12437, 12455, 12468, 12481,
		20002, 20117, 20138, 20147, 20151,
		20158, 20162, 20336, and 20471, Nos.
		20344, 20345, 26231 and 62527
20347	2048	Reciprocating Spring Presser Blade
		(slotted) for 31-24 Machine
20348	777	Feed Dog, 22 teeth (36 teeth to the inch)
		for chiffon, for 31-15 and 31-20 Machines
20349	1267	Feed Dog, 13 teeth (16 teeth to the inch)
		for 31-15 Machine
20350	1267	Throat Plate, large needle hole, for 20349
20351		" small needle hole, for 20349
20352	1267	Feed Dog, 15 teeth (16 teeth to the inch)
20002	1201	for general muslin work, for 31-15 Ma-
		chine
20353	1267	Throat Plate, large needle hole, for 20352
20354		" small needle hole, for 20352
20355	1274	Feed Dog, 14 teeth (12 teeth to the inch)
		for 31-34 Machine
20356	1274	Throat Plate, large needle hole, for 20355
20357		" small needle hole, for 20355
20358		Presser Foot Plate for 20359
20359	781	Presser Foot (hinged) complete, for $\frac{3}{16}$ in.
		gauge and above, for 20355, Nos. 19335,
		20258 and 26276

NO.	PLATE	NAME
20362		Throat Plate, small needle hole, for 20275
20363	5757	Presser Bar Spring (heavy) .0405 wire, for 31-42 Machine
20364	2045	Wrench for 1648 (Attachments and Accessories)
20367	770	Needle Bar Connecting Stud Slide Block for 20368, obsolete
20368	770	Needle Bar Connecting Stud complete, Nos. 453c, 12383 and 20367, obsolete, use 12384
20370	2048	Tension Releasing Lever for 20185 for 31-22 Machine, obsolete
20371	768	Driving Attachment Driving Arm Pitman Crank for 44176
<b>2</b> 0372	768	Driving Attachment Driving Arm Pitman Crank Spring for 12478 and 20141
20398		Throat Plate, large needle hole, for 12455
	Nos.	20399 to 20455 for 31-37 Machine
*20399		Arm with 11104, obsolete
20400	5735	" Shaft, for 44169
*20401		Bed
20402	5756	Edge Guide, for 31-37 Machine, obsolete
20403	5744	Feed Dog, 11 teeth (22 teeth to the inch)
20404	5745	Plaiting Blade (lower)
20405	5746	" (upper)
20406	5745	" Holder (lower)
20407	5756	" " " Hinge Stud
		for 20438, obsolete
20408	5745	Plaiting Blade Holder (lower) Spring
20409	5756	" " " Stop
		for 20438, obsolete
20410	5746	Plaiting Blade Holder (upper)
20411	5746	" " " Spring
20412	5745	" " Separating Spring
20413	5747	" Cam No. 1
20414	5747	" " 2
20415	5747	" " " 3
20416	5747	" " 4
20417	5748	" " 5
20418	5748	" " 6
20419	5748	" " " 7
20420	5748	" " 8
20421	5749	" " " 9
20422	5750	" " Shaft with 8386
20423	5751	" " Bracket with 155c
		and 449c
20424	5750	Plaiting Eccentric with two 458c

NO.	PLATE	NAME
20425	5750	Plaiting Gear (back) with two 178r
20426	5752	" (front) with two 882c, for
~UT#U	0102	44169
20427	5746	Plaiting Gear (intermediate) large, for
20428		20428
20428		Plaiting Gear (intermediate) large, 20427 with 9754 and 20429
20429	5746	Plaiting Gear (intermediate) small, for 20428
20430	5746	Plaiting Gear (intermediate) Stud
20431	5757	" " Cover, for 31-37 Machine,
		obsolete
20432	5751	Plaiting Lever
20433	5751	" " Bracket with two 443c
20434	5752	" Connecting Rod with two
	0.0-	794E
20435	5752	Plaiting Lever Hinge Stud
20436	5752	" Regulating Stud
20437	5752	" " Nut Washer
20438	5756	" Rock Shaft for 20409, for 31-37
20100	2130	Machine, obsolete
20439	5752	Plaiting Rock Shaft Crank with two 200F
20440	5753	" " " Tarran - " "
20441	5753	" " " Arm
20442	5753	" " Arm " " Hinge
	*	Stud
20443	5753	Plaiting Rock Shaft Lever Connecting
		Rod
20444	5753	Plaiting Rock Shaft Lever Connecting
		Rod Crank with 1961
20445	5744	Presser Foot
20446	5754	Separating Blade
20447	5751	" " Bracket
20448	5754	" " Holder
20449		Shuttle Race Slide for 20450
20450	5754	Shuttle Race Slide complete, Nos. 4307,
		20449 and two 50216E
20451	5755	Strip Guide (left)
20452	5755	Strip Guide (right)
20453	5755	" " Holder (back)
20454	5755	" " (front)
20455	5744	Throat Plate for 20403
20458	780	Presser Foot for 44136
20461	2045	Wrench for 1582 and 1668 (Attachments
		and Accessories)
20462	5735	Rock Shaft Knee Arm Hub with 356c, for
	,	20463

NO.	PLATE	NAME
20463		Rock Shaft Knee Arm complete for 20465, Nos. 2765, 2767 and 20462
20464	5735	Rock Shaft Lifting Arm with 356c, for 20465
20465	5735	Rock Shaft complete for 20466, 43931, 43933 and 43934, Nos. 2764, 16128, 20091, 20463, 20464, and two 2770
20466		Knee Lifter complete (Stand 25255) for 31-15, 31-16, 31-20, 31-22, 31-27, 31-32 and 31-34 Machines, Nos. 76D, 766D, 802D, 1521E, 5598, 12237, 12240, 12241, 12415, 12416, 20465 and two 178E
20467	5762	Drip Pan with eight 1 in. wire nails, for Stand No. 25255
20471	777	Feed Dog, 22 teeth (22 teeth to the inch) beveled for hemmer, for shirt work, for 31-15 Machine
*20490		Arm with 11104, for 31-37 Machine
20491	5751	Plaiting Gear Cover with 20492 and two 402p, for 31-37 Machine
20492	5751	Plaiting Gear Cover Plate for 20491
20498		Bobbin Winder (Hamburg) complete for 4370, Nos. 32d, 180r, 12168, 12170 and 43983
20590		Shuttle, 1 1 1 in. diam., Nos. 19131, 20591 and 20596, for 31-20 Machine, obsolete, use 20655
20591	2012	Shuttle Bobbin Case complete for 20590, Nos. 591F, 592E, 2521, 2523, 20592, 20595 and 20600, obsolete, use 20653
20592		Shuttle Bobbin Case Hinge, Nos. 2974, 20593 and 20594, for 20591, obsolete, use 20652
20593	2012	Shuttle Bobbin Case Latch for 20592 and 20652, obsolete
20594	2012	Shuttle Bobbin Case Latch Lever for 20592, obsolete
20595	2012	Shuttle Bobbin Case Position Finger for 20591, 20651 and 20653, obsolete
20596	2012	Shuttle Body for 20590 and 20655, obsolete
20600	2012	Shuttle Tension Spring for 20591, obsolete
20649	2012	Shuttle Bobbin Case Latch for 20650
20650		Shuttle Bobbin Case Hinge, Nos. 2973, 2974 and 20649, for 20651 and 20756

ďΨ

.

.

NO.	PLATE	NAME
20651	2012	Shuttle Bobbin Case complete for 20655, Nos. 591F, 592E, 2523, 2975, 20595, 20650 and 20654, obsolete
20652		Shuttle Bobbin Case Hinge, Nos. 2973, 2974 and 20593, for 20653, obsolete
20653	2012	Shuttle Bobbin Case complete for 20655, Nos. 591F, 592E, 2521, 2523, 20595, 20652 and 20654, obsolete, use 20651
20654	2012	Shuttle Tension Spring for 20651, 20653 and 20756
20655	2012	Shuttle, 1116 in. diam., Nos. 19131, 20596 and 20651, for 31-20, 31-22 and 31-24 Machines, obsolete
20755	5737	Shuttle Bobbin Case Position Finger for 20756
20756	5737	Shuttle Bobbin Case complete for 20758, Nos. 591F, 592E, 2523, 2975, 20650, 20654 and 20755
20757	5737	Shuttle Body for 20758
20758	5737	Shuttle, 1 11 in. diam., Nos. 19131, 20756 and 20757, for 31-20, 31-22 and 31-24 Machines
21202	5837	Shuttle Race Ring Clamp Friction Spring for 20005
21301	1353	Lifting Lever Link for 20341, 43928 and 43931
<b>2</b> 2003	2045	Wrench for 1550 (Attachments and Accessories)
23219	2645	Presser Foot Edge Guide Position Pin for 28858.
23258	8628	Driving Attachment Treadle Bracket (left) Hook Friction Washer for 126206
24008		Shuttle Race Body for 62623, obsolete
24009	2006	" Cap for 24120, 24998 and 62623
24010	1357	Shuttle Race complete for 31-20 Machine, Nos. 648p, 2419, 2533, 62623 and two 2532, obsolete, use 24325
24020	2009	Oil Cup for 24024, obsolete
24023	2009	" " Extension with 24075 for 24024, obsolete
24024	2009	Oil Cup complete for 31-16 Machine, Nos. 12486, 24020, 24023, obsolete, use 44007
24036	2020	Feed and Feed Lifting Eccentric Sleeve for 44121 to 44123 and 44130

NO.	PLATE	NAME
24074		Shuttle Bobbin Case complete for 12487 and 19292, Nos. 591F, 592E, 2523, 2975,
		7553, 15098 and 15141, obsolete, use 62740
24075	2565	Oil Cup Extension Post for 24023 and 44005
24101		Needle Clamp Body for 24103
24102	2011	" "Thread Guard for 24103.
24103	2011	Needle Clamp (high lift) complete for 31-22
		and 31-24 Machines, Nos. 651p, 808r, 24101 and 24102
*24104	2001	Oscillating Rock Shaft for 24105
24105		Oscillating Rock Shaft complete, Nos. 4784, 12388 and 24104
24109	1321	Knife Holder Handle for 24128
24117	2006	Shuttle Bobbin Case Guide Plate for 24120, obsolete
24118		Shuttle Race Body for 24120, obsolete
24120	2006	Shuttle Race complete for 31-20, 31-22
		and 31-24 Machines, Nos. 907d, 2419, 2533, 24009, 24117, 24118, two 2532 and four 1053d, obsolete, use 24325
<b>2412</b> 2	1317	Knife Bar Lifting Spring for 31-35 Machine
<b>24</b> 123	1317	Knife Bar Lifting Spring Case for 31-35 Machine
<b>24</b> 124	1317	Knife Bar Lifting Spring Guide for 24906
24125	1317	" " " " Bracket.
		for 24906
24128	_	Knife Bar complete for 31-35 Machine, Nos. 621d, 19297, 19391, 24109, 24906 and three 335H
24131	2014	Arm Oil Tube with 52045, for oiling 12197,
24151	2014	12428 and 20283
		4199 то 24201 гов 31-27 Масніпе
24199	1323	Ruffling Arm Shaft
24200	1324	Dracket (right)
24201	1324	(lert)
24203	1371	Ruffler Ruffling Blade Holder for 28816.
24203	1344	Ruffling Blade Holder for 28845
24204	1371	Ruffler Ruffling Blade Holder Spring for 28816
<b>24</b> 204	1344	Ruffling Blade Holder Spring (light, right) for 28845
<b>2</b> 4205	1371	Ruffler Ruffling Blade Holder Spring Stop for 28816

236

NO.	PLATE	NAME
24205	1344	Ruffling Blade Holder Spring (right) Stop for 28845
24206	1371	Ruffler Ruffling Blade Holder Stud for 28816
24206	1344	Ruffling Blade Holder Stud for 28845
24207	1323	" Eccentric with two 453c, for 44130,
24208	1323	" " Collar with 453c, for 44130
24210	1324	Ruffling Eccentric Connection Washer for 31-27 Machine.
24211	1323	Ruffling Regulator with 225F, for 31-27 Machine
24219	1323	Ruffling Eccentric Connection with 24220 and two 742E, for 31-27 Machine
*24220		Ruffling Eccentric Connection Cap for 24219.
24303	1344	Feed Dog, 6 teeth (14 teeth to the inch) for 31-27 Machine and 26018
24304	1344	Presser Foot for 31-27 Machine
24305	1344	Ruffling Blade for 31-27 Machine
24306	1344	Throat Plate for 24303
24323	2046	Shuttle Bobbin Case Position Plate for 24325
24324		Shuttle Race Body for 24998
24325	2046	Shuttle Race complete for 31-20, 31-22 and 31-24 Machines, Nos. 907p, 2419, 2533, 24323, 24998 and two each 391p and 2532
24344	1267	Feed Dog, 17 teeth (14 teeth to the inch) for 26956
24355	5757	Driving Attachment Balance Wheel Oil Cover for 12478 and 20141
24391	1321	Needle Bar Thread Guide for 16568
24412	1361	Shuttle Bobbin Case Position Plate for 24415 and 24419
24413		Shuttle Race Body for 25000 and 62502
24414	5837	" Cap for 25000
24415	1361	Shuttle Race complete for 31-15, 31-27,
		31-32, 31-34, 31-37, 31-39 and 31-42 Machines, Nos. 907p, 2531, 2533, 24412, 25000 and two each 391p and 2532
24418	8628	Shuttle Race Cap for 62502
24419		Shuttle Race complete for 31-19 and 31-35 Machines, Nos. 907D, 2531, 2533, 24412, 62502 and two each 391D and 2532
24431	5841	Knife Bar Crank with 191c for 24432

NO.	PLATE	NAME
24432		Knife Bar Crank complete for 24433, Nos.
		1162c, 1564p, 2297 and 24431
24433		Knife Bar Driving Crank Bracket com-
		pletefor31-35 Machine, Nos. 2022, 16563,
		16564 and 24432
24488		Presser Foot Plate for 24489
24489	5837	Presser Foot (hinged) complete, for heavy
		work, Nos. 19223, 24488 and 62527
24544		Presser Foot Plate for 24546 and 24983
24545		" Shank for 24546, obsolete
24546	780	Presser Foot (spring hinged) complete for
		12425, 12481, 19474 and 20119, Nos.
		24544, 24545, 26231 and 62527, obsolete
24572	2067	Throat Plate, small needle hole, for 19474
•		and 35351
24573	1271	Feed Dog, 24 teeth (32 teeth to the inch)
		for 31-35 Machine
	Nos.	24579 to 24582 for 31-27 Machine
04570	0014	D. Mi Dl. J. II-Li C (b
24579	2014	Ruffling Blade Holder Spring (heavy, left) " " (heavy, right)
24580	2014	
24581	2014	(ngno, lero)
24582	1344	(lett) Stop
24589	5736	Lifting Presser Bar Guide Bracket with 453c, for 24716
24590	5736	Lifting Presser Bar Guide Bracket Support
21000	0.00	for 31-19 Machine
24716		Lifting Presser Bar Guide Bracket complete
		for 31-19 Machine, Nos. 19356, 19357,
		19366, 24589 and three 199p
24722	1271	Presser Foot, for 16 in. to 114 in. gauge, for
		31-35 Machine
*24906		Knife Bar Lifting Spring Guide 24124 with
		2523 and 24125, for 24128
24982		Presser Foot Shank for 24983
24983	781	Presser Foot (spring hinged) complete for
		12425, 12481, 19474 and 20119, Nos.
		24544, 24982, 26231 and 62527
24998		Shuttle Race Body 24324 with 24009 and
		two 1053p, for 24325
25000		Shuttle Race Body 24413 with 24414 and
		two 1053D, for 24415
Nos. 25001 to 25003 (Trimmings for End and		
14	U.S. 200	BACK LEAF TABLE)
		,
25001	3825	Back Leaf Bracket with two wood screws
		1 in. No. 10

NO.	PLATE	NAME
25002	3825	Back Leaf Scroll Bracket with ¾ in. No. 9
		and two 1 in. No. 12 wood screws
25003	3825	Back Leaf Sliding Hinge, Nos. 25149, three
		25151 and six wood screws ¾ in. No. 7
25016		Belt, size ¼ in., length 69½ in., with
		25127, from band wheel to machine, for 25265 and 25284
25057	3825	End Leaf Support complete, Nos. 25143,
		25168, 25169 and two wood screws 5% in.
		No. 7 (Trimmings for End and Back
		Leaf Table)
25060	3825	End Leaf Support Button with wood screw
		1½ in. No. 12 R. H. B. (Trimmings for End and Back Leaf Table)
25082	5760	Treadle for 25279
25082	5760	Starting Treadle for 31-42 Machine
25086	3813	Wrench for 1507, 1510 and 1670, for 25255
~		25265, 25279 and 25284
25089	5741	Starting Treadle Pitman Cotter Pin for 43816
25104	5741	Stop Wheel Pin for 31-42 Machine
25127	3817	Belt Hook for 25016, 25370, 25490 and 46657
25143	5742	End Leaf Support Lever Hinge Pin for
		25057
25149	3825	Back Leaf Sliding Hinge Rod for 25003
25151	3825	" " " Plate for 25003
25168	3825	End Leaf Support Bracket for 25057
25169 25200	$\frac{3825}{3825}$	" " Lever for 25057 Wrench for 972 for 25265 and 25284
25255	3843	Stand (iron work) high speed, complete,
20200		Nos. 25086, 25329, 25421, 25430 to
		25432, 25436 to 25438, 46604, 46605,
		two each 25345, 25349, 25350, 25433
		and four each 534R, 748R, 1508R and
		25446
25265		Stand (iron work) rocking treadle, ball
		bearing pitman, complete, Nos. 25086,
		25200, 25301, 46520, 46524, 82985, two 82973 and four 748R
25279		Stand (iron work) complete, for Electric
-0210		Motor, Nos. 7958, 25082, 25086, 82985,
		two 82973 and four 748R

NO.	PLATE	NAME
25284		Stand (iron work) rocking treadle, ball
		bearing pitman, complete, for foot power
		and S. D. 11 or S. D. 12 Electric Motors,
		Nos. 10875, 25086, 25200, 25301, 46524,
		46656, 82985 two 82973 and four 748R
25301	3825	Band Wheel, 16 in. diam., with 972c, for
		25265 and 25284
25329	3813	Band Wheel, 16 in. diam., with 1312c, for 25255
25330	3816	Band Wheel, Brake (rubber) for 25418,
		obsolete
25345	3813	Driving Segment (rack) for 25255
25349	3813	Foot Rest for 25255
25350	3817	" Cotter Pin for 25255
25350	5740	Starting Bell Crank Pitman Stud Cotter
		Pin for 12344
*25360		Pitman Rod Ball for 46523
*25360		" (lower) Ball for 46658
25361	3826	" Ball Screw Bearing for 46630
25361	3826	" (lower) Ball Screw Bearing
		for 46630
25362	3826	Pitman Ball, size $\frac{3}{16}$ in., for 46520 and
		46656
25370		Belt, size $\frac{1}{4}$ in., length $67\frac{1}{2}$ in., with 25127,
		for 25255
25371	3826	Pitman Rod Ball Bushing for 46520
25371	3826	" (lower) Ball Bushing for
		46656
25418	3814	Band Wheel Brake Lever with 443c and
		25330, for 25255, obsolete
<b>2541</b> 9	3816	Band Wheel Brake Lever Hinge Pin for
		25418, obsolete
<b>25420</b>	3816	Band Wheel Brake Lever Spring for 25418
		obsolete
25421	3814	Band Wheel Shaft for 25255
		Nos. 25422 to 25424 for 46604
25422	3815	Band Wheel Shaft Driver (left)
25423	3815	" " " Clutch
		(left)
25424	3815	Band Wheel Shaft Driver (left) Clutch
		(right) with 5564
25425	3817	Band Wheel Shaft Driver (left) Clutch
		Spring
25425	3817	Band Wheel Shaft Driver (right) Clutch
		Spring for 46605

240		NUMERICAL LIST OF PARTS
NO.	PLATE	NAME
		Nos. 25426 to 25428 for 46605
25426	3815	Band Wheel Shaft Driver (right)
25427	3815	" " " Clutch
20121	0010	(left)
25428	3815	Band Wheel Shaft Driver (right) Clutch (right) with 5564
25429	3815	Band Wheel Shaft Driving Flange with 356c, for 46604 and 46605
	No	ов. 25430 то 25433 гов 25255
25430	3814	Brace
25431	3813	Driving Arm (left) with 435c and 25435
25432	3813	" (right) with 435c and 25435
25433	3816	" " Hinge Pin
25434	3815	" Pinion for 46604 and 46605
25435	3816	Foot Rest Hinge Pin for 25431 and 25432
	No	os. 25436 to 25438 for 25255
25436	3813	Leg (left)
25437	3813	" (right)
25438	3814	" Stay Rod
25446	3817	DrivingSegmentBoltNutWasherfor25255
25490		Belt, size ¼ in., length 36 in., with 25127,
25644	2024	for 25279
25645	2024	" Folder for 25644
No	s. 2564	6 TO 25648 FOR 25650, 25653 AND 25656
25646		Binder Folder Guide (lower) with 25855
25647	2024	" " " (upper)
25648	2024	" Pressure Spring
25650	2024	Binder (adjustable, size 1) complete, Nos.
		334D, 1577D, 7071, 25644 and 25646 to 25648
25651		Binder Bed with 25652, for 25653
25652		" Folder for 25651
25653		Binder (adjustable, size 2) complete, Nos. 334b, 1577b, 7071, 25646 to 25648 and 25651
25654		Binder Bed with 25655, for 25656
25655		" Folder for 25654
25656		Binder (adjustable, size 3) complete, Nos.
		334n, 1577n, 7071, 25646 to 25648 and 25654

NO.	PLATE 2645	Throat Plate for 28790, for 28794 and
28792	2030	28861
28793 28794	2645 ——	Vibrating Presser Foot for 28794 Binder complete, for circular binding, for sandals, slippers, shoe tongues, etc., for 31-19 Machine, Nos. 207f, 337d, 7071, 7806, 28790 to 28793, 36620 and 120493, 120494 or 120495
28795 28803	<del></del> 2619	Hemmer (foot) plain bottom, 1/8 in. hem Piping Attachment on Shank, for flannel without cord
28804 28811	2619 2625	Binder on Shank, for binding dress shields Edge Folder (suspended) right hand, com- plete, for turning edge and ruffling folded edge on skirts, for 31-27 Machine
28813 28814		Presser Foot (right) Plate for 28814  Presser Foot (right) complete for 28816, Nos. 2521, 28596, 28813 and 62527
28816 28816		Ruffler Ruffling Blade for 28816 Ruffler (power) complete, with lever for throwing ruffling blade into action, for intermittent ruffling, such as yoking shirts, etc., Nos. 185H, 226n, 560B, 706B 1049D, 1101c, 1550H, 1603E, 1647c, 2656 24203 to 24206, 26719, 28590 to 28594, 28597, 28600, 28601, 28607, 28814, 28815, two 665D and three 198D
2881 2881		/ 1 ( 1 1)
		Nos. 28823 to 28827 for 28828
2882		Binder on Shank
2882		Feed Dog, 6 teeth (24 teeth to the inch)
2882		4 00004
2882		
2882		hinding (bigg
2882	28	binding) for suspender ends and tabs with movable folder for finishing off, for 31-19 Machine, Nos. 207r, 7071 and 28823 to 28827
288	30 138	7 Presser Foot (grooved) for cording, for carriage work

NO.	PLATE	NAME
28833	2649	Edge Folder (left hand) on Shank, with
		right hand upper folder and separating
		blade for 31-27 Machine
28838	2650	Edge Guide (suspended) left hand, for
		31-27 Machine
28845		Ruffling Arm (adjustable) complete for
		31-27 Machine, Nos. 226р, 1550н, 24203
00040	0040	to 24206, 26890 and two 665p
28848	2648	Strip Folder on Shank, for folding overall
28849	1387	straps  Presser Foot with guide on bottom to the
20049	1991	left of needle hole, for 28848
28851	2648	Binder on Shank, for 3 in. strip of bobbin-
-000-	-010	ette material, to bind ¾ in. wide
28857	2645	Binder Folder for 28861
28858	2645	Presser Foot with 242p, 23219 and 28859,
		for 28861
28859	2645	Presser Foot Edge Guide for 28858
28860	2645	Binder Strip Guide for 28861
28861		Binder complete, for circular binding (bias
		folded strips) for ladies' lawn ties, etc.,
		Nos. 28790, 28792, 28857, 28858, 28860
28862	2649	and two each 207r and 7071
48804	2049	Edge Folder (double) on Shank, right
		hand upper, left hand lower, with separating blade, for wrappers, for 31-27
		Machine
28903	2782	Edge Folder (left hand) with right hand
		upper guide on Shank, to turn up the
		body of bobbinette curtains and sew on
		insertion in one operation
28908	2658	Presser Foot Spring Guide for 28909
28909	2658	" (left hand spring guide) with
		665p and 28908
28910	2659	Binder on Shank
28920	1387	Presser Foot, for braiding, to stitch braid
28935	2661	right hand edge
20000	2001	to turn the hem under
28938	2658	Presser Foot for 28724.
28941	2661	Binder (horn) on Shank, for bias binding.
		to turn under both edges of binding
28944	2665	Presser Foot (strip folding) for making
		raw edge straps of bias chiffon
28945	2666	Strip Folder on Shank, for making overall
		straps
28947		Hemmer for 28948

NO. 28948	PLATE 1386	Hemmer on Shank complete, for one fold, with right hand lower guide for lace, Nos. 26653, 26654 and 28947
	N	оѕ. 28949 то 28952 гог 28953
28949		Presser Foot
28950	2658	" Graduated Adjustable Guide
28951	2671	
		Clamping Lever
28952	2671	Presser Foot Graduated Adjustable Guide Clamping Lever Spring
28953	2658	Presser Foot with Graduated Adjustable Guide complete, for tailor work, Nos. 2653, 26092 and 28949 to 28952
28958	2668	Edge Folder and Binder (combination) for seaming ladies' skirts and making imitation plait
		Nos. 28964 to 28966 for 28967
28964		Presser Foot Body
28965	2658	" " Knife
28966	2658	" " Clamp
28967	2658	Presser Foot complete, for grooving insoles, Nos. 198p, 15072 and 28964 to 28966
28969	2669	Guide (adjustable, hinged) complete, Nos. 286b, 940b, 7071, 28971 to 28973 and 35610, obsolete, use 120428
28970	2659	Binder on Shank, for bias binding, to turn both edges under
28971	2669	Binder Shank for 120165
28971	2669	Guide for 28969 and 120428
28971	2669	Edge Folder Shank for 36292
28972	5839	Binder Arm for 120166
28972	5810	Edge Folder Holder for 36293
28972	2669	Guide Holder for 28969 and 120428
28973	5839	Binder Hinge Plate for 120166
28973	5810	Edge Folder Holder Shank for 36293
28973	2669	Guide Holder Shank for 28969
28974	2661	Piping Attachment on Shank
28975	2658	Presser Foot for 28974
29549	1353	Tension Releasing Lever for 31-15, 31-16, 31-20, 31-24, 31-27, 31-32, 31-34 and 31-37 Machines, obsolete
29599	2014	Arm Oil Tube Packing (felt) for 11119, 12454 and 24131, obsolete

NO.	PLATE	NAME
29633	5736	Feed Rock Shaft Crank with 157s, for
		20333 and 20334
32572	5806	Tension Releasing Disc for 44118
32574	5806	" " Pin for 44118
33887	8633	Machine Hinge Plate for 44244
33892		Tension Screw Stud 413c with 1560c, for
		44147 and 44149, obsolete
		Nos. 35002 to 35006 for 35137
35002	2671	Presser Foot Extension
35003	2671	" Graduated Adjustable Guide
		(long, left)
35004	2671	Presser Foot Graduated Adjustable Guide
35005	2671	(long, right)
00000	2011	(short, right)
35006	2671	Presser Foot Graduated Adjustable Guide
		(short, right) flush
35016		Hemmer, $\frac{1}{16}$ in. hem, for 26607
35018	2045	Tape Delivery Wire for 31-37 Machine
		(Attachments and Accessories) for 35883
35018	5643	Tubular Trimming Attachment Tape De-
		livery Wire for 35883
35019	984	Ruffler Driving Lever Spring for 26018
35022	1386	Hemmer on Shank, for 16 in. hem, with
~		right hand lower guide, for lace
35023	2672	Hemmer on Shank, for $\frac{1}{16}$ in. hem, with
		left hand lower guide, for lace
		Nos. 35026 to 35029 for 35030
35026	2673	Corder on Shank
35027	2674	Feed Dog, 15 teeth (14 teeth to the inch)
35028	2674	Presser Foot.
35029	2674	Throat Plate for 35027
35030		Corder complete, for edge cording plush,
35040	2658	Nos. 35026 to 35029
35062	2676	Binder (horn) on Shank, for 1/8 in. to 11/2
00002	2010	in. wide, for tape, for mattresses
35063	2676	Presser Foot for 35062 and 35236
35063	2676	" " light work, for 35104
35064	2661	Hemmer on Shank, for 1 in. to 2 in. hem,
		for general work
35065	2677	Binder on Shank, for strip, to turn in
		upper edge only, for skirt facings, etc.
35066	5644	Presser Foot for 35065, 35067, 35208, 35241,
		35325 35681 35863 120247 and 120249

	NO.	PLATE	NAME
	35067	2678	Binder (horn) on Shank, for strip to turn both edges in, for ladies' collars, etc
	35069	2666	Binder (foot) for strip, to turn the upper edge in, for skirt facings, etc.
	35082	2680	Binder on Shank, for raw edge bias binding, for wrappers, etc
	35104	2684	Hemmer on Shank, for bottom of shirt waists, for inserting drawing or shirring string.
	35129	2682	Presser Foot (strip folding) for covering cord with folded strip
			Nos. 35134 to 35136 for 35137
	35134	2671	Presser Foot
	35135	2671	" " Graduated Adjustable Guide
	35136	2671	Presser Foot Graduated Adjustable Guide Clamp Lever
	35137	<del></del>	Presser Foot with Extension and Graduated Adjustable Guides complete, Nos. 337B, 35002 to 35006, 35134 to 35136 and 36696
	35166	2694	Hemmer on Shank, for 1 in. hem, to turn the goods under
	35172	2682	Presser Foot (tube) for guiding and stitching the right hand edge of ribbon
-	35175	2690	Edge Folder on Shank
	35176	2690	Presser Foot for 35175
	35177	2691	Edge Folder (double) on Shank, for oil-
	00111	. 2001	cloth and leather, for 31-19 Machine
	35178	2692	Feed Dog, 14 teeth (14 teeth to the inch) for 35177
	35179	2692	Lifting Presser Foot for 35177
•	35180	2692	Throat Plate for 35178
	35181	2692	Vibrating Presser Foot for 35177
	35182	2684	Binder on Shank, for cut strip, with heavy
			cord stitch in centre of strip, for ladies' dressing sacques, etc
	35183	1252	Presser Foot for 35182
	35184	2682	" " darning
	35189	2697	Feed Dog, 6 teeth (20 teeth to the inch) for 28967
	35190	2697	Guide for 28967
	35191	2697	Throat Plate, for under braiding, for 35189
	35208	1971	Binder on Shank, to turn in both edges for bias or straight binding, for skirts, wrappers, shirtwaists, etc
			•

35209         1972         Binder on Shank, to turn in both edges for bias binding, for binding the inside of small circles, corsets, etc., for 31-19 Machine.           35210         1252         Lifting Presser Foot for 35209.           35211         1252         Vibrating Presser Foot for 35209.           35221         1252         Pisser Foot for 35209.           35231         1252         Presser Foot for 35206.           35231         1252         Presser Foot for 35226 for 31-19 Machine.           35232         2674         Lifting Presser Foot for 35226 for 31-19 Machine.           35233         2674         Vibrating Presser Foot for 35226 for 31-19 Machine.           35236         1971         Hemmer on Shank, for To shirt waists.           35241         2695         Hemmer on Shank, for Canton flannel, etc.           35242         2698         Freed Dog, 12 teeth (18 teeth to the inch) for 35243.           35243         2698         Presser Foot (strip folding) with tube for inserting cord, for making loops for dressing gowns.           35244         2698         Throat Plate for 35242.           35245         2699         Piping Attachment on Shank.           35245         2699         Presser Foot for 35245.           35253         2693         Feed Dog, 14 teeth (16 teeth to the inch) for 35253.	NO.	PLATE	NAME
chine	35209	1972	bias binding, for binding the inside of
35211         1252         Vibrating Presser Foot for 35209           35226         1972         Binder on Shank, for mattress work           35231         1252         Presser Foot for 35226           35232         2674         Lifting Presser Foot for 35226 for 31-19           Machine         Machine           35236         1971         Hemmer on Shank, for 15 in. hem and above, for bottom of shirt waists           35241         2695         Hemmer on Shank, for Canton flannel, etc.           35242         2698         Feed Dog, 12 teeth (18 teeth to the inch) for 35243           35243         2698         Presser Foot (strip folding) with tube for inserting cord, for making loops for dressing gowns           35244         2698         Throat Plate for 35242           35245         2699         Presser Foot for 35245           35246         2699         Presser Foot for 35245           35253         2693         Edge Folder (double) on Shank, for joining yokes to the back of shirts           35254         2693         Presser Foot for 35253           35255         2693         Throat Plate for 35253           35255         2693         Throat Plate for 35280           35272         2061         Separating Blade Arm           35273         2061			chine
35226         1972         Binder on Shank, for mattress work           35231         1252         Presser Foot for 35226	35210	1252	
35231         1252         Presser Foot for 35226	35211	1252	
35232       2674       Lifting Presser Foot for 35226 for 31-19 Machine	35226	1972	
Machine   Mach	35231	1252	
Machine   Mach	35232	2674	Lifting Presser Foot for 35226 for 31-19 Machine
above, for bottom of shirt waists  35241 2695 Hemmer on Shank, for Canton flannel, etc. 35242 2698 Feed Dog, 12 teeth (18 teeth to the inch) for 35243	35233	2674	
35242         2698         Feed Dog, 12 teeth (18 teeth to the inch) for 35243	35236	1971	
35242         2698         Feed Dog, 12 teeth (18 teeth to the inch) for 35243	35241	2695	Hemmer on Shank, for Canton flannel, etc.
inserting cord, for making loops for dressing gowns.  35244 2698 Throat Plate for 35242	35242	2698	Feed Dog, 12 teeth (18 teeth to the inch)
ing gowns.  35244 2698 Throat Plate for 35242	35243	2698	Presser Foot (strip folding) with tube for
35245         2699         Piping Attachment on Shank.           35246         2699         Presser Foot for 35245.           35253         2693         Edge Folder (double) on Shank, for joining yokes to the back of shirts.           35254         2693         Presser Foot for 35253.           35255         2693         Feed Dog, 14 teeth (16 teeth to the inch) for 35253.           35256         2693         Throat Plate for 35255.           Nos. 35272 To 35274 FOR 35280         Separating Blade Arm.           35272         2061         " " Bracket.           35274         2061         " " Latch Lever with 35275.           35275         2061         Separating Blade Arm Latch Lever Stud for 35274.           35276         2061         Separating Blade Holder for 35280.           35277         2061         " " Spring for 35280           35280         " " For 35280.           35280         Separating Blade (hinged) complete for 31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,			ing gowns
35246         2699         Presser Foot for 35245           35253         2693         Edge Folder (double) on Shank, for joining yokes to the back of shirts           35254         2693         Presser Foot for 35253           35255         2693         Feed Dog, 14 teeth (16 teeth to the inch) for 35253           35256         2693         Throat Plate for 35255           Nos. 35272         To 35274 FOR 35280           35272         2061         Separating Blade Arm           35273         2061         " " Bracket           35274         2061         " " Latch Lever with 35275           35275         2061         Separating Blade Arm Latch Lever Stud for 35274           35276         2061         Separating Blade Holder for 35280           35277         2061         " " Spring for 35280           35279         2062         " " for 35280           35279         2062         Separating Blade (hinged) complete for 31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,	35244	2698	Throat Plate for 35242
35253       2693       Edge Folder (double) on Shank, for joining yokes to the back of shirts         35254       2693       Presser Foot for 35253         35255       2693       Feed Dog, 14 teeth (16 teeth to the inch) for 35253         35256       2693       Throat Plate for 35255         35272       2061       Separating Blade Arm	35245	2699	Piping Attachment on Shank
ing yokes to the back of shirts	35246	2699	Presser Foot for 35245
35255       2693       Feed Dog, 14 teeth (16 teeth to the inch) for 35253	<b>3</b> 5253	2693	
for 35253	35254	2693	Presser Foot for 35253
Nos. 35272 to 35274 for 35280  35272 2061 Separating Blade Arm	35255	2693	
35272       2061       Separating Blade Arm         35273       2061       " " Bracket         35274       2061       " " Latch Lever with         35275       2061       Separating Blade Arm Latch Lever Stud for 35274         35276       2061       Separating Blade Holder for 35280         35277       2061       " " Spring for 35280         35280       " for 35280         Separating Blade (hinged) complete for 31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,	35256		
35273       2061       " " Bracket			
S5274   2061   " " Latch Lever with   35275   2061   Separating Blade Arm Latch Lever Stud   for 35274   Separating Blade Holder for 35280   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,   Spring for 35280   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604,   Separating Blade (hinged) complete for   31-27 Machine, Nos. 76p, 108p, 4604,   Separating Blade (hinged) complete for   31			
35275	00-10		Dracket
for 35274	35274	2001	35275
35277 2061 " " Spring for 35280 35279 2062 " " for 35280	35275	2061	Separating Blade Arm Latch Lever Stud for 35274
35277 2001 Spring for 35280 Spring for 35280 " for 35280	35276	2061	Separating Blade Holder for 35280
35280 —— Separating Blade (hinged) complete for 31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,	35277	2061	" " Spring for 35280
31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,	35279	2062	10r 35280
35277, 35279, two each 102p, 239p and	35280		31-27 Machine, Nos. 76p, 108p, 4604, 10135, 14026, 35272 to 35274, 35276,

## Nos. 35282 to 35286 for 35280

NO.	PLATE	NAME
35282	2064	Edge Guide (upper) left hand
35283	2062	" Folder (lower) right hand, on Shank
35284	2064	" (upper) left hand
35285	2062	Presser Foot
35286	2062	Ruffling Blade
35322	2697	Lifting Presser Foot for 35324
35323	2697	Vibrating Presser Foot for 35324
35324	2684	Strip Folder on Shank, for making four-
		ply bands for ladies' stock collars, etc.,
		for 31-19 Machine
35325	2067	Binder on Shank, to turn top edge only,
		for shirt bosoms, skirt trimmings, etc
35345	953	Strip Folder on Shank, for making straps
35346	2669	Presser Foot for 35345
		Nos. 35347 to 35350 for 35351
35347	970	Strip Folder (double) hinged, for turning
30347	910	in the right hand edges of strips, for
		making strip, for 35348
35348	970	Strip Folder, for turning in the upper and
33348	970	lower edges of strip made on 35347
35349	970	Strip Folder Holder and Guide
35350	8630	Presser Foot
35351	0000	Attachment complete, for making two
99991		piece apron straps, cloth suspenders, etc.,
		Nos. 19474, 24572, 35347 to 35350 and
		two each 190p and 7071
35352	970	Binder Folder on Shank for 35354
35353	970	" " Hinge Plate for 35354
35353	932	Hemmer Folder Hinge Plate for 35681
35354	970	Binder on Shank (hinged) complete, for
00002	•••	mattress work, Nos. 1425 B, 2749, 35352
		and 35353
35444		Presser Foot Body for 35447
35445		" Tension Plate with 35446,
		for 35447
35446	2669	Presser Foot Tension Plate Guide Pin for
		35445
35447	2669	Presser Foot (tension plate) complete for
		35354, Nos. 93F, 2656, 35444 and 35445
35454	2616	Presser Foot for 28731
35475	976	Hemmer on Shank, for $\frac{5}{32}$ in. hem, with
		right hand lower guide, for lace
35539	2669	Hemmer (foot) $\frac{1}{16}$ in. hem, for China silk,
		etc

NO.	PLATE	NAME		NO.	PLATE	NAME
35599	2669	Presser Foot, for etching, for 31-42 Ma-		36006		Hemmer Folder Hinge Screw Washer for
00000	2000	chine		50000	302	35681
35610	2669	Edge Folder Holder Friction Washer for		36022	EGAE	Presser Foot with 665p and 36023, for
00020	2000	36293	_	50022	0040	
35610	2669	Guide Holder Friction Washer for 28969	-1			blind stitch cording, for 12 to 40 ligne
00010	2009		.,			cord, for ornamental cording on skirts,
95670	000	and 120428.		0.0000	-01-	suits, etc
35679		Hemmer Folder on Shank for 35681	i	36023	5645	Presser Foot Cord Guide for 36022
35681	932	Hemmer on Shank (hinged) complete, for		36072		Hemmer (foot) ¼ in. hem, with guide on
		mattress work, Nos. 1425D, 35353,				bottom to the right of needle hole
		35679 and 36006		36085		Hemmer (foot) $\frac{1}{16}$ in. hem, slotted for lace
35682		Hemmer (foot) 1/8 in. hem, with guide on		36129	5812	Piping Attachment (double), adjustable)
		bottom to the right of needle hole				on Shank with upper edge folder
35690	1246	Presser Foot (strip folding) for making		36131	5812	Presser Foot for 36129
		straps from 1 in. to $1\frac{1}{2}$ in. wide		36182	5808	" with 665p and 36183, for
35700	976	Hemmer (left hand) with right hand lower				blind stitch braiding, for soutache braid
		guide on shank, for 31-27 Machine	el .	36183	5808	Presser Foot Braid Guide for 36182
35710	1252	Hemmer (foot) $\frac{3}{32}$ in. hem, with guide on				N. 9010k 9010k 90100
		bottom to the right of needle hole				Nos. 36185 to 36187 for 36188
35711	1252	Feed Dog, 21 teeth (18 teeth to the inch)	*	36185	6252	Edge Guide Arm with 1988
		for 35712		36186	6252	" " Friction Washer
35712	1252	Throat Plate, small needle hole, for 35711,		36187	6252	" Bed with four 465F
		for 35682, 35710, 35997 and 36072		36188	6252	Edge Guide (roller) complete, for glove
35741		Throat Plate, small needle hole, for 12370.				work, Nos. 1425p and 36185 to 36187
		for 26466		36292	5810	Edge Folder (double) on Shank 28971, for
35832	2669	Presser Foot, for heavy work, for 35104		55-5-	00-0	36293
35855	1253	Strip Folder on Shank, for collar bands		36293	5810	Edge Folder (double) hinged, adjustable,
35856	2669	Presser Foot for 35855		00200	0010	complete, Nos. 286p, 940r, 7071, 28972,
35863		Hemmer on Shank, for canvas work	<b>9</b>			28973, 35610 and 36292
35877		Presser Foot (strip folding) for raw edge		36294	5910	Presser Foot for 36293
		strip, to turn the edges under, for making	6	36309		Hemmer (foot) $\frac{30293}{32}$ in. hem, with guide on
		$1\frac{1}{16}$ in. to 2 in. strip.	*	00000		
		1 17 m. to 2 m. surp				bottom to the right of needle hole
		Nos. 35879 то 35882 гол 35883				Nos. 36340 to 36343 for 36344
		21051 00010 10 00002 1011 00000		36340	5807	Binder Bed with two each 1036c and 1266c
35879	5643	Tubular Trimming Attachment Strip Wire		36341	5807	" Edge Guide
35880	5643	Feed Dog, 6 teeth (16 teeth to the inch)		36342	5807	" Guide (lower)
35881	5643	Presser Foot (strip folding) with tube		36343	5807	" (upper)
35882	5643	Throat Plate for 35880		36344	5807	(uppor)
35883		Tubular Trimming Attachment complete,	<b>£</b> 1	20244	9901	Binder (adjustable) complete, for leather
		for making $\frac{1}{8}$ in., $\frac{5}{32}$ in. and $\frac{1}{16}$ in. trim-	* '			binding, canvas bags, leggings, etc.,
		mings, Nos. 35018 and 35879 to 35882	i	20450	0054	Nos. 286p, 671p and 36340 to 36343
35922	2619	Ruffling Blade for 28756	<b>.</b>	36456		Binder Bed for 36463
35995	5645	Presser Foot with right hand folder, for		36457	6254	1 01401 1111 20000, 00100 and 0110
	3010	folding and stitching facing to shoe		00450	0054	7476, for 36463
		lining		36458	6254	Binder Folder Guide Block for 36457
15007						Nos. 36459 to 36462 for 36463
35997		Hemmer (foot) 3 in. hem, with guide on		0015-		
		bottom to the right of needle hole		36459	6254	Binder Guide (back, lower)

NO.	PLATE	NAME
36460	6254	Binder Guide (back, upper)
36461	6254	" (front, lower)
36462	6254	" (front, upper)
36463	6254	Binder (adjustable) complete, for soft hats
		Nos. 401E, 1536D, 25672, 25673, 25677,
		36456, 36457, 36459 to 36462, two 233b
		and three 334p
36520		Hemmer, ¼ in. hem, for 36521
36521	5811	Hemmer on Shank complete, Nos. 26653,
00044	00	26654 and 36520
36524		Hemmer (foot) $\frac{8}{32}$ in. hem, with guide on
00023		bottom to the right of needle hole
00501	0010	5
36561	8213	Tucker complete, Nos. 26719, 36655 to
		36657, 36660, 36661, 36663, 36667,
		120500, 120572 and two each 36658,
		50238B and 86354
36576	5808	Presser Foot Finger Guard for 36623
36578		Oiler (copper plated) with 36579 (Attach-
		ments and Accessories) obsolete, use
		120342
36579		Oiler Spout, 31/2 in. long, with 120117, for
		36578, obsolete
36589		Presser Foot for 28700
36620	2645	Binder Ribbon Guide for 28794
36622	5808	Presser Foot for 36623
36623	5808	" 36622 with 36576 and two
		50202p
36648	8213	Tucker Tuck Marker Rivet for 36663
36655	8213	" Driving Lever for 36561
36656	8213	11111gest(da10130301
36657	8213	Bock Spring for
00080	0010	36561
36658	8213	Tucker Driving Lever Lock Spring Rivet
90000	0010	for 36561
36660	8213	Tucker Tuck Guide for 36561
36661	8213	inumbscrew wasner
00000	0019	for 36561
36662	8213	Tucker Tuck Marker (lower) for 36663
36663		Tucker Tuck Marker (lower) 36662 with 36664 and two 36648, for 36561
36664	8213	Tucker Tuck Marker (upper) for 36663
36667	8213	" " Smoothing Spring for 36561
36696	2671	Presser Foot Graduated Adjustable Guide
90090	2071	Clamp Steady Pin for 35137
36700	5808	Binder (foot) left
36711	9000	Hemmer, ¼ in. hem, for 36712
OO: 11	-	ALCHIELDO, /A III. MOIII, IOI OUTAMONTO

NO.	PLATE	NAME
36712	5811	Hemmer on Shank complete, for umbrella work, Nos. 26653, 26654 and 36711
36760	1375	Edge Guide Slide with 26809, 51809 and two 12152, for 26810
36776		Hemmer on Shank, 21/4 in. to 3 in. hem
	N	os. 36818 to 36820 for 36821
36818	5809	Finger Guard
36819	5809	" Friction Washer
36820	5809	" " Holder with 1961
36821	5809	Finger Guard complete, Nos. 36818 to 36820 and 50316J
36906	5813	Throat Plate with under guide, for rick rack, for 19474
	Nos.	36980 to 36983 for 12437 and 20147
36980		Hemmer (foot) $\frac{3}{32}$ in. hem
36981		" $\frac{5}{32}$ in. hem
36982		" " $\frac{3}{16}$ in. hem
36983		" " ¼ in. hem
39395	5839	" Block Pin for 120073
41400	6120	Machine Rest Pin (wood) 3½ in. long, (Attachments and Accessories)
41514	2836	Thread Unwinder Spool Weight, 4in. diam., with 41515, for 41529 and 41533
41515	5742	Thread Unwinder Spool Weight Centre Pin for 41514
41526	2836	Thread Unwinder Spool Rest for 60701
41527		" " " " 60701 with
		27623, for 41529
41529	2836	Thread Unwinder complete, for one large
		spool or one large cone of thread, Nos.
		27739, 27940, 41514, 41527, 41630,
		41640 and three wood screws 1 in. No.
		12, obsolete, use 225394
41530	2837	Thread Unwinder Spool Rest for 60455
41531		OCTOD WILL
41.500	000	two 27623, for 41533
41533	2837	Thread Unwinder complete, for two large
		spools or two large cones of thread, Nos.
		27940, 41531, 41631, 41640, two each 27739, 41514 and three wood serews 1
		in. No. 12, obsolete, use 225396
41569	5842	Thread Unwinder Thread Guard Eyelet
		for 41630 and 41631
41630	2836	Thread Unwinder Thread Guard with 208E and 41569, for 41529

NO.	PLATE	NAME
41631	2837	Thread Unwinder Thread Guard with 208E and two 41569, for 41533
		Nos. 41637 to 41639 for 41640
41637	2836	Thread Unwinder Thread Guard Rod (lower)
41638	2836	Thread Unwinder Thread Guard Rod (upper)
41639	2836	Thread Unwinder Thread Guard Rod Coupling with two 456c
41640		Thread Unwinder Thread Guard Rod complete, 30 in. long, for 41529 and 41533, Nos. 41637 to 41639
41828		Bobbin Winder Spindle Collar Pin for 27538
41929	5844	Belt Guard for 41931
41930	5842	" " Hinge for 41931
41931		Belt Guard complete, Nos. 8420, 41929,
		two 41930 and four wood screws ¾ in. No. 9
43525	8631	Binder Steady Pin for 120540
	Nos.	43801 to 43818 for 31-42 Machine
*43801		Arm with 11104
43802	5735	" Shaft for 44112
43803	5738	Needle Bar Crank and Lifting Cam with 448c and 1362c, for 44112
43804	<b>574</b> 0	Presser Bar Stop Collar with 1253c
43805	5742	" Foot, obsolete
43806		Stop Wheel with 2269, for 43807, obsolete
43807	5735	Stop Wheel complete, Nos. 446c, 12316, 12325, 12345, 43806 and two 840b, obsolete, use 43943
<b>438</b> 08	5741	Thread Retainer Spring for 43809
43809		Thread Retainer complete, Nos. 418p, 1562j, 43808 and two 2455
43810	5760	Starting Treadle Extension for 43815
43811	5760	" " Pitman Rod (lower) for 43814
43812	5760	Starting Treadle Pitman Rod (upper) for 43814
43813	5741	Starting Treadle Pitman Rod Clamp with 354c, for 12439 and 43814
43814		Starting Treadle Pitman complete for 43816, Nos. 12283, 12317 and 43811 to 43813

NO.	PLATE	NAME
43815	123115	Starting Treadle complete for 42816, Nos.
#0010		326E, 2878, 9082, 27636, 43810, 51075E,
		two 6055 and four wood screws 1 in. No.
		16
43816		Starting Treadle and Pitman complete,
		Nos. 11742, 25089, 43814 and 43815 for
		31-42 Machine when operated head on .
43817	5741	Presser Foot
43818	5739	Driving Pulley Spring Washer
	Nos.	43830 to 43834 for 31-37 Machine
43830	5784	Plaiting Cam No. 10
43831	5784	" " " 11
43886	5738	Finger Protector for 31-39 Machine
	Nos.	43887 to 43890 for 31-37 Machine
43887	5745	Plaiting Blade Holder (lower) Hinge Stud
43887	5745	" " (upper) Hinge Stud
43888	5745	" " (lower) Spring Stop
43888	5745	" " (upper) Spring Stop
43889	5752	" Rock Shaft
43890	5755	Edge Guide
43917	2009	Presser Bar Guide Bracket with 453c, for
		31-22 Machine
43918	5757	Ruffling Separating Blade for 43920
43919	5757	" " Shankfor43920
43920	5757	Ruffling Separating Blade on Shank com-
		plete for 31-27 Machine, Nos. 43918,
		43919 and two 26092
43923	5743	Feed Dog, 12 teeth (12 teeth to the inch)
		for 31-34 Machine
43924	5757	Feed Forked Connection for 44188
43925	780	Presser Foot for 43923
43926	5743	Throat Plate for 43923
<b>*</b> 43927		Arm with 11104, for 31-35 Machine
43928		Foot Lifter complete for 31-19 Machine,
		Nos. 76d, 766d, 802d, 1521E, 4880, 4885,
		5598, 5670, 12415, 12416, 19372, 20340,
		21301 and two 178E
43929		Foot Lifter complete for 31-35 Machine,
		Nos. 76p, 766p, 802p, 1521e, 4880, 4885,
		5598, 5670, 12241, 12415, 12416, 16586,
		20340 and two 178E

NO. PLATE

NO.	PLATE	NAME
43930		Knee Lifter complete (power table or stand
2000		25265) for 31-35 Machine, Nos. 76p, 766p, 802p, 1521e, 5598, 12241, 12250, 12415, 12416, 16586, 20340 and two 178e
43931		Knee Lifter complete (Stands 25255 and 25265) for 31-19 Machine, Nos. 76p, 766p, 802p, 1521e, 5598, 12415, 12416, 19372, 20340, 20465, 21301 and two 178e
43933		Knee Lifter complete (Stand 25255) for 31-24 Machine, Nos. 76b, 766b, 802b, 1521e, 5598, 12237, 12240, 12241, 12416 20255, 20465 and two 178e
43934		Knee Lifter complete (Stand 25255) for 31-35 Machine, Nos. 76p, 766p, 802p, 1521E, 5598, 12241, 12415, 12416, 16586, 20340, 20465 and two 178E
43941		Stop Wheel with 2269, for 43943
43942	5738	" " Block for 43943
43943	5735	StopWheel complete for 31-42 Machine, Nos. 446c, 12316, 12345, 43941, 43942 and two 840b
43944	5806	Tension Releasing Lever for 31-15, 31-16, 31-19, 31-20, 31-24, 31-27, 31-32, 31-34, 31-35, 31-37 and 31-39 Machines
43945	5806	Tension Spring for 44118
43946		Thread Take-up Spring for 44118
43947	5736	" Crank for 43991
43976	5804	Feed Lifting Rock Shaft Crank Connect-
		ing Rod with 43977 and two 966E, for
		31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35 and 31-37 Machines
*43977		Feed Lifting Rock Shaft Crank Connecting Rod Cap for 43976
43978	778	Feed Dog, 24 teeth (22 teeth to the inch) for 31-15, 31-16 and 31-20 Machines
43979	778	the inch) for 31-15, 31-19 and 31-20 Machines
43980	5837	Tension Releasing Lever for 31-22 Machine
43981	6119	Bobbin Winder Frame for 43982 and 43983
43982	2 6119	Bobbin Winder Frame complete for 12337,
		Nos. 5960, 5961, 5963, 12336, 15077 and 43981

MO.	PLATE	NAME
43983	6119	Bobbin Winder Frame complete for 20498, Nos. 5960, 5961, 5963, 12336, 15077 and
43990		43981
43991		Thread Take-up complete for 31-22 Machine, Nos. 775E, 11204, 12410, 43947 and 43997
43992		Feed Forked Connection complete for 31-32 Machine, Nos. 3033, 12332, 44003 and two each 375c and 1518J
43993		Feed Forked Connection complete for 31-15, 31-16, 31-19, 31-20, 31-24, 31-27, 31-35 and 31-37 Machines, Nos. 818p, 3033, 3039, 20284 and two each 375c and 1518j
43997		Needle Bar Connecting Link 12382 with 12384, for 43990 and 43991
44003	5840	Feed Forked Connection for 43992
		Nos. 44004 to 44006 for 44007
44004	2565	
		Oil Cup, obsolete
44004 44005	$2565 \\ 2565$	Oil Cup, obsolete
		Oil Cup, obsolete " Extension 44214 with 24075, for
44005	2565	Oil Cup, obsolete
44005 44006	2565 2565	Oil Cup, obsolete
44005 44006 44007	2565 2565	Oil Cup, obsolete
44005 44006 44007 44008 44009	2565 2565 2565	Oil Cup, obsolete
44005 44006 44007 44008 44009 *44010	2565 2565 2565 —————————————————————————	Oil Cup, obsolete
44005 44006 44007 44008 44009	2565 2565 2565 —————————————————————————	Oil Cup, obsolete
44005 44006 44007 44008 44009 *44010 44112	2565 2565 2565  5840	Oil Cup, obsolete
44005 44006 44007 44008 44009 *44010 44112 44118	2565 2565 2565  5840	Oil Cup, obsolete
44005 44006 44007 44008 44009 *44010 44112 44118	2565 2565 2565 —————————————————————————	Oil Cup, obsolete
44005 44006 44007 44008 44009 *44010 44112 44118 44121	2565 2565 2565 —————————————————————————	Oil Cup, obsolete

NO.	PLATE	NAME
44126		Feed Lifting Rock Shaft complete for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35 and 31-37 Machines, Nos.12376 and 44125
44130		Arm Shaft 20332 with 20188, 20283, 24036, 24207 and 24208, for 44207
44404		Oscillating Shaft Crank for 44135
44134 44135	5806	Oscillating Shaft Crank for 44135 Oscillating Shaft Crank complete, Nos.
	•	1518s, 19449, 44134 and two 453c
44136	1381	Feed Dog, 15 teeth (16 teeth to the inch) for tailor work, for 31-15, 31-20 and 31-22 Machines
44137	1381	Throat Plate, large needle hole, for 44136
44138		" small needle hole, for 44136
44139	772	Machine Hinge Plate for 44140 and 44180
44140		Machine Hinge complete, Nos. 12361, 44139 and merlized wood screw 1¼ in. No. 14 (Attachments and Accessories)
44141		Tension Screw Stud 50327c with 1560c, for 44118
<b>441</b> 44	1262	Feed Dog, 22 teeth (24 teeth to the inch) for shirt work, beveled for hemmer, for 31-20 Machine
44147		Tension complete for 31-19 and 31-42 Machines, Nos. 2923, 7336, 8511, 20037, 33892 and two 2921, obsolete
44149		Tension complete, for 31-39 Machine, Nos. 2923, 7336, 8511, 33892 and two 2102, obsolete
44156	5837	Feed Dog, for shirt work, 24 teeth (24 teeth to the inch) for 31-20 Machine
44158	5842	Feed Dog, 15 teeth (14 teeth to the inch)
44159		Presser Foot Plate for 44161
44160		" " Shank for 44161
44161	5842	PresserFoot (hinged) complete, Nos. 26276, 44159 and 44160
44162	5842	Throat Plate for 44158
*44169		Arm Shaft 20400 with 20188, 20283, 20426
		and 24036, for 44199
*44172		Arm Shaft 12427 with 20188, for 44192
*44176		Driving Attachment Starting Crank Shaft
		12477 with 12479, 20371 and two 2022, for 12478 and 20141
44177	1260	Feed Dog, for shirt work, 19 teeth (22 teeth to the inch) for 31-20 Machine

NO.	PLATE	NAME
44179		Thread Take-up Lever complete for 31-42
		Machine, Nos. 775E, 11204, 12130, 12164 and 44008
44180	<del></del>	Machine Hinge complete, Nos. 6055, 12361,
		44139 and 51075E (Attachments and Accessories)
*44181		Face Plate Thread Guard (lower) for 12150
44188		Feed Forked Connection 43924 with 818D,
		3033, 3039 and two each 375c and 1518J, for 31-34 Machine
*44189		Arm Shaft 44122 with 20197, for 31-15,
		31-16, 31-20, 31-22 and 31-24 Machines
*44192		Arm Shaft 44172 with 20197, for 31-39 Machine
*44195		Arm Shaft 44121 with 20197, for 31-19
		Machine
*44196		Arm Shaft 44123 with 20197, for 31-35
*44107		Machine
*44197		Machine
*44199		Arm Shaft 44169 with 20197, for 31-37
		Machine
*44200		Arm Shaft 44112 with 20197, for 31-42 Machine
*44207		Arm Shaft 44130 with 20197, for 31-27
2120.		Machine
44212	5844	Drip Pan with four 1 in. wire nails, for
		power table
44214		Oil Cup Extension for 44005
*44217		Arm Shaft 12427 with 12428, 20188 and 20197, for 31-34 Machine
44222		Oil Cup for 44223
44223		" 44222 with 44005, for 44225
44224	8628	" " Thread Retainer for 44225
44225	8628	Oil Cup complete for 31-16 Machine, Nos. 44006, 44223 and 44224
44226	8629	Feed Bar for 31-34 Machine
44228	8629	Stop Pawl for 44230
44229		" Wearing Block for 44230
44230		Stop Pawl complete for 12344, Nos. 376E, 44228 and 44229
44243	8633	Machine Hinge Connection for 44244
44244		Machine Hinge complete for 79758, Nos.
		2809, 33887, 44243 and merlized wood
		screw 1¼ in. No. 14

NO. PLATE

NAME

NO.	PLATE	NAME
44252	5813	Feed Dog, for cloth, 12 teeth (12 teeth to the inch) for 31-15, 31-19, 31-20 and 31-22 Machines, 28654, 28657 and 36293
44253	5813	Feed Dog, for cloth, 16 teeth (16 teeth to the inch) for 31-15, 31-19, 31-20 and 31-22 Machines, 26760, 28654, 28657 and 35245
44254	5813	Feed Dog (reversible) for cloth, 12 teeth (12 teeth to the inch) for 31-32 Machine
44255	5813	Throat Plate, small needle hole, for 44252 to 44254
44256		Throat Plate, large needle hole, for 44252 to 44254
	Nos.	46506 to $46509$ for $46520$ and $46656$
46506	3826	Pitman Ball Bearing Adjusting Screw Ring
46507	3826	Pitman Ball Bearing Adjusting Screw Ring Locking Washer (brass)
46508	3826	Pitman Ball Bearing Ring
46509	3826	" " Case
46519	3825	Band Wheel Crank for 46520 and 46656
*46520		Band Wheel Crank and Pitman (ball bearing) complete for 25265, Nos. 1520 r, 25371, 46506 to 46509, 46519, 46523, 46630, 46655 and six 25362
*46522	3825	Leg for 25265, 25279 and 25284, obsolete
46523	3825	Pitman Rod with 25360, for 46520,
46524	3825	Treadle for 25265 and 25284
46528	6142	Brace Section (left) with 46629, for 46662
*46604		Band Wheel Shaft Driving Flange (left) complete for 25255, Nos. 25422 to 25425, 25429 and 25434
*46605		Band Wheel Shaft Driving Flange (right) complete for 25255, Nos. 25425 to 25429 and 25434
46629		Band Wheel Crank Screw Centre 297c with 1507R, for 46528 and 82985
46629		Treadle Screw Centre 297c with 1507n, for 46663 and 82985
46630		Pitman Rod Ball Screw Bearing 25361 with 1670r, for 46520
46630		Pitman Rod (lower) Ball Screw Bearing 25361 with 1670R, for 46656
46655	3826	Pitman Ball Separator for $46520$ and $46656$

NO.	PLATE	N AAT IS
46656		Band Wheel Crank and Pitman (ball bearing) complete for 25284, Nos. 1520R, 25371, 46506 to 46509, 46519, 46630,
		46655, 46658 to 46660 and six 25362
46657		Belt, size ¼ in., length 36½ in., with 25127, from motor to machine for 25284
		Nos. 46658 to 46660 for 46656
46658	5843	Pitman Rod (lower) with 25360
46659	5841	" (upper)
46660	5843	" Coupling
46661		Starting Treadle Screw Centre 296c with 1507R, for 20040
46662	6142	Brace (sectional) complete for 25265, 25279 and 25284, Nos. 46528, 46663 and
		three 880R
46663	6142	Brace Section (right) with two 46629, for
		46662
46667		Brace for 82985
46681	8497	Driving Attachment Treadle Bracket (right) for 60502
50035E	5745	Plaiting Blade Holder (lower) Spring Stop Serew for 31-37 Machine
50035E	5745	Plaiting Blade Holder (upper) Spring Stop
<b>5016</b> 9n	. 5090	Screw for 31-37 Machine  Hemmer Guide Screw for 120078
502021		Presser Foot Finger Guard Screw for
	••••	36623
50216E		Shuttle Race Slide Spring Screw for 20450
50238 r	8213	Tucker Tuck Guide Thumb Screw for 36561
<b>50238</b> F	8213	Tucker Tuck Marker Clamping Plate Thumb Screw for 36561
<b>50302</b> J	5809	Finger Guard Holder Set Screw for 120497
<b>50</b> 316 r	5809	" Hinge Screw for 36821
503270	5806	Tension Screw Stud for 44141
<b>50</b> 356r	5806	Bobbin Winder Frame Hinge Screw for
		27647, 27650, 27651 and 27875
50441		Hemmer Block Hinge Screw for 120078.
50551л		Belt Guard Set Screw for 126365
51022J		Binder Screw for 120493
51075E	5843	Machine Hinge Bolt with 51581E, for 44180
51097л		Binder Thumb Screw for 120533
51097 <sub>J</sub>	8631	Tape Reel Arm Thumb Screw for 120533
51581E	5843	Machine Hinge Bolt Nut for 51075E

NO. PLATE

NO.	PLATE	NAME
51809	1375	Edge Guide Slide Roller and Stud for
52045	8628	36760 Arm Oil Tube Packing (braided cotton) for 11119, 12454 and 24131
52454	5842	Thread Retainer for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35, 31-37 and 31-39 Machines
56813		Feed Bar Screw Centre 313c, with 1519J, for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35 and 31-37 Machines
56814		Feed Lifting Rock Shaft Screw Centre 307c with 1513J, for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35 and 31-37 Machines
56814		Feed Rock Shaft Screw Centre 307c with 1513 <i>J</i> , for 31-15, 31-16, 31-19, 31-20, 31-22, 31-24, 31-27, 31-32, 31-34, 31-35 and 31-37 Machines
56848		Bell Crank 5596 with 5599 and 5601, for 5598
60455	. —	Thread Unwinder Spool Rest 41530 with 1149c and two 155c, for 41531
<b>60</b> 502		Driving Attachment Treadle Bracket (right) 46681 with two wood screws 1 in. No. 14, for 126209
•60583		Knife Grinder for 27661, Nos. 2611, 27323, 27564, 27572, 27573, 27659, 60934, two 27568 and four each 310κ and 15161
60701		Thread Unwinder Spool Rest 41526 with 155c and 1149c, for 41527
60934		Knife Grinder Emery Wheel Shaft 27567 with 1508 <i>J</i> , 27565, 27569 and 27822, for 60583
62502		Shuttle Race Body 24413 with 24418 and two 1053p, for 24419
62527	5806	Presser Foot Hinge Pin for 20157, 20311, 20346, 24489, 24546, 24983 and 28814
62623	—	Shuttle Race Body 24008 with 24009 and two 1053p, for 24010, obsolete
<b>6</b> 2637		Lifting Presser Bar Bell Crank Driving Arm Eccentric Connection 19362 with 19365, for 44121
62682	8628	Face Plate Thread Eyelet for 31-35 Machine
62739		Shuttle Bobbin Case for 62740

NO.	PLATE	NAME
62740	771	Shuttle Bobbin Case complete for 12487 and 19292, Nos. 591r, 592r, 2523, 2975,
		7553, 15141, 15278 and 62739
67086	5844	Treadle Pitman Rod (upper) for 67177
67175	5843	Hook for 67072
		Treadle Pitman Rod (lower) for 67177
67176	5844	
67177	5844	Treadle Pitman complete for S. D. 11 and S. D. 12 Electric Motors, for 25284, Nos. 9079, 67086 and 67176
79758		Bench Stand with 12248, two each 44244, wood screws ¾ in. No. 10, three wood screws 1½ in. No. 10 R. H. O. and A. and four each 12405 and 28084
82973	5216	Leg for 25265, 25279 and 25284
82985	5216	Brace 46667 with three 46629, for 25265, 25279 and 25284
86354	8213	Tucker Tuck Smoothing Spring Rivet for 36561
120001	5838	Feed Dog, (spiked teeth) 12 teeth (10 teeth to the inch) for 28678, 28731, 35226,
		35354 and 120207
*00070		los, 120073 to 120077 for 120078
120073		Hemmer Block with 39395
120074		opring
120075		" Guide
120076		Hemmer Plate
120077		" Shank
120078	5839	Hemmer (foot) adjustable, complete, for tennis shoes, Nos. 219p, 651p, 50169p, 50441p and 120073 to 120077
120117		Oiler Spout Washer (leather) for 36579, obsolete
120120	5838	Binder Folder with 665p and 120121, for 120127
120121	5838	Binder Folder Guide for 120120
120122	5838	" Ribbon Tension Plate for 120123
	Nos	s. 120123 то 120126 гов 120127
120123	5838	Binder Ribbon Tension complete, Nos. 26614, 120122 and six 26615
120124	5838	Feed Dog, 6 teeth (16 teeth to the inch)
120125	5838	Presser Foot
120126	5838	Throat Plate for 120124
120127		Binder (English) complete for 31-15 Machine, Nos. 220p, 7806, 120120, 120123 to 120126 and two each 190p and 7071
		to 120120 and two each 1900 and 7071

NO.	PLATE	NAME
120135	5846	Edge Folder (double) for turning in two edges and inserting loops in one opera-
		tion
120136	5846	Presser Foot for 120135
120143		riate for 120144
120144	5847	Presser Foot (hinged) complete for 35065, 35067, 35208, 35241, 35325, 120247 and 120248, Nos. 7298, 19335 and 120143
120165	5839	Binder on 28971, for 120166
120166	5839	Binder (adjustable) complete, for sleeve facings on military coats, Nos. 286p, 940p, 7071, 28972, 28973 and 120165
120191	5845	Strip Folder on Shank, to turn in both edges
120197	5848	Edge Folder (upper) with lower right hand guide on shank, for military uniforms.
120206	5839	Corder Cord Guide Bed with 457c, for 120207
120207	5839	Corder (adjustable) complete, for short turns on cushions, Nos. 190p, 1044p, 26795, 26796 and 120206
120208	5838	Presser Foot (grooved) for 120207
120242	7790	Binder Bed with 1036c, for 120247 and
120212	1100	120248
120243	7791	Binder Folder (lower) for 120248
120244	7790	" (upper) for 120247 and
120211		120248
120245	7790	Binder Guide (centre) for 120247 and 120248
120246	7790	Binder Guide (lower) for 120247
120247	7790	Binder (adjustable) complete, to turn in upper edge only, for light or medium weight material, Nos. 286p, 120242 and 120244 to 120246
120248	7791	Binder (adjustable) complete, to turn in both edges, for light or medium weight material, Nos. 286p and 120242 to 120245
120257	5847	Binder with tension slots on shank, for turning in both edges of bias cut binding, for light or medium weight material
120287	2613	Hemmer for 28720
120288	2613	" Shank for 28720
120289	2694	" on Shank, 2 in. hem, to turn the
120325	8627	goods under  Hemmer (foot) 1/16 in. hem, with guide on bottom to the right of needle hole

NO.	PLATE	NAME
120327	8210	Hemmer on Shank, for $\frac{1}{8}$ in. to $\frac{3}{8}$ in. hem
		for bottom of shirt waists
120338	8625	Hemmer for 120340
120339	8625	" Shank for 120340
<b>120340</b>	8625	Hemmer on Shank complete, for $\frac{1}{2}$ in. to 2
		in. hem, Nos. 120338, 120339 and two
		1443J
120342	2045	Oiler (copper plated) with 120343 (Attach-
		ments and Accessories)
120343	2045	Oiler Spout, $3\frac{1}{2}$ in. long, for $120342$
120367	8630	Hemmer on Shank, for handkerchief work
120427	8211	Guide Holder Shank for 120428
120428	8211	Guide (adjustable, hinged) complete, Nos.
		286D, 940D, 7071, 28971, 28972, 35610
		and 120427
120433	8211	Binder Folder for 120437, 120459 and
	0	120467
120434	8211	Feed Dog, 7 teeth (16 teeth to the inch)
		for 120437, 120459 and 120467
120435	8211	Presser Foot for 120437
120436	8211	Throat Plate for 120434 for 120437,
		120459 and 120467
120437		Binder (English) complete, for awnings,
		Nos. 190d, 207f, 25722, 120433 to 120436
		and two 7071
120452	2672	Hemmer on Shank, for $\frac{1}{32}$ in. to $\frac{1}{8}$ in.
		gauges, for Windsor ties
120458	8211	Presser Foot for 120459
120459		Binder (English) complete, for slip covers
220100		and general work, Nos. 190b, 207r,
		25722, 120433, 120434, 120436, 120458
		and two 7071
120465	8630	Lifting Presser Foot for 120467
120466	8630	Vibrating Presser Foot for 120467
120467		Binder (English) complete, for circular
120101		binding on imitation leather, for 31-19
		Machine, Nos. 207 F, 7071, 120433, 120434,
		120436, 120465 and 120466
120479	8212	Quilter Guide (left) for 120485
120480	8212	" (right) for 120485
120480	8212	" " Bracket for 120482
120481	0414	" " 120481 with 120483
120402		and two 209c, for 120485
120483	8212	Quilter Guide Disengaging Sleeve for
120100	0212	120482
120484	8212	Quilter Guide Disengaging Sleeve Spring
120404	0414	for 120485
		10f 120488

NUMERICAL LIST OF PARTS

NO.	PLATE	NAME
120485		Quilter complete, Nos. 602p, 120479,
		120480, 120482 and 120484
	Ŋ	Nos. 120493 to 120495 for 28794
120493	8630	Folder with two 510221, for 1/4 in. to 1/2 in. gauges
120494	8630	Folder with two 1368 <sub>J</sub> , for $\frac{17}{32}$ in. to $\frac{19}{32}$ in. gauges.
120495	8630	Folder with two 1368s, for $\frac{5}{8}$ in. to 1 in. gauges
120496	5809	Finger Guard for 120498
120497	5809	" Holder with 503021, for
		120498
120498	5809	Finger Guard complete, Nos. 2361, 120496 and 120497
120500	8213	Tucker Frame for 36561
120532	8631	Binder (transverse) on Shank for 120533
120533		Binder (transverse) on Shank with Tape
		Reel complete, for woolen coats, Nos.
		3146, 26603, 120532, 120534 to 120536, 120540 and two 510975
120534	8631	Presser Foot for 120533
120535	8632	Tape Reel Arm with 11656 and 120537,
		for 120533
120536	8632	Tape Reel Disc with 120538 and 120539, for 120533
120537	8632	Tape Reel Disc Pin for 120535
120538	8632	" " Stud (wood) for 120536
120539	—	" " " Sleeve for 120536
120540	8631	Throat Plate with 43525, for 26603, for 120533
120572	8213	Tucker Tuck Marker Clamping Plate for 36561
126036	8497	Driving Attachment Treadle for 126209
126205	8629	Driving Attachment Treadle Bracket (left) for 126206
126206	8629	Driving Attachment Treadle Bracket (left) complete for 126209, Nos. 23258, 126205, 126207, 126208 and two wood screws 1 in. No. 14
126207	8629	Driving Attachment Treadle Bracket (left)
		Hook for 126206
126208	8633	Driving Attachment Treadle Bracket (left) Hook Rivet for 126206
126209		Driving Attachment Treadle complete for 126213, Nos. 60502, 126036 and 126206

NO.	PLATE	NAME
126213		Driving Attachment Treadle and Pitman
		complete for 12478 and 20141, Nos.
		14233 and 126209
126356	5763	Belt Guard for 126365
126363	8629	" " Bracket for 126365
126364	8629	" " Extension for 126365
126365		Belt Guard (adjustable) complete for 79758
		Nos. 162p, 1480p, 9331, 50551j, 126356,
		126363, 126364 and two wood screws 1
		in. No. 10
126392	8632	Knife Grinder Knife Holder for 126393
126393		Knife Grinder Knife Holder complete, for
		27661, Nos. 227 <sub>J</sub> , 899 <sub>J</sub> , 27660, 126392
		and 126394
126394	8633	Knife Grinder Knife Stop for 126393
200056E	3471	Bobbin Winder Stop Latch Screw for
		225382
200082n	3471	Bobbin Winder Tension Bracket Screw for
		225382
2001050	. —	Bobbin Winder Pulley Set Screw for 202473
2002991	ı 3471	Bobbin Winder Stop Latch Trip Lever
		Hinge Screw for 225382
2003830	8633	Thread Unwinder Spool Rest Rod Set
		Screw for 202490
2010180	8633	Thread Unwinder Spool Rest Set Screw
		for 225389 and 225395
2014991	3471	Bobbin Winder Tension Stud for 225461.
2015721	в 3471	""Thumb
		Nut for 225462
201696J	8633	Thread Unwinder Thread Guide Lock Nut
	•	for 225394 and 225396
202277	3471	Bobbin Winder Frame Oil Packing (wick)
2022	01,1	for 225453
202407	3471	Bobbin Winder Tension Spring for 225462
		" "Pulley with 200105c, for
202370	0410	225382
202479	9471	Bobbin Winder Step Latch Trip Lever for
202410	9411	225382
000400	orga	
Z02490	8023	Thread Unwinder Spool Stand with 200383c, for 225394 and 225396
00.00		•
225381		Bobbin Winder Spindle for 225382
	126213 126356 126363 126364 126392 126394 2000561 2000821 2001056 2002991 2003836 2014991 2015721 2016963 202277 202473 202478	126356 5763 126363 8629 126364 8629 126365 ——  126392 8632 126393 3471 200082D 3471 200105c —— 200299H 3471 200383c 8633 201018c 8633 201499B 3471 201572B 3471 201696J 8633 202277 3471 202407 3471 202473 3470 202478 3471 202490 8523

1.1

225456 3471

NUMERICAL	LIST	$_{ m OF}$	PARTS	٥
-----------	------	------------	-------	---

Nos.	225458	то	225460	FOR	225382
YE.			NA	ME	


NO.	PLATE	NAME	
225458	3471	Bobbin Winder Stop Latch Thumb Level	r
225459	3471		
		Hinge Stud	
225460	3471	Bobbin Winder Stop Latch Thumb Level Joint Stud	r
225461	3471	Bobbin Winder Tension Bracket with	ı
		201499в, for 225462	
225462		Bobbin Winder Tension Bracket complete	е
		for 225382, Nos. 201572B, 202407 225461 and two 2102	
228026		Bobbin Winder Tension Bracket Screw	7
		Washer for 225382	

SINGER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.\*\*" 1


Needles in Containers marked
"FOR SINGER MACHINES"
are NOT SINGER made needles. 2

NO.	PLATE	NAME
	3469	Bobbin Winder (swinging automatic, right hand) complete for 2996, 19131 and 24051, for power table, Nos. 2000568, 2000820, 200299H, 202473, 202478, 225381, 225433, 225444, 225453 to 225456, 225458 to 225456, 225462, 228026 and two wood screws ¾ in. No. 13 R. H. B
225388	8523	Thread Unwinder Spool Rest Rod for 225394 and 225396
225389	8523	Thread Unwinder Spool Rest with 201018c, for 225394
225390	8520	Thread Unwinder Thread Cone Holder, for inverted cones
225391	8523	Thread Unwinder Thread Guide for 225394 and 225396
225392	8523	Thread Unwinder Thread Guide Rod with 208E and 225393, for 225394 and 225396
225393	8633	Thread Unwinder Thread Guide Rod Washer for 225392
225394	8523	Thread Unwinder complete, for one large spool or one large cone of thread, Nos. 2016961, 202490, 225388, 225389, 225391, 225392 and three wood screws \( \frac{1}{3} \) in. No. 12
225395	7233	Thread Unwinder Spool Rest with 201018c, for 225396
225396	7233	Thread Unwinder complete, for two large spools or two large cones of thread, Nos. 2016961, 202490, 225388, 225392, 225395, two 225391 and three wood screws 1/8 in. No. 12
225433	3469	Bobbin Winder and Tension Bracket Base for 225382
225438	3471	Bobbin Winder Frame Oil Well Cap for 225453
225444	3471	Bobbin Winder Stop Latch for 225382
	Nos	s. 225453 to 225456 for 225382
225453	3470	Bobbin Winder Frame with 202277 and 225438
225454	3471 3471	Bobbin Winder Frame Hinge Pin " " Spring
225455	34/1	opring


#### PLATE 363-ONE-FOURTH SIZE




#### PLATE 766-ONE-FOURTH SIZE




#### PLATE 767-ONE-HALF SIZE





#### PLATE 768-ONE-HALF SIZE




### PLATE 770-FULL SIZE









#### PLATE 773-FULL SIZE




#### PLATE 774-FULL SIZE




### PLATE 776-FULL SIZE




### PLATE 777-FULL SIZE




### PLATE 779-FULL SIZE




### PLATE 780-FULL SIZE




# PLATE 781-FULL SIZE









### PLATE 818-ONE-FOURTH SIZE




### PLATE 819-ONE-FOURTH SIZE







# PLATE 953-ONE-HALF SIZE




# PLATE 970-ONE-HALF SIZE







#### PLATE 984-FULL SIZE




#### PLATE 1101-FULL SIZE




### PLATE 1104-ONE-HALF SIZE




### PLATE 1105-FULL SIZE




### PLATE 1162-ONE-HALF SIZE




#### PLATE 1206—FULL SIZE




# PLATE 1246-FULL SIZE




# PLATE 1252-FULL SIZE




# PLATE 1253-ONE-HALF SIZE




# PLATE 1258—FULL SIZE




# PLATE 1259-FULL SIZE




### PLATE 1260-FULL SIZE




# PLATE 1261—FULL SIZE




### PLATE 1262-FULL SIZE




# PLATE 1263-FULL SIZE




# PLATE 1267—FULL SIZE




### PLATE 1271-FULL SIZE




### PLATE 1274-FULL SIZE




### PLATE 1308-FULL SIZE




# PLATE 1312—FULL SIZE




# PLATE 1313—FULL SIZE







# PLATE 1317-FULL SIZE




#### PLATE 1321-FULL SIZE




# PLATE 1323—FULL SIZE




### PLATE 1324—FULL SIZE




### PLATE 1344-FULL SIZE




#### PLATE 1353-FULL SIZE




# PLATE 1356-FULL SIZE




#### PLATE 1357—FULL SIZE




### PLATE 1361—FULL SIZE




### PLATE 1366-FULL SIZE




#### PLATE 1370-FULL SIZE





#### PLATE 1371-FULL SIZE




# PLATE 1372-ONE-HALF SIZE













### PLATE 1378-FULL SIZE









## PLATE 1381-FULL SIZE




#### PLATE 1382-FULL SIZE




#### PLATE 1383-FULL SIZE




## PLATE 1384-FULL SIZE







### PLATE 1386-FULL SIZE




#### PLATE 1387—FULL SIZE




### PLATE 1388-FULL SIZE




# PLATE 1389—FULL SIZE




### PLATE 1390-FULL SIZE



#### PLATE 1391—FULL SIZE












PLATE 1895-FULL SIZE


### PLATE 1396—FULL SIZE





#### PLATE 1397—FULL SIZE




### PLATE 1398—FULL SIZE









# PLATE 1971-ONE-HALF SIZE







#### PLATE 2000-ONE-FOURTH SIZE




### PLATE 2001-ONE-HALF SIZE




#### PLATE 2002-ONE-HALF SIZE




## PLATE 2003-ONE-HALF SIZE




#### PLATE 2004-ONE-HALF SIZE




### PLATE 2005-FULL SIZE




#### PLATE 2006-FULL SIZE




#### PLATE 2009-FULL SIZE




#### PLATE 2011-FULL SIZE




#### PLATE 2012-FULL SIZE




#### PLATE 2013-FULL SIZE




#### PLATE 2014-FULL SIZE




#### PLATE 2019-FULL SIZE




#### PLATE 2020-ONE-HALF SIZE




### PLATE 2021—FULL SIZE




#### PLATE 2022-FULL SIZE







## PLATE 2025—FULL SIZE




## PLATE 2028—FULL SIZE




### PLATE 2029—FULL SIZE




# PLATE 2030-FULL SIZE




## PLATE 2031-FULL SIZE



### PLATE 2032-FULL SIZE




## PLATE 2034-FULL SIZE




#### PLATE 2035—FULL SIZE







#### PLATE 2038-FULL SIZE



#### PLATE 2039-FULL SIZE




#### PLATE 2045-ONE-HALF SIZE




# 


#### PLATE 2048-FULL SIZE




#### PLATE 2049-ONE-FOURTH SIZE



#### PLATE 2061—FULL SIZE











PLATE 2064—FULL SIZE




## PLATE 2445-ONE-HALF SIZE


## PLATE 2565-FULL SIZE 456 2062 WWW










#### PLATE 2603—FULL SIZE









#### PLATE 2606—FULL SIZE







#### PLATE 2608—FULL SIZE




#### PLATE 2609-FULL SIZE





#### PLATE 2610-FULL SIZE





### PLATE 2611—FULL SIZE




















PLATE 2616—FULL SIZE






PLATE 2618—FULL SIZE




PLATE 2619-FULL SIZE





PLATE 2620—FULL SIZE









PLATE 2622—FULL SIZE







#### PLATE 2625-FULL SIZE




#### PLATE 2626-ONE-HALF SIZE




#### PLATE 2627—ONE-HALF SIZE




#### PLATE 2628-ONE-HALF SIZE




#### PLATE 2632-ONE-HALF SIZE




#### PLATE 2633-FULL SIZE




#### PLATE 2634-ONE-FOURTH SIZE





#### PLATE 2635—ONE-HALF SIZE




#### PLATE 2646—FULL SIZE









#### PLATE 2650—FULL SIZE




#### PLATE 2658-FULL SIZE







#### PLATE 2661-ONE-HALF SIZE




# PLATE 2665—FULL SIZE




# PLATE 2666-FULL SIZE








# PLATE 2669-FULL SIZE



### PLATE 2671-FULL SIZE












PLATE 2673-FULL SIZE

# PLATE 2674-FULL SIZE












PLATE 2677—FULL SIZE









# PLATE 2682—FULL SIZE



#### PLATE 2684-ONE-HALF SIZE











PLATE 2690-FULL SIZE



# PLATE 2692-FULL SIZE












PLATE 2694-FULL SIZE







# PLATE 2697—FULL SIZE




# PLATE 2698—FULL SIZE




# PLATE 2699-FULL SIZE






# PLATE 2836-ONE-FOURTH SIZE



### PLATE 2837-ONE-FOURTH SIZE



### PLATE 3469-ONE-FOURTH SIZE




# PLATE 3470-ONE-HALF SIZE















## PLATE 3471-FULL SIZE









# PLATE 3815-ONE-HALF SIZE




# PLATE 3816-ONE-HALF SIZE




# PLATE 3817-FULL SIZE






# PLATE 3826-FULL SIZE












PLATE 5644-FULL SIZE


#### PLATE 5645-FULL SIZE




### PLATE 5735-ONE-FOURTH SIZE




### PLATE 5736-FULL SIZE




# PLATE 5737-FULL SIZE




#### PLATE 5738-ONE-HALF SIZE




#### PLATE 5739-FULL SIZE




### PLATE 5740-FULL SIZE




# PLATE 5741-FULL SIZE




# PLATE 5742-FULL SIZE




# PLATE 5743-FULL SIZE




### PLATE 5744-FULL SIZE




#### PLATE 5745-FULL SIZE




# PLATE 5746-FULL SIZE




# PLATE 5747—ONE-HALF SIZE




#### PLATE 5748-ONE-HALF SIZE




#### PLATE 5749-ONE-HALF SIZE




#### PLATE 5750-FULL SIZE




#### PLATE 5751-ONE-HALF SIZE




#### PLATE 5752-FULL SIZE




#### PLATE 5753-FULL SIZE



#### PLATE 5754-FULL SIZE



#### PLATE 5756-FULL SIZE



#### PLATE 5757-ONE-HALF SIZE







PLATE 5760-ONE-FOURTH SIZE


#### PLATE 5761-ONE-FOURTH SIZE









#### PLATE 5784-ONE-HALF SIZE




#### PLATE 5785-ONE-HALF SIZE




#### PLATE 5804-ONE-HALF SIZE



## PLATE 5806-FULL SIZE 50327 32574 52378 52398 210993 210958 966 1141 435



#### PLATE 5808-FULL SIZE










#### PLATE 5809-FULL SIZE








50316 196 50302 236

















#### PLATE 5811-FULL SIZE



#### PLATE 5812-FULL SIZE



























# PLATE 5838-FULL SIZE ROSOSI BOSOSI



#### PLATE 5840-ONE-HALF SIZE

44003

44009




#### PLATE 5841-ONE-HALF SIZE


46659 16568 19265

24431


27638




#### PLATE 5842-FULL SIZE




#### PLATE 5843-FULL SIZE





#### PLATE 5844-ONE-FOURTH SIZE




#### PLATE 5845-ONE-HALF SIZE











120197


#### PLATE 6119-ONE-HALF SIZE




#### PLATE 6120-ONE-HALF SIZE



#### PLATE 6142-ONE-EIGHTH SIZE




#### PLATE 6252-FULL SIZE




# PLATE 6255-FULL SIZE 27681 11833 27660 27682


#### PLATE 7233-ONE-FOURTH SIZE




#### PLATE 7696-FULL SIZE


















#### PLATE 8211-FULL SIZE










120433































#### PLATE 8497-ONE-FOURTH SIZE


126036













#### PLATE 8628-FULL SIZE




#### PLATE 8629-ONE-HALF SIZE




#### PLATE 8630-FULL SIZE




### PLATE 8631-FULL SIZE





#### PLATE 8632-ONE-HALF SIZE



#### PLATE 8633-FULL SIZE





2809







201696

225393 201018 200383 27130











126394

