Singer 31-15 Singer 31-20

Form 8930, Revised (442) Printed in U.S.A.

LIST or PARTS



SINGER[®] MACHINES Nos. 31-15 and 31-20

THE SINGER MANUFACTURING COMPANY

** A Trade Mark of THE SINGER MANUFACTURING COMPANY

INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, "TYPE B" or "TYPE D" OIL, sold by Singer Sewing Machine Company, should be applied at least twice each day to all oil holes marked "OIL", as instructed in Form 7829 for 31-20 machine and Form 8268 for 31-15 machine.

"TYPE D" OIL should be used when an oil is desired which will produce a minimum of stain on fabrics, even after a long period of storage.

Apply a few drops of oil to the small felt pad on the side of bobbin case each time a bobbin is replaced.

> Copyright, U. S. A., 1935, 1936, 1939, 1941 and 1942, by The Singer Manufacturing Company All Rights Reserved for all Countries

INDEX


- 5

.1

· 7

ja de la compañía de

	Page
Attachments and Accessories	
Belt Guards	
Binders	
Bobbin Winders	
Corders	
Edge Folders on Shank	
Feed Dogs	
Finger Guards	, 30
Guides	
Hemmers	o 34
Hemstitcher	. 34
Knee Lifter Parts	
Lap Seam Feller	. 35
Machine Base	
Machine No. 31-15	. 7
Machine No. 31-20	
Numerical List of Parts	
Obsolete Parts	
Piping Attachment	
Presser Feet	
Quilter	
Ruffler (Power)	
Throat Plates	
Tucker	
T 00F01	



7

MACHINE No. 31-15

FOR CLOTH, TAILORING, ETC; DROP FEED.

No.	Plate		Name
*12355		Arm	with 15404 and two 15405
8582	22307		Dowel Pin
12453	22307	H	011 Tube for intermediate hearing
12454	22307	n	" with 132590, for oiling
11119	22307	Arm	12409. 011 Tube with 52045 for oiling 12408.
24131	22307	Arm	011 Tube with 52045 for oiling 20283.
132590	22307	Arm	011 Tube Packing (braided cotton)
52045	22307	Arm	011 Tube Packing (braided cotton)
748E	22307	n	Screw (back) (2).
854E	22307		(front) (2)
12427	22303	н	Shaft
44122			" 12427 with 20188, 20283 and 127152
44189		Arm	Shaft 44122 with 20197
12357	22303	.,	" Flanged Bushing (back)
448AL	22303	11	" " Set
144D	22303	Arm	Screw.
12480	22305	Al'm W	Shaft Screw
219J	22305	11	Side Cap
61.00	22000		" Screw

SINCER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.**" ٦.

٩,

κ.

. .

Needles in Containers marked "FOR SINGER MACHINES" are NOT **SINGER** made needles. 2

~

c

•

· .

4

8	PA	RTS FOR MACHINE NO. 31-15					PA	RTS FOR MACHINE NO. 31-15 9
No. 12193	Plate 22307	Name Arm Side Cover	•			No. 20283	Plate 22303	Name Feed and Feed Lifting Eccentric with
51224J 52239	22307 22307	" Spool Pin and Thread Eyelet				446AL	22303	446AL Feed and Feed Lifting Eccentric Set Screw
8879 12358	22307 22303	" " Washer (cloth) Balance Wheel (power) light rim, 2 3/16 in, pulley, with two 448AL	-		נ	127152	22303	Feed and Feed Lifting Eccentric Sleeve
139631		2 3/16 in. pulley, with two 448AL Balance Wheel (power) "V" belt groove (outside diam. of belt groove 2.9				20284 3750 1518J	22303 22303 22303	Feed Forked Connection Hinge Screw
437 0		in.) with two 443AL Balance Wheel (stand) heavy rim, 2 3/4 in. pulley. with two 448AL.				43993		Feed Forked Connection complete, Nos. 20284, 52165, 56886 and two each
2135	22303	2 3/4 in. pulley, with two 448AL. Balance Wheel (stand) heavy rim, 2 1/2 in. pulley, for 3022				44125 44126	2230 5 22305	375C and 1518J Feed Lifting Rock Shaft Feed Lifting Rock Shaft complete,
2862 24297	22303	, Balance Wheel (stand) heavy rim, .3 in. pulley, for 3022 Balance Wheel Oil Cover, for use with				12376	22305	Nos. 12376 and 44125 Feed Lifting Rock Shaft Crank with
210J	22303	2135 and 2862 Balance Wheel 011 Cover Screw	ν,	¥ . '		157J	22305	157J and 1813 Feed Lifting Rock Shaft Crank Clamp-
448AL 443AL	22303	" " Set Screw for 4370 and 12358 (2) Balance Wheel Set Screw for 139631				1813	22305	ing Screw Feed Lifting Rock Shaft Crank Roller and Stud
*12360		(2) Bed	•	÷		43976	22303	Feed Lifting Rock Shaft Crank Con- necting Rod with two 966E
256J 248A	22303 22303	Clamp Stop Motion Clamp Screw " Stop Screw " " Washer				966E 375C	22303 22303	Feed Lifting Rock Shaft Crank Con- necting Rod Cap Screw (2) Feed Lifting Rock Shaft Crank Con-
2020 *3023 4933	22303 22303	" " " Flanged Bushing " " " 3023				1518J	22303	necting Rod Hinge Screw Feed Lifting Rock Shaft Crank Con-
*56827		with two 462AL Clamp Stop Motion Flanged Bushing				307C	2230 5	necting Rod Hinge Screw Nut Feed Lifting Rock Shaft Screw Center
2022 462AL	22303	3023 with 256J Clamp Stop Motion Flanged Bushing Pin Set				56814		(2) Feed Lifting Rock Shaft Screw Center 307C with 1513J (2)
3022	22303	Screw (2) Clamp Stop Motion complete, Nos.248A,				1513J	22305	Feed Lifting Rock Shaft Screw Center Nut (2)
20197	22303	256J, 2020 and 4933 Crank Connecting Rod with two 896AL				3039 56886 1128E	22303	Feed Regulator 3039 with 818D " Hinge Screw " Hinge Screw
896AL 908C 1619E	22303 22303 22303	Gap Screw (2) Hinge Screw Nut				818D 12379	22303 22305	" " Thumb Screw " Rock Shaft
20057 20058	22304	Face Plate Face Plate complete, Nos. 12150,20057				20333 29633	22305	Feed Rock Shaft complete, Nos. 12379 and 29633
190 J 12150	22304 22304	and 139615 Face Plate Screw " Thread Guard (lower) with	-	-		157J 307C	22305 22305	Feed Rock Shaft Crank with 157J """Clamping Screw. """Screw Center (2)
12152 45874	22304	12152 Face Plate Thread Guard (lower) Rivet """" upper) """ 45874				56814 1513J	22305	with 1513J (2) Feed Rock Shaft Screw Center Nut (2).
139615	22304	with 125424	-	-		12381 43997	22306 22306	Needle Bar (hollow) " Connecting Link with 794E
125424 51224J 12368	22304 22304 22305	Face Plate Thread Guard (upper) Rivet				794E	2230 6	and 12384 Needle Bar Connecting Link Adjusting Screw
313C 56813	22305	Feed Bar " " Screw Center (2) " " " 313C with				12384	22306	Needle Bar Connecting Stud with 453AL and 1904
1519J 52165	2230 5 22303	1519J (2) Feed Bar Screw Center Nut (2) " Connecting Link				1904 453AL	22306 22306	Needle Bar Connecting Stud Roller (roller only) Needle Bar Connecting Stud Set Screw.
375C 1518J	22303 22303 22303	""" "Hinge Screw (2). """ " " Nut				20 188	22303	" " Crank with 858AL and 1065AL
44252	22304	(2) Feed Dog, for cloth, 12 teeth (12 teeth to the inch)				1065AL 858AL 936E	22303 22303 22306	Needle Bar Crank Position Screw " " Set Screw " Screw Bushing (2)
208AL	22304	Feed Dog Screw (2)				4302	22306	" " Thread Guard

i

•

V.

•••••••

10

PARTS FOR MACHINE NO. 31-15

PARTS FOR MACHINE NO. 31-15

11

· jì .

1

Plate No. Plate Name No. Name 233D 22306 Needle Bar Thread Guard Screw..... 24412 22307 Shuttle Bobbin Case Position Plate ... Clamp with 808F..... 22306 391J 22307 4303 Screw (2)..... 808F 22306 Screw.... Oscillating Rock Shaft *24104 2 50 62740 22306 Shuttle Bobbin Case complete, Nos. ____ Oscillating Rock Shaft complete, Nos. 4784, 12388 and 24104..... 591F, 592E, 2975, 15141 and 15278 22303 24105 12393 22306 Shuttle Body..... Tension Regulating Screw..... Spring..... 139602 -----Oscillating Rock Shaft 24105 with 591F 22306 15278 22306 908C.... Shuttle, 1 11/16 in. diam., Nos.2996, Oscillating Rock Shaft Hinge Pin..... Set 12388 22303 19292 22306 12393, and 62740..... 22303 448AL 22305 Shuttle Driver with two 1266AL..... Screw..... 12444 Screw..... Oscillating Rock Shaft Oil Pad..... "Shaft.... "Crank for 19447.... "44135.... 4784 22303 2049 -----Pin..... Set Screw (2)..... Ħ 11 12389 22305 22305 1266AL 19496 ____ 2531 22307 Race Back.... 44134 22305 2532 22307 Position Pin (2)... 11 н Oscillating Shaft Crank complete, 22307 Spring..... 2533 19447 ----77 17 n " Screw..... Nos. 457AL, 1518E, 19449 and 907D 22307 Body..... 19496.... ¥ 1 24413 22307 11 24413 with 24414 44135 22305 Oscillating Shaft Crank complete, 25000 ---and two 10538..... Nos. 1518E, 19449, 44134 and two 453AL..... 24962 Shuttle Race Body 25000 with two 2532 ----22307 Oscillating Shaft Crank Pin..... Bet Screw for " Cap. " Screw (2)..... 2049 24414 ----× 2 17 1053E 22307 457AL ----Shuttle Race complete, Nos. 907D, 2531, 2533, 24412, 24962 and two 19447..... 24415 22307 Oscillating Shaft Crank Set Screw for 44135 (2).... Oscillating Shaft Crank Slide Block. 453AL 22305 391J..... Shuttle Race Screw (2)..... 145D 22307 19448 22305 226J 22305 12431 22304 Slide.... 12432 22304 Shuttle Race Slide complete, Nos. 4307, 12431 and two 725J..... Cap Screw..... 12424 22305 Oscillating Shaft Crank Slide Block Cap Screw Washer.... Oscillating Shaft Crank Slide Block 22304 4307 725J 22304 22305 988C Slack Thread Regulator..... 20060 22306 Screw Stud..... 1518E 22305 Oscillating Shaft Crank Slide Block 225F 22306 Adjusting Screw.... Screw Stud Nut..... 19449 Oscillating Shaft Crank Slide Block 2102 22304 Tension Disc (2)..... ---complete, Nos. 226J, 988C, 12424 22304 Regulating Thumb Nut..... 15600 Releasing Disc..... 32572 22304 and 19448..... Presser Bar (hollow)..... " Guide Bracket with 453AL. 43944 22304 Lever..... 12391 22306 " Hinge Pin.... •1 12398 22304 22306 20059 12329 22304 Spring..... 453AL 22306 Presser Bar Guide Bracket Set Screw .. 71 Pin..... 52016 22306 32574 22304 n 503270 22304 689C 22306 11 1520J 22306 44141 ----. . . " Lifting and Releasing ы М 22304 " Spring..... Tension complete, Nos. 7336, 32572, 12327 43945 22306 22304 44118 11167 32574, 43945, 43946, 44141 and two 2102..... 52454 22304 Thread Retainer..... another Spring is specified on order. Presser Bar Spring (medium).055 wire "" (heavy).063 wire. 12139 _____ 624AL 22304 Set Screw..... 20023 Take-up Crank..... 12404 22306 ----Wedge.... Screw.... 22306 11170 3094 22303 17 We н 11 18 Foot for 44252 and 44253..... 22303 12143 22306 690E Presser Foot Screw..... 22306 12408 22306 Lever..... 190J Cap Screw..... 688J 22306 Pressure Regulating Thumb Screw..... 775E 22306 н 22306 Hinge Pin..... 2996 22306 Shuttle Bobbin..... 12166 17 Case Latch..... " " Lever..... " " " Fulcrum Link..... 15140 12409 22306 22306 " Hinge Pin. 11 11 11 11204 22306 2973 22306 н 11 435AL 22306 Set 2974 22306 Pin..... Screw..... 22306 Shuttle Bobbin Case Latch Spring..... Stop Screw. 12410 Thread Take-up Lever complete, Nos. 2975 ____ 12166, 12408 and 12409..... 22306 592E Shuttle Bobbin Case Hinge, Nos. 2973, 22304 15141 43946 Thread Take-up Spring..... ----

2974 and 15140.....


ما ام

12

No.	Plate	Name
7336	22304	Thread Take up Spring Regulator
448AL	22304	500
		Screw
43990		Thread Take-up complete, Nos. 775E,
		11204, 12404, 12410 and 43997
44256XC	22304	Throat Plate, large needle hole, for
		44252 and 44253
691 X C	22304	Throat Plate Screw (2)
*15404		Trade Mark
15405		" " Rivet (2)
139622	22341	Drip Pan with four 1 in. wire nails

.

LIST OF PARTS COMPLETE FOR



MACHINE No. 31-20

FOR CLOTH. THROAT PLATE FLUSH WITH BED.

DROP FEED.

No.	Plate	Name
*12355		Arm with 15404 and two 15405
8582	22317 .	" Dowel Pin
12453	22317	" Oil Tube for intermediate bearing
12454	22317	" " with 132590 for oiling
		12409
11119	22317	Arm 011 Tube with 52045 for oiling
		12408
24131	22317	Arm 011 Tube with 52045 for oiling
		20283
132590	22317	Arm Oil Tube Packing (braided cotton)
52045	22317	"""" (braided cotton)
748E	22317	" Screw (back) (2)
854E	22317	" " (front) (2)
12427	22303	" Shaft
44122		Arm Shaft 12427 with 20188, 20283 and
		127152
44189		Arm Shaft 44122 with 20197
12357	22303	" " Flanged Bushing (back)
448AL	22303	" " " Set
		. Screw
144D	22303	Arm Shaft Screw
12480	22315	" Side Cap
219J	22315	" " Screw

۰.

<u>م ` ر</u>

÷.

No. Plate Name 12193 22317 51224J 22317 " Spool Pin and Thread Byelet..... " Washer (cloth)...... Balance Wheel (power) light rim,, 52239 22317 8879 22317 12358 22303 2 3/16 in. pulley, with two 448AL Balance Wheel (power) "V" belt groove 139631 -----(outside diam. of belt 2.9 in.) with two 443AL.... 4370 Balance Wheel (stand) heavy rim, ____ 2 3/4 in. pulley, with two 448AL. Balance Wheel (stand) heavy rim, 2135 22303 2 1/2 in. pulley, for 3022..... Balance Wheel (stand) heavy rim, 3 2862 _____ in. pulley, for 3022..... Balance Wheel 011 Cover for 2135 and 24297 22303 Balance Wheel Oil Cover Screw..... Balance Wheel Oil Cover Screw..... "Set Screw for 4370 and 12358 (2)..... Balance Wheel Set Screw for 139631 22303 210J 448AL 22303 443AL ----(2)..... *12360 Bed..... ----22303 256J 248A 22303 2020 22303 .11 Flanged Bushing..... 3023 *3023 ---n 11 11 4933 22303 with two 462AL.... *56827 Clamp Stop Motion Flanged Bushing ----Clamp Stop Motion Flanged Bushing Pin Set 2022 ----462AL 22303 Screw (2)..... 3022 22303 Clamp Stop Motion complete, Nos.248A, 256J, 2020 and 4933..... 256J, 2020 and 4955..... Crank Connecting Rod with two 896AL.. " " Cap Screw (2)... " " Hinge Screw.... " Nut. 20197 22303 896AL 22303 908C 22303 1619E 22303 Face Plate..... 20057 22304 Face Plate complete, Nos. 12150,20057 20058 ---and 139615..... 22304 Face Plate Screw. 190J 12150 22304 12152 22304 45874 ----139615 22304 with 125424.... Face Plate Thread Guard (upper) Rivet 125424 22304 51224J 22304 Thumb Screw..... Feed Bar..... " " Screw Center (2)..... " " " 313C with 1519J 12368 22315 3130 22315 56813 ------(2)..... Feed Bar Screw Center Nut (2)..... 15**19J** 22315 52165 22303 H 375C 22303 **!**† 1518J 22303 (2)..... Feed Dog, for cloth, 12 teeth (12 teeth to the inch)..... 44252 22304 Feed Dog, Screw (2)..... 208AL 22304

PARTS FOR MACHINE NO. 31-20

1

ъ.

14

	r/n	TS FOR MACHINE NO. 51-20
No.	Plate	Name
20283	22303	Feed and Feed Lifting Eccentric with 446AL
446AL	22303	Feed and Feed Lifting Eccentric Set
127152	22303	Screw Feed and Feed Lifting Eccentric Sleeve.
20284	22303	Sleeve Feed Forked Connection Feed Forked Connection Hinge Screw
3750	22303	Feed Forked Connection Hinge Screv
1518J	22303	Nut
43993		Feed Forked Connection complete, Nos. 20284, 52165, 56886 and two each 3750 and 1518J
44125	22315	Feed Lifting Rock Shaft
44126	22315	Feed Lifting Rock Shaft complete, Nos. 12376 and 44125
12376	22315	Feed Lifting Rock Shaft Crank with
157J	22315	157J and 1813 Feed Lifting Rock Shaft Crank Clamp- ing Screw
1813	22315	ing Screw Feed Lifting Rock Shaft Crank Roller and Stud
43976	22303	and Stud Feed Lifting Rock Shaft Crank Con- necting Rod with two 966E
966E	22303	Feed Lifting Rock Shaft Crank Con- necting Rod Cap Screw (2)
3750	22303	Feed Lifting Rock Shaft Crank Con- necting Rod Hinge Screw
1 5 18J	22303	Feed Lifting Rock Shaft Crank Con- necting Rod Hinge Screw Nut
3070	22315	Feed Lifting Bock Shaft Screy Center
56814		 (2) Feed Lifting Rock Shaft Screw Center 307C with 1513J (2) Feed Lifting Rock Shaft Screw Center Nut (2)
1 5 13J	22315	Feed Lifting Rock Shaft Screw Center Nut (2)
3039	22303	Feed Regulator
56886	*-*-*	Feed Regulator
1128E	22303	Hinge Screw
818D	22303	THUMD BCFGW
12379	22315	" Rock Shaft
20333		Feed Rock Shaft complete, Nos. 12379 and 29633 Feed Rock Shaft Crank with 157J
29633	22315	Feed Rock Shaft Crank with 157J
157J	22315	" " Clamping Screw.
307C	22315	"" Clamping Screw. "" Screw Center (2)
56814		
		with 1513J (2). Feed Rock Shaft Screw Center Nut (2).
1513J	22315	Feed Rock Shaft Screw Center Nut (2).
12381	22316	Needle Bar (hollow)
43997	22316	Needle Bar (hollow) " " Connecting Link with 794E and 12384 Needle Bar Connecting Link Adjusting
794E	22316	Needle Bar Connecting Link Adjusting Screw
12384	22316	Screw. Needle Bar Connecting Stud with 453AL and 1904.
1904	22316	and 1904 Needle Bar Connecting Stud Roller (roller only)
453AL	22316	Needle Bar Connecting Stud Set Screw.
20188	22303	(roller only) Needle Bar Connecting Stud Set Screw. " Crank with 858AL and 1065AL
1065AL	22303	1065AL Needle Bar Crank Position Screw """ Set Screw
858AL		" " Set Screw
936E	22316	" " Set Screw " " Screw Bushing (2)
4302	22316	" " Thread Guard

~

١.

L ,

۴.,

'n,

,

J.

à

*

16 PARTS FOR MACHINE NO. 31-20

. .

	DD . + -	Name
No.	Plate	Needle Bar Thread Guard Screw
233D	22316	"Clamp with 808F
4303	22316	" Scnew
808F	22316	Oscillating Rock Shaft.
*24104		Oscillating Rock Shaft complete, Nos.
24105	22303	4784 12388 and 24104
139602		Oscillating Rock Shaft 24105 with 908C
12388	22303	908C Oscillating Rock Shaft Hinge Pin
448AL	22303	
4704	22303	Screw Oscillating Rock Shaft Oil Pad
4784 12389	22315	Shaft
19496		Shaft "Crank for 19447 """ 44135
44134	22315	n n " 44135
19447		Oscillating Shaft Crank complete,
T2#41		Nos. 457AL, 1518E, 19449 and
44135	22315	Oscillating Shaft Crank complete, Nos. 1518E,19449,44134 and two
		453AL
2049		Oscillating Shaft Crank Pin Set Screw for
457AL		
453AL	22315	19447 Oscillating Shaft Crank Set Screw for
		44135 (2) Oscillating Shaft Crank Slide Block.
, 19448 226 J	22315 22315	Oscillating Shart Orank Digo Digotto
220 0	22510	Cap Screw
12424	22315	Cap Screw Oscillating Shaft Crank Slide Block
	00715	Cap Screw Washer Oscillating Shaft Crank Slide Block
988C	2231 5	Screy Stud
25207	00215	Screw Stud Oscillating Shaft Crank Slide Block
1518E	22315	Screy Stud Nut
10449		Screw Stud Nut. Oscillating Shaft Crank Slide Block
19449		complete, Nos, 226J, 988C, 12424
		and 19448
12391	22316	and 19448 Presser Bar (hollow) Presser Bar Guide Bracket with 453AL. ""Set Screw.
20059	22316	Presser Bar Guide Bracket with 453AL.
453AL		
52016	22316	•" " Lifter
6890	22316	" " Screw " " " Nut
1520J	22316	" " " Nut
12327	22316	" " Lifting and Releasing
12021		Lever Bracket. Presser Bar Spring (light) .051 wire.
11167	22316	Presser Bar Spring (light) .051 wire.
Not		ang is sent with this machine willess
	anothe	- Contra to enecitied on order.
12139		Dressen Bar Shring (medium) .000 ****
20023		(heavy) .063 wire.
11170	22316	" " Washer " Foot for 44252 and 44253
12143	22316	" Foot for 44252 and 44255
190J	22316	DCPCW
688J	22316	Pressure Regulating Thumb Screw
19131	22316	Shuttle Bobbin
20649	22316	" " Lever
2973	22316	
2974	22316	
		Fulcrum Pin Shuttle Bobbin Case Latch Spring "" Stop Screw.
2975	22316	Shuttle Bopbin Case Laten Spring
	. 22316	Shuttle Bobbin Case Hinge, Nos. 2973,
20650		2974 and 20649
		COLA CHILL COOLOSSESSESSESSESSESSESSESSESSESSESSESSESSE

No.	Plate	Name
24323	22317	Shuttle Bobbin Case Position Plate
391J	22317	a
		Screw (2)
20756	22316	Shuttle Bobbin Case complete, Nos.
		Shuttle Bobbin Case complete, Nos. 591F,592E,2975,20650 and 20654
20757	22316	Shuttle Body
591F	22316	Tension Regulating Screw
		" " Southa
20654	22316	" " Spring
20758	22316	Shuttle, 1 11/16 in. diam., Nos.
	•	19131, 20756 and 20757
19406	22315	Shuttle Driver with two 1266AL
2049		
1266AL	22315	" " Set Screw (2)
2419	22317	" Race Back
		Race Back Position Pin (2)
2532	22317	
2533	22317	" " Spring
907D	22317	Screw
24324	22317	Body
24998	~~~~	" " 24324 with 24009
		and two 1053E
24999		Shuttle Race Body 24998 with two 2532
	22317	"" Con
24009		" " Cap " " Screw (2) Shuttle Race complete, Nos. 907D,
1053E	22317	
24325	22317	Shuttle Race complete, Nos. 907D,
		2419,2533,24323,24999 and two
		391J. Shuttle Race Screw (2)
145D	2231.7	Shuttle Race Screw (2)
12431	22304	" Slide
	22304	Shuttle Race Slide complete, Nos.
12432	22304	
		4307, 12431 and two 725J
4307	22304	Shuttle Race Slide Spring
725J	22304	Screw (2)
20060	22316	Slack Thread Regulator
225F	22316	AUTUSUIIK
0001	50010	Screw Tension Disc (2)
2102	22304	\mathbb{D} oraton Dieg (2)
		¹⁰ Damilating Whymh Wit
1560C	22304	Regulating Thumb Nut Releasing Disc
32572	22304	
43944	22304	Lever
12398	22304	Hinge Fin
12329	22304	" " Spring
32574	22304	" " Pin
503270	22304	" Screw Stud
	22004	" Screw Stud " 50327C with 1560C.
44141	00704	
43945	22304	" Spring
44118	22304	Tension complete, Nos. 7336, 32572,
		32574,43945,43946,44141 and two
		2102
52454	22304	Thread Retainer
624AL	22304	3el 30rew
12404	22316	" Take-up Crank
	22303	" Wedge
3094		" " " Screw
690E	22303	
12408	22316	
775E	22316	Cap Screw
12166	22316	Hinge Pin
12409	22316	" " " Link
11204	22316	" " Hinge Pin
435AL		n n . n n <u>n</u>
400AL	62310	Set Samey
		Set Screw
12410		Thread Take-up Lever complete, Nos.
		12166, 12408 and 12409
43946	22304	Thread Take-up Spring
40340	66004	In the same of specific terms to the second

•

18 PARTS FOR MACHINE NO. 31-20 Plate Name No.

NO.	LTGOO	1 CLUO
7336	22304	Thread Take-up Spring Regulator
448AL	22304	" "Set
		Screw
43990		Thread Take-up complete, Nos. 775E,
		11204, 12404, 12410 and 43997
44256XC	22304	Throat Plate, large needle hole, for
		44252 and 44253
691XC	22304	Throat Plate Screw (2)
*15404		Trade Mark " Rivet (2)
15405		" " Rivet (2)
139622	22341	Drip Pan with four 1 in. wire nails

ATTACHMENTS AND ACCESSORIES

.

2 \sim

14. -4

6 4

Ξ. ...

6 .

-×.

D - h

No.	Plate	Name
12361	24059	Machine Hinge Connection (2)
41400	24059	" Rest Pin (wood) 3 1/8 in.
		long
120342	24059	Oiler (copper plated) with 120343
120343	24059	" Spout, 3 1/2 in, long
26026	24059	Screw Driver (machine)
26485	24059	Screw Driver (machine) (shuttle tension)
8909	24059	Wrench for 1513 and 1518
8908	24059	" 1519, 1520 and 1620
19221	24059	" " 936 and 1619
4822	24059	" " 1521

BELT GUARDS

No.	Plate	Name
41929	22343	Belt Guard
8418	22343	" " Button
8419	22343	" " Washer (leather)
8420		" " 8418 with 8419 and
		wood screw 1 1/4 in. No. 9 R.H.B.
41930	22343	Belt Guard Hinge (2)
41931	22343	Belt Guard complete, Nos. 8420, 41929,
		two 41930 and four wood screws
		3/4 in. No. 9

FOR BENCH STANDS

No.	Plate	Name
126356	22332	Belt Guard
126363	22332	" " Bracket
126364	22332	" Extension
162D	22332	" " Screw
9331	2233 2	" Washer
1480D	22332	" " Retaining Screw
50551J	22332	" " Set Screw
126365	22332	Belt Guard (adjustable) complete,
		Nos. 162D, 1480D, 9331, 50551J,
		126356, 126363, 126364 and two
		wood screws 1 in. No. 10

BINDERS

WHEN ORDERING BINDERS SEND SAMPLE OF THE

BINDING AND THE MATERIAL TO BE BOUND

BINDER (Adjustable)

SIZE 1

No.	Flate	Name
25644	22912	Bed with 25645
25645		Folder
25646	22912	Guide (lower) with 25855
25855		" " Screw Stud
25647	22912	Folder Guide (upper)

20	BINDERS					
No. 1577D 25648 334J 7071 25650 190J	Plate Name 22912 Folder Guide (upper) 22912 Pressure Spring 22912 "Screw 22912 "Screw 22912 Binder complete, Nos. 7071, 25644 and 2 22912 Binder Screw	Washer 334J, 1577D, 5646 to 25648	*	No. 334J 7071 26694	Plate 24060 24060 24060	Pre B11
1300	22312 DIMUGI DELOW	• • • • • • • • • • • • • • • •				1
	BINDER(Adjustable) SIZE 2		1	No. 121444	Plate 24061	Fee
	THIS BINDER IS THE SAME AS NO. 2	5650		25721 207F 7071	24061 24061 24061	Fol
¥-	WITH THE FOLLOWING EXCEPTION	S:	,	25983 26614 26615	24061	Pro Ril
No. 25651	Plate Name 22912 Bed with 25652, in pl			26616 25722	24061	Ril
25652 25653	Folder, in place of 2 22912 Binder complete, Nos. 7071, 25646 to 25	334J, 1577D, ``	-	190J 7071 121445XC 26250	24061 24061 24061 24061	Rit Thr Bir
			ł		21001	211

- -

۰. .

. *

ς. .

* -

X.

BINDER (Adjustable)

SIZE 3

THIS BINDER IS THE SAME AS NO. 25650

WITH THE FOLLOWING EXCEPTIONS:

No.	Plate	Name
25654	22912	Bed with 25655, in place of 25644
25655		Folder, in place of 25645
25656	22912	Binder complete, Nos. 334J, 1577D,
		7071, 25646 to 25648 and 25654

BINDER (Adjustable)

FOR CAP FRONTS

FOR 31-20 MACHINE

No.	Plate	Name
26695	24060	Bed with 9558
25698	24060	Folder
9558	24060	" Steady Pin
26696	24060	Guide (lower) with 1141D and 9780
1141D	24060	" " Screw Stud
9780	24060	" " Stud
1566D	24060	" " Thumb Nut
26697	24060	" (upper)
152F	24060	Screw (2)
7071	24060	" " Washer (2)
25703	24060	Pressure Spring with 26698
26698	24060	" Lifting Button

Plate	Name
24060	Pressure Spring Screw
24060	Washer
24060	Binder complete, Nos. 334J, 1566D,
	25698,25703,26695 to 26697, two
	152F and three 7071

21

j.

BINDER (English)

Name

- -

061	Feed Dog, 13 teeth (16 teeth to the
	inch) for 121445
061	Folder
061	" Screw
061	" Washer
061	Presser Foot
	Ribbon Tension Pin (bent)
	" " (straight) (4)
	" " Plate
261	Ribbon Tension complete, Nos. 26614,
	26616 and four 26615
261	Ribbon Tension Screw
061	" " Washer
061	Throat Plate for 121444
061	Binder complete, Nos, 190J, 207F.
	25721, 25722, 25983, 121444,
	121445XC and two 7071

BINDER (English)

FOR CUT CLOTH

No. 19474

190J 7071 26401XC 26402

Plate	Name
22916	Feed Dog, 14 teeth (16 teeth to the
	inch) for 26401
22916	Folder, for 1/2 in. binding
22916	"Screw
22916	" " Washer
22916	Presser Foot
	Ribbon Tension Pin (bent) (straight) (7)
	" (straight) (7)
	" " Plate
22916	Ribbon Tension complete, Nos. 26617,
	26618 and seven 26486
22916	Ribbon Tension Screw (2)
22916	Washer (2)
22916	Throat Plate for 19474
22916	Binder complete, Nos. 207F, 19474,
	25733, 25734, 26400, 26401XC, two
	190J and three 7071

BINDER (English)

FOR HEAVY WORK

No.	Plate	Name
121446	24062	Feed Dog (spiked teeth) 13 teeth (10 teeth to the inch) for 121447
28334	24062	Folder

BINDERS

22

No. 193J	Plate 24062	Name Folder Screw
7071	24062	Washer
28676	24062	Presser Foot
26617		Ribbon Tension Pin (bent) (straight) (8)
26486		
2833 6		" " Plate
28337	24062	Ribbon Tension complete, Nos. 26617, 28336 and eight 26486
233J	24062	Ribbon Tension Screw (2)
121447XC	24062	Throat Plate for 121446
28678	24062	Binder complete, Nos. 193J, 7071, 28334, 28337, 28676, 121446, 121447XC and two 233J

BINDER (English)

FOR CARPETS

THIS BINDER IS THE SAME AS NO. 28678

WITH THE FOLLOWING EXCEPTIONS:

No.	Plate	Name
12370	24062	Feed Dog, 15 teeth (16 teeth to the inch) for 28775, in place of
		121446
28775XC	24062	Throat Plate for 12370, in place of
		121447
28776	24062	Binder complete, Nos. 193J, 7071,
		12370,28334,28337,28676,28775XC
		and two 233J

BINDER (English)

FOR AWNINGS

No. 120434	Plate 22916	Name Feed Dog, 7 teeth (16 teeth to the inch) for 120436
120433 207F 7071	22916 22916 22916	Folder "Screw "Washer
120435 26614 26615	22916	Ribbon Tension Pin (bent) (straight) (4)
26616 25722	22916	" Plate Ribbon Tension complete, Nos. 26614, 26616 and four 26615
190J 7071	22916 22916	Ribbon Tension Screw Washer Throat Plate for 120434
12043 6X C 120437	22916 22916	Binder complete, Nos. 190J, 207F, 25722, 120433 to 120436XC and two 7071

BINDERS

BINDER (English)

-1

2

1. 1. 2

••

. .

- -

د ا ب

2

FOR SLIP COVERS AND GENERAL WORK

THIS BINDER IS THE SAME AS NO. 120437

WITH THE FOLLOWING EXCEPTION:

No. 120458 120459	P 1ate 22918 22918	Name Presser Foot, in place of 120435 Binder complete, Nos. 190J, 207F, 25722,120433,120434,120436XC,
		120458 and two 7071

BINDER (English)

No.	Plate	Name
120124	22918	Feed Dog, 6 teeth (16 teeth to the
100100		inch) for 120126
120120	22918	Folder with 665J and 120121
120121	22918	" Guide
665J	22918	" Screw
220J	22918	"Screw.
7806	22918	" Washer
120125	22918	Presser Foot
26614		Ribbon Tension Pin (bent)
26615		(straight) (6)
120122		" " Plate
120123	22918	Ribbon Tension complete, Nos. 26614,
		120122 and six 26615
190J	22918	Ribbon Tension Screw (2)
7071	22918	" " Washer (2)
120126XC	22918	Throat Plate for 120124
120127	22918	Binder complete, Nos. 220J, 7806.
		120120, 120123 to 120126XC and
		two each 190J and 7071
		owo econ too and (0(T***********

BINDER (Transverse) ON SHANK

FOR FOLDED OR UNFOLDED BIAS BINDING

(WITH TAPE REEL)

FOR GENERAL WORK

FOR 34 INCH, 78 INCH AND I INCH TAPE

No.	Plate	Name
121167	23249	Binder Folder on Shank
43525	23249	" Steady Pin
51097J	23249	Thumb Screw
3146	23249	" " Washer
121397	23249	Feed Dog, 18 teeth (16 teeth to the
		inch) for 121398
121169	23249	Presser Foot.
121412	23249	Tape Reel Arm with 8879, 23263 and 120537
23263	23249	Tape Reel Arm Steady Pin

No.	Plate	Name
19474	24064	Feed Dog, 14 teeth (16 teeth to the inch) for 24572, for 35325
35066	24064	Presser Foot for 35325
24572XC	24064	Throat Plate, small needle hole, for 19474, for 35325
7298	24064	Presser Foot Hinge Pin
120143	24064	" " Plate
19335	24064	" " Shank
120144	24064	Presser Foot (hinged) complete for 35325, Nos. 7298,19335 and 120143

BINDERS

BINDERS (Horn) ON SHANK

No.	Plate	Name
28619	24065	Binder (horn) on Shank
28620	24065	Presser Foot for 28619
35062	24065	Binder (horn) on Shank, for 7/8 in.
		1 1/2 in. bindings, for tape, for
		mattresses
35063	24065	Presser Foot for 35062

BOBBIN WINDERS

BOBBIN WINDER

FOR 4370

No.	Plate	Name
1 5 072	22335	Bobbin Position Pin
12168	22335	Bracket
692D	22335	" Screw
12169	22335	Frame
12171	22335	Frame complete, Nos. 333D,5960, 5961,
		5963, 12169 and 15077
32D	22335	Frame Hinge Screw
5960	22335	Friction Wheel (leather)
5961	22335	" Washer
333D	22335	" " Screw
15077	22335	Spindle with 15072
5963	22335	" Flange
12170	22335	Spring
180F	22335	" Screw
12172	22335	Bobbin Winder complete, Nos. 32D.
		180F, 12168, 12170 and 12171

BOBBIN WINDER

FOR 2135 AND 2862

THIS BOBBIN WINDER IS THE SAME AS NO. 12172

WITH THE FOLLOWING EXCEPTIONS:

No.	Plate	Name
12201	22335	Frame complete, Nos. 333D,5960,5961,
		5963,12169 and 15077, in place of

12171.....

24	BINDERS
No. Plate 51097J 23249 120536 23249 120537 23249 120538 23249 120538 23249 120538 23249 120539 23249 121398XC 23249 12168 23249	Name Tape Reel Arm Thumb Screw "Disc with 120538 and 120539 ""Pin """Stud (wood) """"Stud (wood) """"Sleeve (brass) Throat Plate with 43525, for 121397 Binder (transverse) on Shank complete, for 3/4 in., 7/8 in. and 1 in. tape, Nos. 3146, 120536, 12167; 121169, 121397, 121398XC, 121412 and two 51097J

. لهد

, .

4e ÷.

• .

. .

-.

-.

-٠

BINDERS ON SHANK

No.	Plate	Name
25705	22922	Binder on Shank, for 3/8 in. tape
	22922	7/16 in. tape
25706		
25707	22922	1/2 in. tape
25708	22922	9/16 in. tape
25709	22922	5/8 1n. tape
25710	22922	11/16 in. tape
25711	22922	3/4 in. tape
25712	22922	" 13/16 in. tape
25713	22922	" " " 7/8 in. tape
25714	22922	" " " 15/16 in. tape
25715	22922	""""" " lin. tape
28632	22922	" " to turn edges under.
28635	22922	for 7/8 in, binding.
28693	22922	" " for binding the arm
20035	<i>LL JLL</i>	holes in cotton garments
35066	22943	Presser Foot, for 28693
	24061	Di-Jon on Shall for bigs binding to
28970	24061	Binder on Shank, for bias binding, to
	0 1 0 0 1	turn both edges under
35082	24061	Binder on Shank, for raw edge bias
		binding, for wrappers, etc.
35208	24063	Binder on Shank, to turn in both
		edges, for bias or straight bind-
		ing, for skirts, wrappers, shirt
		waists, etc
26603	24063	Feed Dog, 20 teeth (16 teeth to the
		inch) for 26605, for 35208
52055	24063	Presser Foot, for 35208
2660 5X C	24063	Throat Plate, large needle hole, for
		26603, for 35208,
7298	24064	Presser Foot Hinge Pin
120143	24064	F 8469
19335	24064	" " Shank
120144	24064	Presser Foot (hinged) complete for
		Pressor Foot (hinged) complete for 35208, Nos. 7298, 19335 and
		120143
35226	24064	Binder on Shank, for mattress work
26603	24064	Feed Dog 20 teeth (16 teeth to the
20000	74004	Feed Dog, 20 teeth (16 teeth to the inch) for 26605, for 35226
191446	94064	Wood Dog 13 teath (10 teath to the
121446	24064	Feed Dog, 13 teeth (10 teeth to the inch) for 26605, for 35226
75077	04004	Inch 10r 20005, 10r 35220
35231	24064	Presser Foot, for 35226 Throat Plate, large needle hole, for
26605XC	24064	Throat riate, large needle noie, for
	84084	26603 and 121446, for 35226
35325	24064	Binder on Shank, to turn top edge
		only, for shirt bosoms, skirt
		trimmings, etc

. .

-

26 BOBBIN WINDERS

No. Plate Name

Bobbin Winder complete, Nos. 32D, 180F, 12168, 12170 and 12201..... 12202 22335

BOBBIN WINDER

FOR 12358

THIS BOBBIN WINDER IS THE SAME AS NO. 12172

WITH THE FOLLOWING EXCEPTIONS:

No.	Plate	Name
20307	22335	Frame, in place of 12169
20308	22335	Frame complete, Nos. 333D,5960,5961,
		5963, 15077 and 20307, in place
		of 12171
20309	22335	Bobbin Winder complete, Nos. 32D,
		180F, 12168, 12170 and 20308

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

FOR 31-15 MACHINE

No.	Plate	Name
27540	22333	Base
15072	22333	Bobbin Position Pin
27302	22333	Frame
50356D	22333	" Hinge Screw
1620J	22333	RUU
27303		" Spring
27541	22333	Pulley
27538	22333	Pulley Spindle Collar with 15072 and 41828
41828	22333	F 111
27306	22333	Spool Pin Washer (cloth)
11241	22333	" " Washer (cloth)
27307	22333	" Stand
27308	22333	Spool Stand complete, Nos. 418E,
		1562J. 2106, 10141, 11241, 27306,
		27307 and two each 2455 and wood
		screws 1 in. No. 10
27312	22333	Stop Latch
35D	22333	ITTING DCLOW
2455	22333	Tension Disc (2)
1562J	22333	" Regulating Thumb Nut
418E	22333	Screw Stud
10141	22333	" Spring
2106	22333	Thread Guide
27647	22333	Bobbin Winder, Nos. 35D,1620J,27302,
		27303,27312,27538,27540,27541,
		50356D and two wood screws 1 in.
		No. 7
27544	22333	Bobbin Winder (swinging automatic,
		right hand) complete, Nos.27308
		and 27647

BOBBIN WINDERS

4 • 2

,*

لى ا

هر به

. .

.

6.00 . .

- - #

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

FOR 31-20 MACHINE

THIS BOBBIN BINDER IS THE SAME AS NO. 27544

WITH THE FOLLOWING EXCEPTIONS:

No.	Plate	Name
27587	24066	Stop Latch, in place of 27312
27875	24066	Bobbin Winder, Nos. 35D,1620J,27302,
		27303,27538,27540,27541,27587,
		50356D and two wood screws 1 in.
		No. 7, in place of 27647
27876	24066	Bobbin Winder (swinging automatic,
		right hand) complete, Nos. 27308
		and 27875

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

FOR POWER TABLE

FOR ROUND BELT

259428 23253 Brake (leather)	No.	Plate	Name
200113F 23253 " " Screw		23253	Brake (leather)
200113F 23253 " " Screw	259429	23253	" Сlemp
Base 225453 23253 Prame with 202277 and 225438 225454 23253 225456 23253 225456 23253 225456 23253 225456 23253 225456 23253 225368 23253 225444 23253 225455 23253 225456 23253 225444 23253 225458 23253 225458 23253 225458 23253 225459 23253 225458 23253 225459 23253 225459 23253 225459 23253 225451 23253 2000820 23253 23253 " 2102 23253 202253 " 2102 23253 202253 " 2022 23253 23253 " 23253 " 23253 " 23253	200113F	23253	" Screw
225453 23253 Frame with 202277 and 225438 225454 23253 " Hinge Pin 202277 23253 " Oil Packing (wick) 225438 23253 " Well Cap 225455 23253 " Spring 225456 23253 " Pulley with 200380C 225361 23253 Spinde 225458 23253 " Set Screw 225361 23253 " Thumb Lever 225458 23253 " " " " Hinge Stud 225458 23253 " " " " Joint Stud 225458 23253 " " " " " Joint Stud 225459 23253 " " " " " Screw 20056E 23253 " " " " Joint Stud 202478 23253 " " " " " Screw 202294 23253 " " " " Screw 225461 23253 " " " " Screw 226020 23253 " " " Screw 225461 23253 " " Screw 226020 23253 " " Screw 226021 23253 " " Screw <td>259430</td> <td>23253</td> <td>Bobbin Winder and Tension Bracket</td>	259430	23253	Bobbin Winder and Tension Bracket
225454 23253 " Hinge Pin			
202277 23253 " 0il Facking (wick)	225453		
202277 23253 011 Facking (Wikk) 225438 23253 " "Well Cap 225455 23253 " "Plunger 225456 23253 " "Plunger 225368 23253 Pulley with 200380C 2254545 23253 Spindle 2254542 23253 Spindle 2254542 23253 " "Screw 225458 23253 " "Thumb Lever	225454		"Hinge Pin
225438 23253 Well Csp. 225456 23253 "Spring. 225368 23253 "Uley with 200380C. 200380C 23253 Set Screw. 225456 23253 Spindle. 225368 23253 Stop Latch. 225444 23253 Stop Latch. 225458 23253 " Thumb Lever. 225459 23253 " " " " Hinge Stud 225459 23253 " " " " Joint Stud 200299H 23253 " " " " Hinge Screw 200082D 23253 " " " " Washer 200082D 23253 " " " Washer 2102 23253 " Spring 201499B 23253 " Spring 201572B 23253 " " Numb Nut 201572B 23253 " " Tumb Nut 201572B 23253 " " Tumb Nut 225462 23253 " " Numb Nut 201572B 23253 " " Complete, Nos. 13710, 201572B,	202277		011 Packing (wick)
225455 23253 " Plunger" 225456 23253 " Pulley with 200380C" 225368 23253 Set Screw" 225368 23253 Stop Latch" 225368 23253 Stop Latch" 225444 23253 Stop Latch" 225458 23253 " " Thumb Lever" 225458 23253 " " " " Joint Stud" 225459 23253 " " Trip Lever" 202478 23253 " " Trip Lever" 202478 23253 " " " " Joint Stud" 20209H 23253 " " " " Screw" 200082D 23253 " " " " Washer" 228026 23253 " " " Washer" 2102 23253 " Spring" 201499B 23253 " Stud" 201572B 23253 " " Thumb Nut" 201572B 23253 " " Thumb Nut" 225462 23253 " " Thumb Nut" 201572B 23253 " " Corewide the core of t	225438	23253	Well Cap
225456 23253 Pulley with 200380C 225368 23253 Set Screw 225381 23253 Spindle 225444 23253 Stop Latch 200056E 23253 "Screw 225448 23253 "Thumb Lever 225459 23253 "Thumb Lever 225459 23253 "Thinge Stud 225459 23253 "Thinge Stud 202478 23253 "Thinge Screw 200082D 23253 "Thinge Screw 225461 23253 "Tension Bracket with 201499B 200082D 23253 "Screw 2102 23253 "Stud 2102 23253 "Stud 201499B 23253 "Stud 201572B 23253 "Stud 201572B 23253 "Stud 225462	225455		Spring
200380C 23253 "Set Screw	225456	23253	riunger
225381 23253 Spindle	225368	23253	
225444 23253 Stop Latch 200056E 23253 " "Thumb Lever 225458 23753 " " " " Hinge Stud 225459 23753 " " " " Joint Stud 202478 23253 " " " " Joint Stud 20299H 23253 " " " " Hinge Stud 200299H 23253 " " " " Hinge Screw 200082D 23253 " " " " Screw 200082D 23253 " " " Screw 2102 23253 " " " Washer 2102 23253 " Spring 201499B 23253 " Stud 201572B 23253 " Thumb Nut 201572B 23253 " " Complete, Nos. 13710, 201572B,	2003800	23253	" Set Screw
200056E 23253 " " Screw 225458 232753 " " Thumb Lever 225459 23253 " " " Joint Stud 225459 23253 " " " Joint Stud 202478 23253 " " " " Joint Stud 202478 23253 " " " " Joint Stud 20299H 23253 " " " " Lever 200082D 23253 " " " Screw 228026 23253 " " " Screw 22102 23253 " " " Washer 2012 23253 " Screw 20102 23253 " Stud 2012 23253 " Stud 201499B 23253 " Stud 201572B 23253 " " Thumb Nut 201572B 23253 " " Thumb Nut 225462 23253 " " Complete, Nos. 13710, 201572B,	225381	23253	Spindle
225458 23253 " "Thumb Lever 225459 23253 " " " " Joint Stud 225459 23253 " " " " Joint Stud 202478 23253 " " " " Joint Stud 200299H 23253 " " " " Hinge Screw 200299H 23253 " " " " Hinge Screw 20062D 23253 " " " Screw 228026 23253 " " " Washer	225444	23253	
225458 23253 """"" "Hinge Stud 225459 23253 """" Joint Stud 225459 23253 """" Joint Stud 202478 23253 """"" Hinge Stud 20299H 23253 """"" Hinge Screw 225461 23253 """"" Screw 2200082D 23253 """"" Washer 22002 23253 "Disc (2) 2102 23253 "Spring 201499B 23253 "Stud 201499B 23253 "Stud 201572B 23253 "Stud 201572B 23253 "Thumb Nut	2000 56E	23253	
225459 23753 """" Joint Stud 225459 23253 """" Joint Stud 202478 23253 """" Hinge Screw 200299H 23253 """"" Hinge Screw 200420 23253 """"" Washer 200082D 23253 """" Washer 2102 23253 "Disc (2) 13710 23253 "Spring 201572B 23253 """""Thumb Nut 201572B 23253 """""Thumb Nut 225462 23253 """Thumb Nut	225458	23253	Thumb Lever
225459 23253 " Trip Lever	225459	23?53	ninge stud
200299H 23253 Tension Bracket with 201499B. 225461 23253 """"""""""""""""""""""""""""""""""""	225459	23253	
200299H 23253 Tension Bracket with 201499B. 225461 23253 """"""""""""""""""""""""""""""""""""	202478	23253	Trip Lever
200082D 23253 """" Screw 228026 23253 """ Washer 2102 23253 "Disc (2) 13710 23253 "Spring 201499B 23253 "Stud 201572B 23253 "Thumb Nut 225462 23253 Bobbin Winder Tension Bracket complete, Nos. 13710, 201572B,	200299H	23253	Hinge Screw
228026 23253 """ Washer 2102 23253 Disc (2) 13710 23253 Spring 201499B 23253 Stud 201572B 23253 """ Thumb Nut 225462 23253 "" Complete, Nos. 13710, 201572B, complete, Nos. 13710, 201572B, complete, Nos. 13710, constraints	225461	23253	
228026 23253 " Disc (2)	2000 8 2D		
2102 23255 D18C (2) 13710 23253 "Spring 201499B 23253 "Stud 201572B 23253 "Thumb Nut 225462 23253 Bobbin Winder Tension Bracket complete, Nos. 13710, 201572B,	228026	23253	Wasner
13710 23253 Spring 201499B 23253 "Stud 201572B 23253 "Thumb Nut 225462 23253 Bobbin Winder Tension Bracket complete, Nos. 13710, 201572B,	2102	23253	Disc (2)
201499B 23255 Stud 201572B 23253 " Thumb Nut 225462 23253 Bobbin Winder Tension Bracket complete, Nos. 13710, 201572B,	13710		Spring
201572B 23253 Bobbin Winder Tension Bracket complete, Nos. 13710, 201572B,	201499B		Stud
complete, Nos. 13710, 201572B,	201 572B		TRUMD NUC
	225462	23253	
225461 and two 2102			
			225461 and two 2102

CORDERS

CORDER (Adjustable)

FOR CUSHIONS

No.	Plate	Name
26795	24067	Cord Guide
26796	24067	" " Arm
1044D	24067	" " Hinge Screw
28644	24067	" " Bed
1903	24067	" " Screw
28645	24067	Corder complete, Nos. 190J, 1044D, 26795, 26796 and 28644
35562	24067	Presser Foot for 28645

EDGE FOLDERS ON SHANK

No. 28649 35175 12450	Plate 24068 24069 24069	Name Edge Folder on Shank Edge Folder on Shank Feed Dog, 11 teeth (18 teeth to the inch) for 12451 and 12464, for
35176 12464 X C	24069	35175 Presser Foot, for 35175 Throat Plate, large needle hole, for 12450. for 35175
12 451XC	24069	Throat Plate, small needle hole, for 12450, for 35175

FEED DOGS

FOR 31-15 MACHINE

.

No.	Plate	Name
12455	24070	Feed Dog, 13 teeth (14 teeth to the inch) for shirt work, beveled for
		hemmer, for 12456 and 20398
12468	24070	Feed Dog, 16 teeth (16 teeth to the
		inch) for shirt work, beveled for
		hemmer, for 139616 and 139617
20471	24070	Feed Dog, 22 teeth (22 teeth to the
		inch) for shirt work, beveled for
		hemmer, for 139616 and 139617

FOR 31-20 MACHINE

20147	24060	Feed Dog, 12 teeth (14 teeth to the inch) for 19412 and 19413
44156	24060	Feed Dog. 24 teeth (24 teeth to the
-	04060	1nch) for 19418 and 19419 Feed Dog. 19 teeth (22 teeth to the
44177	24060	inch) for 19412 and 19413
20158	2 406 0	Feed Dog, 16 teeth (16 teeth to the inch) for shirt work, for 19418
		and 19419

28 BOBBIN WINDERS

No.	Plate	Name
259431	23253	Bobbin Winder complete for round belt,
		Nos. 200056E, 200082D, 200113F,
		200299Н, 202478, 225368, 225381,
		225444,225453 to 225456,225458,
		225462, 228026, 259428 to 259430
		and two each 225459 and wood
		screws 3/4 in. No. 12 R.H.B

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

FOR POWER TABLE

FOR "V" BELT

THIS BOBBIN BINDER IS THE SAME AS NO. 259431

WITH THE FOLLOWING EXCEPTIONS:

No.	Plate	Name
259461	23253	Pulley with 200380C, in place of
050400	07057	225368Bobbin Winder complete, for "V" belt,
259462	23253	
		Nos. 200056E, 200082D, 200113F,
		200299H,202478,225381,225444,
		225453 to 225456,225458,225462,
		228026,259428 to 259430,259461
		and two each 225459 and wood
		screws 3/4 in. No. 12 R.H.B

CORDERS

WHEN ORDERING CORDERS OR PARTS THEREOF, STATE SIZE

OR NUMBER OF CORDS TO THE INCH

CORDER (Adjustable)

FOR SHORT TURNS ON CUSHIONS

No.	Plate	Name
26795	24063	Cord Guide
26796	24063	" Arm
1044D	24063	" " Hinge Screw
120206	24063	" " Bod with #5741
		Bed with 457AL
457AL	24063	Leveling Screw
190J	24063	" " Screw
120207	24063	Corder complete, Nos. 190J, 1044D,
		26795, 26796 and 120206
121446	24063	Feed Dog (spiked teeth) 13 teeth (10
		teeth to the inch) for 26605XC
120208	24063	Presser Foot (grooved)
26605XC	24063	Throat Plate, large needle hole, for
		121446

6 1

1. W

.

. .

1

هر ي

لا ب

ہ ے

1

۰. بور ۱

ور n

.

*

3

2

FEED DOGS

FOR 31-15 AND 31-20 MACHINES

No.	Plate	Name
12481	24067	Feed Dog, 18 teeth (16 teeth to the
		inch) for 12482 and 12483
43978	24067	Feed Dog, 24 teeth (22 teeth to the
		inch) for 12482 and 12483
12450	24067	Feed Dog, 11 teeth (18 teeth to the
		inch) for cloth, for 12451 and
		12464
44253	24067	Feed Dog. 16 teeth (16 teeth to the
		inch) for cloth, for 44255 and
		44256
20348	24067	Feed Dog, 22 teeth (36 teeth to the
		inch) for chiffon, for 12451 and
		12464

FINGER GUARDS

No.	Plate	Name
36818	24071	Finger Guard
36819	24071	" Friction Washer
50316J	24071	" " Hinge Screw
36820	24071	" Holder with 196J
196J	24071	" " Clamping Screw
36821	24071	Finger Guard complete, Nos. 36818 to
		36820 and 50316J
120496	24071	Finger Guard
120497	24071	" "Holder with 50302J
50302J	24071	" " Set Screw
236J	24071	" " Screw
120498	24071	Finger Guard complete, Nos. 236J,
		120496 and 120497
120856	24071	Finger Guard
120858	24071	"" Holder with 50302J
50302J	24071	" " Screw
236J	24071	" " Screw (2)
120859	24071	Finger Guard complete, Nos. 120856,
100000	#1011	120858 and two 236J
120857	24071	Finger Guard
120858	24071	
50302J	24071	" " Screw
236J	24071	" " Screw (2)
120860	24071	Finger Guard complete, Nos. 120857,
		120858 and two 236J
121334	24071	Finger Guard
120497	24071	"Holder with 50302J
50302J	24071	" " Set Screw
236J	24071	" " Screw
121335	24071	Finger Guard complete, Nos. 236J,
		120497 and 121334
121618	24071	Finger Guard
120858	24071	Holder with 50302J
50302J	24071	" " Screw
236J	24071	" " Screw (2)
121619	24071	Finger Guard complete, when machine
		is fitted with a Roller Presser,
		Nos. 120858, 121618 and two 236J.
		· · · · · ·

GUIDES

No.	Plate	Name
25866	22337	Guide, for throat plate flush with
25874	22337	bed Guide, for throat plate raised above
60014	22331	béd
25873	22337	Guide (combination) " (roller) with 1852
28658	22337	
1852	22337	" Roller
284W	22337	" Thumb Screw (long) " (short)
50190W	24063	
3146	22337	" " Washer for 25873

GUIDE (Adjustable, Hinged)

28971 2233 28972 2233 35610 2233 940W 2233 120427 2233 51224W 2233 7071 2233 120428 2233	Holder. Holder. Hinge Screw. Hinge Screw. Hinge Screw. Hinge Screw. Holder. H
---	--

HEMMERS

HEMMER WITH LEVER FOR OPENING THE FOLDER AND RELEASING THE HEM, SO THAT IT CAN BE FINISHED WITHOUT REMOVING THE HEMMER FROM THE MACHINE. FOR SKIRTS, OVERALLS

OR SIMILAR CLOSED ARTICLES.

No.	Plate	Name
28679	24072	Hemmer Bed with 28681
28680		" Folder (left)
233J	24072	NII II SCREW
2362	24072	" " Steady Pin
28681		" " (right)
28685	24072	Hemmer Folder Disengaging Lever
94D	24072	" " Hinge
		Screw
2362	24072	Hemmer Folder Disengaging Lever Stop
		Pin
28682	24072	Hemmer Slide with 28687 and two each
		2362 and 12152
28683	24072	Hemmer Slide Cap (left)
28684	24072	" " (right)
207F	24072	Screw (back) (2)
233 J	24072	(front) (2)
28686	24072	" " Spring
28687	24072	" " Cover

HEMMERS Plate Name 24072 Hemmer Slide Spring Cover Rivet (2).. 24072 Hemmer complete, Nos. 94D, 28679, 28680,28682 to 28686, two 207F and 233J..... 24072 Hemmer Screw

4 J

- A

ъ ў

د ،

و ،

× 8

" S

, ¥

		and 233J
190J	24072	Hemmer Screw.
18055	24072	Presser Foot Hinge Pin
28689	24072	" Plate
28690	24072	" Shank
26231	24072	" " Spring.
28691	24072	Presser Foot (spring hinged) complete,
		Nos. 18055,26231,28689 and 28690

HEMMERS (Foot)

No.	Plate	Name
120938	24073	Hemmer (foot) for 3/32 in. hem
120803	24073	1/8 1D, hem
120804	24073	" " 5/32 in hem
120805	24073	" 3/16 in. hem
36122	24073	" 7/32 in hem.
120806	24073	" " 1/4 in. hem
120807	24073	" " 5/16 in. hem
121761	24073	" " 1/8 in. hem. for
	21010	hemming shirts
121762	24073	Hemmer (foot) for 5/32 in. hem, for
		hemming shirts
121760	24073	Hemmer (foot) for 1/8 in. hem for
		hemming shirts, for 121758 and
		121759
121758	24073	Feed Dog, 13 teeth (16 teeth to the
101/00	-10.0	inch) for 121759, for 121760
121759 X C	24073	Throat Plate, small needle hole, for
101.00000	CIOIC	121758, for 121760
35710	24073	Hemmer (foot) for 3/32 in. hem, with
00/10	24010	guide on bottom to right of
		needle hole
35682	24073	Hemmer (foot) for 1/8 in. hem, with
00000	L+010	guide on bottom to right of
		needle hole
36524	24073	needle hole Hemmer (foot) for 5/32 in. hem, with
00004	24070	guide on bottom to right of
		needle hole
35997	24073	Hemmer (foot) for 3/16 in. hem, with
55551	24075	guide on bottom to right of
		guide on boltom to right of
36309	24073	needle hole
20209	24075	Hemmer (foot) for 7/32 in. hem, with
		guide on bottom to right of
36072	24073	needle hole.
36072	24073 .	Hemmer (foot) for 1/4 in. hem, with
		guide on bottom to right of
120898	24073	needle hole
120898	24075	Hemmer (foot) for 1/16 in. to 1/8 in.
100021	04077	hem, for China silk, etc
120911	24073	Hemmer (foot with shell hemmer) for
		5/32 in. to 1/4 in. hem, for
		China silk, etc Hemmer (foot) plain bottom, for 1/16
36413	24073	Hemmer (foot) plain bottom, for 1/16
7047.	0.077	in. hem
36414	24073	Hemmer (foot) plain bottom for 3/32
		in. hem.
36480	24073	Hemmer (foot) plain bottom for 5/32
		in. hem

HEMMERS

No.	Plate	Name
36416	24073	Hemmer (foot) plain bottom, for 3/16
120837	24073	in. hem Hemmer (foot) plain bottom, for 1/8 in. hem. slotted for lace
121801	24064	Hemmer (foot) for 1/8 in. hem, for hemming shirts for 44252, 44256,
121802	24064	52031 and 52032 Hemmer (foot) for 5/32 in. hem, for hemming shirts, for 44252,44256, 52031 and 52032
121803	24064	Hemmer (foot) wide folder, for 3/16 in. hem, for hemming shirts, for 44252, 44256, 52031 and 52032
121804	24064	Hemmer (foot) narrow folder, for 3/16 in. hem, for hemming shirts, for 44252, 44256, 52031 and 52032
121848	24064	Henmer (foot) for 3/32 in hem, for hemming shirts, for 44252,44256, 52031 and 52032
121798	24064	Hemmer (foot) for 1/8 in. hem, for hemming shirts, for 44252,44256, 52031 and 52032
5 2031	24064	Feed Dog, 19 teeth (22 teeth to the inch) for 52032, for 121801 to 121804, 121798 and 121848
52032 X C	- 24064	Throat Plate, large needle hole, for 52031, for 121801 to 121804, 121798 and 121848

HEMMERS ON SHANK

No.	Plate	Name
26652		Hemmer, for 3/32 in. hem
26654		" Rivet
26653		" Shank
26655	24074	Hemmer on Shank complete, Nos. 26652 to 26654
12450	24074	Feed Dog, 11 teeth (18 teeth to the inch) for 12451 and 12464, for 26655
26656	24074	Presser Foot, for 26655
12464 XC	24067	Throat Plate, large needle hole, for 12450, for 26655
12451 X C	24074	Throat Plate, small needle hole, for 12450, for 26655
26659		Hemmer
26660	24074	Hemmer on Shank complete, for 3/32 in. hem, for umbrella work, Nos. 26653, 26654 and 26659
26661		Hemmer (wide)
26662	24074	Hemmer on Shank complete, Nos. 26653, 26654 and 26661
26663		Hemmer
26664	24074	Hemmer on Shank complete, for raw edge silk, Nos. 26653, 26654 and 26663
26665		Hemmer, for 1/8 in. hem
26666	24074	Hemmer on Shank complete, Nos. 26653, 26654 and 26665
121843		Hemmer
28711	24065	Hemmer on Shank with 121843, for 1/8 in. to 1/2 in. hem, for towels

32

No. 12152 28688

-

KNEE LIFTER PARTS

HEMMERS					KNEE LIFTER PARTS 35
HEMMERS					NILE LIFTER PARTS
Name	-	*	No.	Plate	Name
Hemmer			76D	22305	Lifting Lever Connecting Rod Joint
" Screw (2)					Hinge Screw
" Shank			1521J	22305	Lifting Lever Connecting Rod Lock Nut
Hemmer (adjustable) on Shank,	· •		802D	22305	" " Hinge Screw
complete, for 1/2 in. to 2 in.	4		12241	22306	
hem, Nos. 120338, 120339 and two		,	766E	22306	HING SCREW
1443J			12240	22305	" " Pin " " Set Screw
Hemmer on Shank, for 1/8 in . to 5/8			448AL	22305	
in. gauges, for Marseilles quilts			2763	22338	Rock Shaft
Presser Foot for 28627	-		139633		139623
Hemmer on Shank, for Canton flannel,			107210	00770	Rock Shaft Hanger (back) with two
etc Read Dec. 14 tooth (16 tooth to the			127312	22338	wood screws 1 in. No. 10 F.H.,
Feed Dog, 14 teeth (16 teeth to the					for 139624
inch) for 19475, for 35241 Presser Foot for 35241			12242	22338	Rock Shaft Hanger (front) with two
Hinge Pin			TECTE	22000	wood screws 1 in. No. 10 F.H.,
" "Plate					for 139624
" " Shank	H		7539	22338	Rock Shaft Hanger with two wood
Presser Foot (hinged) complete, for					screws 1 in. No. 10 F.H., for
35241, Nos. 7298, 19335 and					139625 (2)
120143			2765	22338	Rock Shaft Knee Arm
Throat Plate, large needle hole, for	~		2766	22338	" " " Hub with 356C
19474, for 35241	•	.*	356C	22338	" " " " Set Screw
Hemmer on Shank, for canvas work			2768		Rock Shaft Knee Arm complete, Nos.
Feed Dog, 20 teeth (16 teeth to the					2765 to 2767
inch) for 26605, for 35863			2767	22338	Rock Shaft Knee Plate with 356C Bet Screw
Presser Foot, for 35863			356C	22338	
Throat Plate, large needle hole, for		i.	6337	22338	" " Lifting Bracket with two
26603, for 35863		ļ		00770	356C
Hemmer on Shank, for hemming heavy			139623	22338	Rock Shaft Lifting Bracket Hook Set
Canton flannel			3560	22338	-
Hemmer on Shank, for 2 9/16 in. to 3			7500	00778	Screw Rock Shaft Lifting Bracket Set Screw.
in. hem			356C 2770	22338 22338	" " Stop Dog with 1402196
Hemmer on Shank, for 1/8 in. hem " 1 1/4 in. to 2			140219C	22338	" " Stop Dog with 140219C " " Set Screw
			139624	22338	Rock Shaft complete, for 139626, Nos.
in. hem. Hemmer on Shank, for 5/32 in. hem,]	139074	02000	2768, 12242, 127312 and 139633
with right hand lower guide, for			139625	22338	Rock Shaft complete, for 139627, Nos.
lace		· ·	100000		2768, 139633 and two 7539
Hemmer on Shank, for 2 1/4 in. to 3			139626		Knee Lifter complete (power table)
in. hem					Nos. 76D, 766E, 802D, 1521J,
					5598, 12237, 12240, 12241, 12415,
					12416, 139624 and two 178E
HEMSTITCHER	<u>s</u>	-	139627		Knee Lifter complete (individual
HEMOTICHER					motor and foot power stands) Nos.
					76D, 766E, 802D, 1521J, 5598,
Name					12237, 12240, 12241, 12415, 12416,

No.

28673

28674

Plate

24072

. ы.,

ح 693

5. 1١. 2

HEMST

Plate 24067 Name No. 28671 Hemstitcher.....

.

Plate

24065

24065

24065 24065

24072

24072

22943

22943

22943

22943

22943

22943

22943

22943

22943

22943

22943

24065

24074

24068

24068

24068

24065

19475XC 22943

34

No. 120338

120339 120340

28627

28628

35241

19474

35066

120143

19335

35863

26603

35066

28650

28653

28710 28721

35475

36776

26605XC

120144

7298

1443J

KNEE LIFTER PARTS

No.	Plate	Name
5596	22305	Bell Crank
56848		" 5596 with 5599 and 5601
5599	22305	" Bracket
178E	22305	" " Screw (2)
5601	22305	" " Hinge Pin
5735	22305	" " Spring
5598	22305	Bell Crank complete, Nos. 5735 and
		56848
12237	22305	Lifting Lever with 448AL
12415	22305	Connecting Rod
12416	22305	" Joint

Name Lap Seam Feller (right hand) on Shank, to fold top only..... Lap Seam Guide on Shank 24072

LAP SEAM FELLER

139625 and two 178E.....

35

.

37

MACHINE BASE

No.	Plate	Name
19219	22309	Bed Frame Cushion (leather) (4) "Screw (8)
158C	22309	Screw (8)
19220	22309	" " Spring (4)
19226	22309	Hinge Connection (2)
19398		19440 MIMI
		211E and 19397 (2)
19397	22309	Bed Frame Hinge Connection Cap (2)
211E	22309	211E and 19397 (2) Bed Frame Hinge Connection Cap (2) Screw
		(2)
16555	22309	Bed Frame Hinge Plate (2)
14010	22309	Bed Frame Hinge Plate (2) Rivet (6)
20067	22309	Bed Frame with two each 16555, 19398.
		four each 19219, 19220, six each
		14010, wood screws 1 1/4 in. No.
		12 and eight 158C

PIPING ATTACHMENT

No.	Plate	Name
44253	24061	Feed Dog, 16 teeth (16 teeth to the
		inch) for cloth, for 44255 and
		44256
120977	24061	Piping Attachment
1443J	24061	" Screw
35245	24061	Piping Attachment complete, for
		piping house dresses, Nos. 1443J
		and 120977
52056	24061	Presser Foot
44256XC	24061	Throat Plate, large needle hole, for
•		44253
44255XC		Throat Plate, small needle hole, for
		44253

PRESSER FEET

No.	Plate	Name
12258	24075	Presser Foot (wide) for 44252 and 44253
12335	24075	Presser Foot (narrow) for 44252 and 44253
12142	24075	Presser Foot for 12455, 12468, 12481, 20158, 20471, 24978 and 44156
12144	24075	Presser Foot for 12455, 12468, 12481, 20147, 20158, 20471, 43978 and
		44156
122 5 9	24075	Fresser Foot, for 12455, 12468, 12481, 20158, 20471, 43978 and 44156
12260	24075	Presser Foot, for 12450, 12455, 12488, 12481, 20147, 20158, 20348, 20471,
		43978 and 44156
12261	24075	Presser Foot, for 12455, 12468, 12481,
		20158, 20471, 43978 and 44156
12474	24075	Presser Foot, for 12455, 12468, 12481,
		20158, 20471, 43978 and 44156
20020	24075	Presser Foot, for 12455, 12468, 12481,
		20158, 20471, 43978 and 44156

		PRESSER FEET 57
Na	777.44.4	T
No.	Plate	Name
20342	24075	Presser Foot, for 12450, 12455, 12468,
		Presser Foot, for 12450, 12455, 12468, 12481, 20158, 20348, 20471, 43978
		and 44156
20343	24075	Presser Foot with guide on bottom to
		right of needle hole for 12450,
		12455 12469 12491 20158 20240
		12455, 12468, 12481, 20158, 20348, 20471, 43978, 44156, 44252 and
		20471, 43978, 44156, 44252 and
00150	0.000	44253
20458	24075	Presser Foot, for 12455, 12468,
		Presser Foot, for 12455, 12468, 12481, 20158, 20471, 43978 and
		44156 Presser Foot for No. 5 Slide Fastener, for stitching at right or left of slide fastener. for hour wollow
121941	24075	Presser Foot for No. 5 Slide Fastener
		for stitching at right or left of
		slide fastener, for heavy woolen
		suiting and drongon for 19455
		suiting and dresses, for 12455, 12468, 12481, 20158, 20471, 43978
		12408, 12481, 20158, 20471, 45978
		and 44156 Presser Foot Hinge Pin
7298	24075	Presser Foot Hinge Pin
19334	24075	
19335	24075	" " Shank
19336	24075	Presser Foot (binged) complete for
	-1010	12455 12469 12491 20150 20473
		12400, 12400, 12401, 20100, 20471, 47070, -1 44750, 8-4 7070, -1 44750, 8-4 7070, -1 44750, 8-4 7070, -1 470700, -1 47070, -1 47070, -1 47070, -1 47070, -
		" "Shank Presser Foot (hinged) complete, for 12455, 12468, 12481, 20158, 20471, 43978 and 44156, Nos. 7298, 19334 and 19335
7298	24075	rresser foot Hinge Pin
202 68	24075	" "Plate
20269	24075	" Shank Presser Foot (hinged) complete, for 44252 and 44253, Nos. 7298, 20268 and 20269
20270	24075	Presser Foot (hinged) complete, for
	01010	4252 and 44253 Nog 7209 20269
		44202 and 44200 , 100 . 1200 , 20200
COF07	0.4075	and 20269. Presser Foot Hinge Pin
62527	24075	Presser Foot Hinge Pin
20310	24075	Place
19223	24075	" Shank Presser Foot (hinged) complete, for 12455, 12468, 12481, 20147, 20158, 201471, 43078, and 41155 Moo
20311	24075	Presser Foot (hinged) complete, for
		12455, 12468, 12481 20147 20158
		20471 43078 and 44156 Non
		20471, 43978 and 44156, Nos. 19223, 20310 and 62527
20503	04075	19223, 20310 and 62527
62527	24075	Presser Foot Hinge Pin
20344	24075	
20345	24075	
26231	24075	" Spring
20346	24075	Presser Foot (spring hinged) complete.
		for 12455, 12468 12481 20147
		20471 and 43979 Nos 20344
		2074E 2027 and 20507
60507	0407E	20040, 20201 and 02027
62527	24075	rresser root ninge rin
24544	24075	" "Plate
24982	24075	
26231	24075	 "Spring Presser Foot (spring hinged) complete, for 12455, 12468, 12481, 20158, 20471, 43978 and 44156, Nos. 24544, 24982, 26231 and 62527 Presser Foot Hinge Pin
24983	24075	Presser Foot (spring hinged) complete.
		for 12455, 12468 12481 20158
		20471 43978 and 44156 Wee
		24544 24002 26221 and 62507
00507	04075	24344, 24362, 20231 and 62327
62527	24075	
121943	24075	" LTate
121944	24075	Snank
121945	24075	" " Spring Presser Foot complete, for No. 5
121946	24075	Presser Foot complete, for No. 5
. – .		Slide Fastener, for stitching at
		right or left of slide fastener,
		for moreing some for 19455
		for crossing seems, for 12455, 12468, 12481, 20158, 20471, 43978
		12400, 12481, 20158, 204/1, 43978
		and 44156, Nos. 62527 and 121943
		to 121945

PRESSER FEET

36

۰.

•

.

٠ .

٠ .,#

٠

۰. .1

+ -

٠ ٠

38

PRESSER FEET

- -

. .

* 4

* 4

- -

- -

* +

÷

No.	Plate	Name
12467	24075	Presser Foot, for umbrella work
28612	24075	" for plain stitching
28614	24075	" " for plain stitching
28622	24075	" " (grooved) for cording.
28715	24075	" " (tube) for laying
		fringe-edged braid
28725	24075	Presser Foot, Spring Guide
665J	24075	" " Screv
28726	24075	" " (right hand, spring
		guide) with 665J and 28725, for
		1/32 in. to 1/4 in. gauges
Note	e: When d	ordering Nos. 28725 or 28726 state re-
	quired	distance from edge of goods to seam.
36183	24075	Presser Foot Braid Guide
665J	24075	Screw
36182	24075	" " with 665J and 36183, for
		blind stitch braiding, for
		soutache braid
Note		ordering 36182 or 36183 send sample of
		for which it is to be used.
36622	24075	Presser Foot
36576	24075	" Finger Guard
50202J	24075	Screw (2).
36623	24075	36622 with 36576 and two
		50202J

PRESSER FEET

WITH GRADUATED ADJUSTABLE GUIDES

35134	22946	Presser Foot with 36696, for 35137
121948	24075	WICH 30030. TOP 121343
35002	22946	" Extension for 35137
35003	22946	" " Graduated Adjustable
		Guide (long, left)
35004	22 94 6	Presser Foot Graduated Adjustable Guide (long, right)
35005	22946	Presser Foot Graduated Adjustable
75000	22946	Guide (short, right)
35006	22340	Presser Foot Graduated Adjustable Guide (short, right) flush for
		35137
35135	22946	Presser Foot Graduated Adjustable
		Guide Clamp
35136	22946	Presser Foot Graduated Adjustable Guide Clamp Lever
337B	22946	Presser Foot Graduated Adjustable
		Guide Clamp Screw
36696	22946	Presser Foot Graduated Adjustable
		Guide Clamp Steady Pin
35137	22946	Presser Foot with Extension and
		Graduated Adjustable Guides com-
		plete, for 12455, 12468, 12481,
		20158, 20471, 43978 and 44156,
		Nos. 337B. 35002 to 35006 and
		35134 to 35136
121949	24075	Presser Foot with Graduated Adjust-
171242	240/0	
		able Guides complete, for No. 3
		and No. 5 Slide Fastener, for
		making various margins up to $1/2$
		inch between the slide fastener
		and the line of stitching, for
		12455, 12468, 12481, 20158, 20471,
		12455, 12468, 12481, 20158, 20471, 43978 and 44156, Nos. 337B, 35003
		to 35005, 35135, 35136 and 121948

QUILTERS

We	Diete	Tomo
No.	Plate	Name
28659	22946	Quilter Guide
25992	22946	"Holder with two 207F
207F	22946	" " " Set Screw
207F	22946	Quilter Guide Set Screw
28660	22946	Quilter complete, Nos. 25992 and
20000	22040	28659
100400	00010	
120479	22946	Quilter Guide (left)
120480	22946	" (right)
120481	22946	" Bracket
120482		" " 120481 with
		120483 and two 2090
120483	22946	Quilter Guide Disengaging Sleeve
120484	22946	
		Spring
602D	22946	Quilter Guide Disengaging Sleeve
0020	22340	Spring Screw
		opring bores.
209C	22946	Quilter Guide Set Screw (2)
120485	22946	Quilter complete, Nos. 602D, 120479,
		120480, 120482 and 120484

RUFFLER (Power)

WITH RIGHT AND LEFT GUIDES, WITH SEPARATING BLADES

AND DISENGAGING LEVER TO THROW RUFFLING

BLADE OUT OF ACTION.

No.	Plate	Name
26722	24068	Driving Lever
11010	24068	" Hinge Screw
26668	24068	" " Spring
1640C	24068	" " Adjusting Nut
26669	24068	Frame
26670	24068	Guide (left) with 26679 and two 662J.
26671	24068	" (right) with 26679 and two 662J
223J	24068	" Screw
26718	24068	Needle Clamp Body
1943	24068	" Roller
1115F	24068	" Screw
26719	24068	Needle Clamp complete, Nos. 1115F,
20720	01000	1943 and 26718
26675	24068	Ruffling Blade
26676	24068	Clamp
337J	24068	" " Screw (2)
26723	24068	" " Lever
812B	24068	Ruffling Blade Lever Adjusting Thumb
0120	24066	Screw
1 CO1 T	94069	
1621J	24068	Ruffling Blade Lever Adjusting Thumb
		Screw Nut.
26678	24068	Ruffling Blade Lever Disengaging
		Lever
102J	24068	Ruffling Blade Lever Disengaging
		Lever Hinge Screw

RUFFLER

40

No.	Plate	Name
2301	24068	Ruffling Blade Lever Disengaging
		Lever Stop Pin
26679	24068	Separating Blade
662J	24068	" " " Screw (4)
26724	24068	Ruffler complete, Nos. 102J, 223J,
		812B, 1101C, 1621J, 1640C, 2301,
		26668 to 26671, 26675, 26676,
		26678, 26719, 26722, 26723 and
		two 337J

THROAT PLATES

FOR 31-15 MACHINE

No.	Plate	Name
20398 X C	24070	Throat Plate, large needle hole, for 12455
12456XC		Throat Plate, small needle hole, for
1140040		12455
139 616X C	24070	Throat Plate, large needle hole, for
		12468 and 20471
139617 X C		Throat Plate, small needle hole, for
		12468 and 20471

FOR 31-20 MACHINE

No.	Plate	Name
19412XC	24060	Throat Plate, large needle hole, for
		20147 and 44177
19413XC		Throat Plate, small needle hole, for
		20147 and 44177
19418XC	24060	Throat Plate, large needle hole, for
		20158 and 44156
19419XC		Throat Plate, small needle hole, for
		20158 and 44156

FOR 31-15 AND 31-20 MACHINES

No.	Plate	Name
12464XC	24067	Throat Plate, large needle hole, for
		12450 and 20348
12451XC	24069	Throat Plate, small needle hole, for
		12450 and 20348
12482XC	24067	Throat Plate large needle hole, for
		12481 and 43978
12483XC		Throat Plate, small needle hole, for
		12481 and 43978
44255XC	24067	Throat Plate, small needle hole, for
		44252 and 44253

TUCKER

No. 36655 36656 36657	Plate 24069 24069 24069	Name Driving Lever "Hinge Stud "Lock Spring "Lock Spring Rivet (2)
36658	24069	Rivet (2)
120500	24069	Frame

.

TUCKER

No. 26718 1943 1115F 26719

36664 120572 50238B

٠

-

•

.

~ *

. .

- -

.4

æ

·• ·*

Plate	Name
24069	
24069	Needle Clamp Body
	" Roller
24069	Screv
24069	Needle Clamp complete, Nos. 1115F,
	1943 and 26718
24069	Tuck Guide
24069	I I I III IIII IIII IIIIIIIIIIIIIIIIII
24069	Thumb Screw
	Washer
24069	Marker (lower).
	36662 with 36664
	and two 36648.
24069	Tuck Marker (upper).
24069	
24069	Clamping Plate
24009	Thumb
	Screw
24069	Tuck Marker Rivet (2)
24069	SECOLDING Shring
24069	" Rivet (2)
24069	Tucken complete Nes 20220 "20055
84000	Tucker complete, Nos. 26719, 36655 to
	36657, 36660, 36661, 36663, 36667,
	120500, 120572 and two each 36658.
	50238B and 86354

OBSOLETE PARTS

~ .

40 e

ы *и*

هي به

<u>ц</u> н

- -

. .

۰ , ۰

No.	Plate	Name
12403	24077	Arm Spool Pin and Thread Eyelet, use 52239
29599	24077	52239 Arm Oil Tube Packing (felt) for 11119, 12454 and 24131
44212	24076	12454 and 24131 Drip Pan with four 1 in. wire nails, use 139622
45720		use 139622 Face Plate Thread Guard (upper) 45874 with 125373, use 139615
125373		Face Plate Thread Guard (upper) Rivet
3033	24077	Feed Connecting Link, use 52165
120001	24077	Feed Dog (spiked teeth) 12 teeth (10 teeth to the inch) superseded by 121446, not interchangeable
12369	24077	Feed Dog, for cloth, 12 teeth (12 teeth to the inch) superseded by
12 45 7	24077	44252, not interchangeable Feed Dog, for cloth, 16 teeth (16 teeth to the inch) superseded by 44253, not interchangeable
2 4 03 6	24077	Feed and Feed Lifting Eccentric Sleeve, use 127152
12374	24077	Feed Lifting Rock Shaft
12375	24077	Feed Lifting Rock Shaft complete, Nos. 3043, 12374 and 12376, use 44126.
3043	24077	Feed Lifting Rock Shaft Crank (back) with 462AL Feed Lifting Rock Shaft Crank (back)
2049		Feed Lifting Rock Shaft Crank (back) Pin. Feed Lifting Rock Shaft Crank (back)
462AL	'	Del DCPew
12430	24077	necting Rock Shart Grank Con- necting Rod with two 966E, use
878J	24077	43976. Oscillating Rock Shaft Hinge Pin Oil Hole Stop Screw
12459	24077	Oscillating Rock Shaft Hinge Pin Oil Hole Stop Screw Washer (leather).
460AL	24077	Oscillating Shaft Crank Set Screw, for 19447 Oscillating Shaft Crank Slide Block
229J		Cap Screw for 19449
2062	24077	Presser Bar Lifter, use 52016 Presser Foot Hinge Pin for 20157,
2532	24077	20311 and 20346
24545	24077	Presser Foot Shank, use 24982
24546	24077	Presser Foot (spring hinged) complete for 12481 and 19474, Nos. 24544,24545, 26231 and 62527, use 24983
24074		Shuttle Bobbin Case complete for 19292, Nos. 591F, 592E, 2975, 15098 and 15141, use 62740
462AL		Shuttle Driver Set Screv.
15098	24077	Shuttle Driver Set Screw Shuttle Tension Spring for 24074
2921	24077	Tension Disc (2)
20314	24077	Releaser
29549	24077	Releasing Lever
	24077	
10180		" Screw Stud
20061 448AL	24077	" " Bushing
20062	24077	in ii ii Blonge
20062	24077	" " " Flange " " " Collar

No. Plate Name 2923 24077 Tension Spring 210958 Thread Retainer Collar 50429AL 24077 " 210993 " 12400 24077 " 12400 24077 " 52398 24077 " 12401 24077 " 52378 24077 " 52378 24077 " 52378 24077 " 52378 24077 " 52378 24077 " 52379 Thread Retainer complete, Nos. 52378, 52398, 210953
210958 Thread Retainer Collar
50429AL 24077 """Set Screw 210993 """Sleeve 12400 24077 ""Spring 12401 24077 ""Spring 12402 24077 ""Stud 12402 24077 ""Stud 12402 24077 ""Stud 52378 24077 ""Stud 52378 24077 "Stud 52379 Thread Retainer complete, Nos. 52378, 52398, 210955
210993 """Sleeve 12400 24077 """Spring 52398 24077 """Spring 12401 24077 """Spring 52378 24077 """Stud 12402 24077 """Stud 12402 24077 """Stud 52378 24077 """Stud 52378 24077 """Stud 52379 Thread Retainer complete, Nos. 52378, 52398, 210958 and 210993
12400 24077 """Sleeve 52398 24077 """Spring 12401 24077 """Spring 52378 24077 """Stud 12402 24077 """Stud 12402 24077 """Stud 12402 24077 """Stud 52378 24077 """Stud 52379 Thread Retainer complete, Nos. 52378, 52398, 210958 and 210933
12400 24077 "Sleeve 52398 24077 "Spring 12401 24077 "Spring 52378 24077 "Stud 12402 24077 "Stud 12402 24077 "Stud 460AL 24077 "Set Screw 52379 Thread Retainer complete, Nos. 52378, 52398, 210958 and 21093
Science Spring 12401 24077 "Spring 52378 24077 "Stud 12402 24077 "Stud 12402 24077 "Stud 460AL 24077 "Stud 52379 Thread Retainer complete, Nos. 52378, 52398, 210958 and 210933
12401 24077 Spring 52378 24077 "Stud 12402 24077 "Stud 460AL 24077 "Stud 52379 Thread Retainer complete, Nos. 52378, 52398, 210958 and 210993
52378 24077 Stud 12402 24077 "Stud 460AL 24077 "Set Screw 52379 Thread Retainer complete, Nos. 52378, 52398, 210958 and 210993
12402 24077 " Stud 460AL 24077 " " Set Screw 52379 Thread Retainer complete, Nos. 52378, 52398, 210958 and 210993
460AL 24077 " " Set Screw 52379 Thread Retainer complete, Nos. 52378, 52398, 210958 and 210933
52398, 210958 and 210993
52398, 210958 and 210993
12399 Thread Retainer complete, Nos. 12400
to 12402, use 52379
430C 24077 Thread Take-up Lever Link Hinge Pin
Set Screw
8511 24077 Thread Take-up Spring
12411XC 24077 Throat Plate, large needle hole, for
12369 and 12457, superseded by
44256, not interchangeable
12449XC Throat Plate, small needle hole, for
12369 and 12457, superseded by
44255, not interchangeable
12469XC 24077 Throat Plate, large needle hole, for
12468 and 20471, use 139616
12470XC Throat Plate, small needle hole, for
12468 and 20471, use 139617

٦

42

,

_

.

.

.

.

...

2 .#

No.	Plate	Name
32D	22335	Bobbin Winder Frame Hinge Screw for 12172, 12202 and 20309
35D	22333	Bobbin Winder Stop Latch Hinge Screw for 27647 and 27875
76D	22305	Lifting Lever Connecting Rod Joint Hinge Screw for 139626 and 139627
94D	24072	Hermer Folder Disengaging Lever Hinge
102J	24068	Screw for 28688 Ruffler Ruffling Blade Lever Disen- gaging Lever Hinge Screw for 26724
144D	22303	Arm Shaft Screw
145D	22307	Shuttle Race Screw (2)
152F	24060	Arm Shaft Screw Shuttle Race Screw (2) Binder Guide (upper) Screw for 25694 (2)
157J	22305	(2) Feed Lifting Rock Shaft Crank Clamp- ing Screw for 12376
157J	22305	Feed Rock Shaft Crank Clamping Screw for 29633
158C	22309	Bed Frame Cushion Screw for 20067
162D	22332	Belt Guard Extension Screw for
178E	22305	126365 Bell Crank Bracket Screw for 139626 and 139627 (2)
180F	22335	Bobbin Winder Spring Screw for 12172, 12202 and 20309
190J	24061	Binder Ribbon Tension Screw for 26250, 26402, 120127, 120437 and 120459
190J	22912	Binder Screw.
190J	24063	Corder Cord Guide Screw, for 28645 and 120207
190 J	22304	Face Plate Screw
190J	24072	Hemmer Screw
190J	22306	Binder Folder Screw for 28678 and
193J	24062	Binder Folder Screw for 28678 and
		28776 Finger Guard Holder Clamping Screw.
196J	24071	for 36820 Binder Folder Screw for 26250,26402,
207F	24061	120437 and 120459
207F	24072	Hemmer Slide Cap Screw (back) for 28688 (2) Quilter Guide Holder Set Screw for
207F	22946	Quilter Guide Holder Set Screw for 25992 Quilter Guide Set Screw for 25992
207F	22946	Quilter Guide Set Strew Ior 23552
208AL	22304	Feed Dog Screw (2)
2090	22946	Feed Dog Screw (2) Quilter Guide Set Screw for 120482 (2) Balance Wheel Oil Cover Screw
210J	22303	Balance Wheel 011 Cover Screw
211E	22309	Bed Frame Hinge Connection Cap Screw, for 19398 (2)
219J	22305	Arm Side Can Screw
220J	22918	Binder Folder Screw for 120127
223J	24068	Ruffler Guide Screw for 26724
225F	22306	Slack Thread Regulator Adjusting
226J	22305	Screw Oscillating Shaft Crank Slide Block Cap Screw for 19449

SINCER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.**"

Needles in Containers marked "FOR SINGER MACHINES" are NOT SINGER made needles. 2 ,

~

OBSOLETE PARTS

+ +

8 . J

ч н

φ d

6- 4

tv P

ж. н

No.	Plate	Name
12403	24077	Arm Spool Pin and Thread Eyelet, use 52239
29599	24077	52239 Arm Oil Tube Packing (felt) for 11119, 12454 and 24131
44212	24076	Drip Pan with four 1 in. wire nails,
45720		use 139622 Face Plate Thread Guard (upper) 45874 with 125373, use 139615
125373		Face Plate Thread Guard (upper) Rivet
3033	24077	Feed Connecting Link, use 52165
120001	24077	Feed Dog (spiked teeth) 12 teeth (10 teeth to the inch) superseded by 121446, not interchangeable
12369	24077	Feed Dog, for cloth, 12 teeth (12 teeth to the inch) superseded by
12457	24077	44252, not interchangeable Feed Dog, for cloth, 16 teeth (16 teeth to the inch) superseded by 44253, not interchangeable
24036	24077	Feed and Feed Lifting Eccentric Sleeve, use 127152
12374	24077	Feed Lifting Rock Shaft
12375	24077	Feed Lifting Rock Shaft complete, Nos. 3043, 12374 and 12376, use 44126.
3043	24077	Feed Lifting Rock Shaft Crank (back) with 462AL Feed Lifting Rock Shaft Crank (back)
2049		Feed Lifting Rock Shaft Crank (back) Pin Feed Lifting Rock Shaft Crank (back)
462AL		Feed Lifting Rock Shaft Grank (back) Set Screw Feed Lifting Rock Shaft Grank Con-
12430	24077	necting Rod with two 966E, use
878 J	24077	43976 Oscillating Rock Shaft Hinge Pin Oil Hole Stop Screw
12459	24077	Oscillating Rock Shaft Hinge Pin 011 Hole Stop Screw Washer (leather).
460AL	24077	Oscillating Shaft Crank Set Screw, for 19447 Oscillating Shaft Crank Slide Block
229J		Cap Screw for 19449
2062	24077	Presser Bar Lifter, use 52016 Presser Foot Hinge Pin for 20157,
2532	24077	20311 and 20346
24545	24077	Presser Foot Shank, use 24982
24546	24077	Presser Foot (spring hinged) complete for 12481 and 19474, Nos. 24544,24545, 26231 and 62527, use 24983
24074		Shuttle Bobbin Case complete for 19292, Nos. 591F, 592E, 2975,
462AL		15098 and 15141, use 62740 Shuttle Driver Set Screw
15098	24077	Shuttle Tension Spring for 24074
2921	24077	Tension Disc (2)
20314	24077	" Releaser
29549	24077	" Releasing Lever
1018C		
20061	24077	" Screv Stud
20061 448AL	240//	" " Bushing " Set Screw.
20062	24077	" " Flenge
20062	24077	" " Flange " " Collar

OBSOLETE PARTS

		ODJOLETE PARIS 40
No. 2923 210958 50429AL 210993 12400	Plate 24077 24077 24077	Name Tension Spring Thread Retainer Collar " Bet Screw " " Sleeve " " Sleeve
52398	24077	. Spring
12401	24077	Spring
52378 12402	24077 24077	" " Stud
460AL		" " Stud " " Set Screw
52379		Thread Retainer complete, Nos. 52378,
		52398, 210958 and 210993
12399		Thread Retainer complete, Nos. 12400 to 12402, use 52379
430C	24077	Thread Take-up Lever Link Hinge Pin Set Screw
8511	24077	Thread Take-up Spring
12411 X C	24077	Throat Plate, large needle hole, for 12369 and 12457, superseded by 44256, not interchangeable
12449XC		Throat Plate, small needle hole, for 12369 and 12457, superseded by 44255, not interchangeable
12469XC	24077	Throat Plate, large needle hole, for 12468 and 20471, use 139616
12470XC		Throat Plate, small needle hole, for 12468 and 20471, use 139617

٩

.

۰ .

ъ ...

.

في

.

1 1

N.	77 - 4 -	Name
No. 32D	Plate 22335	Bobbin Winder Frame Hinge Screw for
520	22000	12172, 12202 and 20309
35D	22333	Bobbin Winder Stop Latch Hinge Screw for 27647 and 27875
76D	22305	Lifting Lever Connecting Rod Joint Hinge Screw for 139626 and 139627
94D ,	24072	Hemmer Folder Disengaging Lever Hinge Screw for 28688
102 J	24068	Ruffler Ruffling Blade Lever Disen- gaging Lever Hinge Screw for 26724
144D	22303	Arm Shaft Screw
145D	22307	Shuttle Race Screw (2)
152F	24060	Arm Shaft Screw Shuttle Race Screw (2) Binder Guide (upper) Screw for 26694 (2)
157J	22305	Feed Lifting Rock Shaft Crank Clamp- ing Screw for 12376
1 5 7 J	22305	Feed Rock Shaft Crank Clamping Screw
1580	22309	Bed Frame Cushion Screw for 20067 (8)
162D	22332	Belt Guard Extension Screw for
178 E	22305	Bell Crank Bracket Screw for 139626 and 139627 (2)
180F	22335	Bobbin Winder Spring Screw for 12172, 12202 and 20309
190J	24061	Binder Ribbon Tension Screw for 26250, 26402, 120127, 120437 and 120459
190J	22912	Binder Screw
190J	24063	Corder Cord Guide Screw, for 28645 and 120207
190J	22304	Face Plate Screw
190J	24072	Hemmer Screw
190J	22306	Presser Foot Screw
193J	24062	Binder Folder Screw for 28678 and
-	24071	28776 Finger Guard Holder Clamping Screw.
196J		for 36820 Binder Folder Screw for 26250,26402,
207F	24061	120437 and 120459 Hemmer Slide Cap Screw (back) for
207F	24072	28688 (2) Quilter Guide Holder Set Screw for
207F	22946	25992
207F	22946	Quilter Guide Set Screw for 25992
208AL	22304	Feed Dog Screw (2)
2090 -	22946	Quilter Quide Set Screw for 120482 (2) Balance Wheel Oil Cover Screw
210J	22303	Balance Wheel 011 Cover Screw
211 E	22309	Bed Frame Hinge Connection Cap Screw. for 19398 (2)
219J	22305	Arm Side Cap Screw
220J	22918	Binder Folder Screw for 120127
223J	24068	Ruffler Guide Screw for 26724
225F	22306	Slack Thread Regulator Adjusting Screw
226J	2230 5	Oscillating Shaft Crank Slide Block Cap Screw for 19449

SINGER Needles should be used in SINCER Machines These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.**" 1

.

Needles in Containers marked "FOR SINGER MACHINES" are NOT SINGER made needles. 2

NUMERICAL LICE OF BARTO

46

No. 229J

233J

233J

233J

233D

236J

248A

256J

284W 307C

307C

3130

333D

334J

337B

337J

356C

3560

356C

356C

375C

3750 375C

391J

418E

4300

435AL

443AL

446AL

448AL

448AL

448AL

448AL

448AL

	IUMERICAL LIST OF PARTS				NUMERICAL LIST OF PARTS 47
Plate	Name Oscillating Shaft Crank Slide Block	او ادر	No. 448AL	Plate 22304	Name Thread Take-up Spring Regulator Set
24062	Cap Screw for 19449, obsolete Binder Ribbon Tension Screw for		453AL	22306	Screw. Needle Bar Connecting Stud Set Screw
24072	28678 and 28776 (2) Hemmer Folder (left) Screw for 28688	·	453AL	22305	for 12384 Oscillating Shaft Crank Set Screw
24072 22306	" Slide Cap Screw, (front) for 28688 (2)		453AL	22306	for 44135 (2) Presser Bar Guide Bracket Set Screw
24071	Needle Bar Thread Guard Screw Finger Guard Screw for 120498, 120859, 120860, 121335 and 121619		457AL	24063	for 20059 Corder Cord Guide Bed Leveling Screw for 120206
22303	Clamp Stop Motion Clamp Stop Screw for 3022.		. 457AL		Oscillating Shaft Crank Set Screw for 19447
22303	Clamp Stop Motion Clamp Screw for 3022 and 56827		460AL	24077	Oscillating Shaft Crank Set Screw for 19447, obsolete
22337 22305	Guide Thumb Screw (long) Feed Lifting Rock Shaft Screw Center		460AL	24077	Thread Retainer Stud Set Screw, obso- lete
22305	for 56814 (2) Feed Rock Shaft Screw Center for	·- •	462AL	22303	Screw for 4933 (2)
22305 22335	56814 (2) Feed Bar Screw Center for 56813 (2). Bobbin Winder Friction Wheel Washer		462AL 462AL		Feed Lifting Rock Shaft Crank (back) Set Screw for 3043, obsolete Shuttle Driver Set Screw, obsolete
22912	Screw for 12171, 12201 and 20308. Binder Pressure Spring Screw for	5 J	591F	22306	
22946	25650, 25653, 25656 and 26694 Presser Foot Graduated Adjustable		592E	22306	
	Guide Clamp Screw for 35137 and 121949		602D	22946	Spring Screw for 120485
24068	Ruffler Ruffling Blade Clamp Screw for 26724 (2).		624AL 662J	22304 24068	Ruffler Separating Blade Screw for
22338 22338	Rock Shaft Knee Arm Hub Set Screw for 2766 Rock Shaft Knee Plate Set Screw for		665J 665J	22918 24075	
22338	2767. Rock Shaft Lifting Bracket Hook Set		665J	24075	36182
22338	Screw for 6337 Rock Shaft Lifting Bracket Set Screw		688J	22306	28726
22303	for 6337 Feed Connecting Link Hinge Screw, for		6890 690E	22306 22303	Thread Take-up Crank Wedge Screw
22303	43993 (2) Feed Forked Connection Hinge Screw		691XC 692D	22304 22335	Bobbin Winder Bracket Screw, for use
22303	Feed Lifting Rock Shaft Crank Con- necting Rod Hinge Screw			00704	with Bobbin Winders 12172, 12202 and 20309
22307	Shuttle Bobbin Case Position Plate Screw for 24325 and 24415 (2)	. y	725J 748E	22304 22307	12432 (2)
22333 24077	Bobbin Winder Tension Screw Stud for 27308 Thread Take-up Lever Link Hinge Pin		746B 766E	22306	
22306	Set Screw obsolete		775E	22306	
	Set Screw Balance Wheel Set Screw for 139631		794 E	22306	Needle Bar Connecting Link Adjusting Screw for 43997
22303	(2). Feed and Feed Lifting Eccentric Set		802D	22305	and 139627
22303	Screw for 20283 Arm Shaft Flanged Bushing (back) Set		808F 812B	22306 24068	
22303	Screw Balance Wheel Set Screw for 4370 and 12358 (2)		818D 854E	22303 22307	Feed Regulator Thumb Screw for 56886
22305	Lifting Lever Pin Set Screw for 12237		858AL 878J		Needle Bar Crank Set Screw for 20188
22303	Oscillating Rock Shaft Hinge Pin Set Screw			22303	Hole Stop Screw, obsolete Crank Connecting Rod Cap Screw for
·	Tension Screw Stud Bushing Set Screw, obsolete)	20197 (2)

.....

Name

Needle Bar Screw Bushing (2)..... Guide Holder Hinge Screw for 120428

Screw Stud for 19449.....

for 28645 and 120207

Tension Screw Stud, obsolete

Shuttle Race Cap Screw, for 24998 and 25000 (2)....

Needle Bar Crank Position Screw for 20188.....

Ruffler Needle Clamp Screw for 26719

Tucker Needle Clamp Screw for 26719.

Feed Regulator Hinge Screw..... Binder Guide (lower) Screw Stud for

Shuttle Driver Set Screw for 12444

Piping Attachment Screw for 35245...

Feed Lifting Rock Shaft Screw Center Nut for 56814 (2).....

Feed Rock Shaft Screw Center Nut for 56814 (2). Feed Connecting Link Hinge Screw Nut for 43993 (2).

Feed Forked Connection Hinge Screw

Feed Lifting Rock Shaft Crank Connecting Rod Hinge Screw Nut.....

Oscillating Shaft Crank Slide Block Screw Stud Nut for 19447 and 44135.....

Feed Bar Screw Center Nut for 56813 (2). Presser Bar Lifter Screw Nut.....

Lifting Lever Connecting Rod Lock Nut for 139626 and 139627.....

Binder Guide (lower) Thumb Nut for

Binder Folder Guide (upper) Thumb Nut for 25650, 25653 and 25656.

Crank Connecting Rod Hinge Screw Nut.

Bobbin Winder Frame Hinge Screw Nut for 27647 and 27875.....

Ruffler Ruffling Blade Lever Adjust-

26694.....

Tension Regulating Thumb Nut for 44141..... Bobbin Winder Tension Regulating Thumb Nut, for 27308.....

Belt Guard Retaining Screw for

26696.....

126365.....

Nut....

Ruffler Driving Lever Hinge Screw for 26724.....

Corder Cord Guide Arm Hinge Screw,

Feed Lifting Rock Shaft Crank Connecting Rod Cap Screw for 12430 and 43976 (2)..... Oscillating Shaft Crank Slide Block

,

و

.

No.	Plate	Name
1813	22305	Feed Lifting Rock Shaft Crank Roller and Stud for 12376
1852	22337	Guide Roller for 28658
1904	22306	Needle Bar Connecting Stud Roller (roller only) for 12384
1943	24068	Ruffler Needle Clamp Roller for 26/19
1943	24069	Tucker Needle Clamp Roller for 26719.
2020	22303	Clamp Stop Motion Clamp Washer for 3022 Clamp Stop Motion Flanged Bushing Pin
2022		Clamp Stop Motion Flanged Bushing Pin
2049		Feed Lifting Rock Shaft Crank (back) Pin, obsolete
2049		Oscillating Shaft Crank Pin
2049		Shuttle Driver Pin
2062	24077	Presser Bar Lifter, obsolete, use 52016 Bobbin Winder Tension Disc for
2102	23253	Bobbin Winder Tension Disc for 225462 (2) Tension Disc, for 44118 (2)
2102	22304	Tension Disc, for 44118 (2)
2106	22333	Bobbin Winder Tension Thread Guide for 27308
2135	22303	for 27308 Balance Wheel (stand) heavy rim, 2 1/2 in. pulley, for 3022
2301	24068	gaging Lever Stop Pin for 26724
2362	24072	Hemmer Folder Disengaging Lever Stop Pin for 28682
2362	24072	Hemmer Folder (left) Steady Pin for 28682 Shuttle Race Back for 24325
2419	22317	Shuttle Race Back for 24325
2455	22333	Bobbin Winder Tension Disc for 27308 (2)
2531	22307	Shuttle Race Back, for 24415
2532	24077	Shuttle Race Back, for 24415 Presser Foot Hinge Pin for 20311 and 20346, obsolete Shuttle Race Back Position Pin for
2532	22307	24962 and 24999 (2)
2533	22307	Shuttle Race Back Spring for 24325 and 24415
2763	22338	Rock Shaft for 139633
2765	22338	Rock Shaft Knee Arm for 2768
2766	22338	Rock Shaft Knee Arm Hub with 356C for 2768.
2767	22338	Rock Shaft Knee Plate with 356C for 2768
2768		Rock Shaft Knee Arm complete, for 139624 and 139625, Nos. 2765 to 2767
2770	22338	2767 Rock Shaft Stop Dog with 140219C,for 139633
2862		139633 Balance Wheel (stand) heavy rim, 3 in. pulley for 3022
2921	24077	Tension Disc, obsolete (2)
2923	24077	Tension Spring, obsolete Shuttle Bobbin Case Latch Lever, for
2973	22306	15141 and 20650
2974	22306	Shuttle Bobbin Case Latch Lever Fulcrum Pin for 15141, and 20650. Shuttle Bobbin Case Latch Spring, for
2975	22306	20756, 24074 and 62740
2996	22306	Shuttle Bobbin, for 19292
3022	22303	Clamp Stop Motion complete, Nos. 248A, 256J, 2020 and 4933

	ing	Thumb S	crew Nut	for 1	26724
24068	Ruffler	Driving	Lever S	pring	Adjust-
	ing	Nut for	26724		

48 No.

907D

9080

936E

94 OW

966E

988C

1018C

1044D

1053E

1065AL

11010

1115F

1115F

1128E

1141D

1443J

1443J

1480D

1513J

1513J

1518J

1518J

1**5**18J

1518E

1519J

1520J

1521J

1560C

1562J

1566D

1577D

1619E

1620J

1621J

16400

1266AL 22305

Plate

22307

22303

22306

22337 22303

22305

24063

22307

22303

24068

24068

24069

22303

24060

24065

24061

22332

22305

22305

22303

22303

22303

22305

22305

22306

22305

22304

22333 24060

22912

22303

22333

24068

1.0

No.	Plate	Name	۰-	-	No. 8879	Plate 22307	Name
3023		Clamp Stop Motion Flanged Bushing, for 4933 and 56827	1	ł	8879	23249	Arm Spool Pin Washer (cloth) Tape Reel Disc Pin Washer (cloth) for
3033	24077	Feed Connecting Link, obsolete, use 52165	-		8908	24059	121412 Wrench for 1519, 1520 and 1620
3039 30 4 3	22303 24077	Feed Regulator for 56886 Feed Lifting Rock Shaft Crank (back)		Ì	8909	24059	(Attachments and Accessories) Wrench for 1513 and 1518 (Attach- ments and Accessories)
3094	22303	with 462AL, for 12375 Thread Take-up Crank Wedge	1		9331	22332	Belt Guard Extension Screw Washer,
3146	23249	Binder Thumb Screw Washer for 121168.	i	i	9558	24060	for 126365
3146	22337	Guide Thumb Screw Washer for 25873		1	9780	24060	Binder Folder Steady Pin for 26695.
4302	22306	Needle Bar Thread Guard		li.			Binder Guide (lower) Stud for 26696
4303	22306	Needle Clamp with 808F	- 1	1	10141	22333	Bobbin Winder Tension Spring for
4307	22304	Shuttle Race Slide Spring, for 12432.		l,	11119	39307	
4370		Balance Wheel (stand) heavy rim, 2 3/4 in. pulley, with two 448AL.	I	i I		22307	Arm 011 Tube with 52045, for oiling 12408.
4784	22303	Oscillating Rock Shaft Oil Pad for 24105			11167 Note	22306 : No. 1	Presser Bar Spring (light) .051 wire. .1167 is sent with these machines
4822	24059	24105 Wrench for 1521, (Attachments and	~ `				another Spring is specified on order.
TOLL	64000	Accessories)		•	11170	22306	Presser Bar Spring Washer
4933	22303	Clamp Stop Motion Flanged Bushing	1		11204	22306	Thread Take-up Lever Link Hinge Pin
		3023 with two 462AL for 3022					for 43990
5596 5598	2230 5 2230 5	Bell Crank, for 56848 Bell Crank complete, for 139626 and	L L	.•	11241	22333	Bobbin Winder Spool Pin Washer (cloth) for 27308
0000	22000	139627, Nos. 5735 and 56848			12139		Presser Bar Spring (medium) .055 wire
5599	22305	Bell Crank Bracket for 56848			12142	24075	Presser Fost for 12455, 12468, 12481,
5601	22305	Bell Crank Hinge Pin for 56848					20158, 20471, 43978 and 44156
5735	22305	Bell Crank Spring, for 5598	1		12143	22306	Presser Foot for 44252 and 44253
5960	22335	Bobbin Winder Friction Wheel (leather)			12144	24075	Presser Foot for 12455, 12468, 12481,
		for 12171, 12201 and 20308					20147, 20158, 20471, 43978 and
5961	22335	Bobbin Winder Friction Wheel Washer,		~	10150	00704	44156
	+ • -	for 12171, 12201 and 20308			12150	22304	Face Plate Thread Guard (lower) with
5963	2233 5	Bobbin Winder Sprindle Flange for 12171, 12201 and 20308	1		12152	22304	12152, for 20058 Face Plate Thread Guard (lower) Rivet
6337	22338	Rock Shaft Lifting Bracket with two 356C, for 139633	-		12152	24072	for 12150 Hemmer Slide Spring Cover Rivet for
7071	24060	Binder Guide (upper) Screw Washer			12166	22306	28682 (2) Thread Take-up Lever Hinge Pin for
7071	24.061	for 26694 (2) Binder Folder Screw Washer for 26250,		1	TETOO.	22000	12410
7071	24061	26402,28678,28776,120437 and .	ĺ	1	12168	22335	Bobbin Winder Bracket for 12172, 12202 and 20309
7071	22912	120459 Binder Pressure Spring Screw Washer			12169	22335	Bobbin Winder Frame for 12171 and 12201
		for 25650, 25653, 25656 and 26694			12170	22335	Bobbin Winder Spring for 12172, 12202
7071	24061	Binder Ribbon Tension Screw Washer for 26250, 26402, 120127, 120437 and 120459	*	•	12171	22335	and 20309 Bobbin Winder Frame complete, for 12172, Nos. 333D, 5960, 5961,
7071 7298	22337 24064	Guide Thumb Screw Washer for 120428 Presser Foot Hinge Pin for 19336,	.	ı ـ	12172	2233 5	5963, 12169 and 15077 Bobbin Winder complete, for 4370,
		20270 and 120144	1	1	12193	22207	Nos. 32D,180F,12168,12170,12171
7336	22304	Thread Take-up Spring Regulator for		1		22307	Arm Side Cover
7539	22338	44118 Rock Shaft Hanger with two wood		i	12201	2233 5	Bobbin Winder Frame complete, for 12202, Nos. 333D, 5960, 5961, 5963, 12160, md, 5077
		screws 1 in. No. 10 F.H. for 139625 (2)			12202	22335	5963, 12169 and 15077 Bobbin Winder complete, for 2135 and
7806	22918	Binder Folder Screw Washer for 120127			22202	22000	2862, Nos. 32D, 180F, 12168, 12170 and 12201
8418	22343	Belt Guard Button, for 8420	1	li -	12237	22305	Lifting Lever with 448AL, for 139626
8419	22343	Belt Guard Button, Washer (leather)		1			and 139627
		for 8420	1	1	12240	22305	Lifting Lever Pin for 139626 and
8420		Belt Guard Button 8418 with 8419 and wood screw 1 1/4 in. No. 9 R.H.B.			12241	22306	129627 Lifting Lever Link for 139626 and
8511	24077	Thread Take-up Spring, obsolete		12	19949	22220	139627.
8582	22307	Arm Dowel Pin		2	12242	22338	Rock Shaft Hanger (front) with two wood screws 1 in. No. 10 F.H. for
			1	>			139624
				1			

50

.

=

NUMERICAL LIST OF PARTS

٦

.

No.

*12355

*12360

			-			NOMERICAL LIST OF PARTS 00
Plate 24075	Name Presser Foot (wide) for 44252 and	-	-	No. 12411XC	Plate 24077	Name Throat Plate, large needle hole, for
24075	44253 Presser Foot for 12455, 12468, 12481, 20158,20471,43978 and 44156					12369 and 12457, obsolete, super- seded by 44256, not interchange-
24075	Presser Foot for 12450, 12455, 12468, 12481, 20147, 20158, 20348, 20471,	*		12415	22305	able Lifting Lever Connecting Rod for 139626 and 139627
24075	43978 and 44156 Presser Foot for 12455, 12468, 12481,		,	12416	22305	Lifting Lever Connecting Rod Joint for 139626 and 139627
22306	20158, 20471, 43978 and 44156 Presser Bar Lifting and Releasing			12424	22305	Oscillating Shaft Crank Slide Block Cap Screw Washer for 19449
00704	Lever Bracket		1	12427	22303	Arm Shaft, for 44122
22304	Tension Releasing Lever Spring			12430	24077	Feed Lifting Rock Shaft Crank Con-
24075	Presser Foot (narrow) for 44252 and 44253		1			necting Rod with two 966E, obsolete, use 43976
	Arm with 15404 and two 15405			12431	22304	Shuttle Race Slide for 12432
22303	Arm Shaft Flanged Bushing (back)			12432	22304	Shuttle Race Slide complete, Nos.
22303	Balance Wheel (power) light rim,					4307, 12431 and two 725J
	2 3/16 in. pulley, with two 448AL	•		12444	22305	Shuttle Driver with two 1266AL, for
24059	Bed Machine Hinge Connection (Attachments			12449 X C		31-15 Machine Throat Plate, small needle hole, for
	and Accessories) (2)			1044040		12369 and 12457, obsolete super-
22305	Feed Bar					seded by 44255, not interchange-
24077	Feed Dog, for cloth, 12 teeth (12	•				able
	teeth to the inch) obsolete,			12450	24069	Feed Dog. 11 teeth (18 teeth to the
	superseded by 44252, not inter-	i.				Feed Dog, 11 teeth (18 teeth to the inch) for 12451 and 12464,for
	changeable					26655 and 35175
24062	Feed Dog, 15 teeth (16 teeth to the			12 451X C	24069	Throat Plate, small needle hole, for
24077	inch) for 28775, for 28776 Feed Lifting Rock Shaft for 12375,					12450 and 20348, for 26655 and
24077	obsolete			12453	22307	35175 Arm Oil Tube, for intermediate bear-
24077	Feed Lifting Rock Shaft complete, Nos.			10100		ing
	3043, 12374 and 12376, obsolete	•		12454	22307	Arm 011 Tube with 132590, for oiling
99705	use 44126			30455	0.070	12409.
22305	Feed Lifting Rock Shaft Crank with 157J and 1813, for 12375 and		1	12455	24070	Feed Dog, 13 teeth (14 teeth to the inch) for shirt work, beveled for
	44126					hemmer, for 31-15 Machine, for
22305	Feed Rock Shaft for 20333					12456 and 20398
22306	Needle Bar (hollow)			12 456X C		Throat Plate, small needle hole, for
22306	" " Connecting Stud with 453AL					31-15 Machine for 12455
	and 1904, for 43997			12457	24077	Feed Dog, for cloth, 16 teeth (16
22303	Oscillating Rock Shaft Hinge Pin for 24105		4			teeth to the inch) obsolete,
22305	Oscillating Shaft					superseded by 44253, not inter- changeable
22306	Presser Bar (hollow)			12459	24077	Oscillating Rock Shaft Hinge Pin 011
22306	Shuttle Body for 19292	*	•	20100		Hole Stop Screw Washer (leather)
22304	Tension Releasing Lever Hinge Pin					obsolete
	Thread Retainer complete, Nos. 12400			12464XC	24067	Throat Plate, large needle hole, for
	to 12402, obsolete, use 52379					12450 and 20348, for 26655 and
24077	Thread Retainer Sleeve, for 12399,	٠	1 *	10/07	91075	35175
24077	obsolete Thread Retainer Spring for 12399,			12467 12468	24075 24070	Presser Foot, for umbrella work Feed Dog, 16 teeth (16 teeth to the
22011	obsolete			12400	24010	inch) for shirt work, beveled for
24077	Thread Retainer Stud for 12399,					hemmer, for 31-15 Machine, for
	obsolete					139616 and 139617
24077	Arm Spool Pin and Thread Eyelet,			12469XC	24077	Throat Plate, large needle hole, for
99200	obsolete, use 52239					12468 and 20471, obsolete use
22306 22306	Thread Take-up Crank for 43990 Thread Take-up Lever for 12410			1047080		
22306	Thread Take-up Lever Link for 12410.			12470 XC		Throat Plate, small needle hole, for
22306	Thread Take-up Lever complete, for					12468 and 20471, obsolete use
	43990, Nos. 12166, 12408 and			12474	24075	139617 Presser Foot for 12455, 12468, 12481,
	12409			10414	24010	20158, 20471, 43978 and 44156
		*	-	12480	22305	Arm Slide Cap

5 x

.....

•

t

55

 $\Gamma_{\rm T}$

.

NUMERICAL LIST OF PARTS

•

-

-

۳

.

.

.

. 4

NUMERICAL LIST OF PARTS

•

~

54	N	UMERICAL LIST OF PARTS	
No.	Plate	Name	*
12481	24067	Feed Dog. 18 teeth (16 teeth to the	
		inch) for 12482 and 12483	
12482XC	24067	Feed Dog, 18 teeth (16 teeth to the inch) for 12482 and 12483 Throat Plate, large needle hole, for 12481 and 43978	
		12481 and 43978	
12483XC		Throat Plate, small needle hole, for 12481 and 43978	
		12481 and 43978	
13710	23253	Bobbin Winder Tension Spring for	
14010	22309	225462 Bed Frame Hinge Plate Rivet for 20067	
74010	22309		
15072	22335	(6) Bobbin Winder Bobbin Position Pin	
		for 15077 and 27538	
15077	22335	for 15077 and 27538 Bobbin Winder Spindle with 15072, for	
		12171, 12201 and 20308	
15098	24077	Shuttle Tension Spring for 24074	
15140	22306	Shuttle Bobbin Case Latch for 15141.	
15141		Shuttle Bobbin Case Hinge for 24074	
		and 62740, Nos. 2973, 2974 and	•
15278	22306	15140 Shuttle Tension Spring for 62740	
*15404	22300	The mode Menic for 19355	
15405		Bed Frame Hinge Plate for 20067 (2)	
16555	22309	Bed Frame Hinge Plate for 20067 (2).	
18055	24072	Presser foot Hinge Pin for 28691	
19131	22316	Shuttle Bobbin for 20758	
19219	22309	Bed Frame Cushion (leather) for 20067	
		(4)	
19220	22309	Bed Frame Cushion Spring for 20067	
19221	24059	(4)	
19221	24005	Wrench, for 936 and 1619 (Attachments and Accessories)	
19223	24075	Presser Foot Shank for 20311	
19226	22309	Bed Frame Hinge Connection for 19398	
		(2) -	
19292	22306	Shuttle, 1 11/16 in. diam., for 31-15	
		Machine, Nos. 2996, 12393, and	
30774	94075	62740 Presser Foot Plate for 19336 Presser Foot Shank for 19336 and	
19334 19335	24075 24064	Presser Fout Shark for 19336 and	
19000	24004	120144	
1933 6	24075	120144 Presser Foot (hinged) complete, for	
		12455, 12468, 12481, 20158, 20471,	
		12455, 12468, 12481, 20158, 20471, 43978 and 44156, Nos. 7298, 19334	
		and 19335	
19397	22309	Bed Frame Hinge Connection Cap for	
10700		19398 (2).	
19398		Bed Frame Hinge Connection 19226 with 211E and 19397 (2)	
19406	22315	Shuttle Driver with two 1266AL, for	+
10400	22010	31-20 Machine	
19412XC	24060	31-20 Machine Throat Plate, large needle hole, for	
		31-20 Machine, for 20147 and	
		44177	
19 4 13XC		Throat Plate, small needle hole, for	
		31-20 Machine, for 20147 and	
3043970		44177	
19418XC		Throat Plate, large needle hole, for 31-20 Machine, for 20158 and	
		44156	
19419XC		Throat Plate, small needle hole, for	
		31-20, for 20158 and 44156	
19447		Oscillating Shaft Crank complete,	
		Nos. 457AL, 1518E, 19449 and	+
		19496	

No.	Plate	Name
19448	22305	Oscillating Shaft Crank Slide Block for 19449
19449		Oscillating Shaft Crank Slide Block
19474	22916	<pre>complete, for 1944 and 44155, Nos. 2261, 988C, 12424 and 19448 Feed Dog, 14 teeth (16 teeth to the inch) for 19475, 24572 and 26401 for 26402, 35241 and 35325 Throat Plate, large needle hole, for 1074 for 15241</pre>
		for 26402, 35241 and 35325
19475XC	22943	
19496		Oscillating Shaft Crank for 19447
20020	24075	Presser Foot for 12455, 12468, 12481, 20158, 20471, 43978 and 44156
20023		Presser Bar Spring (beavy) .065 Wire
20057	22304	Face Plate, for 20058
20058		Face Plate, for 20058 Face Plate complete, Nos. 12150,20057 and 139615
20059	22306	Presser Bar Guide Bracket with 453AL.
20060	22306	Slack Thread Regulator
20061	24077	Tension Screw Stud Bushing, obsolete.
20062	24077	Tension Screw Stud Flange, obsolete
20063	24077	Tension Screw Stud Bushing, obsolete. Tension Screw Stud Flange, obsolete. Tension Screw Stud Flange Collar, obsolete.
20067	22309	obsolete Bed Frame with two each, 16555,19398, four each 19219, 19220, six each, 14010 wood screws 1 1/4 in. No.12
20147	24060	Feed Dog. 12 teeth (14 teeth to the
20141	21000	inch) for 31-20 Machine, for
20158	24060	 and eight 1580 Feed Dog, 12 teeth (14 teeth to the inch) for 31-20 Machine, for 19412 and 19413 Feed Dog, 16 teeth (16 teeth to the inch) for shirt work, for 31-20 Machine, for 19418 and 19419
20188	22303	Machine, for 19418 and 19419 Needle Bar Crank with 858AL and 1065AL, for 44122
20197	22303	Crank Connecting Rod with two 896AL,
20268	24075	for 44189 Presser Foot Plate for 20270
20269	24075	Presser Foot Shank for 20270
20270	24075	Presser Foot Shank for 20270 Presser Foot (hinged) complete, for 44252 and 44253, Nos. 7298, 20268
		and 20269
20283	22303	Feed and Feed Lifting Eccentric with 446AL, for 44122
20284	22303	Feed Forked Connection for 43993
20307	22335	Bobbin Winder Frame for 20308
20308	22335	Bobbin Winder Frame complete, for 20309, Nos. 333D, 5960, 5961, 5963, 15077 and 20307
20309	22335	Bobbin Winder complete, for 12358.
		Nos. 32D, 180F, 12168, 12170 and 20308 Presser Foot Plate for 20311
20310	24075	Presser Foot Plate for 20511
20311	24075	Presser Foot (hinged) complete, for 12455, 12468, 12481, 20147, 20158, 20471, 43978 and 44156, Nos.19223, 20310 and 62527
20314	24077	Tension Releaser, obsolete
20333		Feed Rock Shaft complete, Nos. 12379
20342	24075	and 29633. Presser Foot for 12450,12455,12468, 12481, 20158,20348,20471,43978 and 44156

۲.

NUMERICAL LIST OF PARTS

.

-

56		NUMERICAL LIST OF PARTS				۲	10/
No. 20343	Plate 24075	Name Presser Foot with guide on bottom to right of needle hole for 12450, 12455,12468,12481,20158,20348,	٣	*	No. 24546	Plate 24077	I
20344	24075	20471,43978,44156,44252 and 44253 Presser Foot Plate for 20346	-	y	24572XC	24064	1
20345 20346	24075 24075	Presser Foot Shank for 20346 Presser Foot (spring hinged) complete,			24962		5
0.0740		for 12455, 12468, 12481, 20147, 20471 and 43978, Nos. 20344,20345, 26231 and 62527			24982 24983	24075 24075	1
20348	24067	Feed Dog, 22 teeth (36 teeth to the inch) for chiffon, for 12451 and 12464					
20398XC	24070	Throat Plate, large needle hole, for 31-15 Machine for 12455			24998		5
20458	24075	Presser Foot, for 12455, 12468, 12481, 20158 20471, 43978 and 44156			24999		5
20471	24070	Feed Dog, 22 teeth (22 teeth to the inch) for shirt work, beveled for	۴		25000		1
		hemmer, for 31-15 Machine, for 139616 and 139617			25644 25645	22912	1
20649 20650	22316 	Shuttle Bobbin Case Latch for 20650 Shuttle Bobbin Case Hinge for 20756,	~		25646	22912	1
20654	22316	Nos. 2973, 2974 and 20649 Shuttle Tension Spring for 20756			25647 \	22912	-
20756	22316	Shuttle Bobbin Case complete, for 20758, Nos. 591F, 592E, 2975,			25648	22912]
20757	22316	20650 and 20654			25650	22912]
20758	22316	Shuttle Body, for 20758 Shuttle, 1 11/16 in. diam., for 31-20 Machine, Nos. 19131, 20756 and 20757		,	25651 25652	22912	1
23263 24009	23249 22317	Tape Reel Arm Steady Pin for 121412. Shuttle Race Cap for 24998			25653	22912	1
24036	24077	Feed and Feed Lifting Eccentric			25654	22912	1
24074		Sleeve, obsolete, use 127152 Shuttle Bobbin Case complete, for 19292, Nos. 591F, 592E, 2975, 15098 and 15141, obsolete, use			25655 25656	22912	
*24104		62740 Oscillating Rock Shaft for 24105			25698	24060	
24105	22303	Oscillating Rock Shaft complete, for 139602, Nos. 4784,12388 and 24104			25703	24060	
24131	22307	Arm 011 Tube with 52045, for oiling 20283	v	*	25705 25706	22922 22922	
24297	22303	Balance Wheel 011 Cover for use with 2135 and 2862			25707 25708	22922 22922	
24323	22317	Shuttle Bobbin Case Position Plate for 24325			25709 25710	22922 22922	
24324	22317	Shuttle Race Body for 24998			25711	22922	
24325	22317	Shuttle Race complete, for 31-20 Ma- chine, Nos. 907D, 2419, 2533, 24323, 24999 and two 391J			25712 25713 25714	22922 22922 22922	
24412	22307	Shuttle Bobbin Case Position flate for 24415			25715 25721	22922 24061	
24413	22307	Shuttle Race Body for 25000			25722	24061	
24414	22307	Shuttle Race Cap for 25000					
24415	22307	Shuttle Race complete, for 31-15 Ma- chine, Nos. 907D, 2531, 2533, 24432, 24652 prod two 3911			2 57 33	22916	
24544	24075	24412, 24962 and two 391J Presser Foot Plate for 24546 and			2 5 73 4	22916	
24545	24077	24983 Presser Foot Shank, for 24546, obsolete, use 24982	-	•			
				1			

· · · •

÷ 4

NUMERICAL LIST OF PARTS

	•	
	Plate	Name
46	24077	Presser Foot (spring hinged) complete,
		for 12481 and 19474. Nos. 24544.
		24545, 26231 and 62527, obsolete
		use 24983
72 XC	24064	use 24983 Throat Plate, small needle hole, for
		19474, IOP 35325
62		Shuttle Race Body 25000 with two
		Shittle Association of the second start of the
82	24075	Presser Foot Shank for 24985
83	24075	Presser Foot (spring hinged) complete,
		TOP 12455, 12468, 12461, 20156,
		20471, 45978 and 44130, NOS.24346,
~~		24982, 20231 And 02327
98		Shuttle Race Body, 24324 with 24009 and two 1053E for 24999
~~		Shuttle Race Body, 24998 with two
99		Shuttle Race Body, 24950 With two
00		2532, for 24325 Shuttle Race Body 24413 with 24414 and two 1053E, for 24962
00		and two 10538 for 24962
	22912	Binder Bed with 25645 for 25650
44 45	22912	Binder Bed with 25045 101 25050
45 46	22912	Binder Folder for 25644 Binder Folder Guide (lower) with 25855, for 25650, 25653 and 25656
40	22912	25855 for 25650 25653 and 25656
47、	22912	Binder Folder Guide (upper) for
	46916	Binder Folder Guide (upper) for 25650, 25653 and 25656 Binder Pressure Spring for 25650,
48	22912	Binder Pressure Spring for 25650.
10	CCOID	25653 and 25656
50	22912	25653 and 25656 Binder (adjustable) Size 1, complete,
••		Nos. 334D. 1577D. 7071, 25644 and
		25646 to 25648 Binder Bed with 25625 for 25653
51	22912	Binder Bed with 25625 for 25653
52		Binden Polder for 25651
53	22912	Binder (adjustable) Size 2, complete, Nos. 334D, 1577D, 7071, 25646 to 25648 and 25651 Binder Bed with 25655 for 25656
		Nos. 334D, 1577D, 7071, 25646 to
		25648 and 25651
54	22912	Binder Bed with 25655 for 25656
55		Binder Folder for 25654 Binder (adjustable) Size 3, complete,
56	22912	Binder (adjustable) Size 3, complete,
		Nos. 334D, 1577D, 7071, 25646 to 25648 and 25654
		25648 and 25654
98	24060	Binder Folder for 26694
03 -	24060	Binder Pressure Spring with 26698 for
AF.	22022	Binder on Shank, for 3/8 in. tape Binder on Shank, for 7/16 in. tape Binder on Shank, for 1/2 in. tape Binder on Shank, for 9/16 in. tape Binder on Shank, for 5/8 in. tape Binder on Shank, for 5/8 in. tape
05	22922 22922	Binder on Shank, for 7/16 in tape
06 07	22922	Binder on Shenk for 1/2 in tane
08	22922	Binder on Shank, for 9/16 in. tape
09	22922	Binder on Shank, for 5/8 in, tape
10	22922	Binder on Shank, for 11/16 in. tape
iĭ	22922	Binder on Shank, for 3/4 in. tape
12	22922	Binder on Shank, for 13/16 in. tape
13	22922	Binder on Shank, for 7/8 in. tape
14	22.922	Binder on Shank, for 1/16 in. tape Binder on Shank, for 1/16 in. tape Binder on Shank, for 3/4 in. tape Binder on Shank, for 13/16 in. tape Binder on Shank, for 15/16 in. tape Binder on Shank, for 15/16 in. tape Dider on Shank, for 1 in. tape
15	22922	Binder on Shank, for 1 in. tape
21	24061	Binder Folder, for 26250 Binder Ribbon Tension complete, for 26250, 120437 and 120459, Nos. 26614, 26616 and four 26615
22	24061	Binder Ribbon Tension complete, for
-		26250, 120437 and 120459, Nos.
		26614, 26616 and four 26615
33	22916	Binder Folder, for 1/2 in. binding,
		for 26402
34	22916	Binder Ribbon Tension complete, for
		26402, Nos. 26617, 26618 and

26402, Nos. 26617, 26618 and seven 26486....

-

Plate No. Name Binder Folder Guide (lower) Screw 25855 ----Stud for 25646..... 25866 22337 Guide, for throat plate flush with bed..... Guide (combination)..... 25873 22337 Guide, for throat plate raised above 25874 22337 bed..... 25983 24061 Presser Foot, for 26250..... Quilter Guide Holder with two 207F, 25992 22946 for 28660..... Screw Driver (machine) Attachments 26026 24059 and Accessories..... Presser Foot Spring for 20346,24546, 24983 and 28691..... 26231 24072 Binder (English) complete, Nos. 190J, 207F, 25721, 25722, 25983, 121444, 121445XC and two 7071.... 26250 24061 Presser Foot for 26402..... Throat Plate for 19474, for 26402... 26400 22916 26401XC 22916 Binder complete, for cut cloth, Nos. 207F, 19474, 25733, 25734, 26400, 26401XC, two 190J and three 7071 Screw Driver (shuttle tension) 26402 22916 26485 24059 Attachments and Accessories Binder Ribbon Tension Pin (straight) 26486 _ _ _ _ _ for 25734 and 28337..... Feed Dog, 20 teeth, (16 teeth to the inch) for 26605, for 35208, 26603 24063 35226 and 35863..... Throat Plate, large needle hole for 2660**5X**C 24063 26603 and 121446, for 35208, 35226, 35863 and 120207..... Binder Ribbon Tension Pin (bent) for 26614 ----25722 and 120123..... 26615 Binder Ribbon Tension Pin (straight) ---for 25722 and 120123..... 26616 Binder Ribbon Tension Plate for ----25722. Binder Ribbon Tension Pin (bent) for 26617 25734 and 28337.... Binder Ribbon Tension Plate for 26618 ____ 25734. Hemmer, for 3/32 in. hem, for 26655. 26652 ----Hemmer Shank for 26655, 26660, 26662, 26653 ----26664 and 26666. Hemmer Rivet, for 26655, 26660, 26662, 26654 ----26664 and 26666..... 24074 Hemmer on Shank complete, Nos. 26652 26655 to 26654..... Presser Foot, for 26655..... 26656 24074 Hemmer, for 26660..... Hemmer on Shank complete, for 3/32 26659 ----24074 26660 in. hem for umbrella work, Nos. 26653, 26654 and 26659..... Hemmer (wide) for 26662..... 26661 ----26662 24074 Hemmer on Shank complete, Nos. 26653, 26654 and 26661..... Hemmer, for 26664..... 26663 ----Hemmer on Shank complete, for raw edge silk, Nos. 26653, 26654 and 26664 24074 26663..... Hemmer, for 1/8 in. hem, 26666..... 26665 ----

Hemmer on Shank complete, Nos. 26653,

26654 and 26665.....

26666

24074

NUMERICAL LIST OF PARTS

,

No.	Plate	Name
26668	24068	Ruffler Driving Lever Spring for
20000	54000	
		26724
26669	24068	Ruffler Frame for 26724 Ruffler Guide (left) with 26679 and
26670	24068	Ruffler Guide (left) with 26679 and
		two 662J for 26724
26671	24068	Ruffler Guide (right) with 26679 and
		Ruffler Guide (right) with 26679 and two 662J for 26724 Ruffler Ruffling Blade for 26724
26675	24068	Bufflon Buffling Blade for 26724
		Ruiller Ruilling Blade for colors
26676	24068	Ruffler Ruffling Blade Clamp for
		26724
26678	24068	Ruffler Ruffling Blade Lever Disen-
		gaging Lever for 26724 Ruffler Separating Blade for 26670
26679	24068	Ruffler Separating Blade for 26670
		and 26671
00004	01000	and 26671 Binder (adjustable) complete, for cap
26694	24060	BIUGH (adjustable) complete, in cap
		ironts, for SI-20 Machine, Mos.
		fronts, for 31-20 Machine, Nos. 334J, 1566D, 25698, 25703, 26695
		to 26697, two 152F and three 7071
26695	24060	Binder Bed with 9558, for 26694
26696	24060	to 26697, two 152F and three 7071 Binder Bed with 9558, for 26694 Binder Guide (lower) with 1141D, and
20000	51000	9780 for 26694
26697	24060	9780, for 26694 Binder Guide (upper) for 26694
		Dinder Guide (upper) for Loose
26698	24060	Binder Pressure Spring Lifting Button
		for 25703
26718	24068	for 25703 Ruffler Needle Clamp Body for 26719. Tucker Needle Clamp Body for 26719
26718	24069	Tucker Needle Clamp Body for 26719
26719	24068	Ruffler Needle Clamp complete, for
		Ruffler Needle Clamp complete, for 26724, Nos. 1115F, 1943 and 26718
26719	24069	Tucker Needle Clamp complete, for
20110	L4000	36561 Nog 1115F 1943 and 26718
00700	24068	36561, Nos. 1115F, 1943 and 26718 Ruffler Driving Lever for 26724
26722		Ruitter Driving Dever for 20724
26723	24068	Ruffler Ruffling Blade Lever for
		26724
26724	24068	Ruffler (power) complete, with right
		and left guides, with separating
		blades and disengaging lever to
		through ruffling blade out of
		action, Nos. 102J, 223J, 812B,
		action, Nos. 102J, 223J, 812B, 1101C, 1621J, 1640C, 2301, 26668
		to 26671, 26675, 26676, 26678,
		26719, 26722, 26723, two 337J
00000		
26795	24063	Corder Cord Guide, for 28645 and
		120207. Corder Cord Guide Arm, for 28645 and
26796	24063	Corder Cord Guide Arm, for 28645 and
		120207. Bobbin Winder Frame for 27647 and
27302	22333	Bobbin Winder Frame for 27647 and
		27875
27303		27875 Bobbin Winder Frame Spring for 27647
21000		and 27975
		and 27875 Bobbin Winder Spool Pin for 27308
27306	22333	Bobbin winder Spool Fin 10r 27508
27307	22333	Bobbin Winder Spool Stand for 27508.
27308	22333	Bobbin Winder Spool Stand complete,
		for 27544 and 27876, Nos. 418E,
		1562J, 2106, 10141, 11241, 27306,
		Bobbin Winder Spool Stand for 27308 Bobbin Winder Spool Stand complete, for 27544 and 27876, Nos. 418E, 1562J, 2106, 10141, 11241, 27306, 27307 and two each 2455 and wood
		screws 1 in. No. 10 Bobbin Winder Stop Latch for 27647 Bobbin Winder Spindle with 15072, for
27312	22333	Bobbin Winder Ston Latch for 27647
		Babbin Window Spindlo with 15072 for
27538	22333	PODDIU WINNEL SPINGTE WITH TOOLS 10L
		27647 and 27875 Bobbin Winder Base for 27647 and
27540	22333	Boddin Winder Base for 27647 and
		27875 Bobbin Winder Pulley for 27647 and
27541	22333	Bobbin Winder Pulley for 27647 and
		27875

27875.....

F 4

59

- 1

.

-

60	1	NUMERICAL LIST OF PARTS				1	NUMERICAL LIST OF PARTS 61
No.	Plate	Name	۴	۲	No.	Plate	Name
27544	22333	Bobbin Winder (swinging automatic,			28688	24072	Hemmer complete, with lever for open-
		right hand) complete, for 31-15					ing the folder and releasing the
27587	24066	Machine, Nos. 27308 and 27647					hem, so that it can be finished
27647	22333	Bobbin Winder Stop Latch for 27875 Bobbin Winder, for 27544, Nos. 35D,	•	•			without removing the hemmer from
21041	22000	1620J, 27302, 27303, 27312, 27538,					the machine, for shirts, overalls or similar closed articles, Nos.
		27540, 27541, 50356D and two wood					94D, 28679, 28680, 28682 to 28686,
00005		screws 1 in. No. 7					two 207F and three 233J
27875	24066	Bobbin Winder, for 27876, Nos. 35D,			28689	24072	Presser Foot Plate for 28691
		1620J, 27302, 27303, 27538, 27540, 27541, 27587, 50356D and two wood			28690	24072	Presser Foot Shank for 28691 Presser Foot (spring hinged) complete,
		screws 1 in. No. 7			28691	24072	for 28688, Nos. 18055, 26231,
27876	24066	Bobbin Winder (swinging automatic,					28689 and 28690
		right hand) complete, for 31-20			28693	22922	Binder on Shank, for binding the arm
28334	24062	Machine, Nos. 27308 and 27875			0.073.0		holes in cotton garments
28336	24002	Binder Folder, for 28678 and 28776 Binder Ribbon Tension Plate, for			28710 28711	24068 24065	Hemmer on Shank for 1/8 in hem Hemmer on Shank with 121843 for 1/8
10000		28337	•		20111	24000	in. to 1/2 in. hem, for towels
28337	24062	Binder Ribbon Tension complete, for		-	28715	24075	Presser Foot (tube) for laying
		28678 and 28776, Nos. 26617,28336					fringe-edged braid
28612	24075	and eight 26486			28721	24068	Hemmer on Shank for 1 1/4 in. to 2
28614	24075	Presser Foot for plain stitching Presser Foot for plain stitching	•		28725	24075	in. hem Presser Foot Spring Guide for 28726.
28619	24065	Binder (horn) on Shank for 28620			28726	24075	Presser Foot (right hand, spring
28620	24065	Presser Foot for 28619			20120	21010	guide) with 665J and 28725, for
28622	24075	Presser Foot (grooved) for cording					1/32 in. to 1/4 in. gauges
28627	24072	Hemmer on Shank, for 1/8 in. to 5/8			Note		ordering Nos. 28725 or 28726 state re-
28628	24072	in. gauges, for Marseilles quilts Presser Foot for 28627			2877 5X C	quired 24062	distance from edge of goods to seam.
28632	22922	Binder on Shank, to turn edges under.			28776	24062	Throat Plate, for 12370, for 28776 Binder (English) complete, for
28635	22922	Binder on Shank, for 7/8 in binding			20110	LICOL	carpets, Nos. 193J, 7071, 12370,
28644	24067	Corder Cord Guide Bed for 28645					28334, 28337, 28676, 28775XC and
28645	24067	Corder (adjustable) complete, Nos.					two 233J
		190J, 1044D, 26795, 26796 and 28644			28970	24061	Binder on Shank for bias binding, to turn both edges under
28649	24068	Edge Folder on Shank			28971	22337	Guide for 120428
28650	24065	Hemmer on Shank, for hemming heavy			28972	22337	Guide Holder for 120428
		Canton flannel			29549	24077	Tension Releasing Lever, obsolete
28653	24074	Hemmer on Shank, for 2 9/16 in. to 3			29599	24077	Arm Oil Tube Packing (felt) for 11119,
28658	22337	in. hem Guide (roller) with 1852			29633	22305	12454 and 24131, obsolete Feed Rock Shaft Crank with 157J, for
28659	22946	Quilter Guide for 28660			23033	11000	20333
28660	22946	Quilter complete, Nos. 25992 and			32572	22304	Tension Releasing Disc for 44118
00077	04007	28659	+	×	32574	22304	Tension Releasing Pin for 44118
28671 28673	24067 24072	Hemstitcher Lap Seam Feller (right hand) on Shank,			35002	22946	Presser Foot Extension for 35137
20010	24072	to fold top only			35003	22946	Presser Foot Graduated Adjustable Guide (long, left) for 35137 and
28674	24072	Lap Seam Guide on Shank	. ·				121949
28676	24062	Presser Foot for 28678 and 28776	-	¥	35004	22946	Presser Foot Graduated Adjustable
28678	24062	Binder (English) complete, Nos. 193J,					Guide (long, right) for 35137 and
		7071, 28334, 28337, 28676, 121446, 121447XC and two 233J			75005	00040	121949 Presser Foot Graduated Adjustable
28679	24072	Hemmer Bed with 28681, for 28688			35005	22946	Guide (short, right) for 35137
28680		Hemmer Folder (left) for 28688					and 121949
28681		Hemmer Folder (right for 28679			35006	22946	Presser Foot Graduated Adjustable
28682	24072	Hemmer Slide with 28687 and two each					Guide (short, right) flush for
28683	24072	2362 and 12152, for 28688 Herman Slide Can (left) for 28688			35069	2400F	35137
28684	24072	Hemmer Slide Cap (left) for 28688 Hemmer Slide Cap (right) for 28688			35062	24065	Binder (horn) on Shank, for 7/8 in. to 1 1/2 in. binding, for tape,
28685	24072	Hemmer Folder Disengaging Lever, for					for mattresses
		28688			35063	24065	Presser Foot for 35062
28686	24072	Hemmer Slide Spring for 28688	٠		35066	22943	Presser Foot for 28693, 35241, 35325
28687	24072	Hemmer Slide Spring Cover for 28682		•			and 35863

× 1

. . .

s 👘

. ¥

a 🔒

¥

.

.

× 1

.

No. 36480

6576 36622 36623

36661

41931

62		NUMERICAL LIST OF PARTS
No.	Plate	Name
35082	24061	
		binding, for wrappers, etc
35134	22946	Binder on Shank, for raw edge bias binding, for wrappers, etc Presser Foot with 36696, for 35137
35135	22946	Presser Foot Graduated Adjustable
		Guide Clamp for 35137 and 121949.
35136	22946	Presser Foot Graduated Adjustable
		Guide Clamp Lever for 35137 and
35137	22946	121949 Presser Foot with Extension and
00101	22040	Graduated Adjustable Guides com-
		plete, Nos. 337B, 35002 to 35006
		and 35134 to 35136
35175	24069	Edge Folder on Shank
35176	24069	Presser Foot for 35175 Binder on Shank, to turn in both
3 5 208	24063	Binder on Shank, to turn in both
		edges, for bias or straight bind-
		ing, for skirts, wrappers, shirt
35226	24064	walsts, etc Binder on Shank, for mattress work
35231	24064	Presser Foot for 35226
35241	22943	Hemmer on Shank, for Canton flannel,
		etc
35245	24061	Piping Attachment complete, for pip-
		ing house dresses, Nos. 1443J
35325	24064	and 120977 Binder on Shank, to turn top edge
38323	44004	only, for shirt bosoms, skirt
		trimmings. etc
35475	24068	trimmings, etc Hemmer on Shank for 5/32 in. hem, with right hand lower guide, for
		with right hand lower guide, for
		lace Presser Foot for 28645
35562	24067	Presser Foot for 28645
3 56 10	22337	Guide Holder Friction Washer for
35682	24073	120428 Hemmer (foot) for 1/8 in. hem with
00002	24070	guide on bottom to right of
		needle hole,
35710	24073	Hemmer (foot) for 3/32 in. hem, with
		guide on portom to right of
75007	00047	needle hole
35863 35997	22943 24073	Hemmer on Shank for canvas work Hemmer (foot) for 3/16 in. hem with
33331	24013	guide on bottom to right of
		needle hole
36072	24073	needle hole Hemmer (foot) for 1/4 in. hem with
		guide on bottom to right of
		needle hole Hemmer (foot) for 7/32 in, hem
36122	24073	Hemmer (foot) for 7/32 in. hem
36182	24075	Presser Foot with 665J and 36183, for blind stitch braiding, for
		soutache braid
36183	24075	Presser Foot Braid Guide for 36182
Not	te: When	ordering 36182 or 36183 send sample of
	braid	for which it is to be used
36309	24073	Hemmer (foot) for 7/32 in. hem with
		guide on bottom to right of
76477	24077	needle
36413	24073	Hemmer (foot) plain bottom for 1/16

in. hem. Hemmer (foot) plain bottom for 3/32 in. hem. Hemmer (foot) plain bottom for 3/16 in. hem.....

NUMERICAL LIST OF PARTS

٢	NUMERICAL LIST OF PARTS	63
Plate	Name	
24073	Hemmer (foot) plain bottom for 5/3	32
44013		
24073	in. hem. Hemmer (fost) for 5/32 in. hem wit guide on bottom to right of	th
24010	mide on bottom to right of	
	guide on bottom to Fight of needle hole Tucker complete, Nos. 26719, 36654 36657, 36660, 36661, 36663, 34 120500, 120572 and two each 34 50238B and 86354 Presser Foot Finger Guard for 3667 Presser Foot, for 36623 Presser Foot 36622 with 36576 and 50202J	
24069	Tucker complete Nos 26719, 3665	5 to
24003	36657 36660 36661 36663 34	6667
	120500 120572 and two each 30	655
	50238B and 86354	
24075	Presser Foot Finger Guard for 366	23
24075	Presser Foot, for 36623	
24075	Presser Foot 36622 with 36576 and	two
21010	50202J	
24069	50202J. Tucker Tuck Marker Rivet for 366	33
-1000	(2) Tucker Driving Lever for 36561 Tucker Driving Lever Hinge Stud for	
24069	Tucker Driving Lever for 36561	
24069	Tucker Driving Lever Hinge Stud fo	or
	36561	
24069	36561 Tucker Driving Lever Lock Spring	for
	36561	
24069	Tucker Driving Lever Lock Spring	
	Rivet for 36561 (2)	
24069	Tucker Tuck Guide for 36561	
24069	36561 Tucker Driving Lever Lock Spring Rivet for 36561 (2) Tucker Tuck Guide for 36561 Tucker Tuck Guide Thumb Screw Wash	ıer
	for 36561 Tucker Tuck Marker (lower) for 366 Tucker Tuck Marker (lower) 36662 1 Scient two 36668 for 36561	
24069	Tucker Tuck Marker (lower) for 360	563.
	Tucker Tuck Marker (lower) 36662	rith
24069	Tucker Tuck Marker (upper) for 360	663.
24069	Tucker Tuck Marker (upper) for 366 Tucker Tuck Smoothing Spring for	
	36561. Presser Foot Graduated Adjustable	
22946	Presser Foot Graduated Adjustable	
	Guide Clamp Steady Fin for St	5T 24
	and 121948 Hemmer on Shank for 2 1/4 in. to 3	
24065	Hemmer on Shank for 2 1/4 in. to 3	3
	in. hem Finger Guard for 36821 Finger Guard Friction Washer for	• • • •
24071	Finger Guard for 36821	• • • •
24071	Finger Guard Friction washer for	
	36821 Finger Guard Holder with 196J for	
24071	Finger Guard Holder with 1965 10	
	36821 Finger Guard complete, Nos. 36818	
24071	Finger Guard complete, Nos. 56818	τo
	36820 and 503163	• • • •
24059	36820 and 50316J Machine Rest Pin (wood) 3 1/8 in. long (Attachments and Accessor	-1
00777	Long (Attachments and Accessor	fon
22333	Bobbin Winder Spindle Collar Pin	1.01,
22343	27538 Belt Guard for 41931 Belt Guard Hinge for 41931 (2) Belt Guard complete, Nos. 8420,411	• • • •
22343	Bolt Guard Hipge for $A3931$ (2)	• • • •
22343	Belt Guard complete Nos 8420 419	229
22343	two 41930 and four wood screws	ودير
	3/4 1p No. 9	-
23249	3/4 in. No. 9 Binder Steady Pin for 121398 Tension Releasing Lever	
22304	Tension Releasing Lever	
22304	Tension Spring for 44118.	
22304	Tension Spring for 44118 Thread Take-up Spring for 44118.	
22303	Feed Lifting Rock Shaft Crank Con-	-
52000	necting Rod with two 966E	
24067	Feed Dog. 24 teeth (22 teeth to th	10
62041	inch) for 12482 and 12483	
	Feed Dog, 24 teeth (22 teeth to th inch) for 12482 and 12483 Thread Take-up complete, Nos. 775	Ξ,
	11204, 12404, 12410 and 43997	
	11204, 12404, 12410 and 43997 Feed Forked Connection complete, 1	los.
	20284, 52165, 56886 and two es	ach
	375C and 1518J	

.

Loss Loss <thloss< th=""> Loss Loss <thl< th=""><th>64</th><th>ı</th><th>NUMERICAL LIST OF PARTS</th><th></th><th></th><th></th><th>N</th><th>NUMERICAL LIST OF PARTS 65</th></thl<></thloss<>	64	ı	NUMERICAL LIST OF PARTS				N	NUMERICAL LIST OF PARTS 65
44118 22304 Tension complete, Mos. 7358, 2257, 2268 2005 Feessor Foot for 2005			Needle Bar Connecting Link with 794E	τ.	¥			Arm 011 Tube Packing (braided cotton) for 11119 and 24131
44122	44118	22304	Tension complete, Nos. 7336, 32572, 32574, 43945, 43946, 44141 and	ø	. У	52056 52165	24061 22303	Presser Foot for 35245 Feed Connecting Link for 43993
44126 2530 Frade Lifting Not Shart complete, No. 52379 Thread Retainer complete, No. 44124 25305 0scillating Shart Grank for 44125 52398 20098 20198 <td></td> <td></td> <td>Arm Shaft 12427 with 20188, 20283 and 127152, for 44189</td> <td></td> <td></td> <td></td> <td></td> <td>Thread Retainer Stud for 52379, ob-</td>			Arm Shaft 12427 with 20188, 20283 and 127152, for 44189					Thread Retainer Stud for 52379, ob-
44135 22305 Oactlikting Bhart Grank complete. Not. ISIRE, 19449, 44134 and two 4534L. 52398 24077 Thread Retainer Spring for S2. Observed the second seco			Feed Lifting Rock Shaft complete, Nos. 12376 and 44125			52379		Thread Retainer complete, Nos. 52378, 52398, 210958 and 210993, obso-
44141 Thread Potentials			Oscillating Shaft Crank complete,			5 2398	24077	Thread Retainer Spring for 52379, obsclete
41156 for 4116 For 4116 For 4116 For 4116 For 4116 For 4116 For 4117 For 4117 <t< td=""><td>44141</td><td></td><td>453AL</td><td></td><td></td><td></td><td></td><td>Thread Retainer Feed Bar Screw Center 313C with 1519J</td></t<>	44141		453AL					Thread Retainer Feed Bar Screw Center 313C with 1519J
19418 and 19419 John State Feedback 19 teach (22 teach to the inch) for 31-20 Machine 19412 and 19413	44156	24060	for 44118 Feed Dog, 24 teeth (24 teeth to the			56814		Feed Lifting Rock Shaft Screw Center 307C with 1513J (2)
inch] for 31-20 Machine 19412 and *56827	44177	24060	19418 and 19419	-	*	56814		Feed Rock Shaft Screw Center 3070 with 1513J (2)
44212 24707 Drive Drive <td< td=""><td>33711</td><td>24000</td><td>inch) for 31-20 Machine 19412 and</td><td></td><td></td><td></td><td></td><td>3023 with 256J</td></td<>	33711	24000	inch) for 31-20 Machine 19412 and					3023 with 256J
44252 22304 FeedBaller, austantic teeth. (12 43935. 44253 24067 Feed Dog, 16 teeth. (16 teeth. to the inch.) 62527 24075 Freeser Poot Hinge Pin for 203. (2346, 24945 and 12.) 44253 24067 Feed Dog, 16 teeth. (16 teeth. to the inch.) 62527 24075 Freeser Poot Hinge Pin for 203. (2346, 24945 and 12.) 442550 1001 for cloth, for 44255 and 44255, for 35245			Arm Shaft 44122 with 20197 Drip Pan with four 1 in. wire nails,	*				for 5598
44253 24067 Feed Dog, 16 teech, 16 teeth, 16	44252	22304	Feed Dog, for cloth, 12 teeth (12					43993
44255. 19292, Nos. 5917, 5525, 5 44255. 24067 Throat Plate, small needle hole, for 44252 and 44253, for 35245 86354 24069 Tucker Tuck Smoothing Spring R. 44256.02 22304 Throat Plate, large needle hole, for 44252 and 44253, for 35245 120001 24077 Feed Dog (spiked keeth) l2 the to the thoth obsolet superseded by 121446, not changeable 45720 Face Plate Thread Guard (upper) 45874 with 125373, obsolute, use 139615 120120 22918 Binder Folder vith 6653 and 12 for 120127 501900 24063 Guide Thumb Screw for 35626.2 120121 22918 Binder Fold Guide for 120120 502021 24075 Presser Poot Finger Guard Screw for 35626	4425 3	24067	Feed Dog, 16 teeth (16 teeth to the					20346, 24546, 24983 and 121946 Shuttle Bobbin Case complete, for
44256XC 22304 Throat Flats, large nedle hole, for throat Flats, large nedle hole, for 4252 and 44253, for 35245. 120001 24077 Feed Dog (spliked teeth.) l2 tee teeth to the inch) obsolet superseded by 121446, not changeable. 45720	44255XC	24067	44256, for 35245 Throat Plate, small needle hole, for			86354	24069	19292, Nos. 591F, 592E,2975,15141 and 15278 Tucker Tuck Smoothing Spring Rivet
45720 Face Flate Thread Guard (upper) 45874 with 125373, obsolute, use 139615 teeth to the inch) obsolet superseded by 12146, not changeable	44256XC	22304	Throat Plate, large needle hole, for					for 36561 (2) Feed Dog (spiked teeth) 12 teeth (10
458/4 120120 22918 Binder Földer with 665J and 12 50190W 24063 Guide Thumb Sorew (short) 120121 22918 Binder Földer with 665J and 12 50202J 24075 Presser Foot Finger Guard Screw for 120121 22918 Binder Földer with 665J and 12 50236B 24069 Tucker Tuck Guide Thumb Screw for 120122 Binder Földer with 665J and 12 50236B 24069 Tucker Tuck Marker Clamping Plate 120123 22918 Binder Ribbon Tension complete 503302J 24071 Finger Guard Binge Sorew for 120127 six 26615 six 26615 503362 24037 Tucker Tuck Marker Clamping Plate 120125 22918 Freed Dog, 6 teeth (16 teeth to troid 120126, for 120127 503361 24071 Finger Guard Binge Sorew for 120125 22918 Freeser Foot for 120126, for 120127 50356D 22333 Bobbin Winder Frame Hinge Sorew for 120125 2218 Binder Guard (10024, for 120124, for 12			Face Plate Thread Guard (upper) 45874 with 125373, obsolute, use 139615					teeth to the inch) obsolete, superseded by 121446, not inter- changeable
S01300 120121 22918 Binder Fold Guide for 120120. S02202 24075 Presser Foot Finger Guard Screw for 120122 S02308 24069 Tucker Tuck Guide Thumb Screw for 120123 22918 Binder Fibbon Tension Plate f S02308 24069 Tucker Tuck Marker Clamping Plate 120123 22918 Binder Fibbon Tension Complete S0302J 24071 Finger Guard Holder Set Screw for 120124 22918 Feed Dog, 6 teeth (16 teeth to S0316J 24071 Finger Guard Hinge Screw for 36881 120125 22918 Fresser Foot for 120124, for 1 S0316J 24071 Finger Guard Hinge Screw for 368821 120125 22918 Fresser Foot for 120124, for 1 S0356D 22333 Bobbin Winder Frame Hinge Screw for 120127 22918 Binder (English) complete, Nos. S0429AL 24077 Thread Retainer Set Screw, obsolete 120123 24064 Fresser Foot Flate for 120124, for 1 S055LJ 22323 Beinder Thumb Screw 120143 24064 Fresser Foot Flate for 120144, for 1 S1224J 22307 Arm Side Cover Thumb Screw 120124			45720 and 139615			120120	22918	Binder Folder with 665J and 120121, for 120127
50238B 24089 Tucker fuck Guide finant State State finant State State finant State finan		24075	Presser Foot Finger Guard Screw for 36623 (2)					Binder Fold Guide for 120120 Binder Ribbon Tension Plate for
Six 220150302J24071Finger Guard Holder Set Screw for 120497 and 120858			36561			120123	22918	Binder Ribbon Tension complete, for 120127, Nos. 26614, 120122 and
50316J 24071 Finger Guard Hinge Screw for 36821 120125 22918 Presser Foot for 120127 50327C 22304 Tension Screw Stud for 44141 120126XC 22918 Throat Plate for 120124, for 1 50356D 22333 Bobbin Winder Frame Hinge Screw for 27647 and 27875 120127 22918 Throat Plate for 120124, for 1 50429AL 24077 Thread Retainer Set Screw, obsolete 120143 24064 Presser Foot for 120127 50429AL 24077 Thread Retainer Set Screw, obsolete 120143 24064 Presser Foot for 120127 50429AL 24077 Thread Retainer Set Screw, obsolete 120143 24064 Presser Foot for 120125, 12024 50551J 22329 Binder Thumb Screw for 121168			Finger Guard Holder Set Screw for	-	r	120124	22918	six 26615 Feed Dog, 6 teeth (16 teeth to the inch) for 120126, for 120127
503270 22304 Tension border Frame Hinge Screw for 27647 and 27875			Finger Guard Hinge Screw for 36821	-	,			Presser Foot for 120127 Throat Plate for 120124, for 120127
50429AL 24077 Thread Retailer Set Varies, 0050000000000000000000000000000000000	50356D	22333	Bobbin Winder Frame Hinge Screw for 27647 and 27875					Binder (English) complete, Nos. 220J, 7806, 120120, 120123 to 120126XC and two each 190J and 7071
51224J 22307 Arm Side Cover Thimb Screw 120206 24063 Corder Cord Guide Bed with 457 51224J 22304 Face Plate Thumb Screw for 120428 120206 24063 Corder Cord Guide Bed with 457 51224W 22337 Guide Thumb Screw for 120428 120207 24063 Corder (adjustable) complete, 52016 22306 Presser Bar Lifter 120207 24063 Corder (adjustable) complete, 52031 24064 Feed Dog, 19 teeth (22 teeth to the short turns on cushions, N 1901, 10440, 26795, 26795 121804, 121798 and 121848 120208 24063 Presser Foot (grooved) for 12006	50551J 51097J 51097J	22332 23249 23249	Belt Guard Set Screw for 126365 Binder Thumb Screw for 121168 Tape Reel Arm Thumb Screw for 121168.		,			Presser Foot Plate for 120144 Presser Foot (hinged) complete, for 35208, 35241 and 35325, Nos.7298,
51224W 22357 Guide Thum Strew 10 120400 52016 22306 Presser Bar Lifter 120207 24063 Corder (adjustable) complete, short turns on cushions, N 52031 24064 Feed Dog, 19 teeth (22 teeth to the inch) for 52032, for 121801 to 190J, 1044D, 26795, 26796 121804, 121798 and 121848 120208 24063 Presser Foot (grooved) for 120 5203210 24064 Throat Plate, large needle hole, for * 120208 24063 Presser Foot (grooved) for 120	51224J	22304	Face Plate Thumb Screw			120206	24063	Corder Cord Guide Bed with 457AL, for
5203210 24064 Throat Plate, large needle hole, for * 120208 24063 Presser Foot (grooved) for 120	52016	22306	Presser Bar Lifter Feed Dog, 19 teeth (22 teeth to the inch) for 52032, for 121801 to			120207	24063	Corder (adjustable) complete, for short turns on cushions, Nos. 190J, 1044D, 26795, 26796 and
121798 and 121848	52032 X 0	24064	Throat Plate, large needle hole, for 52031, for 121801 to 121804,	~	ب ې			Presser Foot (grooved) for 120207 Hemmer for 120340

۰. ۲.

.

-

Ĺ,

*

• . (*

في ير

14 H

¥ .

1

.

-

66

00		
No	Plate	Name
No.		
120339	24065	Hemmer Shank for 120340
120340	24065	Hemmer (adjustable) on Shank, com- plete, for 1/2 in. to 2 in. hem, Nos. 120338,120339 and two 1443J.
		plete, for 1/2 in. to 2 in. hem,
		Nos. 120338,120339 and two 1443J.
120342	24059	Oller (copper plated) with 120343
		(Attachments and Accessories)
120343	24059	Oiler Spout, 3 1/2 in, long for
120427	22337	120342. Guide Holder Shank for 120428 Guide (adjustable, hinged) complete, Nos. 940W, 7071, 28971, 28972,
120428	22337	Guide (edjusteble binged) complete
100400	22007	$W_{aa} = 0.01771 20071 20072$
		NUS. 540W, 1011, 20311, 20314, 25010 510040 4 100403
	00000	35610, 51224W and 120427
120433	22916	Binder Folder for 120437 and 120459. Feed Dog, 7 teeth (16 teeth to the inch) for 120436, for 120437 and
120434	22916	Feed Dog, 7 teeth (16 teeth to the
		inch) for 120436, for 120437 and
		120459. Presser Foot for 120437 Throat Plate for 120434, for 120437
120435	22916	Presser Foot for 120437
120436XC	22916	Throat Plate for 120434, for 120437
TEOTOMIO	22010	and 120459
120437	22916	and 120459, Binder (English) complete, for awn- ings, Nos. 190J, 207F, 25722, 120433 to 120436XC and two 7071.
120431	22910	Binder (English) Complete, for awn-
		ings, Nos. 1900, 2018, 20122,
		120433 to 120436AU and two 7071.
120458	22918	Presser Foot for 120459
120459	22918	Binder (English) for slip covers and
		general work, Nos. 190J, 207F,
		25722. 120433. 120434. 120436XC.
		120458 and two 7071
120479	22946	general work, Nos. 190J, 207F, 25722, 120433, 120434, 120436XC, 120458 and two 7071 Quilter Guide (left) for 120485
120480	22946	Quilter Guide (right) for 120485
120481	22946	Guilton Guido Procket for 120492
	22340	Quilter Guide Bracket for 120482 Quilter Guide Bracket 120481 with
120482		Willer Guide Bracket 120461 With
		120483 and two 2090, for 120485
120483	22946	Quilter Guide Disengaging Sleeve for
		120482 Quilter Guide Disengaging Sleeve
120484	22946	Quilter Guide Disengaging Sleeve
		Spring for 120485 Quilter complete, Nos. 602D, 120479, 120480, 120482 and 120484 Finger Guard for 120498
120485	22946	Quilter complete, Nos. 602D, 120479,
		120480, 120482 and 120484
120496	24071	Finger Guard for 120498
120497	24071	Finger Guard Holder with 50302J, for
100401		120498 and 121335
120400	24071	120498 and 121335 Finger Guard complete, Nos. 236J,
120498	24011	PILEOF GUELO COMPICIO, NOS, 2000,
200500		120496 and 120497
120500	24069	Tucker Frame for 36561
120536	23249	Tape Reel Disc, with 120538 and
		120539
120537	23249	Tape Reel Disc Pin for 121412
120538	23249	Tape Reel Disc Stud (wood) for 120536
120539	23249	Tape Reel Disc Stud Sleeve (brass)
	20220	for 120536
120572	24069	for 120536 Tucker Tuck Marker Clamping Plate for
120042	24005	36561
100007	04077	36561
120803	24073	nemmer 1001 for 1/8 in nem
120804	24073	Hemmer (loot) for 5/32 in. hem
120805	24073	Hemmer (root) for 3/16 in. hem
120806	24073	Hemmer (foot) for 1/4 in, hem
120807	24073	36561 Hemmer (foot) for 1/8 in. hem Hemmer (foot) for 5/32 in. hem Hemmer (foot) for 3/16 in. hem Hemmer (foot) for 1/4 in. hem Hemmer (foot) for 5/16 in. hem
120837	24073	Hemmer (foot) plain bottom, for 1/8
		in. hem, slotted for lace
120856	24071	Finger Guard for 120859
120857	24071	Finger Guard for 120860
120858	24071	Finger Guard for 120860 Finger Guard Holder with 50302J, for
120000	24011	320050 320060 and 321610
		120859, 120860 and 121619

NUMERICAL LIST OF PARTS

		-
No.	Plate	Name
120859	24071	Finger Guard complete, Nos. 120856,
120003	54017	120858 and two 236J
120860	24071	Finger Guard complete, Nos. 120857, 120858 and two 236J
120898	24073	120858 and two 236J Hemmer (foot) for 1/16 in. to 1/8 in.
120011	24073	hem, for China silk, etc
120911	24013	Hemmer (foot with shell hemmer) for 5/32 in. to 1/4 in. hem, for China silk, etc Hemmer (foot) for 3/32 in. hem Fiping Attachment for 35245 Binder Folder on Shank, for 121168 Binder (transverse) on Shank complete, for folded on unfolded bies binder
		China silk, etc
120938	24073	Hemmer (foot) for 3/32 in. hem
120977	24061	Piping Attachment for 35245
121167	23249	Binder Folder on Shank, for 121168
121168	23249	Binder (transverse) on Shank complete,
		ing, with tape reel, for general work, for 3/4 in., 7/8 in. and
		work, for 3/4 in., 7/8 in. and
		1 in. tape, Nos. 5146,120536,
		121167, 121169, 121397, 121398AC,
		1 in. tape, Nos. 3146,120536, 121167, 121169, 121397, 121398XC, 121412 and two 51097J
121169	23249	Presser Foot for 121168
121334	24071	Finger Guard for 121335 Finger Guard complete, Nos. 236J,
121335	24071	Finger Guard complete, Nos. 236J,
		120497 and 121334
121397	23249	Feed Dog, 18 teeth (16 teeth to the inch) for 121398, for 121168
		inch) for 121398, for 121168
12139 8X C	23249	Throat Plate With 45525, for 121597,
101410	07040	for 121168
121412	23249	for 121168 Tape Reel Arm with 8879, 23263 and 120537. for 121168
101444	04061	Hand Dog 17 tooth (16 tooth to the
121444	24061	inch) for 121445 for 26250
121 445X C	24061	Throat Plate for 121444 for 26250
121446	24062	Reed Dog (sniked teeth) 13 teeth (10
TPT##0	22000	 Table Reel Arm with Sorray 252c5 and 120537, for 121168 Feed Dog, 13 teeth (16 teeth to the inch) for 121445, for 26250 Throat Flate for 121444, for 26250 Feed Dog (spiked teeth) 13 teeth (10 teeth to the inch) for 26605 and 121447 for 26805 a5226 and
		120207. Throat Plate for 121446, for 28678
121447XC	24062	Throat Plate for 121446, for 28678
121618	24071	Finger Guard for 121619
121619	24071	Finger Guard complete, when machine
		is fitted with a Roller Presser.
		Nos. 120858, 121618 and two 236J.
121758	24073	Feed Dog, 13 teeth (16 teeth to the
		Feed Dog, 13 teeth (16 teeth to the inch) for 121759 for 121760
1217 59X C	24073	Throat Plate, small needle hole, for
		121758 for 121760
1217 6 0	24073	Remmer (foot) for 1/8 in, hem for
		hemming shirts, for 121758 and
121761	24073	Hemmer (foot) for 1/8 in hem, for
		hemming shirts Hemmer (foot) for 5/32 in. hem, for
121762	24073	Hemmer (foot) for 5/32 in. hem, for
		hemming shirts. Hemmer (foot) for 1/8 in. hem, for
121798	24064	Hemmer (foot) for 1/8 in. hem, for
		hemming shipps for 44/5/ 44/5b.
		52051 and 52052
121801	24064	Hemmer (root) for 1/8 in. nem, for
		52031 and 52032
101000	04004	52031 and 52032 Hemmer (foot) for 5/32 in. hem, for
121802	24064	nemmer (1001) for 3/32 in. nem, for
		Hemmer (1005) 107 5/52 11. How for hemming shirts, for 44252, 44256, 52031 and 52032
101007	94004	Hormon (feat) wide folden for 2/16
121803	24064	nemmer (1006) wide forder, for 3/10
		AADED AADES E2031 and E2032

in. hem, for hemming shirts, for 44252, 44256, 52031 and 52032....

đ.

68	I	NUMERICAL LIST OF PARTS				1	NUMERICAL LIST OF PARTS 69
No.	Plate	Name	•	-	No.	Plate	Name .
121804	24064	Hemmer (foot) narrow folder, for 3/16			139624	22338	Rock Shaft complete, for 139626, Nos.
		in, hem, for hemming shirts, for					2768, 12242, 127312 and 139633
121843		44252, 44256, 52031 and 52032			139625	22338	Rock Shaft complete, for 139627, Nos.
121848	24064	Hemmer for 28711 Hemmer (foot) for 3/32 in. hem, for	•	(•	139626		2768, 139633 and two 7539
101040	L-100-1	hemming shirts, for 44252, 44256,			139020		Knee Lifter complete (power table) Nos. 76D, 766E, 802D, 1521J, 5598,
•		52031 and 52032					12237, 12240, 12241, 12415, 12416,
121941	24075	Presser Foot for No. 5 Slide Fastener,					139624 and two 178E
		for stitching at right or left of			139627		Knee Lifter complete (individual
		slide festener, for heavy woolen		-			motor and foot power stands) Nos.
		suiting and dresses, for 12455,					76D, 766E, 802D, 1521J, 5598,
		12468, 12481, 20158, 20471, 43978					12237, 12240, 12241, 12415, 12416,
121943	24075	and 44156 Presser Foot Plate for 121946			139631		139625 and two 178E Balance Wheel (power) "V" belt groove
121944	24075	Presser Foot Shank for 121946		1	103001		(outside diam. of belt groove 2.9
121945	24075	Presser Foot Spring for 121946					in.) with two 443AL
121946	24075	Presser Foot complete, for No. 5			139633		Rock Shaft 2763 with 2770, 6337 and
		Slide Fastener, for stitching at	•				139623, for 139624 and 139625
		right or left of slide fastener,			1402190	22338	Rock Shaft Stop Dog Set Screw for
		for crossing seams, for 12455,		ļ	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		2770
		12468, 12481, 20158, 20471, 43978 and 44156, Nos. 62527 and 121943			2000 56E	23253	Bobbin Winder Stop Latch Screw for
		to 121945	•		200082D	23253	259431 and 259462 Bobbin Winder Tension Bracket Screw
121948	24075	Presser Foot with 36696, for 121949			2000022	20200	for 259431 and 259462
121949	24075	Presser Foot with Graduated Adjust-			200113F	23253	Bobbin Winder Brake Clamp Screw for
		able Guides complete, for No. 3		ļ			259431 and 259462
		and No. 5 Slide Fastener, for			200299H	23253	Bobbin Wider Stop Latch Trip Lever
		making various margins up to 1/2					Hinge Screw for 259431 and
		inch between the slide fastener and the line of stitching, for			2003800	23253	259462 Bobbin Winder Pulley Set Screw for
		12455, 12468, 12481, 20156, 20471,			2000000	LOLOS	225368 and 259461
		43978 and 44156, Nos. 337B, 35003		1	201499B	23253	Bobbin Winder Tension Stud for
		to 35005, 35135, 35136 and 121948		1			225461
12 5 373		Face Plate Thread Guard (upper) Rivet			201572B	23253	Bobbin Winder Tension Stud Thumb Nut
125424	22304	for 45720			202277	23253	for 225462
100404	22004	Face Plate Thread Guard (upper) Rivet for 139615			202271	20200	Bobbin Winder Frame Oil Packing (wick) for 225453
126356	22332	Belt Guard for 126365			202478	23253	Bobbin Winder Stop Latch Trip Lever
126363	22332	Belt Guard Bracket for 126365					for 259431 and 259462.
126364	22332	Belt Guard Extension for 126365		l	210958		Thread Retainer Collar for 52379,
126365	22332	Belt Guard (adjustable) complete, for					obsolete
		Bench Stand, Nos. 162D, 1480D,		l	210993-		Thread Retainer Sleeve for 52379,
		9331, 50551J, 126356, 126363, 126364, and two wood screws 1 in.		L	225368	23253	obsolete Bobbin Winder Pulley with 200380C,
		No. 10	٠	-	220000	20200	for 259431
127152	22303	Feed and Feed Lifting Eccentric			225381	23253	Bobbin Winder Spindle for 259431 and
		Sleeve, for 44122					259462
127312	22338	Rock Shaft Hanger (back) with two			225438	23253	Bobbin Winder Frame Oil Well Cap for
		wood screws 1 in. No. 10 F.H.,	•	-	005.44		225453
139500	22207	for 139624		ĺ	225444	23253	Bobbin Winder Stop Latch for 259431
132590	22307	Arm 0il Tube Packing (braided cotton) for 12454			225453	23253	and 259462 Bobbin Winder Frame with 202277 and
139602		Oscillating Rock Shaft 24105 with		1 	224140		225438 for 259431 and 259462
		9080			225454	23253	Bobbin Winder Frame Hinge Pin for
139615	22304	Face Plate Thread Guard (upper) 45874					259431 and 259462
		with 125424, for 20058		and the second	225455	23253	Bobbin Winder Frame Spring for 259431
139 616X C	24070	Throat Plate (large needle hole) for			005450	0.005.0	and 259462
1 3061 780		31-15 Machine, for 12468 and 20471			225456	23253	Bobbin Winder Frame Spring Plunger for 259431 and 259462
139 617X C		Throat Plate (small needle hole) for 31-15 Machine for 12468 and 20471			225458	23253	Bobbin Winder Stop Latch Thumb Lever
139622	22341	Drip Pan with four 1 in. wire nails.			LL0400	20200	for 259431 and 259462
	22338	Rock Shaft Lifting Bracket Hook for			225459	23253	Bobbin Winder Stop Latch Thumb Lever
139623			•				

.

-

1

1

NUMERICAL LIST OF PARTS

No.	Plate	Neme
225459	23253	Bobbin Winder Stop Latch Thumb Lever
220100	20200	Joint Stud for 259431 and 259462
225461	23253	Bobbin Winder Tension Bracket with
		201499B, for 225462
225462	23253	Bobbin Winder Tension Bracket com-
		plete for 259431 and 259462, Nos.
		13710, 201572B, 225461 and two
000000	07057	2102
228026	23253	Bobbin Winder Tension Bracket Screw Washer for 259431 and 259462
259428	23253	Bobbin Winder Brake (leather) for
200420	20200	259431 and 259462
259429	23253	Bobbin Winder Brake Clamp for 259431
		and 259462
259430	23253	Bobbin Winder and Tension Bracket
		Base for 259431 and 259462
259431	23253	Bobbin Winder (swinging automatic,
		right hand) complete, for power
		table, for round belt, Nos. 200056E, 200082D, 200113F,200299H,
,		202478, 225368, 225381, 225444,
		225453 to 225456, 225458, 225462,
		228026, 259428 to 259430 and two
		each 225459 and wood screws 3/4
		in. No. 12 R.H.B
259461	23253	Bobbin Winder Pulley with 200380C,
		for 259462
259462	23253	Bobbin Winder (swinging automatic,
		right hand) complete, for power table, for "V" belt, Nos.200056E,
		200082D, 200113F, 200299H, 202478,
		225381, 225444, 225453 to 225456,
		225458, 225462, 228026, 259428 to
		259430,259461 and two each 225459
		and wood screws 3/4 in. No. 12
		R.H.B

4

ηî.

4

4

-

.

,

-

۰.

70

.

Æ

.

