# Singer 31-63

Form 21005 (159) Printed in U. S. A.

# LIST of PARTS



SINGER"

MACHINE No. 31-63

THE SINGER MANUFACTURING COMPANY

# INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, "TYPE B" or "TYPE D" OIL, sold only by Singer Sewing Machine Company, should be applied at the beginning of each working day to all oil holes marked "OiL",

"TYPE D" OIL is stainless.

#### INDEX

	Page	
ccessories		17
obbin Winders		17
achine Base	******	20
achine No. 31-63		7
umerical List of Parts		21
harand Harriadas		20

Copyright © 1959 by The Singer Manufacturing Company

#### INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A-Hardened, Polished, Nickel Plated and Buffed

B-Polished, Nickel Plated and Buffed

C—Hardened Only

D—Polished Only

E-Soft, Not Polished

F—Hardened and Polished

G-Bright Rumbled and Nickel Plated

H-Blued

J—Nickel Plated Only

K-Hardened and Nickel Plated

L—Brass Plated

M-Oxidized

R—Phosphate Coating Formed on Surface of Iron or Steel

S—Cadmium Plated

T—Copper Plated

U—Zinc Plated

V—Silver Plated

W—Palished and Nickel Plated

X-Black Oxide for Iron and Steel

Y-Black Nickel Plated Only

**Z**—Chromium Plated

A.A—Buffed and Chromium Plated

A.B—Hardened, Polished, Buffed and Chromium Plated

A.E—Hardened, Bright Rumbled and Nickel Plated

A.F-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

A.G—Alumilite (Plain)

A.H—Alumilite (Dyed) Color Must be Stated

A.J—Polished, Nickel Plated and Chromium Plated

A.K-Hardened, Polished, Nickel Plated and Chromium Plated

A.L-Heat Treated for Toughness

A.L.D—Heat Treated for Taughness and Polished

A.L.X--Heat Treated for Toughness and Black Oxide

#### INSTRUCTIONS FOR ORDERING

A.S-Black Maulded Phenolic

A.T—Beige Moulded Phenolic

A.U-Brown Moulded Phenolic

A.W-Hardened then Flame Coated with Tungsten Carbide

B.A—Chrome Nickel Satin Finish

B.B—Hardened and Chrome Nickel, Satin Finished

C.R—Hardened and Phosphate Coating Formed on Surface of Steel

F.J-Hardened, Polished and Nickel Plated

T.A—Hardened, Polished, Capper and Nickel Plated and Buffed

T,B-Copper and Nickel Plated and Polished

T.J—Copper and Nickel Plated Only

T.K—Hardened, Copper and Nickel Plated

T.L—Copper and Brass Plated

T.M-Copper Plated and Oxidized

X.C—Hardened and Black Oxide for Iron and Steel

Z.A—Hardened, Polished Nickel Plated, Buffed and Chromium Plated

Z.B-Polished, Nickel Plated, Buffed and Chromium Plated

Z.C-Hordened and Chromium Plated

Z.D—Polished and Chromium Plated

Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

Z.J.-Nickel and Chromium Plated

Z.T—Copper and Chromium Plated

These letters MUST BE USED when they appear in the list: and AFTER the number as in the list.

In this series:

) to 1500, 50001 to 51500 and 140001 to 142,000 are screw numbers

1501 to 1800 and 51500 to 51800 are not numbers 1801 to 2000 and 51801 to 52000 are roller numbers

2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and up-

ward are numbers of Electrical Parts.


The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (\*) are furnished only when repairs are made at the factory.

When ordering parts which differ as to gauge (the distance between seams), the gauge as well as the number must be given on the order.

#### LIST OF PARTS COMPLETE

FOR



#### MACHINE No. 31-63

FOR PLEATING. TWO NEEDLES, TWO LOOPERS. CLEARANCE UNDER PRESSER FOOT 7/32" GAUGES FROM 3/16" TO 1", IN STEPS OF 1/32". STANDARD GAUGES 3/16" AND 1/4".

No.	P1ate	Name
*43819		Arm with 11104
8582	22130	Arm Dowel Pin (2)
12453	22130	Arm Oil Tube for intermediate bearing
11119	22130	Arm Oil Tube (front of arm) with 52045
12454	22130	Arm Oil Tube with 132590
24131	22130	Arm Oll Tube with 52045
132590	22130	Arm Oil Tube Oil Pod (wick)
52045	22130	Arm Oil Tube Packing (braided cotton) (2)
748E	22130	Arm Screw (back) (2)a
854E	22130	Arm Screw (front) (2)
20400	22131	Arm Shaft
44234		Arm Shaft 20400 with 19275, 20188,
		20197 and 20426
11104	22131	Arm Shoft Bushing
12357	22131	Arm Shaft Flanged Bushing (bock)
448AL	22131	Arm Shaft Flonged Bushing (back)
		Set Screw
144D	22131	Arm Shaft Screw
12480	22130	Arm Side Cop
219D	22130	Arm Side Cap Screw
12193	22130	Arm Side Cover
51224W	22130	Arm Side Cover Thumb Screw
2415	22130	Arm Spool Bracket
15063		Arm Spool Brocket 2415 with two 52239
145D	22130	Arm Spool Bracket Screw

SINGER Needles should be used in SINGER Machines.
These Needles and their Containers are marked with the Company's Trademark "SIMANCO"

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT SINGER made needles

No.	Plote	Name
52239	22130	Arm Spool Pin and Thread Eyelet (2)
8879	22130	Arm Spool Pin Washer (clath) (2)
*43821		Bed
20197	22131	Crank Connecting Rod with 125044 and
		two 896AL
896AL	22131	Crank Connecting Rod Cap Screw (2)
908⊂	22131	Crank Connecting Rad Hinge Screw
1619E	22131	Crank Connecting Rod Hinge Screw Nut
125044	22131	Crank Connecting Rod Oil Pad (felt)
43885	22132	Face Plate
19327	22132	Face Plate Thread Goord (lower) with
		12152
12152	22132	Face Plate Thread Guard (lower) Rivet
62624	22132	Face Plate Thread Guard (upper)
19155	*******	Face Plate Thread Guard (upper) 62624
		with 12152
12152	22132	Face Plate Thread Guard (upper) Rivet
43822	22132	Face Plate complete, Nos. 19155, 19327
		and 43885
190J	22132	Face Plate Screw
51224W	22132	Face Plate Thumb Screw
19111	22133	Feed Bor
313C	22133	Feed Bar Screw Center (2)
56813		Feed Bar Screw Center 313C with 1519J (2)
15193	22133	Feed Bar Screw Center Not (2)
52165	22131	Feed Connecting Link
375C	22131	Feed Connecting Link Hinge Screw (2)
1518J	<b>2</b> 2131	Feed Connecting Link Hinge Screw Nut (2)
43823	22134	Feed Dog with 19116 and 19118
	NOTE:	When ordering No. 43823, state gouge
		required.
191€	22134	Feed Dog Screw
19116	22134	Feed Dog Spring
19117	22133	Feed Dog Spring Hook for 19120
19118	22134	Feed Dog Spring Hook for Feed Dogs
19275	22131	Feed and Feed Lifting Eccentric with
		446AL
446AL	22131	Feed and Feed Lifting Eccentric Set Screw
12429	22131	Feed Forked Connection
43995		Feed Forked Connection complete Nos.
		12429, 52165, 56886 and two each 375C and 1518J
2750	22131	Feed Forked Connection Hinge Screw
375⊄ 1518J	22131	Feed Forked Connection Hinge Screw Nut
12374	22131	Feed Lifting Rock Shaft
20015	22133	Feed Lifting Rock Shaft complete, Nos.
20013		3043, 12374 and 19120

No.	Plate	Name
3043	22133	Food Lifting Rock Shoft Crank (back) with 462AL
3093	22133	Food Lifting Rock Shaft Crank (back) Pin
462AL	22133	Feed Lifting Rock Shaft Crank (back) Set
		Screw
19120	22133	Feed Lifting Rock Shaft Crank (front) with 157E, 19117, 19121 and 19122
157E	22133	Feed Lifting Rock Shaft Cronk (front) Clomping Screw
19121	22133	Feed Lifting Rack Shaft Crank (front)
19122	22133	Feed Lifting Rock Shaft Crank (front) Roller Pin
43976	22131	Feed Lifting Rock Shaft Crank Connecting Rod with 125044 and two 9665
966E	22131	Feed Lifting Rock Short Crank Connecting Rod Cap Screw (2)
375C	22131	Feed Lifting Rock Shaft Crank Connecting Rod Hinge Screw
1518J	22131	Feed Lifting Rock Shaft Crank Connecting Rod Hinge Screw Nut
125044	22131	Feed Lifting Rock Shaft Crank Connecting Rod Oil Pad (felt)
307C	22133	Fred Lifting Rock Shaft Screw Center (2)
56814		Feed Lifting Rock Shaft Screw Center 307 C with 1513J (2)
15137	22133	Feed Lifting Rock Shaft Screw Center Nut (2)
3039	22131	Feed Regulator
56886		Feed Regulator 3039 with 818W
140139E	22131	Feed Regulator Hinge Screw
139603	22131	Feed Regulator Hings Screw Friction
818W	22131	Feed Regulator Thumb Screw
12379	22133	Feed Rock Shoft
29633	22133	Food Rock Shaft Crank with 157R
157R	22133	Feed Rock Shaft Crank Clamping Screw
20333		Feed Rock Shaft complete, Nas. 12379 and 29633
307C	22133	Feed Rock Shaft Screw Center (2)
56814		Feed Rock Shaft Screw Center 307C with 1513J (2)
15133	22133	Feed Rock Shaft Screw Center Nut (2)
139632	22135	Machine Pulley "Y" bult groave (outside diameter of belt groove 6.4 in.) with two 453AL

No.	Plate	Nome
43825	22137	Plaiting Blade (lower) Holder
212D	22137	Plaiting Blade (lower) Holder Cap Screw
43891	22137	Plaiting Blade (lower) Holder Hinge Stud
1668C	22137	Plaiting Blade (lower) Holder Hinge Stud
10004	22.07	Nut
8905	22137	Plaiting Blade (lawer) Holder Hinge Stud
4745		Nut Wosher
20408	22137	Plaiting Blade (lower) Holder Spring
43888	22137	Plaiting Blade (lower) Holder Spring
		5top
50035E	22137	Plaiting Blade (lower) Holder Spring Stop
		Screw
1550X	22137	Plaiting Blade (lower) Holder Spring Stop
		Screw Nut
208AL	22137	Plaiting Blade (lower) Screw (3)
44300	22137	Plaiting Blade (upper)
	NOTE:	When ordering No. 44300, state gauge
		required.
43828	22137	Plaiting Blade (upper) Holder
212D	22137	Plaiting Blade (upper) Holder Cap Screw
43891	22137	Plaiting Blode (upper) Holder Hinge Stud
1668€	22137	Plaiting Blade (upper) Holder Hinge Stud
		Not
8905	22137	Plaiting Blade (upper) Holder Hinge Stud
		Not Washer
20411	22137	Plaiting Blade (upper) Holder Spring
43688	22137	Plaiting Blade (upper) Holder Spring Stop
50035€	22137	Plaiting Blade (upper) Holder Spring Stop
		Screw
1550X	22137	Plaiting Blade (upper) Holder Spring Stop
224		Screw Nut
2083	22137	Plaiting Blade (upper) Screw (long)
228J	22137	Plaiting Blade (upper) Screw (short) (2)
43829 20413	22137	Plaiting Blode Separating Spring
20413	*****	Plaining Cam No. 2
20415		Plaining Cam No. 3
20416		Plaiting Cam No. 4
20417		Plaiting Cam No. 5
20418		Plaiting Cam No. 6
20419	22138	Plaiting Com No. 7
20420		Plaining Cam No. 8
20421	*******	Plaiting Cam No. 9
43830	*******	Plaining Cam No. 10
43831		Plaiting Cam No. 11
43832		Plaiting Cam No. 12
43833	22138	Plaiting Cam No. 13
43834		Plaiting Cam No. 14
- • -		-

No.	Plate	Nome
8386	22138	Plaiting Cam Position Pin
43835	22138	Plaiting Cam Position Stud
43836	22138	Plaiting Com Shaft (horizontal) with 8386
44170	22138	Plaiting Cam Shaft (horizontal) Bevel
		Gear with two 998AL
998AL	22138	Plaiting Com Shoft (horizontal) Bevei Gear Set Screw (2)
43838	22138	Plaiting Cam Shaft (upright) with 43835
44171	22138	Plaiting Cam Shaft (upright) Bevel Gear with two 947C
947C	<b>22</b> 138	Plaiting Com Shoft (upright) Bevel Gear Set Screw (2)
43840	2213B	Plaiting Cam Shaft (upright) Collar with
624AL	22138	Plaiting Com Shoft (upright) Callor Set Scraw (2)
*43841	*******	Plaiting Com Shoft Brocket
145D	22138	Plaiting Cam Shaft Bracket Screw (3)
1667D	22138	Plaiting Cam Thumb Nut (2)
43842	22135	Plaining Connecting Rod with 359C and two 127C
359C	22135	Plaiting Connecting Red Adjusting Screw
127C	22135	Plaiting Connecting Red Cap Screw (2)
50006C	22135	Plaiting Connecting Rod Hinge Screw
43844	22135	Plaiting Eccentric with two 448AL
448AL	22135	Plaiting Eccentric Set Screw (2)
43845	22138	Plaiting Gear (back) with two 159C
159C	22138	Plaiting Geor (back) Set Screw (2)
20426	22131	Ploiting Gear (front) with two 882AL
882AL	22131	Plaiting Gear (front) Set Screw (2)
20427	22138	Plaiting Gear (intermediate) large
43847		Plaiting Gear (intermediate) large 20427
43848	22138	With 18055 and 43848
18055	22138	Plaiting Gear (intermediate) Position Pin
43849	22138	Plaining Gear (intermediate) Stud
449AL	22138	Plaiting Gear (intermediate) Stud Set
44,/	22100	Screw
43850	22135	Plaiting Lever with two 363C
363C	22135	Plaiting Lever Set Screw (2)
43851	22135	Plaiting Lever Shoft
*43852		Plaiting Lever Shaft Bracket (left)
1270	22135	Plaiting Lever Shaft Bracket (left) Screw (2)
*43853	•••••	Plaiting Lever Shaft Bracket (right)
1 <b>27</b> D	22135	Plaiting Lever Shalt Bracket (right) Screw (2)
43854	22135	Plaiting Lever Shaft Crank with two 50288AL

No.	Plate	Name
50288AL	22135	Plaiting Lever Shaft Crank Set Screw (2)
43855	22135	Plaiting Regulator with 228J
50007E	22135	Plaiting Regulator Adjusting Stud
1668C	22135	Plaiting Regulator Adjusting Stud Nut
20437	22135	Plaiting Regulator Adjusting Stud Nut
		Washer
43857	22135	Plaiting Regulator Adjusting Stud Sleeve
228J	22135	Plaiting Regulator Adjusting Stud Stap
45050	20126	Screw Plaining Regulator Bracket with four 145E
43858 145E	22135 22135	Plaiting Regulator Bracket Adjusting
145E	22135	Screw (4)
118E	22135	Plaiting Regulator Bracket Screw
43859	22135	Plaiting Regulator Connecting Link with
157€	22135	Plaiting Regulator Connecting Link
		Adjusting Screw (2)
25D	22135	Plaining Regulator Connecting Link Hinge
		Screw
43860	22135	Plaiting Regulator Crank with two 795C
795C	22135	Plaiting Regulator Crank Set Screw (2)
43892	22137	Plaiting Rock Shaft
1990	22137	Plaiting Rock Shaft Cap Screw
20443	22138	Plaiting Rock Shaft Connecting Rod
66D	22138	Plaiting Rock Shaft Connecting Rod Hinge Screw (lower)
66D	22138	Plaiting Rock Shaft Connecting Rod Hinge
600	22130	Screw (upper)
43863	22137	Plaiting Rock Shaft Crank with 1186E
1186E	22137	Plaiting Rock Shaft Crank Clamping Screw
43864	22137	Plaiting Rock Shaft Hinge Pin
1546D	22137	Plaiting Rock Shaft Hinge Pin Not (brass)
43865	22138	Plaining Rock Shaft Lever
20442	22138	Plaiting Rock Shaft Lever Hinge Stud
155C	22138	Plaiting Rock Shaft Lever Hinge Stud Set
		Screw
1977	22138	Plaiting Rock Sheft Lever Roller and Stud
793D	22138	Plaiting Rock Shaft Lever Roller and Stud Thumb Screw
43893	22138	Plaiting Rock Shaft Lever Roller and Stud Thumb Screw Washer
12391	22139	Presser Bar (hollow)
20059	22139	Presser Bor Guide Brocket with 453AL
453AL	22139	Presser Bor Guide Brocket Set Screw
2062	22139	Presser Bar Lifter
689C	22139	Presser Bar Lifter Scraw
1520J	22139	Presser Bar Lifter Screw Nut

No.	Plate	Name
12327	22139	Presser Bor Lifting and Releasing Lever
11367	22139	Presser Bor Spring (light) .051 wire
	NOTE:	No. 11167 is sent with this machine, unless
		another Spring is specified on order.
12139		Presser Bar Spring (medium) .055 wire
20023		Presser Bar Spring (heavy) .063 wire
11170	22139	Presser Bar Spring Washer
43866	22134	Presser Foot with 43868, two each 468C,
		43869 and three 43867
43867	22134	Presser Foot Spring (3)
43868	22134	Pressor Foot Spring Bar
468C	22134	Presser Foot Spring Bar Sat Screw (2)
43869	22134	Presser Foot Spring Bor Stud (2)
793D	22134	Presser Foot Thomb Screw
L889	22139	Pressure Regulating Thomb Screw
43870	22140	Separating Blade (2)
43871	22140	Separating Blade Bracket
43872	22140	Separating Blade Bracket Arm
142D	22140	Separating Blade Bracket Arm Screw (2)
145D	22140	Separating Blade Bracket Screw (2)
139601	22140	Separating Blade Holder
219F	22140	Separating Blade Holder Screw (2)
579F	22140	Separating Blade Screw (4)
19131	22141	Shuttle (inside) Bobbin
43874	22141	Shuttle (inside) Bobbin Cose Latch and
		Position Finger
2521	22141	Shuttle (inside) Bobbin Case Latch and
		Position Finger Spring
592E	22141	Shuttle (inside) Bobbin Case Latch and
		Position Finger Stop Scraw
43875	22141	Shuttle (inside) Bobbin Cose complete,
		Nos. 591F, 592E, 2521, 19149 and 43874
19136	22141	Shuttle (Inside) BodyShuttle (Inside) Tension Regulating Screw
591F	22141	Shuttle (inside) Tension Regulating Screw
19149	22141	Shuttle (inside) Tension apring Shuttle (inside) 1-11/16 in. diam., Nos.
43876	22141	19131, 19136 and 43875
19131	22141	Shuttle (outside) Bobbin
62608		Shuttle (outside) Bobbin Case
19311	22341	Shuttle (outside) Bobbin Case Latch and Position Finger
2521	22141	Shuttle (outside) Bobbin Case Latch and
5 <b>7</b> 2E	22141	Position Finger Spring
		Position Finger Stop Screw

No.	Plate	Name
19313	22141	Shuttle (outside) Bobbin Case complete, Nos. 591F, 592F, 2521, 19172, 19311 and 62608
19171		Shuttle (outside) Body for 19326
19137	22141	Shuttle (outside) Body for 19325
591F	22141	Shuttle (outside) Tension Regulating Screw
19172	22141	Shuttle (outside) Tension Spring
19326		Shuttle (outside) 7-11/16 in. diam., for
.,,,,		1/32 in. to 13/64 in. gauges, Nos. 19131,
		19171 and 19313
19325	22141	Shuttle (outside) 1-11/16 in. diam., for
		7/32 in. gauge and above Nos. 19131,
		19137 and 19313
19139	22133	Shurtle Driver with two 453AL, for 1/32 in.
		to 1-1/4 in. gauges, in steps of 1/32 in
2049	22133	Shuttle Driver Pin
453AL	22133	Shottle Oriver Set Screw (2)
19379	22142	Shuttle Roce Body
19309	22142	Shuttle Race Needle Guard
1053E	22142	Shuttle Race Needle Goord Screw (2)
19317	22142	Shottle Race Ring (inside)
19318	22142	Shuttle Race Ring (outside)
2532	22142	Shuttle Race Ring Position Pin (4)
2533	22142	Shuttle Race Ring Spring (2)
907D	22142	Shuttle Race Ring Spring Screw (2)
24013	22142	Shuttle Roce complete, Nos. 19309, 19317,
		19318, 19379, two each 907D, 1053E, 2533
•	<b>.</b>	and four 2532
145F	22142	Shuttle Race Screw (2)
20060	22139	Stack Thread Regulator
225F	22139	Stack Thread Regulator Adjusting Screw
43877 43878	22140	Strip Guide (left) for one strip
43879	22140 22140	Strip Guide (right) for one strip
43880	22140	Strip Guide (left) for two strips Strip Guide (right) for two strips
4388 t	22140	Strip Guide Holder
714D	22140	Strip Guide Thumb Scraw (2)
2921	22143	Tension Disc (4)
19191	22143	Tension Plate with 1923), for upper
.,,,,	22145	tension
134D	22143	Tension Plate Screw
1560C	22143	Tension Regulating Thumb Nut (2)
19192	22143	Tension Releaser (2)
12397	22143	Tension Releasing Lever
12398	22143	Tension Releasing Lever Hinge Pin
12329	22143	Tension Releasing Lever Spring
19193	22143	Tension Releasing Lever (intermediate)
		= = = = ( = + + + )

No.	Plate	Name
19231		Tension Releasing Lever (intermediate)
2269	22143	Tension Releasing Lever (intermediate)
19194	22143	Tension Releasing Lever (intermediate) Spring
916C	22143	Tension Screw Stud (2)
44209		Tension Screw Stud 916C with 1560C (2)
1547J	22143	Tension Screw Stud Not (2)
2923	22143	Tension Spring (2)
19195	22143	Tension (upper) complete with Tension
		Release, Nos. 2269, 19191, 19193, 19194,
		two each 1547J, 2923, 19192, 44209 and
		four 2921
19159	22143	Thread Guide Body,
19161	22143	Thread Guide Cap
19160	22143	Thread Guide Roller
905D	22143	Thread Guide Screw
19162	22143	Thread Guide complete (roller) Nos. 905D,
		19159, 19160 and 19161
24129	22136	Thread Take-up Crank
3094	22131	Thread Take-up Crank Wedge
690E	22131	Thread Toke-up Crank Wadge Screw
19156_	22136	Thread Take-up Lever
775E	22136	Thread Toke-up Lever Cap Scraw
12166	22136	Thread Take-up Lever Hinge Pin
12409	22136	Thread Take-up Lever Link
11204	22136	Thread Take-up Lever Link Hings Pin
453AL	22136	Thread Take-up Lever Link Hinge Pin Set Screw
19157	****	Thread Take-up Lever complete, Nos. 12166, 12409 and 19156
44095		Thread Take-up Lever complete, 19157 with 775E, 11204, 24129 and 43997
19158	22143	Thread Take-up Spring
7336	22143	Thread Take-up Spring Regulator
448AL	22143	Thread Take-up Spring Regulator Set
		Screw
43882	22134	Throat Plate
691AL	22134	Throat Plate Screw (2)
139637		Drip Pan with faur 1 In. wire nails for
		Power Table

### **ACCESSORIES**

		MCCLOSORIES
No.	Plote	Nome
41400	22144	Machine Rest Pin (wood) 3-1/8 in, long
120346	22144	Oiler (copper plated) with 120347
120347	22144	Oiler Spout, 8-1/2 in. long
26026	22144	Screw Driver
26485	22144	Screw Driver
43883	22144	Shuttle (inside) Bobbin Case Extractor
9859	22144	Tope Delivery Blade Rivet (2)
35018	22144	Tape Delivery Wire with two 9859
120341	22144	Tweezers (curved)
8908	22144	Wrench for 1519, 1520 and 1620
8909	22144	Wrench for 1513 and 1518
19221	22144	Wrench for 936 and 1619
20461	22144	Wrench
43884	22144	Wrench
<b>N</b> I.		BOBBIN WINDER jing Automatic, Right Hand)
No.	Plate	Name
27540	22145	Bose
15072	22145	Bobbin Position Pin
27302	22145	Frame
50356D	22145	Frame Hinga Screw
1620J	22145	Frome Hinge Screw Not
27303	•	Frame Spring
27541	22145	Pulley
27538	22145	Spindle with 15072 and 47828
41828	22145	Spindle Callar Pin
27306	22145	Spool Pin
11241	22145	Speel Pin Wosher (cloth)
27307	22145	Spool Stand
27308	22145	Spool Stand complete, Nos. 418E, 1562J, 2106, 10141, 11241, 27306, 27307 and two each 2455 and wood screws 1 in. No. 10
27587	22145	Stop Latch
35D	22145	Stop Latch Hinge Screw
2455	22145	Tension Disc (2)
1562J	22145	Tension Regulating Thumb Nut
418E	22145	Tension Screw Stud
10141	22145	Tension Spring
2106	22145	Tension Thread Guide
27875	22145	Bobbin Winder Nas. 35D, 1620J, 27302,
1,0,3	22145	27303, 27538, 27540, 27541, 27587, 50356D and two wood screws 1 in, No. 7
27876	22145	Bobbin Winder (swinging automatic, right hand) complete, Nos. 27308 and 27875

### BOBBIN WINDER (For Round Beit)

No.	Plote	Name
259428	23253	Broke (leather)
259429	23253	Broke Clamp
200113F	23253	Brake Clamp Screw
259430	23253	Bobbin Winder and Tension Brocket Base
225453	23253	Frame with 202277 and 259660
225454	23253	Frome Hinge Pin
202277	23253	Frame Oil Packing (wick)
259660	23253	Frame Oil Well Washer
225455	23253	Frome Spring
225456	23253	Frame Spring Plunger
225368	23253	Pulley with 200380C
200380C	23253	Pulley Set Screw
225381	23253	Spindle
225444	23253	Stop Latch
200056E	23253	Stop Latch Screw
225458	23253	Stop Latch Thumb Lever
225459	23253	Stop Latch Thumb Lever Hinge Stud
225459	23253	Stop Latch Thumb Lever Joint Stud
202478	23253	Stop Latch Trip Lever
200299X	23253	Stop Latch Trip Lever Hinge Screw
225461	23253	Tension Brocket with 201499X
200082D	23253	Tension Bracket Screw
228026	23253	Tension Bracket Screw Washer
2102	23253	Tension Disc (2)
13710	23253	Tension Spring
201499X	23253	Tension Stud
201572X	23253	Tension Stud Thumb Nut
225462	23253	Bobbin Winder Tension Bracket complete,
		Nos. 13710, 201572X, 225461 and two
		2102
259431	23253	Bobbin Winder complete, Nos. 200056E,
		200082D, 200113F, 200299X, 202478,
		225368, 225381, 225444, 225453, 225454,
		225455, 225456, 225458, 225462, 228026,
		259428, 259429, 259430 and two each
		225459 and wood screws 3/4 in. No. 12
		R.H,B,

## BOBBIN WINDER (Swinging Automatic, Right Hand) For Power Table For ''Y'' Belt Drive

No	Plote	Name
259428	23253	Brake (leather)
259429	23253	Brake Clamp
200113	23253	Brake Clamp Screw
259662	23253	Bobbin Winder and Tension Bracket Base
225453	23253	Frame with 202277 and 259660
225454	23253	Frame Hinge Pin
202277	23253	Frame Oit Packing (wick)
259660	23253	Frame Oil Well Washer
225455	23253	Frome Spring
225456	23253	Frame Spring Plunger
259461	23253	Pulley with 200380C
200380C	23253	Pulley Set Screw
225381	23253	Spindle
225444	23253	Stop Latch
200056E	23253	Stop Lotch Screw,
225458	23253	Stop Latch Thumb Lever
225459	23253	Stop Eatch Thumb Lever Hinge Stud
225459	23253	Stop Latch Thumb Lever Joint Stud
202478	23253	Stop Latch Trip Laver
200299X	23253	Stop Latch Trip Lever Hinge Screw
225461	23253	Tension Bracket with 201499X
200082D	23253	Tension Bracket Screw
228026	23253	Tansion Bracket Scraw Washer
2102	23253	Tension Disc (2)
13710	23253	Tension Spring
201499X	23253	Tension Stud
201572X	23253	Tension Stud Thumb Nut
225462	23253	Tension Brocket complete, Nos. 13710, 201572X, 225461 and two 2102
259462	23253	Bobbin Winder complete, for "V" belt,
		Nos. 200056E, 200082D, 200113F, 200299X,
		202478, 225381, 225444, 225453, 225454,
		225455, 225456, 225458, 225462, 228026,
		259428, 259429, 259461, 259662 and two
		each 225459 and wood screws 3/4 in.
		No. 12 R,H,

#### **MACHINE BASE**

No.	Plate	Name
19219	22309	Bed Frame Cushion (leather) (4)
158C	22309	Bed Frame Cushion Screw (8)
19220	22309	Bed Frame Cushion Spring (4)
19226	22309	Bed Frome Hinge Connection (2)
19398	22309	Bed Frame Hinge Connection 19226 with
		221E and 19397 (2)
19397	22309	Bed Frame Hinge Connection Cap (2)
211E	22309	Bed Frame Hinge Connection Cap Screw (2)
16555	22309	Bed Frame Hinge Plate (2)
14010	22309	Bed Frome Hinge Plote Rivet (6)
20067	22309	Bed Frame with two each 16555, 19398,
		fow each 19219, 19220, six each 14010,
		wood screws 1-1/4 in. No. 12 and eight
		158C

#### THREAD UNWINDER

### For Three Spools or Three Large Cones of Thread

No.	Plate	Name
228764	22146	Speal Pin (3)
228765	22146	Speel Rest (for one speel) (flat) with 201254C
228766	22146	Speed Reat (for two speeds) (flat) with 201254C
150203	22146	Speel Rest Cushion (felt) (3)
228767	22146	Spool Rest Rod
201254C	22146	Spool Rest Set Screw (2)
228768	22146	Spool Stand
228771	22146	Thread Guide Holder (for three guides)
228774	22146	Thread Guide Rod
228777	22146	Thread Unwinder (for three apools)
		complete, Nos. 228765, 228766, 228767,
		228768, 228771, 228774, three each
		150203, 228764, 228769 and wood screws
		7/8 in. No. 12
27739	••••	Thread Cone (wood) for large cones
225390		Thread Cone Holder, for inverted cones
	NOTE:	Nos. 27739 and 225390 are used with, but not included in 228777

#### NUMERICAL LIST OF PARTS

No.	Plate	Nome
25D	22135	Plaiting Regulator Connecting Link Hinge
230	22133	Screw
35D	22145	Bobbin Winder Stop Latch Hinge Screw for
		27875
66D	22138	Plaiting Rock Shoft Connecting Rod
		Hinge Screw (lower)
66D	22138	Plaiting Rock Shoft Connecting Rod
118D	20105	Hinge Screw (upper)
127C	22135 22135	Plaiting Regulator Bracket Screw
1274	22133	43842
127D	22135	Plaiting Lever Shoft Bracket (left) Screw
127D	22135	Plaiting Lever Shaft Bracket (right) Screw
134D	22143	Tension Plate Screw
142D	22140	Separating Blade Bracket Arm Screw
1440	22131	Arm Shaft Screw
145D	22130	Arm Spool Bracket Screw
145D	22138	Plaiting Cam Shaft Bracket Screw
145E	22135	Plaiting Regulator Bracket Adjusting
		Screw for 43858
145D	22140	Separating Blode Bracket Screw
145F	22142	Shuttle Race Screw
155C	22138	Plaiting Rock Shaft Lever Hinge Stud
1		Set Screw
157E	22133	Feed Lifting Rock Shaft Crank (front)
157E	22135	Clamping Screw for 19120
1372	22133	Plaiting Regulator Connecting Link Adjusting Screw for 43859
157R	22133	Fond Rock Shaft Clamping Screw for
10 ///	100	29633
158C	22309	Machine Base Bed Frame Cushian Screw
		for 20067
159C	22138	Plaiting Gear (back) Set Screw for 43845
1903	22132	Face Plate Screw
191C	22134	Feed Dog Screw
199D	22137	Plaiting Rock Shaft Cap Screw
208AL	22137	Plaiting Blode (lower) Screw
2081	22137	Plaiting Blode (upper) Screw (long)
209F	22136	Needle Set Screw for 19276
211E	22309	Mochine Base Bed Frame Hinge Connec-
010D		tion Cap Screw for 19398
212D	22137	Plaiting Blade (tower) Holder Cap Screw
212D 219D	22137	Plaiting Blade (upper) Halder Cap Screw
219D	22130 22140	Arm Side Cop Screw
225F	22139	Separating Blade Holder Screw Slack Thread Regulator Adjusting Screw
226J	22133	Oscillating Shaft Crank Slide Block Cap
2243		Screw for 19390

Nome

Plate

No.

No.	Plate	Name
228J	22137	Plaiting Blade (upper) Screw (short)
228J	22135	Plaining Regulator Adjusting Stud Stop Screw for 43855
307C	22133	Feed Lifting Rock Shaft Screw Center
307C	22133	Feed Rock Shaft Screw Center for 56814
313C	22133	Feed Bor Screw Center for 56813
359€	22135	Plaining Connecting Rad Adjusting Screw for 43842
363C	22135	Plaiting Lever Set Screw for 43850
375C	22131	Feed Connecting Link Hinge Screw for 43995
375C	22131	Food Forked Connection Hinge Screw
375C	22131	Feed Lifting Rock Shaft Crank Connecting Rod Hinge Screw
418E	22145	Bobbin Winder Tension Screw Stud for 27308
435AL	22136	Thread Take-up Lever Link Hinge Pin
446AL	22131	Feed and Feed Lifting Eccentric Set Screw for 19275
448AL	22131	Arm Shaft Flanged Bushing (back) Set
448AL	22131	Oscillating Rock Shaft Hinge Pin Set
448AL	22135	Plaiting Eccentric Set Screw for 43844
448AL	22143	Thread Take-up Spring Regulator Set
449AL	22138	Plaiting Gear (Intermediate) Stud Set Screw
453AL	22135	Machine Pulley Set Screw for 139632
453AL	22136	Needle Ber Connecting Stud Set Screw for 12384
453AL	22139	Presser Bar Guide Bracket Set Screw for
453AL	22133	Shuttle Driver Set Screw for 19139
457AL	22133	Oscillating Shaft Crank Set Screw for
462AL	22133	Feed Lifting Rock Shaft Cronk (back) Set Screw for 3043
468C	22134	Presser Foot Spring Bar Set Screw for 43866
579F	22140	Separating Blade Screw
591F	22141	Shuttle (inside) Tension Regulating Screw for 43875
591 <b>F</b>	22141	Shuttle (outside) Tension Regulating Screw for 19313
592E	22141	Shuttle (inside) Bobbin Case Latch and Position Finger Stop Screw for 43875

		- · · · · · · ·
592E	22141	Shuttle (outside) Bobbin Case Latchand Position Finger Stop Screw for 19313
624AL	22138	Plaining Cam Shaft (upright) Collar Set
02-4-12-	22,00	Screw for 43840
688J	22139	Pressure Regulating Thumb Screw
6897	22139	Presser Bar Lifter Screw
690E	22131	Thread Take-up Crank Wedge Screw
691AL	22134	Throat Plate Screw
714D	22140	Strip Guide Thumb Screw
748E	22130	Arm Screw (back)
775E	22136	Thread Take-up Lever Cap Screw for
• • • •		44095
793D	22139	Plaining Rock Shoft Lever Roller and
		Stud Thumb Screw
793D	22134	Presser Foot Thumb Screw
794E	22136	Needle Bar Connecting Link Adjusting
		Screw for 12382
795C	22135	Plaiting Regulator Crank Set Screw for
		43860
818W	22131	Feed Regulator Thumb Screw for 56886
854E	22130	Arm Screw (front)
882AL	22131	Plaiting Gear (front) Set Screw for 20426
896AL	22131	Crank Connecting Rod Cap Screw for
		20197
905D	22143	Thread Guide Screw for 19162
9070	22142	Shuttle Race Ring Spring Screw for 24013
908C	22131	Crank Connecting Rod Hinge Screw
916C	22143	Tension Screw Stud for 44209
936E	22136	Needle Bar Screw Bushing
947C	22138	Plaiting Com Shaft (upright) Bevel Gear
		Set Screw for 44171
966E	22131	Feed Lifting Rock Shaft Crank Connecting
		Rod Cap Screw for 43976
969C	22133	Oscillating Shaft Crank Slide Block Screw
		Studfor 19390
998AL	22138	Plaiting Cam Shaft (horizontal) Bevel
		Gear Set Screw for 44170
1053E	22142	Shuttle Race Needle Guard Screw for
		24013
1065AL	22131	Needle Bar Crank Position Screw for
		20188
1186E	22137	Plaiting Rock Shaft Crank Clamping Scraw
		for 43863
15133	22133	Feed Lifting Rock Shaft Screw Center
16161		Nut for 56814
1513J	22133	Feed Rock Shaft Screw Center Nut for
15101	00101	56814
15183	22131	Food Connecting Link Hinge Screw Nut
		for 43995

24	NUMERICAL FIST OF PARTS		
No.	Plate	Name	
1518J	22131	Feed Forked Connection Hinge Screw Nut	
15183	22131	Feed Lifting Rock Shaft Crank Connecting	
.3.03	22131	Rod Hinge Screw Nut	
1518J	22133	Oscillating Shaft Crank Slide Block Screw	
10105	-2100	Stud Nut for 19388	
1519J	22133	Feed Bar Screw Center Nut for 56813	
1520J	22139	Presser Bar Lifter Screw Nut	
1546D	22137	Plaiting Rock Shaft Hinge Pin Nut (brass)	
1547J	22143	Tension Screw Stud Not for 19195	
1550X	22137	Plaiting Blade (lower) Holder Spring Stop	
13307	22107	Screw Nut	
1550X	22137	Plaiting Blade (upper) Holder Spring Stop	
100071		Screw Nut	
1560C	22143	Tension Regulating Thumb Not for 44209	
1562J	22145	Bobble Winder Tension Regulating Thumb	
10020	22 143	Not for 27308	
1619E	22131	Crank Connecting Rod Hinge Screw Nut	
1620J	22145	Bobbin Winder Frame Hinge Screw Nut for	
10100		27875	
1667D	22138	Plaiting Com Thumb Nut	
1668C	22137	Plaiting Blade (lower) Holder Hinge Stud	
1668C	22137	Plaiting Blade (upper) Halder Hinge Stud	
	22.07	Nut	
1668C	22135	Plaiting Regulator Adjusting Stud Not	
1904	22136	Needle Bor Connecting Stud Roller	
,,,,,		(roller only) for 12384	
1977	22138	Plaiting Rock Shaft Lever Roller and Stud	
2049	22133	Oscillating Shaft Crank Pin for 44016	
2049	22133	Shuttle Driver Pin	
2062	22139	Presser Bar Lifter	
2102	23253	Bobbin Winder Tension Disc for 225462	
2106	22145	Bobbin Winder Tension Thread Guide for	
		27308	
2269	22143	Tension Releasing Lever (intermediate)	
		Hinge Pin for 19195	
2273	22136	Needle Clamp Pin for 43998	
2415	22130	Arm Speel Bracket for 15063	
2455	22145	Bobbin Winder Tension Disc for 27308	
2521	22141	Shuttle (inside) Bobbin Case Latch and	
		Position Finger Spring for 43875	
2521	22141	Shuttle (outside) Babbin Case Latch and	
		Position Finger Spring for 19313	
2532	22142	Shuttle Race Ring Position Pin for 24013	
2533	22142	Shuttle Race Ring Spring for 24013	
2921	22143	Tension Disc for 19195	
2923	22143	Tension Spring for 19195	
3039	22131	Feed Regulator for 56886	
3043	22133	Feed Lifting Rock Shaft Crank (bock)	
		with 462AL for 20015	
3093	22133	Food Lifting Rock Shaft Crank (back) Pin	
3094	22131	Thread Take-up Crank Wedge	

No.	Plate	Nome
4784	22131	Oscillating Rock Shaft Oil Pad for 19387
7336	22143	Thread Take-up Spring Regulator
8386	22138	Plaiting Cam Pasition Pin for 43836
8582	22130	Arm Dowel Pin
B879	22130	Arm Spool Pin Washer (cloth)
8905	22137	Plaiting Blade (lower) Holder Hinge Stud
8905	22137	Plaiting Blade (upper) Holder Hinge Stud
8908	22144	Wrench for 1519, 1520 and 1620 (Accessories)
8909	22144	Wrench for 1513 and 1518 (Accessories)
9859	22144	Tope Delivery Blade Rivet for 35018
10141	22145	Bobbin Winder Tension Spring for 27308.
11104	22131	Arm Shaft Bushing for 43819
11119	22130	Arm Oil Tube (front of arm) with 52045
11167	22139	Presser Bar Spring (light) .051 wire
11707	NOTE:	No. 11167 is sent with this mechine,
	110721	unless another Spring is specified an order.
11170	22139	Presser Bar Spring Washer
11204	22136	Thread Take-up Lever Link Hinge Pin for
11204	22130	44095
11241	22145	Babbin Winder Speel Pin Washer (cloth)
12139	******	Presser Bar Spring (Medium) .055 wire
12152	22132	Face Plate Thread Guard (lower) Rivet
		for 19327
12152	22132	Face Plate Thread Guard (upper) Rivet
		for 19155
12166	22136	Thread Take-up Lever Hinge Pin for
12193	22130	Arm Side Cover
12327	22139	Presser Bar Lifting and Releasing Lever
		Brocket
12329	22143	Tension Releasing Lever Spring
12357	22131	Arm Shaft Flanged Bushing (book)
12374	22133	Feed Lifting Rock Shaft for 20015
12379	22133	Feed Rock Shaft for 20333
12382	22136	Needle Bar Connecting Link with 794E, for 43997
12384	22136	Needle Bar Connecting Stud complete, for 43997, Nos. 453AL and 1904
12388	22]31	Oscillating Rock Shaft Hinge Pin for
12391	22139	Presser Bar (hollow)
12397	22143	Tension Releasing Lever
12398	22143	Tension Releasing Lever Hinge Pin
12409	22136	Thread Take-up Lever Link for 19157
12424	22133	Oscillating Shoft Crank Slide Block Cop
	,	Screw Washer for 19390

				· ·		HOM	ERICAL LIVE VI LANCE
No.	Plate	Name			Na,	Plate	Nome
12429	22131	Feed Forked Connection for 43995			19192	22143	Tension Release for 19195
12453	22130	Arm Oil Tube for Intermediate Bearing			19193	22143	Tension Releasing Lever (intermediate)
12454	22130	Arm Dil Tube with 132590					for 19195
12480	22130	Arm Side Cop			19194	22143	Tension Releasing Lever (intermediate)
13710	23253	Bobbin Winder Tension Spring for 225462		l			Spring for 19195
14010	22309	Machine Base Bed Frame Hinge Plate		l	19195	22143	Tension (upper) complete with Tension
		Rivet for 20067		ļ	17175	22,740	Release, Nos. 2269, 19191, 19193, 19194,
15063		Arm Speel Bracket 2415 with two 52239					two each 1547J, 2923, 19192, 44209 and
15072	22145	Bobbin Winder Bobbin Position Pin for					four 2921
		27538			19219	22309	Machine Base Bed Frame Cushion
16555	22309	Machine Base Bed Frame Hinge Plate			17417	24,507	(legther) for 20067
	42407	For 20067			19220	22309	Machine Base Bed Frame Cushion Spring
18014	22136	Needle Bor (hellow) for 43998		_	17120	22307	for 20067
18055	22138	Plaiting Gear (intermediate) Position Pin	-	*	19221	22144	Wrench for 936 and 1619 (Accessories)
		for 43847			19226	22309	Machine Base Bed Frame Hinge Connec-
19111	22133	Feed Bar			17220	22307	tion for 19398
19116	22 134	Feed Dog Spring for 43823		-	19231		Tension Releasing Lever (intermediate)
19117	22133	Feed Dog Spring Hook for 19120			17201		Hinge Block for 19191
19118	22134	Feed Dog Spring Hook for 43823			10075	22121	Feed and Feed Lifting Eccentric with
19120	22133	Feed Lifting Rock Shaft Crank (front)			19275	22131	
17120	22 (04				1007/	00107	Needle Clamp with two 209F, for 3/32 in.
		with 157E, 19117, 19121 and 19122, for			19276	22136	
19121	22133	20015		1	10200	00149	gauge and obove, for 43998
17121	22133	Food Lifting Rock Shaft Crenk (front)			19309	22142	Shuttle Race Needle Guard for 24013
19122	22133	Roller for 19120			19313	22141	Shuttle (outside) Bobbin Case Latch and
17122	12133	Feed Lifting Rock Shaft Crank (front)			16212	20141	Position Finger for 19313
19131	22141	Roller Pin for 19120		1	19313	22 14 1	Shuttle (outside) Bobbin Case complete,
19131	22141	Shuttle (inside) Bobbin for 43876					for 19325 and 19326, Nos. 591F, 592E,
17131	22141	Shuttle (outside) Bobbin for 19325 and		ì	10117	00340	2521, 19172, 19311 and 62608
19136	22141	19326		]	19317	22142	Shuttle Race Ring (inside) for 24013
19137	22141	Shuttle (inside) Body for 43876	•	-	19318	22142	Shuttle Roce Ring (outside) for 24013
19139	22133	Shuttle (autside) Body for 19325		•	19325	22141	Shuttle (outside) 1-11/16 in. diam., for
17137	42133	Shuttle Driver with two 453AL, for 1/32		]			7/32 in, gauge and above, Nos. 19131,
		in, to 1-1/4 in, gauges in steps of 1/32					19137 and 19313
19149	20141	in., for 44016		ł	19326		Shuttle (outside) 1-11/16 in. diam., for
19155	22141	Shuttle (inside) Tension Spring for 43875					1/32 in, to 13/64 in. gauges, Nos. 19131,
17133		Face Plate Thread Guard (upper) 62624					19171 and 19313
19156	20104	with 12152, for 43822		Ì	19327	22132	Foce Plate Thread Guard (lower) with
	22136	Thread Take-up Lever for 19157		!			12152, for 43822
19157		Thread Take-up Lever complete for 44095			19379	22142	Shuttle Race Body for 24013
10.750	00140	Nos. 12166, 12409 and 19156			19386	22131	Oscillating Rock Shaft for 19387
19158	22143	Thread Take-up Spring			19387		Oscillating Rock Shaft complete, Nos.
19159	22143	Thread Guide Body for 19162					4784, 12388 and 19386
19160 19161	22143	Thread Guide Roller for 19162			19388	*******	Oscillating Shaft Crank complete, for
	22143	Thread Guide Cop for 19162					44016, Nos. 457AL, 1518J, 19390 and
19162	22143	Thread Guide complete (roller) Nos. 905D,		-		****	19496
10.1-1		19159, 19160 and 19161			19389	22133	Oscillating Shoft Crank Slide Black for
19171	000.41	Shortle (outside) Body for 19326					19390
19172	22141	Shuttle (outside) Tension Spring for 19313		ļ	19390		Oscillating Shaft Crank Slide Black
19191	22143	Tension Plate with 19231, for upper		'			complete, for 19388, Nos. 226J, 969C,
		tension, for 19195					12424 and 19389

No.	Plate	Name
19397	22309	Machine Base Bed Frame Hinge Connec- tion Cap for 19398
19398	22309	Mochine Base Bed Frame Hinge Connec- tion 19226 with 211E and 19397 for 20067
19496	22133	Oscillating Shaft Crank for 19388
20015	**	Feed Lifting Rock Shoft complete, Nos.
		3043, 12374 and 19120
20016	22133	Oscillating Shaft for 44016
20023		Presser Bar Spring (heavy) .063 wire
20059	22139	Presser Bar Guide Bracket with 453AL
20060	22139	Slock Thread Regulator
20067	22309	Machine Base Bad Frame with two each
		16555, 19398, four each 19219, 19220,
		six each 14010, wood screws 1-1/4 in.
		No. 12 and eight 158C
20186	22131	Needle Bar Crank with 1065AL, for 44234
20197	22131	Crank Connecting Rod with 125044 and
		two 896AL for 44234
20333	P7146.	Feed Rock Shaft complete, Nos. 12379 and 29633
20400	22131	Arm Shaft for 44234
20408	22137	Plaiting Blade (lower) Holder Spring
20411	22137	Plaiting Blode (upper) Holder Spring
20413		Plaiting Cam No. 1
20414		Plaiting Cam No. 2
20415		Plaiting Cam No. 3
20416		Plaifing Com No. 4
20417		Plaiting Com No. 5
20418	*-*-*	Plaiting Com No. 6
20419	22138	Plaining Com No. 7
20420	****	Plaiting Cam No. 8
20421		Plaiting Cam No. 9
20426	22131	Plaining Geor (front) with two 882AL, for
20427	22138	Plaiting Gear (intermediate) large for
		43847
20437	22135	Plaiting Regulator Adjusting Stud Not
		Washer
20442	2213B	Plaiting Rock Shaft Lever Hinge Stud
20443	22138	Plaining Rock Shaft Connecting Rod
20461	22144	Wrench (Accessories)
24013	22142	Shuttle Race complete, Nos. 19309, 19317,
		19318, 19379, two each 907D, 1053E,
24150	00104	2533 and four 2532
24129 24131	22136	Thread Take-up Crank for 44095
24131 26026	22130 22144	Arm Oil Tube with 52045
26485	22144	Screw Driver (Accessories)
20465 27302		Screw Driver (Accessories)
2/302	22145	Bobbin Winder Frame for 27875

Nο.	Plate	Name
27303		Bobbin Winder Frame Spring for 27875
27306	22145	Bobbin Winder Speel Pin for 27308
27307	22145	Bobbin Winder Spool Stand for 27308
27308	22145	Bobbin Winder Spool Stand complete, for
-,	22110	27876, Nos. 418E, 1562J, 2106, 10141,
		11241, 27306, 27307 and two each 2455
		and wood screws I in. No. 10
27538	22145	Babbin Winder Spindle with 15072 and
		41828 for 27875
27540	22145	Bobbin Winder Bose for 27875
27541	22145	Bobbin Winder Pulley for 27875
27587	22145	Bobbin Winder Stop Latch for 27875
27739		Thread Unwinder Thread Cone (wood) for
		large cones
	NOTE:	No. 27739 is used with, but not included
		in 228777
27875	22145	Bobbin Winder for 27876, Nos. 35D, 1620J,
		27302, 27303, 27538, 27540, 27541, 27587,
		50356D and two wood scrows 1 in. No. 7
27876	22145	Bobbin Winder (swinging automatic, right
		hand) complete, Nos. 27308 and 27875
29633	22133	Feed Rock Shaft Crank with 157R, for
		20333
35018	22144	Tape Delivery Wire with two 9859
		(Accessories)
41400	22144	Machine Rest Pin (wood) 3-1/8 In. long
	****	(Accessories)
41828	22145	Bobbin Winder Spindle Collor Pin for 27538
*43819		Arm with 11104
*43821		Bed
43822	22132	Face Plate complete, Nos. 19155, 19327
43022	12132	and 43885
43823	22134	Feed Dog with 19116 and 19118
-0020	NOTE:	When ordering No. 43823, state gauge
		required.
43825	22137	Plaiting Blade (lower) Holder
43828	22137	Plaiting Blade (upper) Holder
43829	22137	Plaiting Blade Separating Spring
43830		Plaiting Cam No. 10
43831	••••	Plaiting Cam No. 11
43832		Plaiting Cam No. 12
43833	22138	Plaiting Cam No. 13
43834	•	Plaiting Cam No. 14
43835	22138	Plaiting Cam Position Stud for 43838
43836	22138	Plaiting Cam Shaft (horizontal) with 8386
43838	22138	Plaiting Cam Shaft (upright) with 43835
43840	22138	Plaiting Cam Shaft (upright) Coller with
		two 624AL
*43841		Plaiting Cam Shoft Bracket

No.	Plate	Name
43842	22135	Plaiting Connecting Rod with 359C and two 127C
43844	22135	Plaiting Eccentric with two 44BAL
43845	22138	Plaiting Gear (back) with two 159C
43847		Plaiting Gear (intermediate) Large 20427
		with 18055 and 43848
43848	22138	Plaiting Gear (intermediate) small for
		43847
43849	22138	Plaiting Gear (intermediate) Stud
43850	22135	Plaining Lever with two 363C
43851	22135	Plaiting Lever Shaft
*43852	******	Plaiting Lever Shaft Bracket (left)
*43853		Plaiting Lever Shaft Bracket (right)
43854	22135	Plaiting Lever Shoft Crank with two 50288AL
43855	22135	Plaiting Regulator with 228J
43857	22135	Plaiting Regulator Adjusting Stud Sleeve
43858	22135	Plaiting Regulator Brocket with four 1455
43859	22135	Plaining Regulator Connecting Link with
43037	22100	two 157E
43860	22135	Plaiting Regulator Crank with two 795C
43863	22137	Plaiting Rock Shaft Crank with 1186E
43864	22137	Plaiting Rock Shaft Hinge Pin
43865	22138	Plaiting Rock Shaft Lever
43866	22134	Presser Foot with 43868, two each 468C,
		43869 and three 43867
43867	22134	Presser Foot Spring for 43866
43868	22134	Presser Foot Spring Bar for 43866
43869	22134	Presser Foot Spring Bar Stud for 43866
43870	22140	Separating Blade
43871	22140	Separating Blade Bracket
43872	22140	Separating Blade Bracket Arm
43874	22141	Shuttle (inside) Bobbin Case Latch and
		Position Finger for 43875
43875	22141	Shuttle (inside) Bobbin Case complete,
		for 43876, Nos. 591F, 592E, 2521, 19149
	_	ond 43874
43876	22141	Shuttle (inside) 1-11/16 in. diam., Nos.
43877	22140	19131, 19136 and 43875 Strip Guide (left) for one strip
43878	22140	Strip Guide (right) for one strip
43879	22140	Strip Guide (left) for two strips
43880	22140	Strip Guide (right) for two strips
43881	22140	Strip Guide Holder
43882	22134	Threat Plate
43883	22144	Shuttle (Inside) Bobbin Case Extractor
		(Accessories)
43884	22144	Wrench (Accessories)
43885	22132	Face Plate for 43882

Na.	Plote	Name
43888	22137	Plaiting Blade (lower) Holder Spring Stop
43888	22137	Plaiting Blade (upper) Holder Spring
43891	22137	Plaiting Blade (lower) Holder Hinge Stud
43891	22137	Plaiting Blade (upper) Holder Hinge Stud
43892	22137	Plaiting Rock Shaft
43893	22138	Plaiting Rock Shaft Lever Roller and Stud Thumb Screw Washer
43976	22131	Feed Lifting Rock Shaft Crank Connecting Rod with 125044 and two 966E
43995		Feed Forked Connection complete, Nos. 12429, 52165, 56886 and two each 375C and 1518J
43997		Needle Bar Connecting Link 12382 with 12384, for 44095
43998		Needle Bar 18014 with 2273 and 19276
44016		Oscillating Shaft 20016 with 2049, 19139 and 19388
44095	******	Thread Take-up Lever 19157 with 775E, 11204, 24129 and 43997
44170	22138	Plaiting Cam Shaft (horizontal) Bevel Gear with two 998AL
44171	22138	Plaiting Cam Shaft (upright) Bevel Gear with two 947C
44209	•	Tension Screw Stud 916C with 1560C for 19195
44234		Arm Shaft 20400 with 19275, 20188, 20197 and 20426
44299	22137	Plaiting Blade (lower)
	NOTE:	When ordering No. 44299, state gauge required.
44300	22137	Plaiting Blade (upper)
	NOTE:	When ordering No. 44300, state gauge required.
50006C	22135	Plaiting Connecting Rad Hinge Screw
50007E	22135	Plaiting Regulator Adjusting Stud
50035E	22137	Plaiting Blade (lower) Holder Spring Stap Screw
50035E	22137	Plaiting Blade (upper) Holder Spring Stop Screw
50288AL	22135	Plaiting Lever Shoft Crank Set Screw for 43854
50356D	22145	Bobbin Winder Frome Hinge Screw for 27875
51224₩	22130	Arm Side Cover Thumb Screw
51224W	22132	Face Plate Thumb Screw
52045	22130	Arm Oil Tube Packing (braided catton) for 11119 and 24131
52165	22131	Feed Connecting Link for 43995

No.	Plote	Nome		No.	Plate	Name
52239	22130	Arm Spool Pin and Thread Eyelet for		202478	23253	Bobbin Winder Stop Latch Trip Lever for 259431 and 259462
56813		Feed Bar Screw Center 313C with 1519J		225368	23253	Bobbin Winder Pulley with 200380C, for
56814	*****	Feed Lifting Rock Shaft Screw Center				259431
		307C with 1513J		225381	23253	Bobbin Winder Spindle for 259431 and
5 <b>6</b> 814	******	Feed Rock Shaft Screw Center 307C with				259462
		1513J		225390		Thread Unwinder Thread Cone Holder, for
56886		Feed Regulator 3039 with 818W, for				inverted cones
		43995			NOTE:	No. 225390 is used with but not included
62608		Shuttle (outside) Babbia Case for 19313		005444		in 228777
62624	22132	Face Plate Thread Guard (upper) for		225444	23253	Bobbin Winder Stop Latch for 259431 and
120341	22144	19155		205.453	22052	259462
120346	22144 22144	Tweezers (curved) (Accessories)		225453	23253	Bobbin Winder Frame with 202277 and
120340	22144	Oiler (copper ploted) with 120347		225454	23253	259660, for 259431 and 249462 Bobbin Winder Frome Hinge Pin for
120347	22144	(Accessories)		223434	13233	259431 and 259462
125044	22131	Crank Connecting Rod Oil Pad (felt) for	• •	225455	23253	Bobbin Winder Frame Spring for 259431
123044	11.07	20197			1010	and 259462
125044	22131	Food Lifting Rock Shaft Cronk Connecting		225456	23253	Bobbin Winder Frame Spring Plunger for
		Rod Oil Pad (Felt) for 43976				259431 and 259462
132590	22130	Arm Oil Tube Oil Pad (wick) for 12454		225458	23253	Bobbin Winder Stop Latch Thumb Lever
139601	<b>22</b> T40	Separating Blade Holder				for 259431 and 259462
139603	22131	Feed Regulator Hinge Screw Friction		225459	23253	Bobbin Winder Stop Latch Thumb Lever
		Washer				Hinge Stud for 259431 and 259462
139632	22135	Machine Pulley, "V" Belt groove (putside		225459	23253	Bobbin Winder Stop Latch Thumb Lever
		diameter of belt groove 6.4 in.) with two				Joint Stud for 259431 and 259462
		453AL		225461	23253	Bobbin Winder Tension Bracket with
139637	******	Drip Pan with four 1 in, wire nalls for		**		201499X, for 225462
		Power Table		225462	23253	Bobbin Winder Tension Brocket complete,
140139E	22131	Feed Regulator Hinge Screw	• •			for 259431 and 259462, Nos. 13710,
150203	22146	Thread Unwinder Spaol Rest Cushian		220021	22262	201572X, 22546) and two 2102
200056E	22252	(felt) for 228777		228026	23253	Bobbin Winder Tension Bracket Screw
2000300	23253	Bobbin Winder Stop Latch Screw for 259431 and 259462	• •	228764	22146	Washer for 259431 and 259462 Thread Unwinder Spool Pin for 228777
2000820	23253	Bobbin Winder Tension Bracket Screw for		228765	22146	Thread Unwinder Spool Rest (for one
20000213	23233	259431 and 259462		220703	22,40	spool) (flat) with 201254C, for 228777
200113F	23253	Bobbin Winder Clamp Screw for 259431		228766	22146	Thread Unwinder Speel Rest (for two
2001.0	20230	and 259462				speals) (flat) with 201254C, for 228777
200299X	23253	Bobbin Winder Stop Lotch Trip Lever		228767	22146	Thread Unwinder Speal Rest Rod for
		Hinge Screw for 259431 and 259462				228777
200380C	23253	Bobbin Winder Pulley Set Screw for 225368		228768	22146	Thread Unwinder Speel Stand for 228777
		and 259461		228769	22146	Thread Unwinder Thread Guide for 228777
201254C	22146	Thread Unwinder Speal Rest Set Screw		228771	22146	Thread Unwinder Thread Guide Holder
		for 228765 and 228766				(for three guides) for 228777
201499X	23253	Bobbin Winder Tension Stud for 225461		228774	22146	Thread Unwinder Thread Guide Rod for
201572X	23253	Bobbin Winder Tension Stud Thumb Nut				228777
		for 225462		228777	22146	Thread Unwinder (for three spools) comp-
202277	23253	Bobbin Winder Frame Oil Packing (wick)				lete, Nos. 228765, 228766, 228767, 228768,
		for 225453	•			228771, 228774, three each 150203, 228764,
						228769 and wood screws 7/8 in. No. 12

No.	Plate	Name
259428	23253	Bobbin Winder Brake (leather) for 259431 and 259462
259429	23253	Bobbin Winder Brake Clamp for 259431 and 259462
259430	23 <b>25</b> 3	Bobbin Winder and Tension Bracket Base for 259431
259431	23253	Bobbin Winder complete, (for round belt) Nos. 200056E, 200082D, 200113F, 200299X, 202478, 225368, 225381, 225444, 225453, 225454, 225455, 225456,225458, 225462, 228026, 259428, 259429, 259430, and two each 225459 and wood screws 3/4 in. No. 12 R.H.B.
259461	23253	Bobbin Winder Pulley 200380C, for 259462
259462	23253	Bobbin Winder complete, for "V" Balt, Nos. 200056E, 2000820, 200113F, 200299X, 20247B, 225381, 225444, 225453, 225454, 225455, 225456, 225458, 225462, 228026, 259428, 259429, 259461, 259662 and two each 225459 and wood screws 3/4 in. No. 12 R.H.
259660	23253	Babbin Winder Frome Oil Wall Washer for 225453
259662	23253	Bobbin Winder and Tension Bracket Base for 259462

SINGER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Trademark "SIMANCO"

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT SINGER made needles

