Singer 32-64

Form 19866 1542) Printed in U.S.A.

LIST of PARTS



MACHINE No. 32-64

** A TRADE MARK O

THE SINGER MANUFACTURING COMPANY

INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, "TYPE B" or "TYPE D" OIL, sold only by Singer Sewing Machine Company, should be applied at least twice each day to all oil holes marked "OIL", as instructed in Form 19624. "TYPE D" OIL is stainless.

Copyright, U. S. A., 1939, 1940 and 1942 by The Singer Manufacturing Co. All Rights Reserved for all Countries

INDEX

P Accessories	age 13
Bobbin Winder	13
Carpet Guide	14
Knee Lifter Parts	14
Machine No. 32-64	7
Numerical List of Parts	17
Tape Reel	15
Tape Tension	15
Thread Unwinder	15

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A-Hardened, Polished, Nickel Plated and Buffed

A.A-Buffed and Chromium Plated

A.B-Hardened, Polished, Buffed and Chromium Plated

A.C-Brown Baking Enamel Finish

A.D-Gray Baking Enamel Finish

A.E-Hardened, Bright Rumbled and Nickel Plated

A.F-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

A.G-Alumilite. Plain

A.H-Alumilite. Dyed

A.J-Polished, Nickel Plated and Chromium Plated

A.K-Hardened, Polished, Nickel Plated and Chromium Plated

A.L-Heat Treated for Toughness

B-Polished, Nickel Plated and Buffed

C-Hardened Only

C.R-Hardened and Merlized

D-Polished Only

E-Soft. Not Polished

F-Hardened and Polished

F.J-Hardened, Polished and Nickel Plated

G-Bright Rumbled and Nickel Plated

H-Blued

J-Nickel Plated Only

K-Hardened and Nickel Plated

L-Brass Plated

M-Oxidized

N-Japanned, Dull

P-Japanned, Bright

P.P-Wrinkle Finish

R-Merlized

S-Cadmium Plated

T-Copper Plated

T.A-Hardened, Polished, Copper and Nickel Plated and Buffed

T.B-Copper and Nickel Plated and Polished

T.J-Copper and Nickel Plated Only

T.K-Hardened, Copper and Nickel Plated

T.L-Copper and Brass Plated

T.M-Copper Plated and Oxidized

INSTRUCTIONS FOR ORDERING - Continued

U-Zinc Plated

V-Silver Plated

W-Polished and Nickel Plated

X-Black Oxide, for Iron and Steel

X.C-Hardened and Black Oxide, for Iron or Steel

Y-Black Nickel Plated Only

Z-Chromium Plated

Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated

Z.B-Polished, Nickel Plated, Buffed and Chromium Plated

Z.C-Hardened and Chromium Plated

Z.D-Polished and Chromium Plated

Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

Z.J-Nickel and Chromium Plated

Z.T-Copper and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500, 50001 to 51500 and 140001 to 142000

are Screw Numbers

1501 to 1800 and 51501 to 51800 are Nut Numbers

1801 to 2000 and 51801 to 52000 are Roller Numbers

2001 to 50000 and 52001 to 140000 and 142001 to


190000 are Sewing Machine Parts, 190001 and upward

are numbers of Electrical Parts.

The figures in the second column refer only to the plates. illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at factory.

LIST OF PARTS COMPLETE FOR



MACHINE No. 32-64

FOR SERGING AND ATTACHING A BINDING TO THE EDGE OF CARPETS IN ONE OPERATION WITH A ZIGZAG STITCH. NEEDLE THROW UP TO 1/4 INCH. ADJUSTABLE GUIDES TO CONFORM WITH VARIATION IN THE THROW OF NEEDLE AND THE WEIGHT OF THE CARPET. UPPER WHEEL FEED. KNEE LIFTER. SPEED 1200 R. P. M.

No.	Plate	Name
*15670		Arm with 122D,283J,7257,15404 and two 15405
2002	3491	Arm Dowel Pin (2)
123 E	3491	" Screw (4)
15671	3488	" Shaft (horizontal)
33875	3488	" " Gear (24
		teeth) with 458C

_

No.	Plate	Name
620AL	3490	Needle Bar Frame Pitman Hinge Stud
		Stop Screw
7295	3491	Needle Bar Frame Regulator with 1820
33861		" " " 7295 with
		5490, 7298, 33948 and two 226J
5 49C	3491	Needle Bar Frame Regulator Adjusting
		Screw Stud
7070	3491	Needle Bar Frame Regulator Adjusting
		Screw Stud Sleeve
22 6J	3491	Needle Bar Frame Regulator Adjusting
9967	7407	Screw Stud Stop Screw (lower)
226J	3491	Needle Bar Frame Regulator Adjusting
1589J	3491	Screw Stud Stop Screw (upper)
12030	2431	Needle Bar Frame Regulator Adjusting Screw Stud Thumb Nut
1820	3491	Needle Bar Frame Regulator Roller
1920	3431	and Stud
33948	3491	Needle Bar Frame Regulator Shaft
6533	3491	n n h n n n
		Collar with 460AL
460AL	3491	Needle Bar Frame Regulator Shaft
		Collar Set Screw
7298	3491	Needle Bar Frame Regulator Shaft Pin
577C	3490	" " " Screw Center (lower)
1517J	3490	
		Nut
673F	34 90	Needle Bar Frame Screw Center (upper)
1517J	34 90	tt 14 14 15 15 TI
35570	7400	Nut.
15537	3490	Needle Bar Gib
7287 196F	3490	OTHUR ATOU TACK
7288	3490	" Screw " Thread Guide
√665J	3490 3490	" " " Screw
142502	3493	" Plate
50231F	3493	" " Screw (2)
15588	3490	" Stop Pin
44006	3491	Oil Cup Packing (soft round felt)
44224	3491	" " Thread Retainer
142517	3491	0il Cup with 44006 and 44224 for
		oiling the needle thread
14031	3492	Oscillating Rock Shaft with 4784
14856	3492	" " " Crank with
		735AL
2049	3492	Oscillating Rock Shaft Crank Pin
735AL	3492	590
		Screw Oscillating Rock Shaft Oil Pad
4784	3492	Uscillating Rock Shart Ull Pad
7317	3492	" Shaft
7318	3492	Crank With (SSAL)
2049	3492	and 1813 Oscillating Shaft Crank Pin
1813	3492	" " " Roller and
1010	J+ 76	Stud
735AL	3492	Oscillating Shaft Crank Set Screw
15693	3490	Presser Bar
52016	3490	" " Lifter
36C	3490	" " Hinge Screw

No.	Plate	Name
2308	3490	Presser Bar Spring
2070	3490	" " Washer
263J	3490	Pressure Regulating Thumb Screw
2996	3479	Shuttle Bobbin (6)
15141	3479	" Case Hinge, Nos.2973,
		2974 and 15140
15140	3479	Shuttle Bobbin Case Latch
2973	3479	" " Lever
2974	3479	и и и и
		Fulcrum Pin
2975	3479	Shuttle Bobbin Case Latch Spring
592E	3479	" " " Stop Screw
142504	3492	" " Position Plate
391J	3492	н н π н п
		Screw (2)
33942	3479	Shuttle Bobbin Case complete, Nos.
00012		591F,592E,2975,15141 and 15278
15728	3479	Shuttle Body
591F	3479	" Tension Regulating Screw
15278	3479	" Spring
15729	3479	Shuttle, 1 11/16 in. diam., Nos.2996,
10100	01.0	15728 and 33942
*15730		Shuttle Driver
15731	3492	" " 15730 with two 462AL
10/01	J#JL	(for Agents Only)
2049		Shuttle Driver Pin
	3492	" Set Screw (2)
462AL	3488	" Pitman with four 196D
7494		" Cap Screw (4)
196D	3488	" " Connecting Ball Joint
777C	3488	Screw (2)
	m	Shuttle Pitman Connecting Ball Joint
15 1 9J	3488	Screw Nut (2)
		Shuttle Pitman Crank Wheel with
14832	3488	Shuttle Filman Crank wheel with
		435AL and 743C
743C	3488	
		Screw
435AL	3488	Shuttle Pitman Crank Wheel Set Screw
14049	3492	Race Deck.,
2532	3492	" IOSTRION III (C)
2533	3492	ppring
648D	3492	DOLOW
33943	3492	Dody
142518		33343 MINI TACOUL
		and two 662R
142 51 9		Shuttle Race Body 142518 with two
		2532
142520		Shuttle Race Body 142519 with 142504
		and two 391J
142521	3492	Shuttle Race complete, Nos. 648D,
		2533, 14049 and 142520
14050	3492	Shuttle Race Bracket
142503	3492	Shuttle Race Bracket complete, Nos.
		7317, 7318, 14031, 14050, 14856,
		15730 and three 2049
14051	3492	Shuttle Race Bracket Adjusting Slide
		**,

No.	Plate	Name
219F	3492	Shuttle Race Bracket Adjusting Slide
_		Screw (2)
14105	3492	Shuttle Race Bracket Adjusting Slide
1.400		Steady Pin (2)
146D	3492	Shuttle Race Bracket Screw (3)
142522 662R	3492	" " Cap
57404	3492	Screw (2)
145F	3492	" Ull Tube
142523	3492	Screw (2)
2102	3479	THOUTCHLING PAG (IEIT)
1560C	3479	Tension Disc (2)
33932	3479	" Regulating Thumb Nut " Releaser with 10136
10610	3479	" " Hinge Gamer
10135	3479	" Hinge Screw
10136	3479	" " Hook (2)
413C	3479	" Screw Stud
33892		" " 4130 with 15600
2103	3479	Spring (heavy)
8238		" (light)
7332	3479	" Thread Guard
7331	3479	Tension (heavy) complete, Nos. 2103,
		7335, 7336, 33892 and two 2102.
Note	: No. 73	31 is regularly furnished with this
	machine	unless otherwise specified on order.
33899		Tension (light) complete, Nos. 7335.
		7336, 8238, 33892 and two 2102.
2112	3479	Thread Retaining Disc with 2113
2113	3479	" " Steady Pin
2114 2115	3479	Spring
460AL	3479 3479	Stud
2111	3479	" Set Screw
2111	3479	Thread Retainer Guide complete, Nos.
7562	3488	2112, 2114 and 2115
2117	3488	Thread Take-up Cam with 448AL
448AL	3488	
33995	3488	" " Set Screw " Lever with 1822
33996	3488	" " 33995 with 790.
79C	3488	" " Hinge Screw
1822	3488	" " Roller and Stud
7335	3479	" " Spring
7336	3479	" " Regulator
446AL	3479	" " " Set
		Screw
*15404		Trade Mark
15405		" " Rivet (2)
7542	3487	Drip Pan (power table) with four 3/4
		in, wire nails

ACCESSORIES

No.	Plate	Name
27055	3484	Machine Button with wood screw 1 3/4
		in. No. 14 R.H.B
120342	3484	Oiler (copper plated) with 120343
120343	3484	" Spout, 3 1/2 in. long
41400	3 484	Machine Rest Pin (wood)
26026	3484	Screw Driver (large)
26485	3484	" " (small)
8909	3484	Wrench for 1517

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

FOR POWER TABLE

No.	Plate	Name
259430	3494	Bobbin Winder and Tension Bracket
		Base
259428	3494	Brake (leather)
259429	3494	" Clamp
200113F	3494	" " Screw
225453	3494	Frame with 202277 and 225438
225454	3494	" Hinge Pin
202277	3494	" Oil Packing (wick)
225438	3494	" " Well Cap
225455	3494	" Spring
225456	3494	" " Plunger
150870	3494	Pulley with 150871 and 200380C
150871	3494	" Friction Ring (leather)
200380C	3494	" Set Screw
225381	3494	Spindle
225444	3494	Stop Latch
200056E	3494	" " Screw
225458	3494	" " Thumb Lever
225459	3494	" " " Hinge Stud
225459	3494	" " " Joint Stud
202478	3494	" " Trip Lever
200299H	3494	" " " Hinge Screw
225461	3494	Tension Bracket with 201499B
2000 82D	3494	" " Screw
228026	3494	" " Washer
2102	3494	" Disc (2)
13710	3494	" Spring
201499B	3494	" Stud
201572B	3494	" Thumb Nut
225462	3494	Tension Bracket complete, Nos. 13710,
		201572B,225461 and two 2102

No.	Plate	Name
150872	3494	Bobbin Winder (swinging automatic,
		right hand) complete, Nos.150870,
		200056E,200082D,200113F,200299H,
		202478,225381,225444,225453 to
		225456,225458,225462,228026,
		259428 to 259430 and two each
		225459 and wood screws 3/4 in.
		Wo 12 D 11 D

CARPET GUIDE

No.	Plate		Ner	ne	
121855	3493	Carpet	Guide	(left)	
158J	3493	ī	н	11	Screw (2)
59456	3493	317		m	" Washer (2)
121856	3493	п	ĸ	(right	;)
173J	3493	77	m	ñ	Screw (2)
7071	3493	Ħ	n	**	" Washer (2)
121857	3493	H	**	Ħ	Plate
161J	3493	n	Ħ	**	" Screw (2)
59456	3493	n	w	11	77 11
		Was	sher (2	2)	
121858	3493	Carpet	Cuide	(right) complete, Nos.
		12:	1856,	121857	and two each 173J
		and	1 7071.		
121859	3493	Carpet	Guide	Tape (huide (on shank)
161J	3493	ī		Ā	" Screw (2)
59456	3493	n	n	71	" "Washer
		(2)		

KNEE LIFTER PARTS

No.	Plate	Name
753 5	3486	Lifting Lever
802D	3486	" " Hinge Screw
15773	3486	" " Spring
7538	3490	Presser Bar Lifting Bracket with
		740C
740C	3490	Presser Bar Lifting Bracket Set
		Screw
2763	3486	Rock Shaft
12242	3486	" " Hanger with two wood
		screws 1 in. No. 10 (2)
2765	3486	Rock Shaft Knee Arm
2766	3486	" " " Hub with 356C
356C	3486	" " " " Set Screw
2768		Rock Shaft Knee Arm complete, Nos.
		2765 to 2767
2767	3486	Rock Shaft Knee Plate with 356C
356C	3486	" " " Set Screw

No.	Plate	Name
6337	3486	Rock Shaft Lifting Bracket with two
		356C,
2778	3486	Rock Shaft Lifting Bracket Hook
356C	3486	" " " " Set
		Screw
356C	3486	Rock Shaft Lifting Bracket Set Screw
2770	3486	" " Stop Dog, with 140219C
140219C	3486	" " " Set Screw
277 7	3486	Rock Shaft complete, Nos. 2763,2768,
		2770,2778,6337 and two 12242
7 5 33		Knee Lifter complete (power table)
		Nos. 802D,2777,7535,7538 and
		15773

TAPE REEL

No.	Plate	Name
121702	3487	Disc, 10 in. diam., with 793R (2)
793R	3487	Disc Thumb Screw (2)
120909	3487	Spool Holder Rod
168B	3487	" " Set Screw
27723	3487	" " Stand Base with 168B
		and three wood screws 1 in. No.
		10
121703	3487	Tape Reel complete, Nos. 27723,
		120909 and two 121702

TAPE TENSION

No.	Plate	Name
121860	3493	Tape Tension Plate
121861	3493	" " Bracket
121862	3493	" " Spring (2)
51570 K	3493	. " " " Stud Nut (2)
121863	3493	Tape Tension complete, Nos. 121860,
		121861, two each 51570K, 121862
		and four wood screws 1 in. No.10
		F.H

THREAD UNWINDER

FOR TWO SPOOLS OR TWO LARGE CONES OF THREAD

No.	Plate	Name
22 5 257	22248	Spool Rest with 201018C
150203	22248	" Cushion (felt) (2)
225388	22248	" " Rod.,

No.	Plate	Name
200383C	22248	Spool Rest Rod Set Screw
201018C	22248	" " Set Screw
202490	22248	" Stand with 2003830
225391	22248	Thread Guide (2)
20 16 96J	22248	" Lock Nut
225326	22248	" Position Cup
225324	22248	" Rod with 208AL and
		225322
208AL	22248	Thread Guide Rod Screw
225322	22248	" " Washer
225258	22248	Thread Unwinder complete, Nos.
		201696J,202490,225257,225324,
		225326,225388, two each 150203,
		225391 and three wood screws 7/8
		in. No. 12
27739	22248	Thread Cone (wood) for large cones
225390	22248	" " Holder, for inverted
		cones
Note	: Nos.	27739 and 225390 are used with, but
	not inc	luded in 225258.

NUMERICAL LIST OF PARTS

No.	Plate	Name
150	3488	Needle Bar Frame Cam and Bevel Gear
		Screw for 33950
33D	3489	Feed Ratchet Pawl Hinge Screw, for 142514
33D	3489	Feed Ratchet Retaining Pawl Hinge
36C	3490	Screw for 142514 Presser Bar Lifter Hinge Screw
79C	3488	Thread Take-up Lever Hinge Screw for
		33996
10 6D	3479	Tension Releaser Hinge Screw for 33959
122D	3491	Arm Side Plate Screw for 15670
123 E	3491	Arm Screw (4)
144D	3488	" Shaft (horizontal) Screw
145E	3491	Bed Leg Screw (3)
145F	3492	Shuttle Race Screw (2)
146D	3492	Shuttle Race Bracket Screw (3)
158J	34 93	Carpet Guide (left) Screw (2)
161D	3489	Feed Wheel Shaft Frame Bracket Screw
161J	3493	(3)
161J	3493	" Tape Guide Screw (2)
168B	3487	Tape Reel Spool Holder Rod Set Screw
173J	3493	for 27723 Carpet Guide (right) Screw for 121858 (2)
190J	3479	Face Plate Screw (3)
190 J	3486	Needle Bar Frame Cam and Bevel Gear
		Cover Screw (2)
19 6 D	3488	Shuttle Pitman Cap Screw for 7494 (4)
196F	3490	Needle Clamp Screw for 7287
208AL	22248	Thread Unwinder Thread Guide Rod Screw for 225324
219F	3492	Shuttle Race Bracket Adjusting Slide Screw (2)
226J	3491	Needle Bar Frame Regulator Adjusting Screw Stud Stop Screw (lower) for 33861
226J	3491	Needle Bar Frame Regulator Adjusting Screw Stud Stop Screw (upper) for 33861
263J	3490	Pressure Regulating Thumb Screw
283J	3491	Arm Side Plate Thumb Screw for 15670.
356C	3486	Rock Shaft Knee Arm Hub Set Screw for
3560	3486	2766 Rock Shaft Knee Plate Set Screw for 2767
356C	3486	Rock Shaft Lifting Bracket Hook Set Screw for 6337
356C	3486	Rock Shaft Lifting Bracket Set Screw
380C	3490	for 6337 Needle Bar Connecting Link Hinge Screw

No.	Plate	Name			No.	Plate	Name
391J	3492	Shuttle Bobbin Case Position Plate			743C	3488	Shuttle Pitman Crank Wheel Position
0010	0.00	Screw for 142520 (2)	•		1400	0100	Screw for 14832
413C	3479	Tension Screw Stud for 33892			777C	3488	Shuttle Pitman Connecting Ball Joint
428C	3489	Feed Wheel Shaft Frame Connection			,,,,	0100	Screw (2)
1000	0.00	Hinge Screw for 142514			793R	3487	Tape Reel Disc Thumb Screw for 121702
435AL	3488	Shuttle Pitman Crank Wheel Set Screw			1001	0401	(2)
TOORD	0400	for 14832			802D	3486	Lifting Lever Hinge Screw for 7533
446AL	3479	Thread Take-up Spring Regulator Set			986C	3489	Feed Regulator Adjusting Screw Stud
44041	0410	Screw			3000	2403	
448AL	3488	Balance Wheel Set Screw for 142511			30107	3488	for 142514 Feed Eccentric Connection Adjusting
440V7	3400	(2)			1012 E	2400	
4 4 0 6 7	3488	Feed Eccentric Collar Set Screw for			10100	7400	Screw for 15678
448AL	J400				1012E	3490	Needle Bar Connecting Link Adjusting
44047	7400	15677 (2)			25255	7400	Screw for 7283
448AL	3488	(2)		*	1517J	3490	Needle Bar Frame Screw Center (lower)
44047	7400				3.53.57	7400	Nut
448AL	3488	Thread Take-up Cam Set Screw for 7562			1517J	3490	Needle Bar Frame Screw Center (upper)
449AL	3488	Arm Shaft (upright) Gear Set Screw					Nut.
	7400	for 33876	-	•	1519 J	3488	Shuttle Pitman Connecting Ball Joint
453AL	3490	Needle Bar Connecting Stud Set Screw			·		Screw Nut (2)
		for 142516 (2)			1520J	3490	Needle Bar Connecting Link Hinge
453AL	3488	Needle Bar Frame Driving Bevel Pinion					Screw Nut
_		Set Screw for 33970 (2)			1538D	3489	Feed Regulator Adjusting Screw Thumb
458C	3488	Arm Shaft (horizontal) Gear Set Screw					Nut for 142514
		for 33875			1560C	3479	Tension Regulating Thumb Nut for
460AL	3491	Needle Bar Frame Regulator Shaft					33892
		Collar Set Screw for 6533			1589J	3491	Needle Bar Frame Regulator Adjusting
460AL	3479	Thread Retaining Stud Set Screw					Screw Stud Thumb Nut
462AL	3488	Arm Shaft (upright) Collar Set-Screw			1813	3492	Oscillating Shaft Crank Roller and
		for 7599					Stud for 7318
462AL	3489	Feed Wheel Shaft Frame Hinge Pin Set			1820	3491	Needle Bar Frame Regulator Roller and
		Screw for 33992					Stud for 7295
462AL	3492	Shuttle Driver Set Screw for 15731			1822	3488	Thread Take-up Lever Roller and Stud
		(2)					for 33995
549C	3491	Needle Bar Frame Regulator Adjusting			2002	3491	Arm Dowel Pin (2)
		Screw Stud for 33861	•	•	2049	3492	Oscillating Rock Shaft Crank Pin for
577C	3490	Needle Bar Frame Screw Center (lower)					142503
591F	3479	Shuttle Tension Regulating Screw for			2049	3492	Oscillating Shaft Crank Pin for
		33942					142503
592E	3479	Shuttle Bobbin Case Latch Stop Screw			2049		Shuttle Driver Pin for 142503
		for 33942			2070	3490	Presser Bar Spring Washer
620AL	3490	Needle Bar Frame Pitman Hinge Stud			2102	3494	Bobbin Winder Tension Disc for 225462
		Stop Screw for 7291					(2)
646F	3490	Needle Bar Frame Pitman Hinge Screw			2102	3479	Tension Disc for 7331 and 33899 (2)
648D	3492	Shuttle Race Back Spring Screw for			2103	3479	Tension Spring (heavy) for 7331
		142521			2111	3479	Thread Retainer Guide complete, Nos.
662R	3492	Shuttle Race Cap Screw for 142518 (2)			0111	02.0	2112, 2114 and 2115
665J	3490	Needle Clamp Thread Guide Screw for			2112	3479	Thread Retaining Disc with 2113, for
0004	224-	15721			~110	0113	2111
673 F	3490	Needle Bar Frame Screw Center (upper)			2113	3479	Thread Retaining Disc Steady Pin for
735AL		Oscillating Rock Shaft Crank Set	L		4110	0113	2112
		Screw for 14856			2114	3479	Thread Retaining Spring for 2111
735AL	3492	Oscillating Shaft Crank Set Screw for			2115	3479	Thread Retaining Stud for 2111
		7318			2117	3488	Arm Shaft (horizontal) Gear Pin
740C	3490	Presser Bar Lifting Bracket Set Screw	•	,	2117	3488	" (upright) Collar Pin
, 400	0.200	for 7538			2117	3488	" " Gear Pin
					2117		Thread Take-up Cam Pin
					2111	3488	TITL-GOOT TERG-OLD COME LITH

3 T -	77.4.	Name .					_
No.	Plate	Name			No.	Plate	Name
391J	3492	Shuttle Bobbin Case Position Flate			743C	3488	Shuttle Pitman Crank Wheel Position
		Screw for 142520 (2)	•	•			Screw for 14832
413C	3479	Tension Screw Stud for 33892			777C	3488	Shuttle Pitman Connecting Ball Joint
428C	3489	Feed Wheel Shaft Frame Connection					Screw (2)
		Hinge Screw for 142514			793R	3487	Tape Reel Disc Thumb Screw for 121702
43 5 AL	3488	Shuttle Pitman Crank Wheel Set Screw					(2)
		for 14832			802D	3486	Lifting Lever Hinge Screw for 7533
446AL	3 4 79	Thread Take-up Spring Regulator Set			986C	3489	Feed Regulator Adjusting Screw Stud
		Screw					for 142514
448AL	3488	Balance Wheel Set Screw for 142511			1012E	3488	Feed Eccentric Connection Adjusting
		(2)					Screw for 15678
448AL	3488	Feed Eccentric Collar Set Screw for			1012E	3490	Needle Bar Connecting Link Adjusting
		15677 (2)					Screw for 7283
448AL	3488	Feed Eccentric Set Screw for 15676			1517 J	3490	Needle Bar Frame Screw Center (lower)
		(2)					Nut
448AL	3488	Thread Take-up Cam Set Screw for 7562			1517J	3490	Needle Bar Frame Screw Center (upper)
449AL	3488	Arm Shaft (upright) Gear Set Screw					Nut
		for 33876		•	1519J	3488	Shuttle Pitman Connecting Ball Joint
453AL	3490	Needle Bar Connecting Stud Set Screw					Screw Nut (2)
		for 142516 (2)			1520J	3490	Needle Bar Connecting Link Hinge
453AL	3488	Needle Bar Frame Driving Bevel Pinion				0.00	Screw Nut
		Set Screw for 33970 (2)			1538D	3489	Feed Regulator Adjusting Screw Thumb
458C	3488	Arm Shaft (horizontal) Gear Set Screw			10002	0100	Nut for 142514
1000	0.40	for 33875			1560C	3479	Tension Regulating Thumb Mut for
460AL	3491	Needle Bar Frame Regulator Shaft			10000	0410	33892
±00112	0401	Collar Set Screw for 6533			1589J	3491	Needle Bar Frame Regulator Adjusting
460AL	3479	Thread Retaining Stud Set Screw			12020	3431	Screw Stud Thumb Nut
462AL	3488	Arm Shaft (upright) Collar Set-Screw			1017	2400	
40541	2400	for 7599			1813	3492	Oscillating Shaft Crank Roller and
462AL	3489	Feed Wheel Shaft Frame Hinge Pin Set			7000	7407	Stud for 7318
402MD	3403	Screw for 33992	_		1820	3491	Needle Bar Frame Regulator Roller and
462AL	3492	Shuttle Driver Set Screw for 15731	•	.•	3.000	7400	Stud for 7295
402AL	3432	(2)			1822	3488	Thread Take-up Lever Roller and Stud
549C	3491	Needle Bar Frame Regulator Adjusting			0000	7407	for 33995
5490	2421	Screw Stud for 33861			2002	3491	Arm Dowel Pin (2)
F770	7400	Needle Bar Frame Screw Center (lower)		•	2049	3492	Oscillating Rock Shaft Crank Pin for
577C	3490						142503
591F	3479	Shuttle Tension Regulating Screw for			2049	3492	Oscillating Shaft Crank Pin for
		33942					142503
592E	3479	Shuttle Bobbin Case Latch Stop Screw			2049		Shuttle Driver Pin for 142503
	7.00	for 33942			2070	3490	Presser Bar Spring Washer
620 AL	3490	Needle Bar Frame Pitman Hinge Stud			2102	3494	Bobbin Winder Tension Disc for 225462
		Stop Screw for 7291		1			(2)
646F	3490	Needle Bar Frame Pitman Hinge Screw.	•	ţ	2102	3479	Tension Disc for 7331 and 33899 (2)
648D	3492	Shuttle Race Back Spring Screw for			2103	3479	Tension Spring (heavy) for 7331
		142521,			2111	3479	Thread Retainer Guide complete, Nos.
662R	3492	Shuttle Race Cap Screw for 142518 (2)					2112, 2114 and 2115
66 5 J	3490	Needle Clamp Thread Guide Screw for			2112	3479	Thread Retaining Disc with 2113, for
		15721					2111
673F	3490	Needle Bar Frame Screw Center (upper)	L		2113	3479	Thread Retaining Disc Steady Pin for
735AL	3492	Oscillating Rock Shaft Crank Set	-	,			2112
		Screw for 14856			2114	3479	Thread Retaining Spring for 2111
73 5AL	3492	Oscillating Shaft Crank Set Screw for			2115	3479	Thread Retaining Stud for 2111
		7318			2117	3488	Arm Shaft (horizontal) Gear Pin
740C	3490	Presser Bar Lifting Bracket Set Screw		•	2117	3488	" (upright) Collar Pin
		for 7538			2117	3488	" " Gear Pin
					2117	3488	Thread Take-up Cam Pin
							· .

				•			
No.	Plate	Name			No.	Plate	Name
2269	3489	Feed Wheel Shaft Frame Connectior Pin			7298	3491	Needle Bar Frame Regulator Shaft Pin
2308	3490	Presser Bar Spring	*		:		for 33861
2532	3492	Shuttle Race Back Position Pin for			7317	3492	Oscillating Shaft for 142503
5002	0102	142519 (2)			7318	3492	Oscillating Shaft Crank with 735AL
2533	3492	Shuttle Race Back Spring for 142521					and 1813, for 142503
2763	3486				7331	3479	Tension (heavy) complete, Nos.2103,
		Rock Shaft for 2777			1,001	0113	7335, 7336, 33892 and two 2102
2765	3486	mico mm roz wrodiliti.			Not	e. No	
2766	3486	nab with 5500,			NOU		7331 is regularly furnished with this
		for 2768			7770		e unless otherwise specified on order.
2767	3486	Rock Shaft Knee Plate with 3560, for			7332	3479	Tension Thread Guard
		2768			7335	3479	Thread Take-up Spring for 7331 and
2768		Rock Shaft Knee Arm complete, for					33899
		2777, Nos. 2765 to 2767			7336	3479	Thread Take-up Spring Regulator for
2770	3486	Rock Shaft Stop Dog with 140219C, for	4				7331 and 33899
		2777	•		7471	3488	Arm Shaft (upright)
2777	3486	Rock Shaft complete, for 7533, Nos.			7494	3488	Shuttle Pitman with four 196D
_		2763, 2768, 2770, 2778, 6337 and			7533		Knee Lifter complete (power table)
_		two 12242		q			Nos. 802D, 2777, 7535, 7538 and
2778	3486	Rock Shaft Lifting Bracket Hook for					15773
		2777			7535	3486	Lifting Lever for 7533
2973	3479	Shuttle Bobbin Case Latch Lever for			7538	3490	Presser Bar Lifting Bracket with 7400,
		15141			•		for 7533
2974	3489	Feed Ratchet Pawl Spring Pin for			7542	3487	Drip Pan (power table) with four 3/4
2017	0.400	15679 and 15684			•		in. wire nails
2974	3489	Feed Ratchet Retaining Pawl Spring			7562	3488	Thread Take-up Cam with 448AL
2314	3403				7599	3488	Arm Shaft (upright) Collar with 462AL
2074	7470	Pin for 15681 and 15689			7652	3490	Needle Bar with 15588, for 15721
2974	3479	Shuttle Bobbin Case Latch Lever			7958	3489	Feed Ratchet Wheel Pin for 142514
0075	2450	Fulcrum Pin for 15141			7958	3489	
2975	3479	Shuttle Bobbin Case Latch Spring for			7958		Feed Wheel Pin for 142514
		33942			1336	3489	Feed Wheel Shaft Collar Pin for
2996	3479	Shuttle Bobbin for 15729 (6)	•	4	8238		142514
4784	3492	Oscillating Rock Shaft Oil Pad for				7400	Tension Spring (light) for 33899
		14031			8879	3488	Arm Spool Pin Washer (cloth)
6312	3489	Feed Regulator Adjusting Screw Thumb			8909	3484	Wrench for 1517 (Accessories)
		Nut Washer for 142514		•	10135	3479	Tension Releaser Spring for 33959
6337	3486	Rock Shaft Lifting Bracket with two			10136	3479	Tension Releaser Spring Hook for
		356C, for 2777					33932 and 33958 (2)
6533	3491	Needle Bar Frame Regulator Shaft			12242	3486	Rock Shaft Hanger with two wood
		Collar with 460AL					Screws 1 in. No. 10, for 2777 (2)
7070	3491	Needle Bar Frame Regulator Adjusting			13710	3494	Bobbin Winder Tension Spring, for
		Screw Stud Sleeve	1				225462
7071	3493	Carpet Guide (right) Screw Washer for	İ		14031	3492	Oscillating Rock Shaft with 4784, for
		121858 (2)	. :				142503
*7257		Arm Side Plate for 15670	(14049	3492	Shuttle Race Back for 142521
7259	3491	Bed Leg (3)	i		14050	3492	Shuttle Race Bracket for 142503
7283	3490	Needle Bar Connecting Link with 1012E			14051	3492	Shuttle Race Bracket Adjusting Slide.
7287	3490	Needle Clamp with 196F, for 15721			14105	3492	Shuttle Race Bracket Adjusting Slide
7288	3490	Needle Clamp Thread Guide for 15721					Steady Pin (2)
7290	3486	Needle Bar Frame Cam and Bevel Gear			14832	3488	Shuttle Pitman Crank Wheel with 435AL
7250	3400	Cover					and 743C
7207	3490	Needle Bar Frame with 620AL			14856	3492	Oscillating Rock Shaft Crank with
7291							735AL, for 142503
7293	3491	Needle Bar Frame Pitman			15140	3479	Shuttle Bobbin Case Latch for 15141
7294	3490	Needle Bar Frame Pitman Hinge Stud	4	2	15141	3479	Shuttle Bobbin Case Hinge, for 33942,
7295	3491	Needle Bar Frame Regulator with 1820,			TOTAL	0413	Nos. 2973, 2974 and 15140
		for 33861			15278	3479	
					102.10	J*± (3	Shuttle Tension Spring for 33942

L .

				+		,,	OMERIORE EIGH OF TARRE
No.	Plate	Name			33876	3488	Arm Shaft (upright) Gear (24 teeth)
* 15404		Trade Mark for 15670			*		with 449AL
15405 15537	3 4 90	Trade Mark Rivet for 15670 (2) Needle Bar Gib for 15721	-	*	33892		Tension Screw Stud 413C with 1560C, for 7331 and 33899
15588 *15670	3490	Needle Stop Pin for 7652			33899		Tension (light) complete, Nos. 7335, 7336, 8238, 33892 and two 2102
10010		two 15405			33932	3479	Tension Releaser with 10136, for
15671	3488	Arm Shaft (horizontal)			,		33959
15676	3488	Feed Eccentric with two 448AL			33942	3479	Shuttle Bobbin Case complete, for
15677	3488	Feed Eccentric Collar with two 448AL.			,		15729, Nos. 591F, 592E, 2975,
15678	3488	Feed Eccentric Connection with 1012E.					15141 and 15278
15679	3489	Feed Ratchet Pawl with 2974, for			33943	3492	Shuttle Race Body for 142518
		142514			33948	3491	Needle Bar Frame Regulator Shaft for
15680	3489	Feed Ratchet Pawl Spring for 142514			**		33861
15681	3489	Feed Ratchet Retaining Pawl with 2974,	L		33950	3488	Needle Bar Frame Cam and Bevel Gear
		for 142514		•			(36 teeth) with 15C
15682	3489	Feed Ratchet Retaining Pawl Spring			33958	3479	Face Plate with 10136 for 33959
		for 142514			33959	3479	Face Plate with Tension Releaser com-
15684	3489	Feed Regulator with 2974, for 142514.	•	•			plete, Nos. 106D,10135,33932 and
15685	3489	Feed Regulator Adjusting Screw Sleeve for 142514			22020	2400	33958
1500	2400	Feed Wheel for 142514		Ļ	33970	3488	Needle Bar Frame Driving Bevel Pinion
15686	3489	Feed Wheel Shaft for 142514			77000	2490	(18 teeth) with two 453AL
15687 15688	3489 3489	Feed Wheel Shaft Collar for 142514			33992	3489	Feed Wheel Shaft Frame Bracket with 462AL, for 142514
15689	3489	Feed Wheel Shaft Frame with 2974, for		Ì	33995	3488	Thread Take-up Lever with 1822, for
		142514		l .			33996
15691	3489	Feed Wheel Shaft Frame Connection for		f	3 3996	3488	Thread Take-up Lever 33995 with 790
		142514		İ	41400	3484	Machine Rest Pin (wood) Accessories
15692	3489	Feed Wheel Shaft Frame Hinge Pin for 142514		1	44006	3491	011 Cup Packing (soft round felt) for 142517
15693	3490	Presser Bar			44224	3491	Oil Cup Thread Retainer for 142517
15721		Needle Bar complete, Nos. 665J, 7287,			50231F	3493	Needle Plate Screw (2)
15728	3479	7288, 7652 and 15537			51570 K	3493	Tape Tension Spring Stud Nut for 121863 (2)
15729	3479	Shuttle, 1 11/16 in. diam., Nos. 2996,			52016	3490	Presser Bar Lifter
10.20	01.0	15728 and 33942	4	<u> </u>	52239	3488	Arm Spool Pin and Thread Eyelet
+1573 0	-	Shuttle Driver for 15731 and 142503			57404		Shuttle Race Oil Tube
15731	3492	Shuttle Driver 15730 with two 462AL		ŀ	59456	3493	Carpet Guide (left) Screw Washer (2).
10.01		(for Agents Only)		Į.	59456	3493	Carpet Guide (right) Plate Screw
1577 3	3486	Lifting Lever Spring for 7533		•		••••	Washer (2)
15783	3488	Arm Shaft (upright) Lower Bearing Oil		Ĺ	59456	3493	Carpet Guide Tape Guide Screw Washer
		Tube		J		٠.	(2)
26026	3484	Screw Driver (large) Accessories		ģ.	120342	3484	Oiler (copper plated) with 120343
26485	3484	Screw Driver (small) Accessories	•	1			(Accessories)
27055	3484	Machine Button with wood screw 1 3/4 in. No. 14 R.H.B. (Accessories)		ļ	120343	3484	0iler Spout, 3 1/2 in. long, for 120342
27723	3487	Tape Reel Spool Holder Stand Base with 168B and three wood screws		ŀ	120909	3487	Tape Reel Spool Holder Rod, for 121703
		1 in. No. 10, for 121703		Ĺ	121702	3487	Tape Reel Disc, 10 in. diam., with
27739	22248	Thread Unwinder Thread Cone (wood)		ţ			793R, for 121703 (2)
		for large cones, for use with 225258		-	121703	3487	Tape Reel complete, Nos. 27723,120909 and two 121702
33861		Needle Bar Frame Regulator 7295 with			121855	3493	Carpet Guide (left)
JUGOT		549C, 7298, 33948 and two 226J		Ė	121856	3493	Carpet Guide (right) for 121858
33875	3488	Arm Shaft (horizontal) Gear (24 teeth)	K.	ţ .	121857	3493	Carpet Guide (right) Plate for 121858
55015	0700	with 458C		1	121858	3493	Carpet Guide (right) complete, Nos.
		-200 10000000000000000000000000000000000			121000	0100	121856, 121857 and two each 173J and 7071
				1			

in the control to the parameters of

				,	
	No.	Plate	Name		
	121859	3493	Carpet Guide Tape Guide (on shank)		
	121860	3493	Tape Tension Plate for 121863		
	121861	3493	Tape Tension Plate Bracket for 121863		
	121862	3493	Tape Tension Spring for 121863 (2)		
	121863	3493	Tape Tension complete, Nos. 121860,	ļ	
	121000	0400	121861, two each 51570K, 121862		
			and four wood screws 1 in. No. 10		
				ł	
	7.4007.00	7400	F.H Back Shaft Stan Dan Sat Sanay for		
	140219C	3486	Rock Shaft Stop Dog Set Screw for	: 1	
			2770		
	142502	3493	Needle Plate	1	
	142503	3492	Shuttle Race Bracket complete, Nos.		
			7317,7318,14031,14050,14856,15730		
			and three 2049	,	
	142504	3492	Shuttle Bobbin Case Position Plate	. ~	
			for 142520		
	142511	3488	Balance Wheel, 5 1/4 in. pulley, with		
			two 448AL	_	
	142513	3489	Feed Ratchet Wheel (60 teeth) for	ſ,	
	111010	0100	142514	1	
	142514	3489	Feed Wheel complete, Nos. 428C, 986C,	4	•
	147014	2#63	1538D,6312,15679 to 15682, 15684		
				Ï	
			to 15689,15691,15692,33992,142513,)	
			two 33D and three 7958	री	
	*142515		Bed	}	À
	142516	3490	Needle Bar Connecting Stud with two	,	ļ
			453AL	1	
	142517	3491	011 Cup with 44006 and 44224, for		
			oiling the needle thread	İ	
	142518		Shuttle Race Body 33943 with 142522		
			and two 662R, for 142519	. 1	i
	142519		Shuttle Race Body 142518 with two		ı
			2532, for 142520		ı
	142520 142521		Shuttle Race Body 142519 with 142504	ı	
	6		and two 391J, for 142521	. 1	ı
ኅ~	142521	3492	Shuttle Race complete, Nos. 648D,2533,		ĺ
/ •	147271	3434	14049 and 142520	1	ĺ
	140500	7400			١.
	142522	3492	Shuttle Race Cap for 142518		ĺ
	142523	3492	Shuttle Race Lubricating Pad (felt).		ı
	150203	22248	Thread Unwinder Spool Rest Cushion		k
			(felt) for 225258 (2)		ı
	150870	3494	Bobbin Winder Pulley with 150871 and	į	
			200380C, for 150872		į
	150871	3494	Bobbin Winder Pulley Friction Ring	1	ı
			(leather) for 150870	Ì	ŀ
	150872	3494	Bobbin Winder (swinging automatic,		ļ
			right hand) complete, for Power	, l	ļ
			Table Nos. 150870,200056E,200082D,	Ţ	ļ
			200113F,200299H,202478,225381,	1	l
			225444,225453 to 225456,225458,		ļ
			225462,228026,259428 to 259430		i
			and two each 225459 and wood		i
			screws 3/4 in. No. 12 R.H.B	1	í
	0000507	7401			١
	20005 6E	3494	Bobbin Winder Stop Latch Screw for		ĺ
			150872		ļ
	200082D	3494	Bobbin Winder Tension Bracket Screw	į	į
			for 150872	i	۱

No.	Plate	Name
20011 3F	3494	Bobbin Winder Brake Clamp Screw for 150872
200299H	3494	Bobbin Winder Stop Latch Trip Lever Hinge Screw for 150872
2003 8 0C	3494	Bobbin Winder Pulley Set Screw for 150870
2003 8 3C	22248	Thread Unwinder Spool Rest Rod Set Screw for 202490
201018C	22248	Thread Unwinder Spool Rest Set Screw for 225257
201499B	3494	Bobbin Winder Tension Stud for 225461
201572B	3494	Bobbin Winder Tension Thumb Nut for 225462
201696 J	22248	Thread Unwinder Thread Guide Lock Nut for 225258
202277	3494	Bobbin Winder Frame Oil Packing (wick) for 225453
202478	3494	Bobbin Winder Stop Latch Trip Lever for 150872
202490	22248	Thread Unwinder Spool Stand with 200383C, for 225258
225257	22248	Thread Unwinder Spool Rest with 201018C for 225258
225258	22248	Thread Unwinder complete, for two spools or two large cones of thread, Nos. 201696J,202490, 225257,225324,225326,225388, two each 150203, 225391 and three wood screws 7/8 in. No. 12
225322	22248	Thread Unwinder Thread Guide Rod Washer for 225324
225324	22248	Thread Unwinder Thread Guide Rod with 208AL and 225322, for 225258
225326	22248	Thread Unwinder Thread Guide Position Cup for 225258
225381	3494	Bobbin Winder Spindle for 150872
225388	22248	Thread Unwinder Spool Rest Rod for 225258
225390	22248	Thread Unwinder Thread Cone Holder, for inverted cones, for use with 225258
225391	22248	Thread Unwinder Thread Guide for 225258 (2)
225438	3494	Bobbin Winder Frame Oil Well Cap for 225453
225444	3494	Bobbin Winder Stop Latch for 150872
2 25453	3494	Bobbin Winder Frame with 202277 and 225438, for 150872
22 5454	3494	Bobbin Winder Frame Hinge Pin for 150872
225455	3494	Bobbin Winder Frame Spring for 150872
225456	3494	Bobbin Winder Frame Spring Plunger for 150872
22 5458	3494	Bobbin Winder Stop Latch Thumb Lever for 150872

26		NUMERICAL LIST OF PARTS
No.	Plate	Name
225459	3494	Bobbin Winder Stop Latch Thumb Lever Hinge Stud for 150872
225459	3494	Bobbin Winder Stop Latch Thumb Lever Joint Stud, for 150872
225461	3494	Bobbin Winder Tension Bracket with 201499B, for 225462
225462	3494	Bobbin Winder Tension Bracket com- plete, for 150872, Nos. 13710, 201572B, 225461 and two 2102
228026	3494	Bobbin Winder Tension Bracket Screw Washer for 150872
259428	3494	Bobbin Winder Brake (leather) for 150872
259429	3494	Bobbin Winder Brake Clamp for 150872.
2594 30	3494	Bobbin Winder and Tension Bracket Base for 150872

