Singer 44-90

Form 19013 (936) Printed in U.S.A.

> LIST of

PARTS

SEWING MACHINE

MACHINE No. 44-90

THE SINGER MANUFACTURING COMPANY

INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires ciling and when in continuous use, it should be oiled at least twice each day with Singer Manufacturing Sewing Machine Oil (Cloth and Leather).

Copyright, U. S. A., 1917, 1921, 1933, 1935 and 1936 by The Singer Manufacturing Co. All Rights Reserved for all Countries

INDEX


INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column. The number stamped on a Sewing Machine Part is in every case the number of the single part only. Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination. Each number always indicates the SAME PART in whatever list it appears, or for whatever machine. The letters after some of the numbers indicate the style of finish only, as follows: A-Hardened, Polished, Nickel Plated and Buffed B-Polished, Nickel Plated and Buffed C-Hardened Only D-Polished Only E-Soft, Not Polished F-Hardened and Polished F.J-Hardened, Polished and Nickel Plated G-Bright Rumbled and Nickel Plated H-Blued J-Nickel Plated Only K-Hardened and Nickel Plated L-Brass Plated M-Oxidized N-Japanned, Dull P-Japanned, Bright R-Merlized T-Copper Plated T.A-Hardened, Polished, Copper and Nickel Plated and Buffed T.B-Copper and Nickel Plated and Polished T.J-Copper and Nickel Plated Only T.K-Hardened, Copper and Nickel Plated T.M-Copper Plated and Oxidized T.L-Copper and Brass Plated U-Zinc Plated V-Silver Plated W-Polished and Nickel Plated Y-Black Nickel Plated Only Z-Chromium Plated Z.B-Polished, Nickel Plated, Buffed and Chromium Plated Z.J-Nickel and Chromium Plated These letters MUST BE USED when they appear in the list; and AFTER the number as in the list. In this series: 1 to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers 1501 to 1800 and 51501 to 51300 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward are numbers of Electrical Parts. The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering. Parts marked with an asterisk (*) are furnished only when repairs are made at factory.

Λ .

LIST OF PARTS COMPLETE

5



MACHINE No. 44-90

FOR SEWING GAUGE GLOVES OF LIGHT, MEDIUM AND HEAVY LEATHER. HAS POSITIVE UPPER AND UNDER FEEDING MECHANISM AND ALTERNATING PRESSERS. SPEED 2200 R. P. M.

No.	Plate	Name
•62881		Arm with 11104, 15404 and two 15405
8582	8387	Dowel Pin
15783	8387	" Oil Tube
12453	8387	" " for oiling intermediate
12454	8387	Arm Oil Tube with 132590, for oiling
24131	8387	Thread Take-up Lever Link Arm 011 Tube with 52045, for 011ing Feed and Feed Lifting Eccentric
11119	8387	Arm 011 Tube 15783 with 52045,for 011- ing Thread Take-up Lever and Needle Bar Crank
52045	8387	Arm Oil Tube Packing (wick)
132590	8387	wick)
748E	8387	Screw (back).
868E	8387	(front)
16511	22476	" Shaft
•11104		" Bushing (front)
12357	22466	Flanged Bushing (back)
448C	2552	" " Set Screw

			 The second s second second se second second sec second second sec		
6		PA	IS FOR MACHINE NO. 44-90		
					ł
N		late	Name		
		8387	Arm Shaft Screw	•	No.
		2466	Side Cover	• .	2495
		6387	" Thumb Screw	•	
242	396 a	2476	Balance Wheel (power) light rim, 2 3/1	6	208
			in. pulley with two 448C		20283
242	397 2	2466	Balance Wheel Oil Cover	•	
. 2	310D	8387	" " " Screw	•	440
1 4	48C	2552	" Set Screw	•	1
•628	- 286		Bed	•	12715
203	197 2	2466	Crank Connecting Rod with two 896E	•	2028
6	396E	8387	" " Cap Screw		375
Ś	080	8387	" Hinge Screw		1. 1518
		8387	* * Nut		
4		2466	Edge Guide Bed with 2362		24969
	-	2467	" " Leveling Screw		12376
121		2466	" " Slide with 26809,51916 and		
1.51.	140 2	00400		4	15
			two 12152	•	1
		2466	Edge Guide Slide Cap (left)		181
		2467			1
		2467	Steady Pin,		24970
268		2466	(right)		de la companya de la
:	307J 2	2467	Borew (large)	4397
. 2	233J 2	2467	" " " " " (amall	.)	i
268	307 2	3466	" " Lever	•	960
	94D 2	2467	" " " Hinge Screw	•	
519	916 Z	2467	" " Roller and Screw Stud		37
268	308 . 2	2466	" " Spring	•	
26	309 2	2466	* * * * Cover	•	151
	152	8387	" " " Rivet		101
		2466	Edge Guide (roller) complete, Nos. 94D		30'
			233J,26803,26805 to 26608,121146		
			two 207J and four 220J	-	5681
	190J	8387	Edge Guide Screw		
		0007	Face Plate		151
			" " Thread Guard (lower)		
•44					303
. 12	150	8387	" " " " 44181 wit	'n	112
			12152	•	81
	152	8387	Face Plate Thread Guard (lower) Rivet.	•	1650
45	720 2	2467	(upper) wit	h	6288
			125373	•	6288
125	373 2	2467	Face Plate Thread Guard (upper) Rivet.	•	17
193	355 2	2391	Face Plate complete, Nos. 12150, 19354 an	d	30
			45720	•	5681
;	219J	8387	Face Plate Screw		
12	368 2	2391	Feed Bar	•	151
	313C	8387	" " Screw Center		6288
			" " " 313C with 1519J		6289
	519J	8387	" " " Nut		
		22472	" Connecting Link		2024
		32467	" " " Hinge Screw		13
			" " Nut.		-
Ť,	518J 2	2467	7UU.	•	3447
					17

.

and a standard and the standard

	No.	Plate		Name
	24952	22473	Feed	Dog,11 teeth (18 teeth to the
				inch) for 24959
	208E	22473	Feed	Dog Screw
	20283	22466	N	and Feed Lifting Eccentric with
				446C
	4460	8387	Feed	and Feed Lifting Eccentric Set
				Screw
	127152	22466	Feed	and Feed Lifting Eccentric Sleeve.
	20284	22391	. #	Forked Connection
	3750	22467	. •	" Hinge Screw
	1518J	22467		Nut.
	24969	22476		Lifting Rock Shaft
	12376	22466	· •	" Crank with 157J
				and 1813
1.0	157J	22467	Feed	Lifting Rock Shaft Crank Clamping
			••••	Screw
	1813	22467	Feed	Lifting Rock Shaft Crank Roller
			•••-	and Stud
	24970		Feed	Lifting Rock Shaft complete, Nos.
· .				12376 and 24969
	43976	22391	Feed	Lifting Rock Shaft Crank Connect-
				ing Rod with two 966E
	966E	22467	Feed	Lifting Rock Shaft Crank Connect-
	0000			ing Rod Cap Screw
	375C	22467	Feed	Lifting Rock Shaft Crank Connect-
			• • • • • •	ing Rod Hinge Screw
	1518J	22467	Feed	Lifting Rock Shaft Crank Connect-
				ing Rod Hinge Screw Nut
	3070	22467	Feed	Lifting Rock Shaft Screw Center
	56814			" " " 3070
18 A.				with 1513J
	151 3 J	22467	Feed	Lifting Rock Shaft Screw Center
	·			Nut
	3039	22466	Feed	Regulator
	1128E	22467	S	" Hinge Screw
	81 9D	22467		" Thumb Screw
	16506	22476	1 # 11	Rock Shaft
	62883		· •	" " 16506 with 62884
	62884	22466		" Crank with two 172J
	172J	22487		" Clamping Screw
	3070	22467	: N	* Screw Center
	56814			307C with
				1513J
	15 13J	22467	Feed	Rock Shaft Screw Center Nut
	62885	22476		(upper) Shaft
	62886		. •	" " 62885 with 2049 and
· · ·				62796
	20249	22468	Feed	(upper) Shaft Bracket (back)
	134E	22469		R R Screw
	24475	22468	· •	* (front)
	171E	22469	. •	Screw
	1. J. J.			
		and the second		·

7

.

...

No.	Plate	Name
20251	22469	Feed (upper) Shaft Collar with 456C
456C	22469	" " Set Screw
62887	22468	" " Crank (back) with
		two 172J
172J	22467	Feed (upper) Shaft Crank (back) Clamp-
		ing Screw
62888	22468	Feed (upper) Shaft Crank (back) Con-
		necting Link
505620	22469	Feed (upper) Shaft Crank (back) Con-
1000	~~~~	necting Link Hinge Screw
1520J	22469	Feed (upper) Shaft Crank (back) Con- necting Link Hinge Screw Nut
62796	22468	Feed (upper) Shaft Crank (front) with
02100	00-00	462C
62797	22468	Feed (upper) Shaft Crank (front) Con-
		necting Link
62814		Feed (upper) Shaft Crank (front) Con-
		necting Link 62797 with 199D and
		62798,
62798	22468	Feed (upper) Shaft Crank (front) Con-
		necting Link Bracket
207J	22467	Feed (upper) Shaft Crank (front) Con-
		necting Link Bracket Screw
199D	22469	Feed (upper) Shaft Crank (front) Con-
		necting Link Cap Screw
50562C	22469	Feed (upper) Shaft Crank (front) Con-
		necting Link Hinge Screw
1520J	22469	Feed (upper) Shaft Crank (front) Con-
		necting Link Hinge Screw Nut
2049	22469	Feed (upper) Shaft Crank (front) Pin
4620	22469	Der Driew
12391	22468	Lifting Presser Bar
19356 199D	22468 22469	" " Bell Crank " " " " Cap Screw
19357	22468	Counacting
1000		Link
199D	22469	Lifting Presser Bar Bell Crank Connect-
10750	00420	ing Link Cap Screw
19358	22468	Lifting Presser Bar Bell Crank Driving
19362	22468	Arm Lifting Presser Bar Bell Crank Driving
19000	20100	Arm Eccentric Connection
375C	22467	Lifting Presser Bar Bell Crank Driving
		Arm Eccentric Connection Hinge
		Screw
1518J	22467	Lifting Presser Bar Bell Crank Driving
		Arm Eccentric Connection Hinge
		Screw Nut
2049	22469	Lifting Presser Bar Bell Crank Driving
		Arm Pin
19359	22468	Lifting Presser Bar Bell Crank Driving
		Arm Shaft

L

PARTS FOR MACHINE NO. 44-90

9

No.	Plate	Name
19360	22468	Lifting Presser Bar Bell Crank Driving
		Arm Shaft Bracket
19361		Lifting Presser Bar Bell Crank Driving
10001		Arm Shaft Bracket complete, Nos.
		2049 and 19358 to 19360
0.005	00480	Lifting Presser Bar Bell Crank Driving
965D	22469	
		Arm Shaft Bracket Screw
62799	22468	Lifting Presser Bar Guide Bracket with
		4530
4530	22469	Lifting Presser Bar Guide Bracket Set
		Screw
62800		Lifting Presser Bar Guide Bracket com-
		plete,Nos.19356,19357,62799,62805
		and three 199D
24590	22468	Lifting Presser Bar Guide Bracket Sup-
		port
175J	22469	Lifting Presser Bar Guide Bracket Sup-
		port Screw
20240	22468	Lifting Presser Bar Lifter
6890		" " " Hinge Screw.
1520J		н п и и и п
10000	200-200	Nut
12327	22470	Lifting Presser Bar Lifting and Releas-
19001	00-210	ing Lever Bracket
11167	00470	
TITO!	22470	Lifting Presser Bar Spring (light) .051
	· · · ·	
N		. 11167 is sent with this machine unless
		er spring is specified on order.
12139	22470	Lifting Presser Bar Spring (medium).055
		wire
20023	22470	Lifting Presser Bar Spring (heavy) .063
11170		wire
	22469	Lifting Presser Bar Spring Washer
62894	22469 22473	Lifting Presser Bar Spring Washer " " Foot
	22473	Lifting Presser Bar Spring Washer " Foot " " Screw
62894	22473 8387	Lifting Presser Bar Spring Washer " " Foot
62894 190J	22473 8387	Lifting Presser Bar Spring Washer " Foot " " Screw
62894 190J 19229	22473 8387 22470	Lifting Presser Bar Spring Washer "Foot " " Screw Needle Bar (hollow)
62894 190J 19229 •12382	22473 8387 22470	Lifting Presser Bar Spring Washer "Foot "Screw Needle Bar (hollow) "Connecting Link with 794E ""L2382 with
62894 190J 19229 •12382 43997	22473 8387 22470 2552	Lifting Presser Bar Spring Washer " Foot " " Screw Needle Bar (hollow) " " Connecting Link with 794E " " " 12382 with 12384
62894 190J 19229 •12382	22473 8387 22470 2552	Lifting Presser Bar Spring Washer "Foot Needle Bar (hollow) "Connecting Link with 794E "Connecting Link with 794E "L2384 Needle Bar Connecting Link Adjusting
62894 190J 19229 •12382 43997 794E	22473 8387 22470 2552	Lifting Presser Bar Spring Washer " Foot " " Screw Needle Bar (hollow) " " Connecting Link with 794E " " " 12382 with 12384 Needle Bar Connecting Link Adjusting Screw
62894 1900 19229 •12382 43997 7945 •12383	22473 8387 22470 2552 2 2552	Lifting Presser Bar Spring Washer " Foot " " Screw Needle Bar (hollow) " " Connecting Link with 794E " " " 12352 with 12354 Needle Bar Connecting Link Adjusting Screw Needle Bar Connecting Stud
62894 190J 19229 •12382 43997 794E	22473 8387 22470 2552	Lifting Presser Bar Spring Washer "Foot "Screw Needle Bar (hollow) "Connecting Link with 794E "Connecting Link with 794E "L2384 Needle Bar Connecting Link Adjusting Screw Needle Bar Connecting Stud "Roller (roll-
62894 190J 19229 •12382 43997 794E •12383 1904	22473 8387 22470 2552 2552 2552	Lifting Presser Bar Spring Washer "Foot "Screw Needle Bar (hollow) "Connecting Link with 794E "Connecting Link with 794E "L2384 Needle Bar Connecting Link Adjusting Screw Needle Bar Connecting Stud Needle Bar Connecting Stud "Roller (roll- er only)
62894 1900 19229 •12362 43997 7945 •12383 1904 4530	22473 8387 22470 2552 2552 2552 2552 22469	Lifting Presser Bar Spring Washer "Foot "Screw Needle Bar (hollow) "Connecting Link with 794E "Connecting Link with 794E "L2382 with 12384 Needle Bar Connecting Link Adjusting Screw Needle Bar Connecting Stud ""Roller (roll- er only) Needle Bar Connecting Stud Set Screw
62894 190J 19229 •12382 43997 794E •12383 1904	22473 8387 22470 2552 2552 2552	Lifting Presser Bar Spring Washer "Foot "Screw Needle Bar (hollow) "Connecting Link with 794E "Connecting Link with 794E "Connecting Link Adjusting Screw Needle Bar Connecting Stud ""Roller (roll- er only) Needle Bar Connecting Stud Set Screw Needle Bar Connecting Stud Set Screw
62894 1900 19229 •12382 43997 794E •12383 1904 4530 12384	22473 8387 22470 2552 2552 2552 22552 22469 2552	Lifting Presser Bar Spring Washer "Foot "Screw Needle Bar (hollow) "Connecting Link with 794E "Connecting Link with 794E "L2384 Needle Bar Connecting Link Adjusting Screw Needle Bar Connecting Stud "Roller (roll- er only) Needle Bar Connecting Stud Set Screw Needle Bar Connecting Stud complete, Nos.453C, 1904 and 12383
62894 1900 19229 •12382 43997 7945 •12383 1904 4530	22473 8387 22470 2552 2552 2552 2552 22469	Lifting Presser Bar Spring Washer " Foot " " Screw Needle Bar (hollow) " " Connecting Link with 794E " " " 12382 with 12384 Needle Bar Connecting Link Adjusting Screw Needle Bar Connecting Stud " " " Roller (roll- er only) Needle Bar Connecting Stud Set Screw Needle Bar Connecting Stud complete, Nos.453C,1904 and 12363 Needle Bar Crank and Lifting Eccentric
62894 190J 19229 •12382 43997 794E •12383 1904 4530 12384 62802	22473 8387 22470 2552 2552 2552 22552 22469 2552	Lifting Presser Bar Spring Washer " Foot " " Screw Needle Bar (hollow) " " Connecting Link with 794E " " " 12382 with 12384 Needle Bar Connecting Link Adjusting Screw Needle Bar Connecting Stud " " " Roller (roll- er only) Needle Bar Connecting Stud Set Screw Needle Bar Connecting Stud complete, Nos.453C,1904 and 12383 Needle Bar Crank and Lifting Eccentric with 448C and 743C
62894 1900 19229 •12382 43997 794E •12383 1904 4530 12384	22473 8387 22470 2552 2552 2552 22552 22469 2552	Lifting Presser Bar Spring Washer " Foot " " Screw Needle Bar (hollow) " " Connecting Link with 794E " " " 12382 with 12384 Needle Bar Connecting Link Adjusting Screw Needle Bar Connecting Stud " " " Roller (roll- er only) Needle Bar Connecting Stud Set Screw Needle Bar Connecting Stud complete, Nos.453C,1904 and 12363 Needle Bar Crank and Lifting Eccentric
62894 190J 19229 •12382 43997 794E •12383 1904 4530 12384 62802	22473 8387 22470 2552 2552 2552 22552 22469 2552	Lifting Presser Bar Spring Washer " Foot " " Screw Needle Bar (hollow) " " Connecting Link with 794E " " " 12382 with 12384 Needle Bar Connecting Link Adjusting Screw Needle Bar Connecting Stud " " " Roller (roll- er only) Needle Bar Connecting Stud Set Screw Needle Bar Connecting Stud complete, Nos.453C,1904 and 12383 Needle Bar Crank and Lifting Eccentric with 448C and 743C

-

.

8

.

11

.

. 1

1.1

ł

 $\{ j \}_{k}^{1}$

 $\sum_{i=1}^{n} \frac{1}{i} \sum_{i=1}^{n} \frac{1}{i} \sum_{i$

1

į,

ı.

PARTS FOR MACHINE NO. 44-90

No.	Plate	Name
743C	2552	Needle Bar Crank and Lifting Eccentric
		Position Screw
448C	2552	Needle Bar Crank and Lifting Eccentric. Set Screw
936E	23469	Needle Bar Screw Bushing
24101		" Clamp Body
808F	22469	" " Screw
24102	22469	" " Thread Guide
651J	22469	" " Screw
24103	22469	Needle Clamp (high lift) complete, Nos. 651J,808F,24101 and 24102
44222	22391	011 Cup
44223		" " 44222 with 44005
44214	22391	" Extension
44005		44214 with 24075
24075	22391	" " Post
44006	22391	" Packing (felt)
44224	22391	" " Thread Retainer
44225	22391	011 Cup complete, Nos. 44006, 44223 and 44224
•24104	22470	Oscillating Rock Shaft
12388	22470	" " Hinge Pin
448C	2552	" " " " Set Screw
4784	22487	" " " Oil Pad
24105		Oscillating Rock Shaft complete, Nos.
		4784, 12388 and 24104
62813	22476	Oscillating Shaft
62803		" Crank
4530	22469	" Set Screw
2049	22469	Pin
19448	22467	Slide Block
226J	22467	Cap
		Screw
12424	22467	Oscillating Shaft Crank Slide Block Cap Screw Washer
988C	22467	Oscillating Shaft Crank Slide Block
		Screw Stud
1518J	22467	Oscillating Shaft Crank Slide Block Screw Stud Nut
19449	22467	Oscillating Shaft Crank Slide Block complete,Nos.226J,988C,12424 and 19448
, 62804	22467	Oscillating Shaft Crank complete, Nos. 1518J, 19449, 62803 and two 453C
688J	22391	Pressure Regulating Thumb Screw
2996	22471	Shuttle Bobbin
15140	22471	Case Latch
2973	22471	* * " Lever
2974	22471	Fulcrum
-		Pin
2975	22471	Shuttle Bobbin Case Latch Spring
592E	22471	* * Stop Screw

1.0	No.	Plate	Name
	15141	22471	Shuttle Bobbin Case Hinge, Nos. 2973, 2974
			and 15140
	•75 53		Shuttle Bobbin Case Position Finger
	2523	22471	" " " Rivet.
	24412	22470	* * * Plate
	391J	22471	# # # # Screw
	24074	22471	Shuttle Bobbin Case complete, Nos. 591F,
			592E, 2523, 2975, 7553, 15098 and
			15141
	12488	22471	Shuttle Body
	591F	22471	Tension Regulating Screw
	15098	22471	" " Spring
	62808 /	22471	1 11/16 in.diam.,Nos.2996,12488
	02000 .	10091 L	and 24074
	-04553		Shuttle Driver
	•24551	22470	" 24551 with two 1266C
	24552	22469	* * Pin
	2049		* * Set Screw
	12660	22471	Race Back
	2531	22470	" " " Position Pin
	2532	22471	" " " Spring
	2533	22470	
	907D	22471	
	24553		" Body " " 24553 with 24418 and
	62511		
			two 1053J Shuttle Race Body 62511 with two 2532
	62520		Cap
	24418	22470	* * [#] Screw
	1053J	22471	Shuttle Race complete, Nos. 907D, 2531,
	24554	22470	2533.24412,62520 and two 391J
		00403	
	145E	22471	Shuttle Race Screw
	12431		* * Spring
	4307	22470	
	725E	22471	
	12432	22470	Shuttle Race Slide complete, Nos. 4307,
			12431 and two 725E
	52046	22478	Spool Holder Base
	389J	22469	" " Screw
	204296	22478	Wire
	200079H	22469	" " Hinge Screw
	52047	22478	Spool Holder complete, Nos. 52046, 200079H
			and 204296
	2102	3471	Tension Disc
	15600	22472	Regulating Thumb Nut
	32572	22472	Refeasing Disc
	43944	22478	
	12398	22472	Hinge Pin
	12329	22472	" " Spring
	32574	22472	Pin
	503270	22472	Screw Stud
	44141		50327C with 1560C
	43945	22472	Spring

10

.

× .

No.	Plate.	Name
12149	2552	Tension Thread Guard
44118	* <i>*</i>	Tension complete, Nos. 7338, 32572, 32574.
		43945,43946,44141 and two 2102
52027	22472	Thread Guard (side of arm)
52454	22472	" Retainer
624C	22472	" " Set Screw
12404	2552	" Take-up Crank
3094	2552	" Wedge
690E	2552	" Screw
12408	2552	" Lever
775E	22472	" Cap Screw
12166	22472	Hinge Pin
12409	2552	" " Link
11204	22478	" " Hinge Pin
435C	22472	" " " " " Set
•		Screw
12410		Thread Take-up Lever complete, Nos. 12166
		12408 and 12409
43946	2552	Thread Take-up Spring
7336	22472	Regulator
448C	2552	" " " Set Screw
24959	22473	Throat Plate for 24952
691F	22473	" " Screw
62805	22478	Vibrating Presser Bar
19367	22472	" Cap
199D	22469	" " Screw for
2002	00100	62805
219J	8387	Vibrating Presser Bar Cap Screw for
~100		19367
50385C	22472	Vibrating Presser Bar Tension Screw
62806	22472	
00000	600 T (6)	"""Brack-
335J	22472	et Vibrating Presser Bar Tension Screw
	664(6	
1695J	22472	Bracket Screw
10900	66 4 16	Vibrating Presser Bar Tension Screw
62895	22473	Lock Nut
217J	22473	Vibrating Presser Foot
•15404	88410	Screw
15405		Trade Mark.
24079	8407	" Rivet
104073	0407	Drip Pan

MACHINE BASE

No.	Plate	Name
24106	22474	Bed Frame Cushion (felt)
158E	22474	" " Screw
24107	22474	" " Hinge Connection
9261	22474	* * * * Pin
970D	22474	" " Thumb Screw
24108	8408	Bed Frame complete, Nos.970D, two each 9281,24107, four each 158E,24106 and six wood screws 1 1/4 in. No. 12
24908	8407	Drip Pan with two wood screws 1/2 in. No.5 R.H.B., for 24108

ACCESSORIES

No.	Plate	Name
51075E	22474	Machine Hinge Bolt with 51581E
51581E	22474	" " Nut
6055	22474	" " " Washer
12361	22474	" " Connection
44139	22474	" " Plate
44 140		Machine Hinge complete, Nos. 12361, 44139
		and merlized wood screw 1 1/4 in.
		No. 14
44180		Machine Hinge complete, Nos. 6055, 12361,
		44139 and 51075E
12405	22474	Machine Rest (felt)
41400	22477	" " Pin (wood) 3 1/8 in. long.
120342	22477	Oiler (copper plated) with 120343
120343	22477	" Spout, 3 1/2 in. long
26026	22477	Screw Driver (machine)
26485	22477	" " (shuttle tension)
4822	22477	Wrench for 1521
8908	22477	" " 1519 and 1520
8909	22477	" " 1513, 1518 and 51581
19221	22477	" " 936 and 1619

BELT GUARD

No.	Plate				Name	
41929	8408	Belt	Guard			
8418	22474					
8419	22474	"	н	Ħ		(leather)

12

13

1

BELT GUARD

Plate		Neme
	Belt	Guard Button 8418 with 8419 and wood screw 1 1/4-in.No.9 R.H.B
22474		Guard Hinge
	Belt	Guard complete, Nos. 8420, 41929, two
	· · · ·	41930 and four wood screws 3/4 in.
		No. 9

BOBBIN WINDERS

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

FOR 2996

FOR POWER TABLE

		Name
No.	Plate	Bobbin Winder and Tension Bracket Base.
225433	8406	Frame with 202277 and 225438
225453	22395	Hinge Pin
225454	3471	" Oil Packing (wick)
202277	3471	" " Well Cap
225438	3471	
225455	3471	" Spring
225456	3471	· · · · · · · · · · · · · · · · · · ·
202473	8406	Pulley with 200380C
2003800	3471	" Set Screw
225381	22395	Spindle
225444	3471	Stop Latch
200056E	3471	" " Screw
225458	3471	" Thumb Lever
225459	3471	" " Hinge Stud
225459	3471	
202478	3471	Trip Lever
200299H	3471	HINGS SCIEW
225461	3471	Tension Bracket with 201499B
200082D	3471	* " Screw
228026	22475	* * Washer
2102	3471	D1 sc
202407	3471	"Spring
201499B	3471	" Stud
201572B	3471	" Thumb Nut
225462		Tension Bracket complete, Nos. 201572B.
		202407,225461 and two 2102
225382	8406	Bobbin Winder (swinging automatic, right
e		hand) complete, Nos. 200056E, 200082D
		200299H, 202473, 202478, 225381,
		225433,225444,225453 to 225456,
· •		225458,225462,228026,two each
		225459 and wood screws 3/4 in. No.
	• •	12 R.H.B

BOBBIN WINDER

15

Т

(SWINGING AUTOMATIC, RIGHT HAND)

FOR 2996

FOR STAND

No.	Plate	Name
27540	22395	Base
15072	22475	Bobbin Position Pin
27302	22395	Frame
50356D	22475	Hinge Screw
1620J	22475	" " " Nut
27303	22475	" Spring
27541	22395	Pulley
•27849		Spindle
27538	22395	" 27849 with 15072,27850 and 41828
•27850		" Collar
41828	22475	* * Pin
27306	22395	Spool Pin
27307	22395	* Stand
27308	22395	Spool Stand complete, Nos. 418E, 1562J,
		2106,10141,11241,27306,27307,two
		each 2455 and wood screws 1 in.No.
		10
11241	22395	Spool Washer (cloth)
27312	22395	Stop Latch
35D	22475	" " Hinge Screw
2455	22475	Tension Disc
1562J	22475	" Regulating Thumb Nut
418E	22475	Screw Stud
10141	22475	" Spring
2106	22475	" Thread Guide
27647	22395	Bobbin Winder, Nos. 35D, 1620J, 27302, 27303
		27312,27538,27540,27541,50356D and
		two wood screws 1 in. No. 7
27544		Bobbin Winder (swinging automatic, right
		hand) complete, Nos. 27308 and 27647

FOOT LIFTER PARTS

No.	Plate	Name
5596	22478	Bell Crank
56848		" 5596 with 5599 and 5601
5599	22478	Bracket
178E	22475	* * Screw
5601	22475	* * Hinge Pin
5735	22478	, " Spring

14

No.

84,20

41930

. 41931

FOOT LIFTER PARTS

in the structure in resolution of the structure of the second structure of the

÷

١.

No.	Plate	Name
5598	22478	Bell Crank complete, Nos. 5735 and 56848.
5670		Chain, length 26 in. to 35 in. with 56864
0010		and 56865
No	te: Wh	en ordering No. 5670, state length re-
	quire	
4879	22478	Chain Connecting Link
56864	22478	" Hook (large)
56865	22478	" " (small)
19371	22478	Lifting Lover with 448C
20255	22478	" Connecting Rod
12416	22478	" " Joint
76D	22475	" " " Hinge
105	ANT IV	Screw
152LJ	22475	Lifting Lever Connecting Rod Lock Nut
102D	22475	" Hinge Screw
21301	22478	" Link
766D	22475	" " Hinge Screw
19372	22478	* * Pin
448C	2552	" " Set Screw
2763	8406	Rock Shaft
12242	22476	" Hanger with two wood screws
TOCARO	COMPTO I	1 in. No. 10
6337	8406	Rock Shaft Lifting Bracket with two
0001	0400	3580
12243	8406	Rock Shaft Lifting Bracket Hook for
10040	0400	5598
7125	8406	Rock Shaft Lifting Bracket Hook for
100	0.000	5670
3560	22475	Rock Shaft Lifting Bracket Hook Set
0000		Screw
3560	22475	Rock Shaft Lifting Bracket Set Screw
2770	8406	" " Stop Dog with 356C
3560	22475	* * * " Set Screw
4880	8406	Rock Shaft complete, Nos. 2763, 2770, 7125,
	0100	12243 and two each 6337 and 12242.
4881	8406	Treadle
4862	22478	"Shaft
4883	22478	* Spring
4884	8406	" Stand
4885	8406	Treadle complete, Nos. 4879, 4881 to 4884
4000	0.200	and two wood acrews 1 in. No. 16
62697		Foot Lifter complete, Nos. 76D, 766D, 802D,
		15211,4880,4885,5598,5670,12416,
		19371, 19372, 20255, 21301 and two
		178E
2		

KNEE LIFTER PARTS

.

No.	Plate	Name
5596	22478	Bell Crank
56848		" 5596 with 5599 and 5601
5599	22478	" Bracket
178E	22475	* * Screw
5601	22475	Hinge Pin
5735	22478	" " Spring
5598	22478	Bell Crank complete, Nos. 5735 and 56848.
19371	22478	Lifting Lever with 448C
20255	22478	" " Connecting Rod
12416	22478	Joint
76D	22475	" " Hinge
		Screw
1521J	22475	Lifting Lever Connecting Rod Lock Nut
802D	22475	" Hinge Screw
21301	22478	" " Link
766D	22475	" " Hinge Screw
19372	22478	" " Pin
448C	2552	" " Set Screw
2763	8406	Rock Shaft
12242	22478	" " Hanger with two wood screws
		1 in. No. 10
2765	8406	Rock Shaft Knee Arm
2766	8406	" " " Hub with 356C
3560	22475	" " " Set Screw
2768		2765 with 2766 and
		2767
2767	8406	Rock Shaft Knee Plate with 356C
356C	22475	" " " Set Screw
6337	8406	" " Lifting Bracket with two
		3560
2778	8406	Rock Shaft Lifting Bracket Hook
3560	22475	" " " Set Screw
3560	22475	" " " Set Screw
2770	8406	" Stop Dog with 356C
3560	22475	" " " Set Screw
2777	8406	Rock Shaft complete, Nos. 2763, 2768, 2770,
	•	2778,6337 and two 12242
24482		Knee Lifter complete (power table) Nos.
		76D,766D,802D,1521J,2777,5598,
		12416, 19371, 19372, 20255, 21301 and
		two 1785
1. A.		

16

.

17

-----;

i

THREAD UNWINDER

18

FOR ONE LARGE SPOOL OR ONE LARGE CONE OF THREAD

No.	Plate	Name
225259	8405	Spool Rest with 201018C
150203	8405	" Cushion (felt)
225388	8405	" " Rod
200383C	22475	* * Set Screw
201018C	22475	" " Set Screw
202490	8405	" Stand with 200383C
225391	8405	Thread Guide
201696J	22475	" Lock Nut
225326	22475	" " Position Cup
225324	8405	" " Rod with 208E and 225322
208E	22473	" " Screw
225322	22475	" " Washer
225260	8405	Thread Unwinder complete, Nos. 150203,
		201696J, 202490, 225259, 225324,
. •		225326,225388,225391 and three
		wood screws 7/8 in. No. 12
27739	8405	Thread Cone (wood) for large cones
225390	8405	" " Holder, for inverted cones.
No	te: No	s. 27739 and 225390 are used with, but
	not i	ncluded in 225260.

OBSOLETE PARTS

No.	Plate	Name
286D		Arm Side Cover Thumb Screw, use 51224J
36760		Edge Guide Slide with 26809,51809 and two 12152, use 121148
51809		Edge Guide Slide Roller and Stud for 36760
2827	8387	Face Plate Thread Guard (upper) with 8505, use 45720
8505	8387	Face Plate Thread Guard (upper) Rivet for 2827
24036		Feed and Feed Lifting Eccentric Sleeve, use 127152
62801		Lifting Presser Foot, use 62894
62807		Vibrating Presser Foot, use 62895

NUMERICAL LIST OF PARTS

		
No.	Plate	Name
35D	22475	Bobbin Winder Stop Latch Hinge Screw
76D	22475	for 27647 Lifting Lever Connecting Rod Joint Hinge Screw for 24482 and 62697
94D	22467	Edge Guide Slide Lever Hinge Screw for 26810
134E	22469	Feed (upper) Shaft Bracket (back) Screw
144D	8387	Arm Shaft Screw
145E	22471	Shuttle Race Screw
157J	22467	Feed Lifting Rock Shaft Crank Clamping
		Screw for 12376
158E	22474	Bed Frame Cushion Screw for 24108
17 <u>1</u> E	22469	Feed (upper) Shaft Bracket (front) Screw
172J	22467	Feed Rock Shaft Crank Clamping Screw for 62884
172J	22467	Feed (upper) Shaft Crank (back) Clamp- ing Screw for 62887
175J	22469	Lifting Presser Bar Guide Bracket Sup- port Screw
178E	22475	Bell Crank Bracket Screw for 24482 and 62697
190J	8387	Edge Guide Screw
190J	8387	Lifting Presser Foot Screw
199D	22469	Feed (upper) Shaft Crank (front) Con-
		necting Link Cap Screw for 62814
199D	22469	Lifting Presser Bar Bell Crank Cap Screw for 62800
199D	22469	Lifting Presser Bar Bell Crank Connect- ing Link Cap Screw for 62800
199D	22469	Vibrating Presser Bar Cap Screw for 62800 and 62805
207J	22467	Edge Guide Slide Cap (left) Screw for 26810
207J	22467	Edge Guide Slide Cap (right) Screw (large) for 26810
207J	22467	Feed (upper) Shaft Crank (front) Con- necting Link Bracket Screw
2082	22473	Feed Dog Screw
208E	22473	Thread Unwinder Thread Guide Rod Screw
		for 225324
210D	8387	Balance Wheel Oil Cover Screw
217J	22473	Vibrating Presser Foot Screw
219J	8387	Face Plate Screw
219J	8387	Vibrating Presser Bar Cap Screw for 19367
220J	22467	Edge Guide Leveling Screw for 26810

19

1

1 i

			and the second
	No.	Plate	Name
	226J	22467	Oscillating Shaft Crank Slide Block Cap
			Screw for 19449
	233J	22467	Edge Guide Slide Cap (right) Screw (small) for 26810
	286D		Arm Side Cover Thumb Screw, obsolete,
			use 51224J
-	3070	22467	Feed Lifting Rock Shaft Screw Center for 56814
	3070	22467	Feed Rock Shaft Screw Center for 56814.
	3130	8387	" Bar Screw Center for 56813
	335J	22472	Vibrating Presser Bar Tension Screw
		00405	Bracket Screw
	356C	22475	Rock Shaft Knee Arm Hub Set Screw for 2766
	3560	22475	Rock Shaft Knee Plate Set Screw for 2767
	356C	22475	Rock Shaft Lifting Bracket Hook Set
	-		Screw for 6337
	356C	22475	Rock Shaft Lifting Bracket Set Screw
			for 6337
	356C	22475	Rock Shaft Stop Dog Set Screw for 2770.
	375C	22467	Feed Connecting Link Hinge Screw
	375C	22467	" Forked Connection Hinge Screw
	3750	22467	Lifting Rock Shaft Crank Connect- ing Rod Hinge Screw
	3750	22467	Lifting Presser Bar, Bell Crank Driving Arm Eccentric Connection Hinge Screw
	389J	22469	Spool Holder Base Screw
	391J	22471	Shuttle Bobbin Case Position Plate
		,	Screw for 24554
	418E	22475	Bobbin Winder Tension Screw Stud for 27308
	435C	22472	Thread Take-up Lever Link Hinge Pin Set Screw
	446C	8387	Feed and Feed Lifting Eccentric Set Screw for 20283
	44 80	2552	Arm Shaft Flanged Bushing (back) Set Screw
	448C	2552	Balance Wheel Set Screw for 24296
	448C	2552	Lifting Lever Pin Set Screw for 19371
	4480	2552	Needle Bar Crank and Lifting Eccentric
			Set Screw for 62802
	448C	2552	Oscillating Rock Shaft Hinge Pin Set Screw
	4480	2552	Thread Take-up Spring Regulator Set Screw
	4530	22469	Lifting Presser Bar Guide Bracket Set Screw for 62799
	4530	22469	Needle Bar Connecting Stud Set Screw for 12384

NUMERICAL LIST OF PARTS

	No.	Plate	Name
	453C	22469	Oscillating Shaft Crank Set Screw for
	4000	22403	62804
	458C	22469	Feed (upper) Shaft Collar Set Screw for 20251
	4620	22469	Feed (upper) Shaft Crank (front) Set Screw for 62796
	591 F	22471	Shuttle Tension Regulating Screw for 24074
	592E	22471	Shuttle Bobbin Case Latch Stop Screw for 24074
	624C	22472	Thread Retainer Set Screw
*	651J	22469	Needle Clamp Thread Guide Screw for 24103
	- 688J	22391	Pressure Regulating Thumb Screw
. N	6890	22469	Lifting Presser Bar Lifter Hinge Screw.
$(x_{i})_{i \in I} \in \mathcal{I}$	690E	2552	Thread Take-up Crank Wedge Screw
	691F	22473	Throat Plate Screw
	725E	22471	Shuttle Race Slide Spring Screw for 12432
	743C	2552	Needle Bar Crank and Lifting Eccentric
			Position Screw for 62802
	748E	8387	Arm Screw (back)
	766D	22475	Lifting Lever Link Hinge Screw for 24482 and 62697
	775E	22472	Thread Take-up Lever Cap Screw
	794E	2552	Needle Bar Connecting Link Adjusting
			Screw for 12382
	802D	22475	Lifting Lever Hinge Screw for 24482 and 62697
	808F	22469	Needle Clamp Screw for 24103
	818D	22467	Feed Regulator Thumb Screw
	868E	8387	Arm Screw (front)
	896E	8387	Crank Connecting Rod Cap Screw for 20197
	907D	22471	Shuttle Race Back Spring Screw for 24554
	908C	8387	Crank Connecting Rod Hinge Screw
	936E	22469	Needle Bar Screw Bushing
	965D	22469	Lifting Presser Bar Bell Crank Driving Arm Shaft Bracket Screw
	966E	22467	Feed Lifting Rock Shaft Crank Connect- ing Rod Cap Screw for 43976
	970D	22474	Bed Frame Thumb Screw for 24108
	988C	22467	Oscillating Shaft Crank Slide Block Screw Stud for 19449
	1053J	22471	Shuttle Race Cap Screw for 62511
	1128E	22467	Feed Regulator Hinge Screw
	12660	22471	Shuttle Driver Set Screw for 24552
	1513J	22467	Feed Lifting Rock Shaft Screw Center Nut for 56814
	1513J	22467	Feed Rock Shaft Screw Center Nut for 56814

20

÷.

.

21

•

an an an an Arthur An Anna NUMERICAL LIST OF PARTS

NUMERICAL LIST OF PARTS

22			NUMERICAL LIST OF PARTS	н.			NUMERICAL LIST OF PARTS 23
	No.	Plate	Name		No.	Plate	Name
	1518J	22467	Feed Connecting Link Hinge Screw Nut	•	2767	8406	Rock Shaft Knee Plate with 356C, for
	1518J	22467	" Forked Connection Hinge Screw Nut				2768
	1518J	22467	" Lifting Rock Shaft Crank Connecting		2768		Rock Shaft Knee Arm 2765 with 2766 and
			Rod Hinge Screw Nut				2767, for 2777
	1518J	22467	Lifting Presser Bar Bell Crank Driving		2770	8406	Rock Shaft Stop Dog with 356C, for 2777
			Arm Eccentric Connection Hinge				and 4880
			Screw Nut.	. X.,	2777	8406	Rock Shaft complete for 24482, Nos. 2763.
	1518J	22467	Oscillating Shaft Crank Slide Block		· .	0100	2768,2770,2778,6337 and two 12242.
	10100	NOTO /	Screw Stud Nut for 62804		2778	8406	Rock Shaft Lifting Bracket Hook for
	1519J	8387	Feed Bar Screw Center Nut for 56813		, 2110	0100	2777
	15130 1520J	22469	" (upper) Shart Crank (back) Connect-	•	2827	8387	Face Plate Thread Guard (upper) with
	10200	22403 2			2021	6507	
	10007	00400	ing Link Hinge Screw Nut		0077	004721	8505, obsolete, use 45720
	1520J	22469	Feed (upper) Shaft Crank (front) Con-		2973	22471	Shuttle Bobbin Case Latch Lever for
	1.000	00422	necting Link Hinge Screw Nut		000	00407	15141
	1520J	22469	Lifting Presser Bar Lifter Hinge Screw		2974	22471	Shuttle Bobbin Case Latch Lever Fulcrum
		00477	Nut		e		Pin for 15141
	1521J	22475	Lifting Lever Connecting Rod Lock Nut		2975	22471	Shuttle Bobbin Case Latch Spring for
			for 24482 and 62697				24074
	1560C	22472	Tension Regulating Thumb Nut for 44141		2996	22471	Shuttle Bobbin for 62808
	15 62J	22475	Bobbin Winder Tension Regulating Thumb		3033	22472	Feed Connecting Link
			Nut for 27308		3039	22466	" Regulator
	1619J	8387	Crank Connecting Rod Hinge Screw Nut		3094	2552	Thread Take-up Crank Wedge
	1620J	22475	Bobbin Winder Frame Hinge Screw Nut for		4307	22470	Shuttle Race Slide Spring for 12432
			27647		4784	22467	Oscillating Rock Shaft Oil Pad for
	1695J	22472	Vibrating Presser Bar Tension Screw Lock				24105
			Nut		4822	22477	Wrench for 1521 (Accessories)
	1813	22467	Feed Lifting Rock Shaft Crank Roller and		4879	22478	Chain Connecting Link for 4885
			Stud for 12376		4880	8406	Rock Shaft complete for 62697, Nos. 2763,
	1904	2552	Needle Bar Connecting Stud Roller (roll-				2770,7125,12243 and two each 6337
			er only) for 12384				and 12242
	2049	22469	Feed (upper) Shaft Crank (front) Pin for	1	4881	8406	Treadle for 4885
			62886	and the second	4882	22478	" Shaft for 4885
	2049	22469	Lifting Presser Bar Bell Crank Driving		4883	22478	" Spring for 4885
. '	2040		Arm Pin for 19361		4884	8406	" Stand for 4885
	2049	22469	Oscillating Shaft Crank Pin	200	4885	8406	Treadle complete for 62697, Nos. 4879.
	2049	22469	Shuttle Driver Pin			~~~	4881 to 4884 and two wood screws 1
	2049	3471	Bobbin Winder Tension Disc for 225462				in. No. 16
	2102	3471	Tension Disc for 44118		5596	22478	Bell Crank for 56848
	2102	22475	Bobbin Winder Tension Thread Guide for		5598	22478	Bell Crank complete for 24482 and 62697
	\$100	00 <u>4</u> 0			0090	01 #04	Nos. 5735 and 56848
	2362	00447	27308		5599	22478	Bell Crank Bracket for 56848
	2002	22467	Edge Guide Slide Cap (left) Steady Pin		5601	22475	
	0455	00475	for 26803				" Hinge Pin for 56848
	2455	22475	Bobbin Winder Tension Disc for 27308		5670		Chain, length 26 in.to 35 in.with 56864
	2523	22471	Shuttle Bobbin Case Position Finger	e 11		00100	and 56865, for 62697
	054-		Rivet for 24074		5735	22478	Bell Crank Spring for 5598
	2531	22470	Shuttle Race Back for 24554		6055	22474	Machine Hinge Bolt Nut Washer for 44180
	2532	22471	" " Position Pin for 62520				(Accessories)
	2533	22470	" " " Spring for 24554		6337	8406	Rock Shaft Lifting Bracket with two
	2763	8406	Rock Shaft for 2777 and 4880	1. A.		$(\mathbf{x}_{i},\mathbf{y}_{i}) \in [\mathbf{x}_{i}]$	356C, for 2777 and 4880
	2765	8406	" " Knee Arm for 2768		7125	8406	Rock Shaft Lifting Bracket Hook for
	2766	8406	" " " Hub with 356C for				4880 and 5670
			2768				

No.	Plate	Name
7336	22472	Thread Take-up Spring Regulator for
	N0.210	44118
•7553	±	Shuttle Bobbin Case Position Finger for 24074
8418	22474	Belt Guard Button for 8420
8419	22474	" " Washer (leather) for
		8420
8420		Belt Guard Button 8418 with 8419 and
- '		wood screw 1 1/4 1n.No.9 R.H.B., for 41931
8505	8387	Face Plate Thread Guard (upper) Rivet for 2827, obsolete
8582	8387	Arm Dowel Pin
8908	22477	Wrench for 1519 and 1520 (Accessories).
8909	22477	* 1513,1518 and 51581 (Acces-
		sories)
9261	22474	Bed Frame Hinge Connection Pin for 24108
10141	22475	Bobbin Winder Tension Spring for 27308.
11104		Arm Shaft Bushing (front) for 62881
11119	8387	" 011 Tube 15783 with 52045, for oil-
		ing Thread Take-up Lever and
		Needle Bar Crank
11167	22470	Lifting Presser Bar Spring (light) .051 wire
11170	22469	Lifting Presser Bar Spring Washer
11204	22478	Thread Take-up Lever Link Hinge Pin
11241	22395	Bobbin Winder Spool Washer (cloth) for
		27308
12139	22470	Lifting Presser Bar Spring (medium).055 wire
12149	2552	Tension Thread Guard
12150	8387	Face Plate Thread Guard (lower) 44181
		with 12152, for 19355
12152	8387	Edge Guide Slide Spring Cover Rivet for 36760 and 121146
12152	8387	Face Plate Thread Guard (lower) Rivet for 12150
12166	22472	Thread Take-up Lever Hinge Pin for 12410
12193	22466	Arm Side Cover
12242	22476	Rock Shaft Hanger with two wood screws
		1 in.No.10, for 2777 and 4880
12243	8406	Rock Shaft Lifting Bracket Hook for
		4880 and 5598
12327	22470	Lifting Presser Bar Lifting and Releas- ing Lever Bracket
12329	22472	Tension Releasing Lever Spring
12357	22466	Arm Shaft Flanged Bushing (back)
12361	22474	Machine Hinge Connection for 44140 and
		44180 (Accessories)
12368	22391	Feed Bar

NUMERICAL LIST OF PARTS

25

.

÷.)

.

No.	Plate	Name
12376	22466	Feed Lifting Rock Shaft Crank with 157J and 1813, for 24970
•12382	2552	Needle Bar Connecting Link with 794E,
		for 43997
 12383 	**	Needle Bar Connecting Stud for 12384
12384	2552	Needle Bar Connecting Stud complete for
		43997, Nos. 453C, 1904 and 12383
12388	22470	Oscillating Rock Shaft Hinge Pin for
_		24105
12391	22468	Lifting Presser Bar
12398	22472	Tension Releasing Lever Hinge Pin
12404	2552	Thread Take-up Crank
12405	22474	Machine Rest (felt) Accessories
12408	2552	Thread Take-up Lever for 12410
12409	2552	" " " Link for 12410
12410		Thread Take-up Lever complete, Nos. 12166
10410		12408 and 12409
12416	22478	Lifting Lever Connecting Rod Joint for
		24482 and 62697
12424	22467	Oscillating Shaft Crank Slide Block Cap
		Screw Washer for 19449
12431	*-	Shuttle Race Slide for 12432
12432	22470	Shuttle Race Slide complete, Nos. 4307,
		12431 and two 725E
12453	8387	Arm 011 Tube, for oiling intermediate
		bearing
12454	8387	Arm 011 Tube with 132590, for oiling
		Thread Take-up Lever Link
12488	22471	Shuttle Body for 62808
15072	22475	Bobbin Winder Bobbin Position Pin for
		27538
15098	22471	Shuttle Tension Spring for 24074
15140	22471	" Bobbin Case Latch for 15141
15141	22471	" " " Hinge Nos.2973,2974
		and 15140, for 24074
•15404		Trade Mark for 62881
15405		" " Rivet for 62881
15783	8387	Arm 011 Tube for 11119
16506	22476	Feed Rock Shaft for 62883
16511	22476	Arm Shaft
19221	22477	Wrench for 936 and 1619 (Accessories)
19229	22470	Needle Bar (hollow)
19354		Face Plate for 19355
19355	22391	Face Plate complete, Nos. 12150, 19354 and
		45720
19356	22468	Lifting Presser Bar Bell Crank for
		62800
19357	22468	Lifting Presser Bar Bell Crank Connect-
- +- ·		ing Link for 62800
19358	22468	Lifting Presser Bar Bell Crank Driving
		Arm for 19361
		······································

24,

.

. .

			•		
	No.	Plate	Name		N -
	19359	22468	Lifting Presser Bar Bell Crank Driving		No. 24296
			Arm Shaft for 19361	•	246230
	19360	22468	Lifting Presser Bar Bell Crank Driving		24297
			Arm Shaft Bracket for 19361		24412
	19361		Lifting Presser Bar Bell Crank Driving		
			Arm Shaft Bracket complete, Nos.		24418
	20000		2049 and 19358 to 19360		24475
	19362	22468	Lifting Presser Bar Bell Crank Driving		24482
	1070	00470	Arm Eccentric Connection for 62811		
	19367	22472 22478	Vibrating Presser Bar Cap		
	19371	aa4 10	Lifting Lever with 448C, for 24482 and 62697		
	19372	22478	Lifting Lever Pin for 24482 and 62697		24551
	19448	22467	Oscillating Shaft Crank Slide Block for		24552
			19449		24553
	19449	22467	Oscillating Shaft Crank Slide Block		24554
			complete for 62804, Nos. 226J, 988C,		04500
			12424 and 19448		24590
	20023	22470	Lifting Presser Bar Spring (heavy) .063		24908
			wire		54900
	20197	22466	Crank Connecting Rod with two 896E		24952
	20240	22468	Lifting Presser Bar Lifter		04000
	20249	22468	Feed (upper) Shaft Bracket (back)		24959
	20251	22469	" " Collar with 456C		24969
	20255	22478	Lifting Lever Connecting Rod for 24482		24970
	00007	~~~~~	and 62697		
	20283	22466	Feed and Feed Lifting Eccentric with		26026
-	00004	22391	446C Feed Forked Connection		26485
	20284 21301	22391	Lifting Lever Link for 24482 and 62697.	- N	
	24036		Feed and Feed Lifting Eccentric Sleeve,		26803
	14000		obsolete, use 127152		26805
	24074	22471	Shuttle Bobbin Case complete for 62808,		26806
			Nos.591F,592E,2523,2975,7553,15098		26807
			and 15141		26808
	24075	22391	011 Cup Extension Post for 44005		26809
	24079	8407	Drip Pan		
	24101		Needle Clamp Body for 24103		26810
	24102	22469	" " Thread Guide for 24103		
	24103	22469	Needle Clamp (high lift) complete, Nos.		27302
			651J,808F,24101 and 24102		27303
	•24104	22470	Oscillating Rock Shaft for 24105		27306
	24105		Oscillating Rock Shaft complete, Nos.		27307
			4784, 12388 and 24104	•	27308
	24106	22474	Bed Frame Cushion (felt) for 24108		
	24107 24108	22474 8408	" "Hinge Connection for 24108		
	\$¥100	0400	Bed Frame complete, Nos.970D, two each 9261,24107, four each 158E,24106		
			and six wood screws 1 1/4 in. No.	:	27312
19.200	· . ·		12		27538
	24131	8387	Arm 011 Tube with 52045, for oiling Feed		
			and Feed Lifting Eccentric		27540
			=		

NUMERICAL LIST OF PARTS

A REAL PROPERTY OF A REAL PROPER

27

,

.

.

•

	No.	Plate	Name
	24296	22476	Balance Wheel (power) light rim, 2 3/16
			in pulley with two 448C
	24297	22466	Balance Wheel 011 Cover
	24412	22470	Shuttle Bobbin Case Position Plate for
			24554
	24418	22470	Shuttle Race Cap for 62511
	24475	22468	Feed (upper) Shaft Bracket (front)
	24482		Knee Lifter complete (power table) Nos.
			76D,766D,802D,1521J,2777,5598,
			12416,19371,19372,20255,21301 and
		1	two 178E
	•24551		Shuttle Driver for 24552
	24552	22470	" 24551 with two 1266C
	24553 24554		" Race Body for 62511 Shuttle Race complete, Nos. 907D, 2531,
	24004	22470	2533,24412,62520 and two 391J
	24590	22468	Lifting Presser Bar Guide Bracket Sup-
	24090	2008-200	port
	24908	8407	Drip Pan with two wood screws 1/2 in.
	2-000	0407	No. 5 R.H.B., for 24108
	24952	22473	Feed Dog, 11 teeth (18 teeth to the
			inch) for 24959
	24959	22473	Throat Plate for 24952
	24969	22476	Feed Lifting Rock Shaft for 24970
	24970		Feed Lifting Rock Shaft complete, Nos.
			12376 and 24969
	26026	22477	Screw Driver (machine) Accessories
	26485	22477	" " (shuttle tension) Acces-
1	· · · · · · · ·		sories
	26803	22466	Edge Guide Bed with 2382, for 26810 " " Blide Cap (left) for 26810
	26805	22466 22466	" " " " (right) for 26810.
	26806 26807	22466	" " Lever for 26810
	26808	22466	" " Spring for 26810
	26809	22466	" " " Cover for 36760
	20000	20100	and 121146
	26810	22466	Edge Guide (roller) complete, Nos. 94D,
			233J,26803,26805 to 26808,121146,
•			two 207J and four 220J
	27302	22395	Bobbin Winder Frame for 27647
	27303	22475	" " Spring for 27647
	27306	22395	" Spool Pin for 27308
	27307	22395	" " Stand for 27308
	27308	22395	Bobbin Winder Spool Stand complete for
		1 A A	27544, Nos. 418E, 1562J, 2106, 10141,
			11241,27306,27307,two each 2455 and wood screws 1 in. No. 10
;	27312	22395	Bobbin Winder Stop Latch for 27647
	27538	22395	" " Spindle 27849 with 15072,
	2,000		27850 and 41828, for 27647
	27540	22395	Bobbin Winder Base for 27647
•	27541	22395	" " Pulley for 27647
			· · · · · · · · · · · · · · · · · · ·

.

we want to serve a construction of the server of the serve

ł

. +

ļ

No.	Plate	Name
27544	`	Bobbin Winder (swinging automatic, right
		hand) complete, for 2996, for stand,
		Nos.27308 and 27647
27647	22395	Bobbin Winder Nos. 35D, 1620J, 27302, 27303
		27312,27538,27540,27541,50356D and
		two wood screws 1 in.No.7, for
		27544
27739	8405	Thread Unwinder Thread Cone (wood) for
		large cones, for 225260
•27849		Bobbin Winder Spindle for 27538
27850		" " Collar for 27538.
32572	22472	Tension Releasing Disc for 44118
32574	22472	" " Pin for 44118
36760		Edge Guide Slide with 26809,51809 and
		two 12152, obsolete, use 121146
41400	22477	Machine Rest Pin (wood) 3 1/8 in. long
		(Accessories)
41828	22475	Bobbin Winder Spindle Collar Pin for
		27538
41929	8408	Belt Guard for 41931
41930	22474	" " Hinge for 41931
41931		Belt Guard complete, Nos. 8420, 41929, two
		41930 and four wood screws 3/4 in.
		No. 9
43944	22478	Tension Releasing Lever
43945	22472	" Spring for 44118
43946	2552	Thread Take-up Spring for 44118
43976	22391	Feed Lifting Rock Shaft Crank Connect-
		ing Rod with two 966E
43997		Needle Bar Connecting Link 12382 with
		12384
44005		011 Cup Extension 44214 with 24075, for
		44223
44006	22391	Oil Cup Packing (felt) for 44225
44118		Tension complete, Nos. 7336, 32572, 32574,
		43945,43946,44141 and two 2102
44139	22474	Machine Hinge Plate for 44140 and 44180
		(Accessories)
44140	*	Machine Hinge complete, Nos. 12361, 44139
		, and merlized wood screw 1 1/4 in.
		No. 14 (Accessories)
44141		Tension Screw Stud 50327C with 1560C,
		for 44118
44180		Machine Hinge complete, Nos. 6055, 12361,
		44139 and 51075E (Accessories)
•44181		Face Plate Thread Guard (lower) for
44014	00703	12150
44214	22391	011 Cup Extension for 44005
44222	22391	for 44223
44223		44383 With 44005, for 44235
44224	22391	" Thread Retainer for 44225

.

NUMERICAL	LIST OF	PARTS

29

	5 ×		NUMERICAL LIST OF PARTS 29
	No	Plate	Vere
	No. 44225	22391	Name 011 Cup complete,Nos.44006,44223 and
	-i	0007	44224
	45720	22467	Face Plate Thread Guard (upper) with
			125373, for 19355
	503270	22472	Tension Screw Stud for 44141
	50356D	22475	Bobbin Winder Frame Hinge Screw for
			27647
	50385C	22472	Vibrating Presser Bar Tension Screw
	505620	22469	Feed (upper) Shaft Crank (back) Con-
	505620	00480	necting Link Hinge Screw
	000020	22469	Feed (upper) Shaft Crank (front) Con- necting Link Hinge Screw
	51075E	32474	Machine Hinge Bolt with 51581E, for
			44180 (Accessories)
	51224J	8387	Arm Side Cover Thumb Screw
	5 1581E	22474	Machine Hinge Bolt Nut for 51075 (Ac-
	l		cess ories)
	.S1809		Edge Guide Slide Roller and Stud for
	_		36760, obsolete
	51916	22467	Edge Guide Slide Roller and Screw Stud
	52027	22472	for 121146
~	54,045	8387	Thread Guard (side of arm) Arm Oil Tube Packing (wick) for 11119
	040	0007	and 24131
	53046	22478	Spool Holder Base for 52047
	54047	22478	Spool Holder complete, Nos. 52046, 200079H
	28		and 204296
	53454	22472	Thread Retainer
	58813		Feed Bar Screw Center 313C with 1519J
	56814		" Lifting Rock Shaft Screw Center
	56814		307C with 1513J Feed Rock Shaft Screw Center 307C with
	00014		1513J
	56848		Bell Crank 5596 with 5599 and 5601, for
	r		5598
	. 56864	22478	Chain Hook (large) for 5670
	56865	22478	" (small) for 5670
	62511		Shuttle Race Body 24553 with 24418 and
		ч.,	two 1053J, for 62520
	62520		Shuttle Race Body 62511 with two 2532,
	62697		for 24554
	040007		Foot Lifter complete, Nos. 76D, 766D, 802D, 1521J, 4880, 4885, 5598, 5670, 12416,
	<u>`</u>)		19371,19372,20255,21301 and two
			178E
	62796	22468	Feed (upper) Shaft Crank (front) with
		÷	462C, for 62886
	6,2797	22468	Feed (upper) Shaft Crank (front) Con-
	e.00 0.0	00440	necting Link for 62814
	62798	22468	Feed (upper) Shaft Crank (front) Con-
	1 I.		necting Link Bracket for 62814

Ł

i

28

.

· ...

30

NUMERICAL LIST OF PARTS

			1 A.	1. N	
No.	Plate	Name			_
62799	22468	Lifting Presser Bar Guide Bracket with			ຸລ `ລ
62800		453C, for 62800			
00000		Lifting Presser Bar Guide Bracket com- plete, Nos. 19356, 19357, 62799, 62805			30
		and three 199D			
62801		Lifting Presser Foot, obsolete.use 62894		· f	20
62802	22466	Needle Bar Crank and Lifting Eccentric with 448C and 743C, for 62811			æ
62803		Oscillating Shaft Crank for 62804			
62804	22467	Oscillating Shaft Crank complete, Nos.			30
		1518J, 19449, 62803 and two 453C		1	
62805	22478	Vibrating Presser Bar for 62800			30
62806	22472	" " " Tension Screw			20
		Bracket			
62807		Vibrating Presser Foot, obsolete.use			20
62808	22471	62895		1.1	20
00000	2007471	Shuttle, 1 11/16 in.diam., Nos.2996,	l		
62811		12488 and 24074			20
Choil		Needle Bar Crank and Lifting Eccentric			.20
62813	22476	62802 with 19362			
62814		Oscillating Shaft.		1.1.1	20
00014		Feed (upper) Shaft Crank (front) Con-			
		necting Link 62797 with 199D and 62798			90
•62881		Arm with 11104,15404 and two 15405.			20
•62882		Bed			24
62883		Feed Rock Shaft 16506 with 62884			
62884	22466	" " Crank with two 172J, for 62883		· · ·	22
62885	22476	Feed (upper) Shaft for 62686	. 1		
62886	*	62885 with 2049 and			
62887	22468	62796			
		Feed (upper) Shaft Crank (back) with two 172J			2
62888	22468	Feed (upper) Shaft Crank (back) Con- necting Link			22
62894	22473	Lifting Presser Foot			2
62895	22473	Vibrating Presser Foot	!		
120342	22477	Oiler (copper plated) with 120343 (Ac- cessories)		1 1 1	24
120343	22477	oller Spout, 3 1/2 in. long. for 120342	н 11		24
121146	22466	(Accessories) Edge Guide Slide with 26809,51916 and	·		
125373	22467	two 12152, for 26810 Face Plate Thread Guard (upper) Rivet			
127152	00466	for 45720			
132590	22466	Feed and Feed Lifting Eccentric Sleeve.			2
150203	8387 8405	Arm 011 Tube Packing (wick) for 12454.]		
	0400	Thread Unwinder Spool Rest Cushibn (felt) for 225260			24
200056E	3471	Bobbin Winder Stop Latch Screw for			
		225382			
			· · ·		

NUMERICAL LIST OF PARTS

1

31

	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		· · · · · · · · · · · · · · · · · · ·
	No.	Plate	Name
	200079H	22469	Spool Holder Wire Hinge Screw for 52047
	2000820	3471	Bobbin Winder Tension Bracket Screw for
	200020	04/1	
			225382
	20(4299H	3471	Bobbin Winder Stop Latch Trip Lever
	. <u>(</u>		Hinge Screw for 225382
	2003800	3471	Bobbin Winder Pulley Set Screw for
			202473
	200:3830	22475	Thread Unwinder Spool Rest Rod Set
	2003000	22410	-
			Screw for 202490
	2010180	22475	Thread Unwinder Spool Rest Set Screw
	6.1		for 225259
	201499B	3471	Bobbin Winder Tension Stud for 225461
	201572B	3471	" " " Thumb Nut
	1		for 225462
	203696J	22475	Thread Unwinder Thread Guide Lock Nut
	2010200	00410	
		· · · · ·	for 225260
14 g	202,277	3471	Bobbin Winder Frame Oil Packing (wick)
	1	· · ·	for 225453
	202407	3471	Bobbin Winder Tension Spring for 225462
	202473	8406	" Pulley with 200380C, for
1.1.1			225382
	000479	24721	
	202478	3471	Bobbin Winder Stop Latch Trip Lever for
			225382
	202490	8405	Thread Unwinder Spool Stand with
			200383C, for 225260
	204396	22478	Spool Holder Wire for 52047
	225259	8405	Thread Unwinder Spool Rest with 2010180
			for 225260
	225260	8405	Thread Unwinder complete, for one large
2012			spool or one large cone of thread,
1.1	1 .		
6. 			Nos.150203,201696J,202490,225259,
	<u>,</u>		225324,225326,225388,225391 and
1999 - B.	19 - C		three wood screws 7/8 in.No. 12
. 9 	225322	22475	Thread Unwinder Thread Guide Rod Washer
	1. 1. A.		for 225324
1	225324	8405	Thread Unwinder Thread Guide Rod with
			208E and 225322, for 225260
	225326	22475	Thread Unwinder Thread Guide Position
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	202.0	
			Cup for 225260
· .	225381	22395	Bobbin Winder Spindle for 225382
	22,5382	8406	Bobbin Winder (swinging automatic, right
			hand) complete for 2996, for power
	-		table, Nos. 200056E, 200082D, 200299H,
	i -		202473,202478,225381,225433,225444
	1		225453 to 225456,225458,225462,
	i.		
			228026, two each 225459 and wood.
		-	screws 3/4 in.No.12 R.H.B
	225388	8405	Thread Unwinder Spool Rest Rod for
			225260
	225390	8405	Thread Unwinder Thread Cone Holder, for
			inverted cones, for 225260

32

**

,		
No.	Plate	Neme
225391	8405	Thread Unwinder Thread Guide for 225260
225433	8406	Bobbin Winder and Tension Bracket Base for 225382
225438	3471	Bobbin Winder Frame Oil Well Cap for 225453
225444	3471	Bobbin Winder Stop Latch for 225382
225453	22395	" Frame with 202277 and
		225438, for 225382
225454	3471	Bobbin Winder Frame Hinge Pin for 225382
225455	3471	Bobbin Winder Frame Spring for 225382.
225456	3471	" " " Plunger for
		225382
225458	3471	Bobbin Winder Stop Latch Thumb Lever for 225382
225459	3471	Bobbin Winder Stop Latch Thumb Leve: Hinge Stud for 225382
225459	3471	Bobbin Winder Stop Latch Thumb Lever Joint Stud for 225382
225461	3471	Bobbin Winder Tension Bracket with 201499B, for 225482
225462	••••••	Bobbin Winder Tension Bracket complete for 225382,Nos.201572B,202407, 225461 and two 2102
228026	22475	Bobbin Winder Tension Bracket Screw Washer for 225382

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO."

Needles in Containers marked "For Singer Machines" are not Singer made needles. 2

