SINGER 552B144

FORM IPD 423-71

Temporary Parts List

for

Machine No. 552B144

PART I		DESCRIPTION	QTY
204235 141403	819	ARM DOWEL PIN ARM HOLE PLUG SCREW (FOR ACCESS TO NEEDLE BAR CONNECTING LINK HINGE STUD CLAMPING SCREW NEEDLE BAR CONNECTING LINK HINGE STUD POSITION SET SCREW	2
147070		ARM HOLE PLUG SCREW WASHER	1
146552		ARM SCREW	4
157875		ARM SHAFT WITH 1036(830), 140542(830) 140552(830) AND 157704	1
157877		ARM SHAFT 157875 WITH 140359(805), 143236, 157704 AND 157822	1
158034		ARM SHAFT BUSHING (INTERMEDIATE)	1
157704		ARM SHAFT BUSHING (INTERMEDIATE) THRUST SPACER	1
156194		ARM SHAFT BUSHING (LEFT)	1
157704		ARM SHAFT BUSHING (LEFT) THRUST SPACER	1
156063		ARM SHAFT DRIVING BELT ARM SHAFT DRIVING BELT COVER	1
156425		ARM SHAFT DRIVING BELT COVER SCREW	4
051384 156507		ARM SHAFT FLANGED BUSHING (RIGHT)	1
158035		ARM SHAFT OIL SHIELD	ī
140359		ARM SHAFT SCREW PLUG (LEFT)	1
143236		ARM SHAFT SCREW PLUG (LEFT) WASHER	1
000144		ARM SHAFT SCREW (RIGHT)	1
		ARM SHAFT SPROCKET WHEEL WITH 143624, AND FOUR	1
157709		141470(869)	
143624		ARM SHAFT SPROCKET WHEEL HUB O RING (INSIDE)	1
		ARM SHAFT SPROCKET WHEEL HUB O RING (OUTSIDE)	1
158045		ARM SHAFT SPROCKET WHEEL HUB THRUST	1
	040	WASHER (OUTSIDE)	4
141470	869	ARM SHAFT SPROCKET WHEEL SET SCREW (1/4 x 40 SS x 7/16 IN. LONG. ALLEN	7
		FLAT POINT SET SCREW)	
147468	;	ARM SHAFT THRUST COLLAR WITH TWO 624(830)	1
000624		ARM SHAFT THRUST COLLAR SET SCREW	
158113		ARM TOP COVER	2 1
158205		ARM TOP COVER 158113 WITH 1480(805),	1
		141443(819), 156650, 156651, 157474 ,	
		158114 AND TWO 157820	
156200		ARM TOP COVER GASKET	1
156650		ARM TOP COVER OIL SIGHT DOME	1
156651		ARM TOP COVER OIL SIGHT DOME O RING	1
141447	210	(NATIONAL G RING NO. 622710) ARM TOP COVER PLUG SCREW	1
141443 157474		ARM TOP COVER PLUG SCREW GASKET	i
000172		ARM TOP COVER SCREW	8
157820		ARM FOR COVER THREAD TUBE (NEEDLE THREAD)	2
158114		ARM TOP COVER THREAD TUBE (NEEDLE THREAD)	1
		CLAMPING PLATE	
001480	805	ARM TOP COVER THREAD TUBE (NEEDLE THREAD) CLAMPING PLATE LOCKING SCREW	1

	NUMBEI SUFF	R DESCRIPTION	QTY
		BED COVER (BACK AND LEFT) BED COVER (BACK AND LEFT) SCREW	1 4
157883 157885		BED COVER (FRONT) BED COVER (FRONT) COMPLETE, NOS. 156382, 156383,	1
157038	5	156383, 157038, 157883 AND TWO 156384 BED COVER (FRONT) CATCH	1
156382 156383		BED COVER (FRONT) HINGE BED COVER (FRONT) HINGE PIN	1
	819		1 2 2 1
156407 156791		BED COVER (10P) BED COVER (TOP) 156407 WITH 141433(819)	1
	3	AND 157373 BED COVER (TOP) DAMPING PAO BED COVER (TOP) GASKET	1
141433	819	BED COVER (TOP) BASKET BED COVER (TOP) PLUG SCREW (FOR ACCESS TO LOOPER AVOID MECHANISM	î
	3 7 805	BED COVER (TOP) PLUG SCREW GASKET BED COVER (TOP) SCREW	1 12
143024		RED HOLE DING (CENTER)	1
140999	9 819	BED HOLE PLUG (LEFT) BED HOLE PLUG SCREW (FOR ADJUSTING FEED DRIVING ECCENTRIC) BED HOLE PLUG SCREW GASKET BED OIL DRAIN SCREEN BED OIL DRAIN SCREEN RETAINING PLATE BED OIL DRAIN SCREEN RETAINING PLATE BED OIL PLUG SCREW BED OIL PLUG SCREW BED OIL SCREW (RIGHT)	1
	5	BED HOLE PLUG SCREW GASKET BED OIL DRAIN SCREEN	1 3
	805	BED OIL DRAIN SCREEN RETAINING PLATE BED OIL DRAIN SCREEN RETAINING PLATE SCREW	2
143236	5 805 5 9 819	BED DIL PLUG SCREW BED DIL PLUG SCREW WASHER BED DIL SCREW (RIGHT)	3 1 2 2 2 1
157766		BED DIL SCREW (RIGHT) 140439(319) WITH A SUITABLE LENGTH OF WICKING	1
15776	7	(5/32 IN. X 7/16 IN. LONG S.A.E. F-1 FELT) BED OIL SCREW (RIGHT) OIL WICK FOR OILING	1
		LOOPER PITMAN ROD END BEARING (RIGHT) BALL STUD DIL WICK (5/32 IN. X 7/16 IN. LONG S.A.E. F-1 FELT) FOR USE WITH BED DIL SCREW (RIGHT)	
158182	2	NO. 157766 BED SHAFT COUPLING WITH FOUR 141469(869)	1
	9 869		4 1
15771		(1/8 IN. DIAM. X 4 1/2 IN. LONG PIPE CLEANER WICK) BED SHAFT (LEFT) BUSHING (LEFT, INNER)	1
15771		BED SHAFT (LEFT) BUSHING (LEFT, INNER) OIL SLING WITH TWO 141301(869)	1
15618		DED SHAFT (LEFT) BUSHING (LEFT, INNER) OIL SLING O RING (PARKER U RING NO.2-14)	1
14130	1 869	BED SHAFT (LEFT) BUSHING (LEFT, INNER) OIL SLING SET SCREW (8 X 32 X 1/8 IN. LONG. ALLEN FLAT POINT SET SCREW)	2

PART 1	NIIMBEE		
MAIN		DESCRIPTION	QTY
MATIA	3011	DESCRIP 170A	• • •
157713		BED SHAFT (LEFT) BUSHING (LEFT, INNER)	1
151113		THRUST SPACER	_
157922		BED SHAFT (LEFT) BUSHING (LEFT, DUTER)	1
157829		BED SHAFT (LEFT) BUSHING (LEFT, DUTER) COVER	1
156230	819	BED SHAFT (LEFT) BUSHING (LEFT, OUTER) COVER GASKET BED SHAFT (LEFT) BUSHING (LEFT, OUTER) COVER SCREW	1
156280		BED SHAFT (LEFT) BUSHING (LEFT, OUTER) OIL RETAINER	
157712		BED SHAFT (LEFT) BUSHING (LEFT, OUTER)	ī
127.12		OIL SLING WITH TWO 141301(869)	
156181		BED SHAFT (LEFT) BUSHING (LEFT, OUTER)	1
	24.0	OIL SLING O RING (PARKER O RING NO. 2-14)	2
141301	869	BED SHAFT (LEFT) BUSHING (LEFT, OUTER) OIL SLING SET SCREW (8 X 32 X 1/8 IN. LONG.	2
		ALLEN FLAT POINT SET SCREW)	
157713		BED SHAFT (LEFT) BUSHING (LEFT, OUTER)	1
17		THRUST SPACER	
157921		BED SHAFT (LEFT) DIL WICK (1/8 IN. DIAM. X 4 1/2	1
		IN. LONG PIPE CLEANER WICK) FOR USE WITH 157804	•
157802		BED SHAFT (RIGHT) WITH 50555(830), 156563,	1
		TWO EACH 141313(830) 141314(830) 157772 AND FOUR 350726(869)	
156557		BED SHAFT (RIGHT) BEVEL GEAR (LEFT) RIGHT HAND	1
		SPIRAL WITH THREE 1259(830) (FOR USE WITH OIL	
		PUMP BEVEL GEAR)	
		NOTEO THIS IS GEAR NO. 146864 BUT WITH THREE (3)	
		1259(830), IN PLACE OF ONE (1) 140333(830) AND	
		TWO (2) 1259(830). NOTEOTO ENSURE PROPER FUNCTIONING OF GEARS.	
		NO.156557 WILL NOT BE SUPPLIED TO AGENCIES, BUT	
		WILL BE SUBSTITUTED BY PAIR OF GEARS NO. 156558.	
	830		3
		BED SHAFT (RIGHT) BUSHING (RIGHT, INNER)	1
141405	869	BED SHAFT (RIGHT) BUSHING (RIGHT, INNER)	1
		SET SCREW (10 X 24 X 1/4 IN. LONG. ALLEN CUP POINT SCREW)	
141405	869		1
1,1,00		SET SCREW LOCK SCREW (10 X 24 X 1/4 IN.	
		LONG. ALLEN CUP POINT SCREW)	
158163		BED SHAFT (RIGHT) COLLAR WITH TWO 350595(869)	1
350595			2
157811		BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB WITH 141470(869), 141471(869), 143624 AND TWO	1
		141469(869)	
143624		BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL	1
		HUB O RING (INSIDE)	
143624		BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL	1
1500/5		HUB O RING (OUTSIDE)	1
158045		BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB THRUST WASHER (OUTSIDE)	ī
156296		BED SHAFT (RIGHT) FLANGED BUSHING (RIGHT, OUTER)	1
		Junit the City resulting a partition the City	_

NUMBE	SR STATE OF THE ST	
SUFF	DESCRIPTION	QTY
	BED SHAFT (RIGHT) GIL PLUG (RIGHT) SCREW	1
869	(1/4 X 40 SS X 7/16 IN. LONG.	1
869	BED SHAFT (RIGHT) SPROCKET WHEEL SET SCREW	1
	DOINT SET SCREW!	
869	LOCKING SCREW	
		1
		1
869		1
	(1/4 X 28 X 1/4 IN. LONG. ALLEN FLAT POINT SET SCREW)	
	BELT GUARD LATCH SPRING	1
805		2
803	BELT GUARD LATCH SPRING STUD SCREW	1
	AND TWO 140003(805)	
	CLOTH PLATE	1
	CLOTH PLATE COVER PLATE	1
	CLOTH PLATE COVER PLATE SPRING	1
803	CLOTH PLATE COVER PLATE SPRING SCREW	3
	CLOTH PLATE COVER PLATE SPRING SCREW WASHER	3 5 1 1 1 2 2
	CLOTH PLATE SCREW	5
	FACE PLATE WITH 141443(819), AND 157474	1
	FACE PLATE GASKET	ı.
	FACE PLATE PLUG SCREW	1
	FACE PLATE PLUG SCREW GASKET	1
	THOS TEATE SOILEN TEOMENT	2
	TEED DAG WITH 20219021 14120219491 141474.	1
	156069 AND 156070	
•	FEED BAR COMPLETE, NUS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842	1
•	FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG. S.A.E.	1
		1
2	WICK) FOR USE WITH PIN NO.157731	
		1
	(8 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT SET SCREW	
7	FEED CONNECTING ROD WITH 141292(869)	1
	FEED CONNECTING ROD HINGE PIN	1
		1
	(8 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT SET SCREW)	
	SUFF 830 869 869 869 869 805 803 819 819 819	BED SHAFT (RIGHT) CIL PLUG (RIGHT) SCREW 869 BED SHAFT (RIGHT) SPRUCKET WHEEL POSITION SCREW (1/4 X 40 SS X 7/16 IN. LONG. ALLEN CONE POINT SET SCREW 869 BED SHAFT (RIGHT) SPROCKET WHEEL SET SCREW (1/4 X 40 SS X 7/16 IN. LONG. ALLEN FLAT POINT SET SCREW) 869 BED SHAFT (RIGHT) SPROCKET WHEEL SET SCREW (1/4 X 40 SS X 7/16 IN. LONG. ALLEN FLAT POINT SET SCREW) 869 BED SHAFT (RIGHT) SPROCKET WHEEL SET SCREW LOCKING SCREW BELT GUARD HINGE STUD 869 BELT GUARD HINGE STUD 860 BELT GUARD HINGE STUD SET SCREW (1/4 X 28 X 1/4 IN. LONG. ALLEN FLAT POINT SET SCREW) 861 GUARD LATCH SPRING SCREW 862 BELT GUARD LATCH SPRING SCREW 863 BELT GUARD LATCH SPRING STUD SCREW 864 BELT GUARD LATCH SPRING STUD SCREW 865 BELT GUARD LATCH SPRING STUD SCREW 866 BELT GUARD LATCH SPRING STUD SCREW 867 BELT GUARD HINGED) COMPLETE, NOS. 156249, 156251 868 AND TWO 140003(805) CLOTH PLATE CLOTH PLATE COVER PLATE CLOTH PLATE COVER PLATE SPRING 869 CLOTH PLATE COVER PLATE SPRING 860 CLOTH PLATE COVER PLATE SPRING 860 CLOTH PLATE COVER PLATE SPRING SCREW 861 CLOTH PLATE COVER PLATE SPRING SCREW 862 CLOTH PLATE COVER PLATE SPRING SCREW WASHER 863 CLOTH PLATE COVER PLATE SPRING SCREW WASHER 864 FACE PLATE WITH 141443(819), AND 157474 865 FACE PLATE FOLG SCREW FASKET 866 FACE PLATE PLUG SCREW GASKET 867 FACE PLATE SCREW (LOWER) 868 FACE PLATE SCREW (LOWER) 869 FACE PLATE SCREW (LOWER) 860 FEED BAR MINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. 869 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. 869 FEED BAR HINGE PIN SET SCREW 869 FEED CONNECTING ROD HINGE PIN 860 FLATE SCREW 861 FLAT POINT

157202		FEED DOG (16 TEETH PER INCH) FOR 12 AND 16 GAUGE NOTEO WHEN ORDERING NO.157202, GAUGE NEED NOT BE SPECIFIED.	1
141476		FEED DOG HEIGHT ADJUSTING SCREW (WITH NYLOCK)	1
156067		FEED DOG HOLDER	1
156069		FEED DOG HOLDER ADJUSTING SCREW	1
	819	FEED DOG HOLDER NUT	1
156068		FEED DOG HOLDER WASHER	1
350719	869	FEED DOG SCREW	1 1 1 2 2 1 2 1
7071		FEED DRIVING ECCENTRIC BODY CLAMPING WASHER	2
		FEED DRIVING ECCENTRIC BODY CLAMPING WASHER SCREW	2
141471			7
141469 157835	907	FEED DRIVING ECCENTRIC (ADJUSTABLE) COMPLETE.	1
191033		NOS. 50328(803), 141471(869), AND TWO EACH 217(805)	•
		7071 AND 141469(869)	
157896		FEED DRIVING ECCENTRIC SPACER	1
157780		FEED LIFTING ECCENTRIC WITH TWO 141301(869)	1
156043		FEED LIFTING ECCENTRIC CONNECTION	1
156781		FEED LIFTING ECCENTRIC CONNECTION HINGE	1
_		PIN WITH A SUITABLE LENGTH OF WICKING	
		(1/8 IN. DIAM. X 13/16 IN. LONG S.A.E. F-1	
		OIL WICK)	
156782		FEED LIFTING ECCENTRIC CONNECTION HINGE	1
		PIN OIL WICK (1/8 IN. DIAMETER X 13/16 IN.	
		LONG. S.A.E. F-1 DIL WICK) FOR USE WITH 156781	
223	803	FEED LIFTING ECCENTRIC CONNECTION HINGE	1
	o	PIN SET SCREW	2
141301	869		2
		(8 X 32 X 1/8 IN. LONG. ALLEN FLAT POINT SET SCREW)	
50328	902		1
156179	003	FEED ROCKER WITH TWO 141303(869)	ī
	869	FEED ROCKER CLAMPING SCREW (8 X 32 X 1/2 IN. LONG.	2
111303	30,	ALLEN CAP SCREW)	_
156184		FEED ROCKER SHAFT WITH 453(830)	1
156180		FEED ROCKER SHAFT BUSHING (LEFT)	1
156795		FEED ROCKER SHAFT BUSHING (LEFT) 156180 WITH	1
		TWO 156181	
156181		FEED ROCKER SHAFT BUSHING (LEFT) O RING	2
		(PARKER O RING NO.2-14)	
156182		FEED ROCKER SHAFT BUSHING (INTERMEDIATE)	1
156796		FEED ROCKER SHAFT BUSHING (INTERMEDIATE)	1
154101		156182 WITH 156181 FEED ROCKER SHAFT BUSHING (INTERMEDIATE)	1
156181		O RING (PARKER O RING NO. 2-14)	_
156183		FEED ROCKER SHAFT BUSHING (RIGHT)	1
156191		FEED ROCKER SHAFT COLLAR WITH TWO 141301(869)	2
141301	869		4
		(8 X32 X 1/8 IN. LONG.	

	NUMBER SUFF	DESCRIPTION	QTY
176 211			
		ALLEN FLAT POINT SET SCREW)	
156223	3	FEED ROCKER SHAFT CRANK WITH 141303(869)	1 1
141303	869	FEED ROCKER SHAFT CRANK CLAMPING SCREW (8 X 32 X 1/2 IN. LONG. ALLEN CAP SCREW	1
	2 830	FEED RUCKER SHAFT OIL PLUG SCREW	1
455 156064		HAND WHEEL WITH TWO 140409(869)	1
	9 869	HAND WHEEL SET SCREW (1/4 X 28 X 3/8 IN.	2
		LONG. ALLEN FLAT POINT SET SCREW)	1
157053	3 502	LAP SEAM FELLER SHANK WITH BOTTOM SHELL FUR 12 AND 16 GAUGES, 1/16 IN. CAPACITY,	•
		FOR 157056(505) AND 157056(506)	
		NOTEO WHEN ORDERING NO. 157053, CODE FOR	
		GAUGE AND CAPACITY MUST BE STATED.	•
15705	5 505	LAP SEAM FELLER TOP SHELL WITH BRACKET FOR 12	1
16705	E	GAUGE, 1/16 IN. CAPACITY FOR 157056(505) LAP SEAM FELLER TOP SHELL WITH BRACKET FOR 16	1
15705	5 506	GAUGE, 1/16 IN. CAPACITY FOR 157056(506)	-
		NOTEO WHEN ORDERING NO.157055, CODE FOR GAUGE	
		AND CAPACITY MUST BE STATED.	•
20	7 819	LAP SEAM FELLER TOP SHELL ADJUSTING SCREW FOR	1
15705	<i>(</i> EAE	157056(505) AND 157056(506) LAP SEAM FELLER ON SHANK (ADJUSTABLE)	1
15705	6 505	COMPLETE, FOR 12 GAUGE, 1/16 IN. CAPACITY	_
		NOS. 207(819), 157053(502) AND 157055(505)	
15705	6 506	LAP SEAM FELLER ON SHANK (ADJUSTABLE)	1
	6 506	COMPLETE, FOR 16 GAUGE, 1/16 IN. CAPACITY	
	6 506	NOS. 207(819), 157053(502) AND 157055(506) NOTEO WHEN ORDERING NO. 157056, CODE FOR	
15705	6 506	GAUGE AND CAPACITY MUST BE STATED.	
15605	8	LAP SEAM FELLER FASTENING PLATE	1 2
	5 850	LAP SEAM FELLER FASTENING PLATE SCREW	2
15641		LOOPER (BACK)	1 1
15641		LOOPER (FRONT) FOR 12 GAUGE LOOPER (FRONT) FOR 16 GAUGE	ì
15699 15778		LOOPER AVOIDING ECCENTRIC WITH TWO 141301(869)	1
15604		LOOPER AVOIDING ECCENTRIC CONNECTION	1
15678		LOOPER AVOIDING ECCENTRIC CONNECTION	1
		HINGE PIN WITH A SUITABLE LENGTH OF WICKING (1/8 IN. DIAM. X 13/16 IN. LONG	
		S.A.E. F-1 DIL WICK)	
15678	12	LOOPER AVOIDING ECCENTRIC CONNECTION	1
	_	HINGE PIN DIL WICK (1/8 IN. DIAM. X 13/16	
		IN. LONG S.A.E. F-1 OIL WICK) FOR USE WITH 156781	1
22	803	LOOPER AVOIDING ECCENTRIC CONNECTION HINGE PIN	
14130	1 869	LOOPER AVOIDING ECCENTRIC SET SCREW	2
15776		LOOPER AVOIDING LINK WITH 223(803)	1
		350719(869) AND TWO 50420(830)	1
35071	9 86 9	LOOPER AVOIDING LINK CLAMPING SCREW (10 X 32 X 1/2 IN. LONG. ALLEN CAP SCREW)	1
		(10 X 32 X 1/2 IN. LUNG. ALLEN CAP SCREW)	

D ል ውጥ	NUMBE	. T	
MAIN		DESCRIPTION	QTY
50420	ผลก	LOOPER AVOIDING LINK SET SCREW	2
157768	0,0	LOOPER DRIVING LEVER WITH 350606(869) AND	ī
		350719(869)	
350719	869		1
157772		(10 X 32 X 1/2 IN. LONG. ALLEN CAP SCREW) LOOPER DRIVING LEVER CONNECTION ALIGNMENT PLATE	2
35072 <i>6</i>			4
		ALIGNMENT PLATE SCREW	
141314	830	LOOPER DRIVING LEVER CONNECTION BEARING	2
1/1313	930	(CRANK END) CAP SCREW	2
141313	830	LOOPER DRIVING LEVER CONNECTION BEARING (STUD END) CAP SCREW	2
156563		LOOPER DRIVING LEVER CONNECTION DIL TUBE (PLASTIC)	1
158044		LOOPER DRIVING LEVER OIL GUARD	ī
157728		LOOPER DRIVING LEVER ROCK SHAFT	1
156478		LOOPER DRIVING LEVER ROCK SHAFT BUSHING (BACK)	1
157730		LOOPER DRIVING LEVER ROCK SHAFT BUSHING	1
156516		(FRONT) WITH 156516 LOOPER DRIVING LEVER ROCK SHAFT BUSHING	1
170710		(FRONT) O RING (PARKER NO. 2-13)	•
156475		LOOPER DRIVING LEVER ROCK SHAFT COLLAR	1
		WITH TWO 350680(869)	_
350680	869		2
154220		SCREW (8 X 32 X 1/4 IN. LONG. ALLEN CAP SCREW) LOOPER DRIVING LEVER ROCK SHAFT COVER	1
156229 156230		LOOPER DRIVING LEVER ROCK SHAFT COVER GASKET	1
	833		4
51637		LOOPER DRIVING LEVER ROCK SHAFT STUD NUT	1
8787		LOOPER DRIVING LEVER ROCK SHAFT STUD NUT WASHER	1
157706		LOOPER DRIVING LEVER ROCK SHAFT STUD SPACER (.010)	1
157707		LOOPER DRIVING LEVER ROCK SHAFT STUD SPACER (.040) NOTEO SPACERS NOS.157706 AND 157707	1
		ARE TO BE USED IN AMOUNTS AS REQUIRED.	
157847		LOOPER DRIVING LEVER ROCK SHAFT THRUST SPACER	1
156739		LOOPER HOLDER WITH TWO 350595(869)	1
157630		LOOPER HOLDER 156739 WITH 1056(833), 1664(805),	1
		8905, 157735, 157738 AND SUITABLE LENGTH OF	
		WICKING (1/8 IN. DIAM. X 1 3/16 IN. LONG PIPE CLEANER)	
156472		LOOPER HOLDER CONE WITH TWO 141301(869)	1
	805		1
	805		1
157087		LOOPER HOLDER CONE LOCK SCREW O RING	1
141301	869	(PARKER NO. 2-6) LOOPER HOLDER CONE SET SCREW	2
1.1501	., .,	(8 X 32 X 1/8 IN. LONG. ALLEN FLAT POINT SET SCREW)	
157084		LOOPER HOLDER CONE STUD	1
51724		LOOPER HOLDER CONE STUD LOCK NUT	1
8905		LOOPER HOLDER CONE STUD LOCK NUT WASHER	1
157085		LOOPER HOLDER CONE STUD OIL METERING SCREW	1

PART	NUMBE	₹	
MAIN	SUFF	DESCRIPTION	QTY
158229	3	LGOPER PITMAN ROD	1
158230		LOOPER PITMAN ROD 158229 WITH 1649(803)	1
157735	;	AND 1650(803) LOOPER PITMAN ROD END BEARING (LEFT) WITH TWO	1
17117	•	141317(830)	
1664	¥ 805		1
8905	5	STUD LUCK NUT LOOPER PITMAN RUD END BEARING (LEFT) BALL	1
		STUD LOCK NUT WASHER	
157737	7	LOOPER PITMAN ROD END BEARING (LEFT) BALL STUD OIL WICK (1/8 IN. DIAM. X 1 3/16 IN.	1
		PIPE CLEANER WICK) FOR USE WITH LOOPER	
		HOLDER 157630	_
157738	3	LOOPER PITMAN ROD END BEARING (LEFT) BALL	ı
1054	6 833	STUD OIL WICK RETAINER LOOPER PITMAN ROD END BEARING (LEFT) BALL	1
1050	000	STUD OIL WICK RETAINER SCREW	•
14131	7 830	LOOPER PITMAN ROD END BEARING (LEFT) CAP SCREW	2
15776	l	LOOPER PITMAN ROD END BEARING (RIGHT) WITH A	1
		SUITABLE LENGTH OF WICKING (1/8 IN. X 11/32 IN.	
250404	869	LONG, S.A.E. F-1 FELT) AND TWO 141317(830) LOOPER PITMAN ROD END BEARING (RIGHT) BALL	1
330000	9 00 7	STUD CLAMPING SCREW (10 X 32 X 3/8 IN.	•
		LONG. ALLEN CAP SCREW)	
157764	4	LOOPER PITMAN ROD END BEARING (RIGHT) BALL	1
		STUD OIL WICK (1/8 IN. X 11/32 IN. LONG. S.A.E. F-1 FELT) FOR USE WITH END BEARING (RIGHT)	
		NO.157761	
15748	1	LOOPER PITMAN ROD END BEARING (RIGHT) BALL	1
		STUD WASHER	
	7 830		2 1
158184 15818		LOOPER PITMAN ROD EXTENSION LOOPER PITMAN ROD EXTENSION COMPLETE, NOS.	1
17010	,	1650(803), 1700(803), 158184, 158186, 158187,	_
		158188, 158189, 158191, 158192, 158193,	
	_	158194 AND 163003	1
15818		LOOPER PITMAN ROD EXTENSION SLEEVE LOOPER PITMAN ROD EXTENSION SLEEVE CAP	1 1
15818	0 803	LOUPER PITMAN ROD EXTENSION SLEEVE CAP	î
15818		LOOPER PITMAN RUD EXTENSION SPRING	1
16300	3	LOOPER PITMAN ROD EXTENSION SPRING PIN	1
15818		LOOPER PITMAN ROD EXTENSION SPRING RETAINER	1
	9 8 03 0 8 0 3	LOOPER PITMAN ROD LOCK NUT (LEFT HAND) LOOPER PITMAN ROD LOCK NUT (RIGHT HAND)	1
15777		LOOPER ROCKER FRAME WITH 140333(830) AND	ī
		350719(869)	_
15777	5	LODPER ROCKER FRAME 157774 WITH 8905,	1
25071	0 860	51724(805), 157084 AND 157085 LOOPER ROCKER FRAME CLAMPING SCREW	1
570 FL	, 007	(10 X 32 X 1/2 IN. LONG. ALLEN CAP SCREW)	*

PART	NOME		
MAIN	SUFF	DESCRIPTION	QTY
140333	030	LOOPER ROCKER FRAME POSITION SCREW	•
157776		LOOPER ROCKER SHAFT	1
156164		LOOPER ROCKER SHAFT BUSHING (LEFT)	1
156798		LOOPER ROCKER SHAFT BUSHING (LEFT) 156164	1
130170		WITH TWO 156516	1
156516		LOOPER ROCKER SHAFT BUSHING (LEFT) O	2
		RING (PARKER NO.2-13 D RING)	-
156165		LOOPER ROCKER SHAFT BUSHING (RIGHT)	1
156799		LOOPER ROCKER SHAFT BUSHING (RIGHT)	1
		156165 WITH 156516	
156516		LOOPER ROCKER SHAFT BUSHING (RIGHT) O	1
		RING (2-13 PARKER)	
156056		LOOPER ROCKER SHAFT COLLAR (RIGHT) WITH 141289(869)	1
141289	869		1
		CLAMPING SCREW (10 X 32 X 5/8 IN. LONG.	
		ALLEN SOCKET CAP SCREW)	
156474		LOOPER ROCKER SHAFT SPACER WITH TWO 141301(869)	1
	869	LOOPER ROCKER SHAFT SPACER SET SCREW	2
157714		LOOPER ROCKER SHAFT THRUST SPACER	2
		(LEFT AND RIGHT)	
350595	869		2
150100		ALLEN FLAT POINT SET SCREW)	_
158190		LOOPER THROW-OUT COMPLETE, NOS. 157761 158185	1
150101		AND 158230	•
158191 158192		LOOPER THROW-OUT LOCKING PLUNGER LOOPER THROW-OUT LOCKING PLUNGER RELEASER	1
158193		LOOPER THROW-OUT LOCKING PLUNGER RELEASE CAP	1
	803		1
1100	005	CAP LOCK NUT	
158194		LOOPER THROW-OUT LOCKING PLUNGER SPRING	1
156167		MACHINE CUSHION STUD (LEFT)	2
156608		MACHINE CUSHION STUD (LEFT) SPACER	2 2 2
		NEEDLE CATALOG NO. 3650 SIZE NO.16	2
158129		NEEDLE BAR (HOLLOW)	1
158219			ī
		139116(012) AND 158129	
158219	016	NEEDLE BAR COMPLETE, FOR 16 GAUGE, NOS.	1
		139116(016) AND 158129	
		NOTEO WHEN ORDERING NO. 158219 CODE FOR GAUGE	
		REQUIRED MUST BE STATED.	
158048		NEEDLE BAR BUSHING (LOWER)	1
157826		NEEDLE BAR BUSHING (LOWER AND UPPER) OIL	1
		WICK (1/8 IN. DIAM. X 10 IN. S.A.E. F-1	
157997		WHITE FELT, FOR USE WITH 157827	4
157827		NEEDLE BAR BUSHING (LOWER AND UPPER) OIL	1
		WICK (1/8 IN. DIAM. X 10 IN. S.A.E. F-1 WHITE FELT) WITH TWO 13994	
13994		NEEDLE BAR BUSHING (LOWER AND UPPER) DIL WICK CLIP	2
156471		NEEDLE BAR BUSHING (UPPER)	1
157822		NEEDLE BAR CONNECTING LINK WITH 157861	1
17.022		ALLEGE ON COMPLETING CIME WITH 191001	1

PART	MOMBE	K .	
MAIN	SUFF	DESCRIPTION	QTY
140552	830	NEEDLE BAR CONNECTING LINK HINGE STUD	1
		CLAMPING SCREW	
1036	830		1
1670/1		POSITION SET SCREW	_
157861	0.4.0		1
141305	807		1
139111 143496		NEEDLE BAR CONNECTING STUD SLIDE BLOCK NEEDLE BAR CONNECTING STUD SLIDE BLOCK GUIDE	1
1485			1 2
59456	650	NEEDLE BAR CONNECTING STOD SLIDE BLOCK GOIDE SCREW	2
75470		GUIDE SCREW WASHER	2
156545	900		1
130343	,00	(97-23036 MACHINED)	1
140542	ผลก	NEEDLE BAR CRANK POSITION SCREW	1
146665	030	NEEDLE BAR THREAD RETAINER	1
157057		NEEDLE BAR THREAD RETAINER BRACKET	1
157058		NEEDLE BAR THREAD RETAINER BRACKET	1
131030		(97-23036 MACHINED) NEEDLE BAR CRANK POSITION SCREW NEEDLE BAR THREAD RETAINER NEEDLE BAR THREAD RETAINER BRACKET NEEDLE BAR THREAD RETAINER BRACKET COMPLETE, NOS. 50163(850), 54865, 146665	1
		AND 157057	
40.2	809		1
50163		NEEDLE BAR THREAD RETAINER SCREW	ī
54865		NEEDLE BAR THREAD RETAINER SCREW WASHER	ī
139116	012		ī
139116	016	NEEDLE CLAMP WITH TWO 1498(830) FOR 16 GAUGE	ĩ
		NOTEO WHEN ORDERING NO.139116 STATE GAUGE REQUIRED.	
1498	830	NEEDLE SET SCREW	2
156142		NEEDLE GUARD WITH 157197	1
156070		NEEDLE GUARD ADJUSTING SCREW	1
157197		NEEDLE GUARD PIVOT PIN	1
141295			1
127784		NEEDLE GUARD SCREW WASHER	1
143176		NUMBER PLATE RIVET	2
156663		OIL PUMP (CENTRIFUGAL) BODY	1
157361		OIL PUMP (CENTRIFUGAL) BODY 156663 WITH	1
	•	50123(803), 66581, 143072, 143073, 143074,	
142071		143075, 156479 AND FOUR 189(809)	-
143071	805	OIL PUMP (CENTRIFUGAL) BODY POSITION PIN OIL PUMP (CENTRIFUGAL) BODY SCREW	2 3
143072		OIL PUMP (CENTRIFUGAL) COVER	
143073		DIL PUMP (CENTRIFUGAL) IMPELLER	1 1
50123		OIL PUMP (CENTRIFUGAL) IMPELLER LOCKING SCREW	1
143074		OIL PUMP (CENTRIFUGAL) SCREEN	1
143075		OIL PUMP (CENTRIFUGAL) SCREEN FRAME	ì
	805	OIL PUMP (CENTRIFUGAL) SCREEN FRAME SCREW	4
156479		OIL PUMP (CENTRIFUGAL) SHAFT	ì
143015		OIL PUMP (CENTRIFUGAL) SHAFT BEVEL GEAR	ī
		(LEFT HAND SPIRAL) WITH TWO 1259(830)	-
		NOTED TO ENSURE PROPER FUNCTIONING OF GEARS	
•		NO.143015 WILL NOT BE SUPPLIED SEPARATELY TO	
		AGENCIES, BUT WILL BE SUBSTITUTED BY PAIR OF	

MAIN	SUFF	DESCRIPTION	QTY
		GEARS NO.156558.	
1259 66581	830	OIL PUMP (CENTRIFUGAL) SHAFT BEVEL GEAR SET SCREW OIL PUMP (CENTRIFUGAL) SHAFT THRUST COLLAR WITH TWO 50150(830)	2 1
50150	830	OIL PUMP (CENTRIFUGAL) SHAFT THRUST COLLAR SET SCREW	2
156772 146703 158036 157727		OIL REMOVING TUBE (HEAD END) OIL REMOVING (HEAD END) CLAMP OIL REMOVING TUBE (HEAD END) LINT SCREEN (CLOTH) OIL RESERVOIR WITH 141466, 143601, 164133,	1 1 1
156167 141466 156240 143601		164134 AND TWO EACH 1485(833) AND 164132 OIL RESERVOIR AND MACHINE CUSHION STUD (RIGHT) OIL RESERVOIR DRAIN PLUG SCREW OIL RESERVOIR GASKET OIL RESERVOIR OIL SIGHT GAUGE BACKGROUND DISC	2 1 1 1
164132		OIL RESERVOIR OIL SIGHT GAUGE BACKGROUND DISC GASKET	1
164133 164132 164134 1485		OIL RESERVOIR OIL SIGHT GAUGE WINDOW	1 1 1 2
50073 949 156773	805 805	OIL RESERVOIR SCREW (LEFT) OIL TUBE FOR OILING BED SHAFT BUSHING	2 2 1
156774 156774		(RIGHT, INNER) OIL TUBE FOR OILING ARM SHAFT BUSHING (INTERMEDIATE)	1
90100 157812		OIL TUBE RETAINER CLIP OIL TUBE COMPLETE WITH A SUITABLE LENGTH OF WICKING 3/16 IN. X 2 1/2 IN. LONG S.A.E. F-1 FELT AND TWO SUITABLE LENGTHS OF WICKINGS 3/32 IN. X 4 1/2 IN. LONG NO.1229 LIGHTER WICK FOR OILING FEED LIFTING AND	1
157813 157813		LOOPER AVOIDING ECCENTRICS OIL TUBE OIL WICK (3/16 IN. X 2 1/2 IN. LONG S.A.E. F-1 FELT) FOR OILING WICK NO.	1
157814		157814, FOR USE WITH OIL TUBE COMPLETE NO.157812 OIL TUBE OIL WICK (3/32 IN. X 4 1/2 IN. LONG NO.1229 LIGHTER WICK) FOR OILING FEED LIFTING AND LOOPER ECCENTRICS, FOR USE WITH	2
157815		OIL TUBE COMPLETE, NO.157812 OIL TUBE COMPLETE WITH A SUITABLE LENGTH OF WICKING, 1/8 IN. X 10 3/4 IN. LONG, S.A.E.	1
156848		F-1 FELT, FOR OILING FEED BAR HINGE PIN OIL TUBE OIL WICK (1/8 IN. X 10 3/4 IN. LONG, S.A.E. F-1 FELT, FOR OILING FEED BAR HINGE PIN,	1
156055		FOR USE WITH OIL TUBE COMPLETE NO. 157815 OIL TUBE ADAPTOR WITH 209(830) FOR USE WITH 157812 AND 157815	2

PARI	MOMBE.		
MAIN	SUFF	DESCRIPTION	YTÇ
			_
	830	DIL TUBE SCREW	2
156558		PAIR OF MATED GEARS FOR DRIVING DIL PUMP,	1
		NOS. 143015 AND 156557	
156285		PRESSER BAR	1
156502		PRESSER BAR BUSHING	1
157839		PRESSER BAR LIFTING CLAMP WITH 141303(869)	1
141303	869	PRESSER BAR LIFTING CLAMPING SCREW	1
156247		PRESSER BAR LIFTING CRANK WITH 350595(869)	1
156238		PRESSER BAR LIFTING CRANK LINK	1
		PRESSER BAR LIFTING CRANK LINK SCREW	1
350595	869	PRESSER BAR LIFTING CRANK SET SCREW	1
		(10 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT	
		SET SCREW)	
157077		PRESSER BAR LIFTING LEVER WITH 141309(869)	1
157083		PRESSER BAR LIFTING LEVER 157077 WITH	1
		181(850), 1521(805), 9525, 51953,	
		53657(850), 140024(830), 157081, 157082	
		AND TWO EACH 588(850) AND 1718(850)	
141402	850	PRESSER BAR LIFTING LEVER (ADJUSTABLE)	1
		STOP SCREW (LIFTING)	
1662	850	PRESSER BAR LIFTING LEVER (ADJUSTABLE)	1
		STOP SCREW (LIFTING) NUT	
140024	830	PRESSER BAR LIFTING LEVER (ADJUSTABLE)	1
		STOP SCREW (LOWERING)	
1521	805		1
		STOP SCREW (LOWERING) NUT	
141309	869		1
		(1/4 X 28 X 1/4 IN. LONG. ALLEN SOCKET	
		FLAT POINT SET SCREW)	_
156265		PRESSER BAR LIFTING LEVER SPRING	1
156248		PRESSER BAR LIFTING LEVER SPRING PIN	1
157079		PRESSER BAR LIFTING SHAFT	1
156195		PRESSER BAR LIFTING SHAFT BUSHING (LEFT)	1
156195		PRESSER BAR LIFTING SHAFT BUSHING (RIGHT)	1
156196		PRESSER BAR LIFTING SHAFT BUSHING (RIGHT)	1
156196		O RING (NATIONAL O RING 622703)	
156203		PRESSER BAR SPRING	1
156286	ı	PRESSER BAR SPRING LOCATING PIN	1
157196	012	PRESSER FOOT (TRIPLE HINGED) COMPLETE, FOR 12 GAUGE	1
		(CODE NO.012)	,
157196	016	PRESSER FOOT (TRIPLE HINGED) COMPLETE, FOR 16 GAUGE	1
		(CODE NO.016)	
		NOTEO WHEN ORDERING NO.157196, CODE FOR GAUGE	
157196		REQUIRED MUST BE STATED.	1
141318		PRESSURE REGULATING THUMB SCREW	1
	819	PRESSURE REGULATING THUMB SCREW NUT	1
156992		SLACK THREAD CONTROLLER (NEEDLE THREAD)	1
2102		TENSION DISC	4
156606		TENSION PLATE	1
997	819	TENSION PLATE SCREW	4

MAIN	SUFF	DESCRIPTION	QTY
110 211	•••		
		TENSION PLATE SPACER	4
		TENSION REGULATING THUMB NUT	2
156609		TENSION RELEASE	1
32572		TENSION RELEASING DISC	2
157080		TENSION RELEASING LEVER	1
51953			1
		TENSION RELEASING LEVER ROLLER LINK TENSION RELEASING LEVER ROLLER LINK	1
101	650	ADJUSTING SCREW	•
52457	850		1
53651	070	ADJUSTING SCREW NUT	•
9525		TENSION RELEASING LEVER ROLLER LINK	1
7363		ADJUSTING SCREW WASHER	•
157082			1
		TENSION RELEASING LEVER ROLLER LINK	ī
,,,,	0,70	CONNECTION HINGE SCREW	-
1718	850	TENSION RELEASING LEVER ROLLER LINK	1
	020	CONNECTION HINGE SCREW NUT	_
588	850		1
	850		1
141550			1
156487		TENSION RELEASING LEVER SPRING	
156262		TENSION RELEASING PIN	2
156376		TENSION SPRING (LOOPER THREAD)	2
140043	806	TENSION STUD	1 2 2 2 2 2 2
156801		TENSION THREAD CONTROLLER (LOOPER THREAD)	2
156316		TENSION THREAD GUIDE	2
157110		TENSION (LOOPER THREAD) COMPLETE, NOS.	2
		1560(803), 32572, 140043(806), 156376	
		AND TWO 2102	_
157833		THREAD (LOOPER) TAKE-UP WITH 158196	1
		AND TWO 141301(869)	
158196		THREAD (LOOPER) TAKE-UP POSITION PIN	1
1 / 1 2 0 1	040	ELASTIC STOP NUT ROLL PIN 59-012-062-0500)	2
141301	869	THREAD (LOOPER) TAKE-UP SET SCREW	2
150007		(8 X 32 X 1/8 IN. ALLEN FLAT POINT SET SCREW) THREAD (LOOPER) TAKE-UP STRIPPER	1
158027		THREAD (LOOPER) TAKE-UP STRIPPER CLAMPING SCREW	1
157351		THREAD (LOOPER) TAKE-UP STRIPPER CLAMPING SCREW	1
156037		THREAD (LOOPER) TAKE-UP STUPPER HOLDER	î
1,0051		BRACKET WITH 50117(830) AND 156445	•
156445		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER BRACKET PI	N 1
	830		1
 ·		BRACKET SCREW	
50117	830		1
158222		THREAD (LOOPER) TAKE-UP STRIPPER PLATE	1
158225		THREAD (LOOPER) TAKE-UP STRIPPER PLATE	1
		COMPLETE, NOS.50117(830), 51047(803),	
		156037, 156048, 157351, 158027, 158222,	
		TWO 158204 AND THREE 229(805)	

PART	NUMBEF		
	SUFF	DESCRIPTION	QTY
MAIN	3011	DESCRIPTION	
156445	5	THREAD (LOOPER) TAKE-UP STRIPPER PLATE	2
		POSITION PIN	1
	805	THREAD (LOOPER) TAKE-UP STRIPPER PLATE SCREW THREAD (LOOPER) TAKE-UP STRIPPER PLATE	1
9525	•	SCREW WASHER	•
156048		THREAD (LOOPER) TAKE-UP STRIPPER STAPLE	- 1
	9 805		ī
158204		THREAD (LOOPER) TAKE-UP THREAD GUIDE	2
13020	•	(LEFT AND RIGHT)	
229	805		2
		(LEFT AND RIGHT) SCREW	•
15813		THREAD (LOOPER) THREAD GUARD COMPLETE,	1
15813		NOS.219(805), 156429 AND TWO 1423(805)	0 2
142	805		2
23.		SCREW (LARGE) THREAD (LOOPER) THREAD GUARD EXTENSION	1
21	9 805	SCREW (SMALL)	•
15617	2	THREAD (LOOPER) THREAD GUARD HINGE (LEFT)	1
	9 8 19		2
15617		THREAD (LOOPER) THREAD GUARD HINGE (RIGHT)	1 2
	9 819	THREAD (LOOPER) THREAD GUARD HINGE (RIGHT) SCREW	2
15638		THREAD (LOOPER) THREAD GUARD LATCH SPRING	1
15642	9	THREAD (LOOPER) THREAD GUARD LATCH SPRING PIN	1
14000	3 805	THREAD (LOOPER) THREAD GUARD LATCH SPRING SCREW	1 1 2 1 1 1 1 1 2
15632		THREAD (LOOPER) THREAD GUIDE (CENTER) (IN BED)	1
14066		THREAD (LOOPER) THREAD GUIDE (CENTER) SCREW	1
15632		THREAD (LOOPER) THREAD GUIDE (LEFT) (IN BED)	1
	9 830	THREAD (LOOPER) THREAD GUIDE (LEFT) SET SCREW THREAD (LOOPER) THREAD GUIDE (RIGHT) (IN BED)	1
15631		The second secon	î
19 15674	0 819	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	Ž
15804		THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	1
15001	•	BRACKET WITH 199(819) AND 156695	
14002	4 830	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	1
		BRACKET MOUNTING SCREW	_
15669	5	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	1
		BRACKET POSITION PIN	1
19	9 819	• • • • • • • • • • • • • • • • • • • •	r
	•	CLAMPING SCREW THREAD (NEEDLE) TAKE-UP (LEFT) WITH 51281(830)	1
15655		THREAD (NEEDLE) TAKE-UP (LEFT) WITH SIZETIOSON THREAD (NEEDLE) TAKE-UP (LEFT) CLAMPING SCREW	i
15653	1 830	THREAD (NEEDLE) TAKE-UP (RIGHT) WITH TWO 350595(86	
707		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING	2
101	•	ECCENTRIC BODY CLAMPING WASHER	
21	7 805		2
		ECCENTRIC BODY CLAMPING WASHER SCREW	
14146	9 869	THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING	3
		ECCENTRIC BODY SET SCREW	•
15783	6	THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING	1
		ECCENTRIC (ADJUSTABLE) COMPLETE, NOS.	

MAIN	SUFF	DESCRIPTION	QTY .
		50328(803), TWO EACH 217(805), 7071 AND THREE 141469(869)	
157715		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC CONNECTING ROD WITH 141141(869)	1
156211		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC CONNECTING ROD HINGE PIN WITH	1
141141	869	THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC CONNECTING ROD HINGE PIN SET	1
		SCREW (10 X 32 X 3/16 IN. LONG. ALLEN CUP POINT SET SCREW)	
156758		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC CONNECTING ROD SPACER	1
158040		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT WITH 157265 AND SUITABLE LENGTH OF	1
		WICKING (3/16 IN. DIAM. X 8 1/2 IN. LONG S.A.E. F-1 FELT)	
156763		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT BUSHING (LEFT)	1
156764		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT BUSHING (LEFT) 156763 WITH 156181	1
156181		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT BUSHING O RING (PARKER O RING NO.2-14)	1
156765		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT BUSHING (RIGHT)	1
156181		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT BUSHING (RIGHT) C RING	1
156191		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT COLLAR WITH TWO 141301(869)	2
141301	869		4
156223	869	LONG. ALLEN FLAT POINT SET SCREW) THREAD (NEEDLE) TAKE-UP (RIGHT)	1
141303	869	OSCILLATING SHAFT CRANK WITH 141303(869) THREAD (NEEDLE) TAKE-UP (RIGHT)	1
		OSCILLATING SHAFT CRANK CLAMPING SCREW (8 X 32 X 1/2 IN. LONG ALLEN CAP SCREW)	
158041		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT OIL WICK	1
		(3/16 IN. DIAM. X 8 1/2 IN. LONG S.A.E. F -1 FELT) FOR USE WITH 158040, FOR AGENTS ONLY)	
157265		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT OIL WICK RETAINING PIN	1
50328	803	THREAD (NEEDLE) TAKE-UP (RIGHT) REGULATING SCREW	1
350595	869	(10 X 32 X 3/16 IN. LONG. ALLEN SOCKET	2
158115		FLAT POINT SET SCREW THREAD (NEEDLE) THREAD CONTROL DEVICE COMPLETE, NOS. 217(819), 330(819), 1247(819), 1443(806), 1771(805), 6465, 50111(819), 50183(806),	1

MAIN	3011		
		51310(819), 157747, 157753, 157755, 157756, 157760,	
		157765, 157960, 158121, 158123, 158126, 227224	
		AND TWO EACH 7071 AND 144282	_
157747		THREAD (NEEDLE) THREAD CONTROL DEVICE BRACKET	1
140295	819	THREAD (NEEDLE) THREAD CONTROL DEVICE	2
		BRACKET MOUNTING SCREW (FRONT)	1
158198		THREAD (NEEDLE) THREAD CONTROL DEVICE	1
		BRACKET SPACER (BACK)	1
144282		THREAD (NEEDLE) THREAD CONTROL DEVICE	
0100		BRACKET SPACER (FRONT) THREAD (NEEDLE) THREAD CONTROL TENSION DISC	4
2102	002	THREAD (NEEDLE) THREAD CONTROL TENSION	ż
1560	803	REGULATING THUMB NUT	_
158117		TO THE PARTY OF TH	1
50435	850	THREAD (NEEDLE) THREAD CONTROL TENSION	2
30433	000	RELEASER PLATE STOP SCREW	
32572		THREAD (NEEDLE) THREAD CONTROL TENSION	2
32312		RELEASING DISC	
158121		THREAD (NEEDLE) THREAD CONTROL TENSION	1
130121		RELEASING PLATE	
158123		THREAD (NEEDLE) THREAD CONTROL TENSION	1
		RELEASING PLATE FINGER	
1443	806	THREAD (NEEDLE) THREAD CONTROL TENSION	1
		RELEASING PLATE FINGER SCREW	_
7071		THREAD (NEEDLE) THREAD CONTROL TENSION	1
		RELEASING PLATE FINGER SCREW WASHER	1
50183	806	THREAD (NEEDLE) THREAD CONTROL TENSION	1
		RELEASING PLATE HINGE SCREW	1
1771	805	THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING PLATE HINGE SCREW NUT	•
		THREAD (NEEDLE) THREAD CONTROL TENSION	1
6465		RELEASING PLATE HINGE SCREW NUT WASHER	•
156376		THREAD (NEEDLE) THREAD CONTROL TENSION SPRING	2
120310	806	THREAD (NEEDLE) THREAD CONTROL TENSION STUD	2
158124		THREAD (NEEDLE) THREAD CONTROL TENSION	1
130121		SUPPORT PLATE	
158125		THREAD (NEEDLE) THREAD CONTROL TENSION	1
		SUPPORT PLATE WITH TENSIONS COMPLETE,	
		NOS. 158117, 158124 AND TWO EACH 50435(850),	
		156316, 156801 AND 157110	_
350787	819	THREAD (NEEDLE) THREAD CONTROL TENSION	1
		SUPPORT PLATE AND THREAD CONTROL DEVICE	
		BRACKET (BACK) MOUNTING SCREW	2
156801		THREAD (NEEDLE) THREAD CONTROL TENSION THREAD CONTROLLER	2
15/214		THREAD (NEEDLE) THREAD CONTROL TENSION	2
156316	1	THREAD GUIDE	_
157110	1	THREAD GOIDE THREAD (NEEDLE) THREAD CONTROL TENSION	2
TOILL	•	COMPLETE, NOS. 1560(803), 32572, 140043(803),	
157110)	156376 AND TWO 2102	
171110			

PART .	NUMBE	R	
MAIN	SUFF	DESCRIPTION	QTY
157750		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF WITH TWO 350595(869)	1
7071		THREAD (NEEDLE) THREAD CONTROL THREAD	2
217	905	PULL-OFF DRIVING ECCENTRIC BODY CLAMPING WASHER THREAD (NEEDLE) THREAD CONTROL THREAD	2
211	800	PULL-OFF DRIVING ECCENTRIC BODY CLAMPING WASHER SCREW	2
141469	869		3
		PULL-OFF DRIVING ECCENTRIC BODY SET SCREW	
157836		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF DRIVING ECCENTRIC (ADJUSTABLE) COMPLETE, NOS. 50328(803), TWO EACH 217(805),	
		7071 AND THREE 141469(869)	
157715		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF DRIVING ECCENTRIC CONNECTING	
		ROD WITH 141141(869)	
156211		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF DRIVING ECCENTRIC CONNECTING ROD HINGE PIN	
141141	869		1
		PULL-OFF DRIVING ECCENTRIC CONNECTING	-
		ROD HINGE PIN SET SCREW (10 X 32 X 3/16 IN. LONG.	
15/750		ALLEN CUP POINT SET SCREW)	_
156758		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF DRIVING ECCENTRIC CONNECTING ROD SPACER	1
50328	803		1
70320	003	PULL-OFF DRIVING ECCENTRIC REGULATING SCREW	•
156219		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF OSCILLATING SHAFT WITH 156406 AND 157265	
156220		THREAD (NEEDLE) THREAD CONTROL THREAD	1
158039		PULL-OFF OSCILLATING SHAFT BUSHING (LEFT) THREAD (NEEDLE) THREAD CONTROL THREAD	1
100005		PULL-OFF OSCILLATING SHAFT BUSHING (INTERMEDIATE)	0
156181		THREAD (NEEDLE) THREAD CONTROL THREAD	ì
		PULL-OFF OSCILLATING SHAFT BUSHING	_
		(INTERMEDIATE O RING)	
156221		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT BUSHING (RIGHT)	1
156181		THREAD (NEEDLE) THREAD CONTROL THREAD	1
170101		PULL-OFF OSCILLATING SHAFT BUSHING	•
		(RIGHT) O RING	
156191		THREAD (NEEDLE) THREAD CONTROL THREAD	2
		PULL-OFF OSCILLATING SHAFT COLLAR WITH	
141301	949	TWO 141301(869) THREAD (NEEDLE) THREAD CONTROL THREAD	4
141301	003	PULL-OFF OSCILLATING SHAFT COLLAR SET	*
		SCREW (8 X 32 X 1/8 IN. LONG ALLEN FLAT	
		POINT SET SCREW)	
156223		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF OSCILLATING SHAFT CRANK (RIGHT)	

******	CHEE	DECCRIPTION	074
MAIN	SUFF	DESCRIPTION	QTY
		WITH 141303(869)	
141303	869	THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF OSCILLATING SHAFT CRANK (RIGHT)	
		CLAMPING SCREW (8 X 32 X 1/2 IN. LONG.	
		ALLEN CAP SCREW)	
156406		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF OSCILLATING SHAFT OIL WICK	
1570/5		(3/16 IN. X 11 IN. LONG, S.A.E. F-1 OIL WICK)	•
157265		THREAD (NEEDLE) THREAD CONTROL THREAD	1
350505	940	PULL-OFF OSCILLATING SHAFT OIL WICK POSITION PIN THREAD (NEEDLE) THREAD CONTROL THREAD	2
330333	007	PULL-OFF SET SCREW	2
158126		THREAD (NEEDLE) THREAD CONTROL THREAD	1
130120		PULL-OFF THREAD TAKE-UP	•
157753		THREAD (NEEDLE) THREAD CONTROL THREAD	1
2223		PULL-OFF THREAD TAKE-UP ADJUSTING SHAFT	•
227224		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF THREAD TAKE-UP ADJUSTING SHAFT	
227224		COLLAR WITH 201052(833)	
201052	833		1
		PULL-OFF THREAD TAKE-UP ADJUSTING SHAFT	
		COLLAR SET SCREW	_
157765		THREAD (NEEDLE) THREAD CONTROL THREAD	1
144000		PULL-OFF THREAD TAKE-UP CLAMP	•
144282		THREAD (NEEDLE) THREAD CONTROL THREAD	1
157755		PULL-OFF THREAD TAKE-UP CLAMP WASHER THREAD (NEEDLE) THREAD CONTROL THREAD	1
151155		PULL-OFF THREAD TAKE-UP CONNECTING LINK	1
50111	819		1
20111	• • •	PULL-OFF THREAD TAKE-UP CONNECTING LINK	•
		SCREW (LOWER)	
1247	819	THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF THREAD TAKE-UP CONNECTING LINK	
		SCREW (UPPER)	
157756		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF THREAD TAKE-UP CONNECTING LINK	
157040		SCREW (UPPER) SPACER	•
157960		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF THREAD TAKE-UP POSITION INDICATOR WITH 350595(869)	
51310	810	THREAD (NEEDLE) THREAD CONTROL THREAD	1
71310		PULL-OFF THREAD TAKE-UP POSITION INDICATOR	
51310	819	LOCKING THUMB SCREW	
7071		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF THREAD TAKE-UP POSITION INDICATOR	
		LOCKING THUMB SCREW WASHER	
350595	869	THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF THREAD TAKE-UP POSITION INDICATOR	
.	0	SET SCREW	=
330	819	THREAD (NEEDLE) THREAD CONTROL THREAD	1

PART	NUMBE	R	
MAIN	SUFF	DESCRIPTION	QTY
		PULL-OFF THREAD TAKE-UP SCREW	
157760		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP SLIDE	1
144282		THREAD (NEEDLE) THREAD CONTROL THREAD	1
017		PULL-OFF THREAD TAKE-UP SPACER	
217	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP STOP SCREW	1
156564		THREAD (NEEDLE) THREAD WEARING GUIDE	1
		THROAT PLATE FOR 12 GAUGE (CODE NO. 012)	1
157203	016	THRUAT PLATE FOR 16 GAUGE (CODE NO. 016) NOTEO WHEN ORDERING NO.157203 CODE FOR GAUGE	1
		REQUIRED MUST BE STATED.	
	806	THROAT PLATE SCREW	2
156042		THROAT PLATE LOCATING PIN	2
156336		THROAT PLATE SUPPORT WITH TWO 156042 THROAT PLATE SUPPORT PIN	2 2 1 2 3 1
		THROAT PLATE SUPPORT SCREW	3
		CAUTION TAG NO.13-21455	ī
156907		FOOT LIFTER TREADLE CHAIN (42 IN. LONG)	1
		WITH 56864 AND 56865 NOTEO FOR OTHER SIZES OF CHAIN SEE NO.6439.	
56864		FOOT LIFTER TREADLE CHAIN HOOK (LARGE)	1
56865		FOOT LIFTER TREADLE CHAIN HOOK (SMALL)	ī
157450		HEX SOCKET SCREW DRIVER (3/32 IN. HEX.)	1
161276 156424		LINT BRUSH MACHINE CUSHION (LEFT) AND OIL RESERVOIR	1 4
100121		AND MACHINE CUSHION (RIGHT)	•
		NEEDLE CATALOG NO.3650 SIZE NO.16	12
		REGULARLY FURNISHED WITH THIS MACHINE	
156942		OIL CAN OIL SPOUT	1
32731		ONE QUART CAN FILLED WITH TYPE H OIL	2
23308		OPERATORS GUIDE NO.13-21452 SCREW DRIVER	1
156937		SCREW DRIVER (FOR NEEDLE SET SCREWS)	1
157002		THREAD (NEEDLE) TAKE-UP (LEFT) THREAD	ī
54040		CONTROL (WIRE)	_
54242		THREAD (NEEDLE) TAKE-UP (LEFT) THREAD CONTROL CLAMP	1
176	819	THREAD (NEEDLE) TAKE-UP (LEFT) THREAD	1
		CONTROL CLAMP SCREW	
156589		THREAD UNWINDER COMPLETE (SEE PAGE HEADED THREAD UNWINDER COMPLETE NO. 156589 FOR	1
		THREAD UNWINDER COMPLETE NO. 156589 FOR BREAKDOWN)	
156851		THREADER	1
164204		TWEEZERS,	1
154372		LOOPER DRIVING LEVER GAUGE NOTEC GAUGE NO.154372 IS ONLY FURNISHED	1
		WHEN ORDERED.	
157027		HEXAGON KEY WRENCH 5/64 IN. (REGULAR, LONG)	1

PART	NUMBE	R	
MAIN	SUFF	DESCRIPTION	QTY
169071		HEXAGON KEY WRENCH 3/32 IN. (REGULAR, SHORT)	1
157028		HEXAGON KEY WRENCH 1/8 IN. (REGULAR, SHORT)	1
157026		HEXAGON KEY WRENCH 9/64 IN. (REGULAR, SHORT)	1
157029		HEXAGON KEY WRENCH 5/32 IN. (REGULAR, LONG)	1
157862		SET OF HEXAGON KEY WRENCHES NOS. 157026, 157027,	1
		157028, 157029 AND 169071	
		NOTEO SET OF HEXAGON KEY WRENCHES NO.157862 IS TO BE FURNISHED ON GROER ONLY.	
625092	502	BASE WITH 148(819)	1
156574		ROD	1
	819	ROD CLAMPING SCREW	1
156575		SPOOL PIN	4
	819	SPOUL PIN NUT	8
156576		SPOOL REST	4
156577		SPOOL REST CUSHION	4
156578		SPOOL REST ROD (MEDIUM)	4
156579		SPOOL REST ROD HOLDER WITH TWO 141017(869)	1
156588		SPOOL REST ROD HOLDER 156579 WITH FOUR 156578	1
141017			2
156580		THREAD GUIDE (2, THREADS)	2
156581 156583		THREAD GUIDE (4 THREADS) THREAD GUIDE HOLDER WITH 141146(869)	1
		THREAD GUIDE HOLDER SUPPORT SET SCREW	1
	809	THREAD GUIDE SCREW	3
1520		THREAD GUIDE SCREW NUT	3
150057		THREAD SEPARATOR (4 THREADS)	1
150058		THREAD SEPARATOR 150057 WITH 150059 (4 THREADS)	ī
150059		THREAD SEPARATOR BRACKET	1
156585		THREAD SEPARATOR ROD	1
		THREAD SEPARATOR ROD SWIVEL CLAMP	2
140977	819	THREAD SEPARATOR ROD SWIVEL CLAMP BALL	1
1609	910	JOINT STUD THREAD SEPARATOR ROD SWIVEL CLAMP BALL	,
1000	019	JOINT STUD LOCK NUT	1
51234	819	THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING SCREW	1
		THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING	î
		SCREW NUT	_
14017		THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING	1
		SCREW NUT WASHER	
156586		THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER	1
15/507		WITH 140409(869)	_
156587		THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER	1
		156586 WITH 1608(819), 14017, 51234(819), 140977(819), 929058-505 AND TWO 625081-501	
140409	869	THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER SET SCREW	1
	809	THREAD SEPARATOR SCREW	1 1
201		WOOD SCREWS 1 1/4 IN. NO.12 R.H.B.	3
156589		THREAD UNWINDER (FOUR SPOOLS) COMPLETE NOS.	í
		164(809), 150058, 156574, 156581, 156583,	
		156585, 156587, 156588, 625092-502, TWO	

PART	NUMBE	R	
MAIN	SUFF	DESCRIPTION	QTY
		156580, THREE EACH 1520(809), 51285(809),	
		WOOD SCREWS 1 1/4 IN. NO.12 R.H.B., FOUR	
		EACH 156575, 156576, 156577 AND EIGHT 1722(819)	
51070	819	THREAD UNWINDER BRACKET CAP SCREW WITH 51581(819)	2
51581	819	THREAD UNWINDER BRACKET CAP SCREW NUT	2
67425		THREAD UNWINDER BRACKET CAP SCREW NUT	2
		LOCK WASHER	
443	830	THREAD UNWINDER BRACKET SET SCREW	2
156665		THREAD UNWINDER BRACKET COMPLETE, NOS.	1
		TWO EACH 443(830), 51070(819) AND 67425	
		(FOR USE WHEN THREAD UNWINDER IS FASTENED	
		TO CONDUIT PIPE)	
		NOTE NO.156665 IS TO BE FURNISHED ON REQUEST ONLY.	