Singer 71-30

Form 1530w, Revised (744)

LIST of PARTS



MACHINE No. 71-30

THE SINGER MANUFACTURING COMPANY

INDEX

Accessories 2
Bobbin Winder 2
Clamp Parts 2
Driving Equipment 2
" for Machines when set in pairs 2
Guides 2
Iron Base 2
Knife Grinder 2
Knives 2
Machine No. 71-30
Miscellaneous Parts 2
Numerical List of Parts 3
Obsolete Parts 2
Thread Unwinder 2

Copyright, U. S. A., 1938, 1939, 1942 and 1944 by The Singer Manufacturing Co. All Rights Reserved for all Countries

In ordering from this list, use ONLY the PART number in the FIRST column.

The number stamped on a Sewing Machine Part is the number of the Single Part only, except when the part includes Set Screws, Clamping Screws, Studs and Rollers Spun on, Small Wires riveted, or Parts soldered together, etc., which it is necessary to furnish in combination.

Every combination of parts sent out has its specific number which, although not stamped on Parts (except in above case), must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever Machine.

The letters after some of the numbers indicate the style of finish only, as follows:

- A. Hardened, Polished, Nickel Plated and Buffed,
- B. Polished, Nickel Plated and Buffed.
- C. Hardened only.
- D. Polished only.
- E. Soft, not polished.
- F. Hardened and Polished.
- H. Blued.
- J. Nickel Plated only.
- R. Merlized.
- X. Black Oxide.
- XC. Hardened and Black Oxide.
- Y. Black Nickel only.

These letters MUST BE USED when they appear in the list and AFTER the number, as in the list.

In this series:

200001 to 201500 and 350001 to 351500 are Screw Numbers. 201501 to 201800 and 351501 to 351800 are Nut Numbers. 201801 to 202000 and 351801 to 352000 are Roller Numbers. 202001 to 350000 are Numbers of Machine Parts.


The figures in the second column refer only to the plate in which the illustration of the part is shown and are NOT TO BE USED in ordering.

Two or more numbers over a cut indicate that the difference between such parts is not visible in an illustra-

Parts marked with an asterisk (*) are furnished when repairs are made at the factory.

LIST OF PARTS COMPLETE

FOR



MACHINE No. 71-30

Makes Purl Stitch, Barred Ends, Knives from 3/8 to 3/4 in., Cuts Both Threads and Hole Automatically after Stitching.

No.	Plate	Name
*39602		Arm with 24081
8582	17881	" Dowel Pin (2)
748E	17881	" Screw (back) (2)
868E	17881	" " (front) (2)
23352	17890	" Shaft
*24081		" " Bushing (front)
12357	17890	" Flanged Bushing (back)
435AL	17890	" " " Set
		Screw
4784	17890	Arm Shaft Oil Pad (2)
1069D	17890	" " Screw
39620	17895	" Side Cover
190D	17895	" " Screw
39621	17895	" Top Cover:
808F	17895	" " " Screw (3)
23562	17882	Barring Cam with two 858AL
858AL	17882	" " Set Screw
39844	17895	" Indicator
1228C	17895	" "Stud
1589C	17895	" " Thumb Nut
23563	17889	" Lever
23564	17889	" Catch with 1226C
1276C	17889	" " Hinge Screw
1226C	17889	" " Position Stud

No.	Plate	Name
23565	17889	Barring Lever Catch Spring
805C	17889	" " Screw
213949	17889	" " Washer
39616	17889	" " Stud
39617	17889	
39618	17889	" " " Rivet (long)
12270		" " " (short)
1655E	17889	" Hinge Screw
23566	17889	" " Nut
23366 124F		" " Spring
1518 J	17889	" " Stop Screw
	17889	" " " Nut
23361	17889	" Ratchet Pawl
1248C	17889	ninge Screw
23362	17889	spring
93H	17889	Screw
15072	17889	Stop Pin
23544	17889	Retaining Pawl (ninge
		screw_end)
23545	17889	Barring Ratchet Retaining Pawl (wheel end)
2030	17889	Barring Ratchet Retaining Pawl Adjust- ing Screw
23546	17889	Barring Ratchet Retaining Pawl (ad-
20010	1,000	justable) complete, Nos. 203C, 23544
		and 23545
999F	17889	Barring Ratchet Retaining Pawl Hinge
	1,000	Screw
23364	17889	Barring Ratchet Retaining Pawl Spring
240D	17889	" " " " " " " " " " " " " " " " " " "
	1,000	Screw
23664	17889	Barring Ratchet Wheel
23665	17889	" " Spring
1286C	17889	" " " Screw
23666	17889	" " " Washer
23367	17889	" " Tripping Point
193F		4. 4 u u u u
	2.000	Screw
7071	17889	Barring Ratchet Wheel Tripping Point
	1.000	Screw Washer
23370	17895	Barring Tripping Lever
856C	17895	" " Hinge Screw
*39603		Bed.
39538	17881	" Oil Guard
1235F	17881	" " Screw (2)
389F	17897	Bobbin. Winder Base Plate Screw (2)
135D	17897	" Tension Bracket Screw
23567	17886	Clamp Arm
625F	17885	" " Adjusting Screw (2)
1547J	17885	" " " Nut (2)
39584	17885	" " Bracket with 196F
40003	17885	" " Guide (left)
219F	17885	" " " Screw (2)
40004	17885	" " (right)
207F	17885	" " " " Screw (2)
1910	17885	" " Screw (3)
39541	17885	" " Washer (3)
55011	_,000	agentar (2)

. 1

R

F .

```
No.
        Plate
 23379
        17885
                Clamp Arm Hinge Block
23380
        17885
  196F 17885
                                        Set Screw
                       " Screw (3)
   402D
        17885
 40005
        17884
                     Carrier
                          Block with 40007 and four
 40006
        17882
                   404D
                Clamp Carrier Block Plate
 40007
        17882
   404D
       17882
 23384
        17882
                            Connecting Rod
                                      " Hinge Screw
        17882
   52C
                            Guide (left)
 39591
        17884
                                     " Screw (long)
" " (short)
  756D
        17884
  1345D
        17884
                                 (right)
39645
        17884
 1230F
        17884
                                      Screw (2)
249753
        17885
                                Screw (back) (2)
  1231F 17885
                                  " (front) (2)
   404D 17885
                            Regulator with 240D,1960
 40010
        17882
                   and 39583
                 Clamp Carrier Regulator Hinge Screw
  12320 17882
                                 " Roller and Screw
  1960
        17882
                   Stud with 1520J
  1520J 17882
                 Clamp Carrier Regulator Roller and
                   Screw Stud Nut
 39544 17881
                 Clamp Carrier Regulator Slide
                                  " Stud (to regulate
350076C 17882
                   length of buttonhole)
                 Clamp Carrier Regulator Stud Nut
 1671C 17882
                                         " Sleeve
 39532 17882
                                         " Stop
 39583 17882
                   Ħ
   240D 17882
                         " Slide with 1345D,39591 and
 39605
        17884
                   two 756D
                Clamp Carrier Slide Guide (left)
" " " Screw (2)
 23392
         17884
   914F 17884
                   11
                                      " (right)
 23393
        17884
                   11
                                            F Screw (2)
   914F 17884
                                   Lever with 1960
 23394
        17882
                                     " Regulator
 23395
        17882
                   Ħ
                                             " Cap
 23396
        17882
   223D 17882
                   Screw (4)
    67D 17882
                 Clamp Carrier Slide Lever Regulator
                   Screw
  1960
        17882
                 Clamp Carrier Slide Lever Roller and
                   Screw Stud with 1520J
  1520J 17882
                 Clamp Carrier Slide Lever Roller and
                   Screw Stud Nut
                 Clamp Carrier Slide Lever Socket Joint
  7278 17882
                                " Regulating Stud
  12340 17882
 23397
        17882
                   Bushing
  1658C
        17882
                 Clamp Carrier Slide Regulating Stud
                   Thumb Nut
                 Clamp Carrier Slide Screw (2)
  1256D 17884
```

two 896E

No.	Plate	Neme		,=	No.	Plate	Name
39606	17886	Clamp Check with 39607, two each 237F		•	*24085		Crank Connecting Rod Cap
		and 1348E, for 3/8 to 3/4 in.			896E	17891	" " " Screw
		buttonholes	-	4:	908C	17891	" " " Hinge Screw
39693	17886	Clamp Check complete, for 3/8 to			1619E	17891	" " " " Nut
23033	17000	3/4 in. buttonholes, Nos. 219F, 2269,			249631	17881	Face Plate
						17881	" " Screw (lower)
	3 = 000	39606,39609 and 40048 to 40050				17881	" " (upper)
39639	17886	Clamp Check with 39607, two each 237F			23407	17891	Feed Connecting Rod (lower)
		and 1348E, for 3/8 to 1 in. button-				17891	" " Hinge Screw
		holes				17891	u n u n n n
39694	17886	Clamp Check complete, for 3/8 to			. 13100	T103T	Nut
		l in. buttonholes, Nos. 219F, 2269,			07400	7.7003	
		39609,39639 and 40048 to 40050			23408	17891	Feed Connecting Rod (upper) with
1297F	17886	Clamp Check Screw (2)	7	7	*7.0004		12204,202277 and two 966E
3 9 607	17886	" " Section and Cutting Plate			*12204		Feed Connecting Rod (upper) Cap
237F	17886	11 H H H H H H			966E	17891	Delea
		Screw			202277	17891	OII LUCKING
1348E	17886	Clamp Check Section and Cutting Plate	. ~	.			(wick)
-0-0-		Support Stud	-		23409	17891	Feed Disengaging Lever
40014	17886	Clamp Lifting Arm			1275C	17891	mingo poron
40015	17894	" Connection			1521E	17891	" " " " Nut
	17894	" " " Hinge Screw			23557	17891	" " Spring
410		u u u u u u			23412	17890	" Eccentric with 448AL
1520J	17894	** *** **				17890	" Set Screw
2007		Nut			39994	17882	" Hand Ratchet Lever
1901	17894	Clamp Lifting Arm Connection Roller			232600	17882	" " " Collar with
		and Screw Stud with 229D and 12424			232000	11002	two 453AL
40016	17894	Clamp Lifting Arm Connection Roller			45281	17882	Feed Hand Ratchet Lever Collar Set
		and Screw Stud Bracket			#30MD	11002	Screw
157F	17894	Clamp Lifting Arm Connection Roller			70005	17000	
		and Screw Stud Bracket Screw			39995	17882	Feed Hand Ratchet Lever Pawl Body
39541	17894	Clamp Lifting Arm Connection Roller			39996	17882	Feed Hand Ratchet Lever Pawl complete,
		and Screw Stud Bracket Screw Washer					Nos.207E,39523,39995 and two 1049E
229D	17894	Clamp Lifting Arm Connection Roller			. 90D	17882	Feed Hand Ratchet Lever Pawl Hinge
		Cap Screw		:			Screw
12424	17894	Clamp Lifting Arm Connection Roller		!	39523	17882	Feed Hand Ratchet Lever Pawl Point
	2.502	Cap Screw Washer	5	.	1049E	17882	31 31 31 11 11 IT IT
199D	17886	Clamp Lifting Arm Screw (2)					Position Screw
40017	17894	" " Stop			207E	17882	Feed Hand Ratchet Lever Pawl Point
40018	17894	" " " Bracket					Screw
	17894	n " " Screw (2)	-	' •	 13218	17882	Feed Hand Ratchet Lever Pawl Spring
162D		" " " Hinge Screw			39997	17882	Feed Hand Ratchet Lever complete, Nos.
1248C	17894	" " " " " Nut			•		90D,13218,39994 and 39996
1611E	17894				39924	17882	Feed Hand Ratchet Wheel with 460AL
40019	17894	FILMBII			3012	17882	" " Pin
59D	178 94	uruge				17882	" " Set Screw
		Screw (2)			23418	17891	" Rock Shaft
40020	17885	Clamp Plate			23419	17891	Feed Rock Shaft complete, Nos. 23418
1235F	17884	" " Screw (4)			. 23413	T103T	and 23420
23573	17885	" " Support			07.400	7.7001	
402D	17885	" " " Screw (2)			23420	17891	Feed Rock Shaft Hinge Pin with 23421
23574	17885.	" Post			23421	17891	Ling(tagriier)
1659C	17885	" Pressure Regulating Thumb Nut	•	جعيم		17891	Ser Screw
23404	17885	" Spring			23422	17891	Phring
23693	17885	" "Bushing			39590	17891	11206
1294C	17885	" Position Stud		,	181D	17891	DC1-0#
1550J	17885	" " " " Nut	• .	-	39552		" Wheel with 23432 and two 220D
24028	17891	Crank Connecting Rod with 24085 and				•	
		ten OCCE					

				-					
No.	Plate	Name					No.	Plate	Name
2.00		ed Wheel 23698 is furnished with this					39504	17883	Feed Wheel Retaining Clutch Cap
							33304	1 1.000	
		hine unless otherwise specified on							Screw Washer
		ler.		۳,	₽n .		2256	17883	Feed Wheel Retaining Clutch Spring
23698	17883	Feed Wheel 23432 and two 220D, for wide					233D	17883	и и и и и и
		bight and wide cutting space, for							Screw
		overall work.etc.					721D	17883	Feed Wheel Retaining Clutch Spring
240555	37003	Feed Wheel Clutch Disc					1210	1,000	
249555	17883								Stop Screw
249562	17883	. 243030 #101					39596	17883	Feed Wheel Retaining Clutch Stud
		249549 to 249551, three each 185H,					23431	17882	" " Shaft
		201897,255096 and 255097 '					457AL	17882	" " Oil Hole Plug Screw
249556	17883	Feed Wheel Clutch Disc Locking Plate					23433	17883	" Tripping Lever
5.0000	002	with 3504150						17883	" " " Hinge Screw
7504350	17007			_					n n n n n n n
3504150	17883	Feed Wheel Clutch Disc Locking Plate	,	יר	17		1620E	17883	
		Screw							Nut
201897	17883	Feed Wheel Clutch Roller					23587	17883	Feed Wheel Tripping Lever Point
249549	17883	" " " Carrier					2030	17883	" " Screw
249550	17883	" " " " Oiling		r='	~				(2)
£43350	11000	Felt					23435	17883	
									Feed Wheel Tripping Lever Spring
255096	17883	Feed Wheel Clutch Roller Spring			5		190D	17883	DC1.04
255097	17883	" " " " " Guide					179E	17883	Stop Screw
249560		Feed Wheel Clutch (positive) complete					23432	17883	" " Point
		for machines equipped with spring					220D	17883	" " " Screw .
		clutch, Nos. 520, 201724A, 249556 to					23445	17887	Knife, 3/8 inch
		249559,249561,249562,249820 and					23446	17887	(/16 Inon
		Form 2461W					23447	17887	1/2 11011
249551	17883	Feed Wheel Driving Lever					23448	17887	" 9/16 inch
249561	17883	" " " Pitman with					23449	17887	" 5/8 inch
		23429,50088C and two 196E					23450	17887	" 11/16 inch
500880	17883	Feed Wheel Driving Lever Pitman Ball					23451	17887	" 3/4 inch
300000	J 17000	Joint Screw							
							23452	17887	13/16 111011
*23429		Feed Wheel Driving Lever Pitman Cap	,			•	23453	17887	" 7/8 inch
1961	E 17883	·					23454	17887	" 15/16 inch
		Screw					23455	17887	" l inch
249557	17883	Feed Wheel Driving Lever Plate					23460	17887	" Bar
520	17883	" " " " Screw		1	C.		23461	17887	" " Connecting Link
12360		" " " Regulating			• •		1239D	17887	" " Hinge Cap
1200	2,000	Stud					ILOUD	17007	
	3.0007						30400	3 5005	Screw
7070	17883	Feed Wheel Driving Lever Regulating		~	<u> </u>		12 4 00	17887	Knife Bar Connecting Link Hinge
		Stud Sleeve							Screw
201724.	A 17883	Feed Wheel Driving Lever Regulating					23462	17887	Knife Bar Connecting Stud with 1319F
		Stud Thumb Nut					1319F	17887	" " " Clamping
185	H 17883	Feed Wheel Driving Lever Screw							Screw
249558	17883	" " Washer (felt)					249656	17887.	Knife Bar Disengeging Lever with
							243000	T1001.	
1237		FITCHOIL KING BOLOW							1242E
1520	J 17883	, NGC					23464	17887	Knife Bar Disengaging Lever Catch
14017	17883	Masmor							with 1963
23552	17883	" " " Section (long)					23465	17887	Knife Bar Disengaging Lever Catch
23553	17883	" " " " (short)							Bracket
23554		" " Spring					157D	17887	Knife Bar Disengaging Lever Catch
				-3			10,1	1,00	Bracket Screw
23555	17883	Feed Wheel Friction Ring complete,			r		000	17007	
		Nos. 23552 to 23554					900	17887	Knife Bar Disengaging Lever Catch
2117	C 17883	Feed Wheel Pin							Hinge Screw
249559	17883	" " Retaining Clutch			,		1963	17887	Knife Bar Disengaging Lever Catch
39595	17883	" " " Cap		•					Roller and Stud
	C 17883	n n n n Screw					23468	17887	Knife Bar Disengaging Lever Catch
	2,000								Spring
									-ro

No.	Plate	Name
1241E	17887	Knife Bar Disengaging Lever Catch
TETE	11001	Spring Screw Stud (2)
23466	17882	Knife Bar Disengaging Lever Catch
23400	11002	Tripping Point
07477	17000	
23467	17882	Knife Bar Disengaging Lever Catch
		Tripping Point Collar with two
	_	448AL
448AL	17882	Knife Bar Disengaging Lever Catch
		Tripping Point Collar Set Screw
175D	17882	Knife Bar Disengaging Lever Catch
		Tripping Point Screw
90C	17887	Knife Bar Disengaging Lever Hinge
		Screw
23606	17887	Knife Bar Disengaging Lever Spring
1242E	17887	и и и . и п
		Screw
23469	17887	Knife Bar Driving Lever
350281C	17887	" " " Hinge Screw
1428C	17887	" " " Screw Stud
1520J	17887	n n n n n Nut
23681	17887	" " " Spring
805C	17887	" " " " Screw
		" " (intermediate)
23470	17887	(Intermediate)
23471	17887	
		Connecting Link
540	17887	Knife Bar Driving Lever (inter-
		mediate) Connecting Link Hinge
		Screw
12220	17887	Knife Bar Driving Lever (inter-
		mediate) Hinge Screw
1959	17893	Knife Bar Driving Lever (inter-
		mediate) Roller and Screw Stud
		with 229D and 12424
229D	17893	Knife Bar Driving Lever (inter-
		mediate) Roller Cap Screw
12424	17893	Knife Bar Driving Lever (inter-
#2121	1,000	mediate) Roller Cap Screw
		Washer
249737	17887	Knife Bar Spring
249544		" " Stop
	17887	" " Retainer Plate
249545	17887	" " " " " Screw (2)
50615D	17887	
23473	17887	" Holder
1243C	17888	" Guide Stud
1608C	17888	Nut
157C	17887	Screw
15475	17887	" " Nut
191C	17887	pctem
23390	17887	" Washer
39857	17888	Needle Bar with 904F
23476	17888	" Connecting Link with 794E
794E	17888	" " Adjusting
		Screw
1021E	17888	Needle Bar Connecting Link Cap Screw
39601	17888	" " Stud with 13410
1341C	17888	" " Set Screw
77470	1,000	

No.	Plate	Name
23477	17890	Needle Bar Crank with 858AL, 1036AL,
		1065AL and 1258AL
1065AL	17890	Needle Bar Crank Position Screw
858AL	17890	" " Set Screw
23478	17888	" Frame with 4784
23558	17889	" " Bell Crank with
23330	T1003	
		1956 and 15072
1956	17889	Needle Bar Frame Bell Crank Roller
		and Screw Stud with 229D, 16550
		and 23389
1655C	17889	Needle Bar Frame Bell Crank Roller
	2.000	and Screw Stud Nut
2000	17889	Needle Bar Frame Bell Crank Roller
2290	1/009	
		Cap Screw
23389	17889	Needle Bar Frame Bell Crank Roller
		Cap Screw Washer
23667	17889	Needle Bar Frame Bell Crank Stud
39966	17889	" " Cam and Bevel Gear
1244C		ii
12440	17889	
		Screw
39622	17889	Needle Bar Frame Connection with
		1963 and 39616 to 39618
39926	17889	Needle Bar Frame Connection 39622
	•	with 78C and 1226E
78C	17889	Needle Bar Frame Connection Hinge
,00	11005	Screw
1007	7.7000	
1963	17889.	Needle Bar Frame Connection Roller
		and Stud
23483	17889	Needle Bar Frame Connection Spring
23484	17889	" " " Hook
1226E	17889	Needle Bar Frame Connection Spring
	2.000	Screw Stud
23485	17889	Needle Bar Frame Connection Stud
196F	17889	" " " Set
		Screw
39967	17890	Needle Bar Frame Driving Bevel Pinion
		with two 453AL
453AT.	17890	Needle Bar Frame Driving Bevel Pinion
1001111	1.000	Set Screw
07010	17000	
23610	17888	Needle Bar Frame Pitman (hinge screw
		end)
23609	17888	Needle Bar Frame Pitman (regulator
		end)
190C	17888	Needle Bar Frame Pitman Adjusting
20,00	000	Screw
2027	3 7000	
7071	17888	Needle Bar Frame Pitman Adjusting
		Screw Washer
23611	17888	Needle Bar Frame Pitman (adjustable)
		complete, Nos. 23609, 23610, two each
		190C and 7071
10420	17888	Needle Bar Frame Pitman Hinge Screw
		" " " " " " Nut
1547J	17888	1100
23491	17888	regarator.
39900	17888	" " " 23491 with 12450
1038C	17888	Needle Bar Frame Regulator Adjusting
		Screw

No.	Plate	7.7
7070	17888	Name
7010	17000	Needle Bar Frame Regulator Ad- justing Screw Sleeve
15890	17888	Needle Bar Frame Regulator Ad-
_0000	*1000	justing Screw Thumb Nut
12450	17888	Needle Bar Frame Regulator Hinge
22200	1,000	Screw
673F	17888	Needle Bar Frame Screw Center
1517J		
39608	17884	" Nut
404D		" " Screw (2)
904F		" Set Screw
39653	17891	Oscillating Rock Shaft
39654	17891	Oscillating Rock Shaft complete, Nos.
		4784,23494, and 39653
23494	17891	Oscillating Rock Shaft Hinge Pin
		with 23421
23421	17891	Oscillating Rock Shaft Hinge Pin
		Oil Hole Plug (leather)
448A	L 17891	Oscillating Rock Shaft Hinge Pin
		Set Screw
4784	17891	Oscillating Rock Shaft Oil Pad
39655	17890	" Shaft
39656	17890	" " Bushing (back)
24047	17890	" " (front)
39657	17890	" " Crank
39658	17890	Oscillating Shaft Crank complete, Nos.
3.0		1636E,24050,39657 and two 1253C
12530	17890	Oscillating Shaft Crank Set Screw
19448	17890	" " Slide Block
226J	17890	" " " Cap
30404	3 = 2 = 2	Screw
12424	17890	Oscillating Shaft Crank Slide Block
10250	1 7000	Cap Screw Washer
10350	17890	Oscillating Shaft Crank Slide Block
1636E	17000	Screw Stud
1000	17890	Oscillating Shaft Crank Slide Block
24050	17890	Screw Stud Nut
24030	1/090	Oscillating Shaft Crank Slide Block
		complete, Nos. 226J, 1035C, 12424 and 19448
*249 538		Pulley (loose) with 200584D
249891	17890	" Ball Bearing
249539	17890	" Bushing
200584D	17890	" " Grease Retaining Screw
249540	17890	Pulley (loose, ball bearing) complete,
		Nos.249538,249539 and 249891
40024	17890	Pulley (tight)
39927	17890	" 40024 with 40025
249541	17890	" (tight) Counterbalance
249542	17890	" " Rivet
40025	17890	" " Pin
23500	17892	Shuttle Bobbin
15140	17892	" Case Latch
2973	17892	" " " Lever
2974	17892	" " " " Fulcrum
		Pin

No.	Plate	Name
15141	17892	Shuttle Bobbin Case Hinge, Nos. 2973,
		2974 and 15140
2975	17892	Shuttle Bobbin Case Latch Spring
592E	17892	" " Stop Screw
39623	17892	" Position Finger
2523	17892	H H H H H
		Rivet
249546	17892	Shuttle Bobbin Case Position Plate
399D	17892	11 11 11 11 11
		Screw
15628	17892	Shuttle Bobbin Case Thread Guide
		with two 2080
2080	17892	Shuttle Bobbin Case Thread Guide
		Rivet
39624	17892	Shuttle Bobbin Case complete, Nos.
		591F,592E,2523,2975,15141,15628,
		39623, and 39625
23503	17892	Shuttle Body
591F	17892	" Tension Regulating Screw
39625	17892	" " Spring
39626	17892	" 1-11/16 in.diam., Nos.23500,
		23503 and 39624
23505	17890	Shuttle Driver with 462AL
2269	17890	" Pin
	17890	" Set Screw
249924	17892	" Race
39969	17892	" Back
2532	17892	" " Position Pin
2533	17892	" " Spring
907E	17892	" " Screw
7326	17892	" " Cap
662D	17892	" " Screw
249928	17892	" " Oil Packing (felt)
249926	17892	" Plate
203E	17892	" " Screw
249927	17892	" Position Pin
249929	17892	Shuttle Race complete, Nos. 907E, 2533,
		7326,39969,249546,249924,249926,
		two each 399D,662D,2532,249927,
		249928 and three 203E
145F	17892	Shuttle Race Screw (2)
39627	17893	Starting Lever
717C	17893	" " Adjusting Screw
1520J	17893	" " " Nut
21643	17893	Starting Lever Belt Shifter complete
		Nos.66108 and 66109
*66108		Starting Lever Belt Shifter Fork
159F	17893	" " Screw
*66109		" " " Shank
23510	17893	" " Bracket
8582	17893	" " Dowel Pin (2)
123E	17893	" " Screw
23511	17893	" " Rod
610	17893	" " Hinge Screw
564C	17893	" Screw Center
58384	17893	" " 564C with
		1508R (2)

		And the second of the second o
No.	Plate	Name
1508R	17893	Starting Lever Screw Center Nut
14174	17893	" " Spring
124F	17893	" Stop Screw
	-	" " Nut
1518J	17893	
39628	17890	Stop Cam with 39629 and 202330
39580	17893	Interlocking Rod
23514	17893	" " " Guide With
		1070C and 1959
1070C	17893	Stop Cam Interlocking Rod Guide Set
20.00		Screw
20000	17893	Stop Cam Interlocking Rod Guide
39988	1/695	
		Washer (rawhide)
21651	17893	Stop Cam Interlocking Rod Spring
913C	17893	n n n n Reg-
		ulating Thumb Screw
1638E	17893	Stop Cam Interlocking Rod Spring
100 0B	1,000	Regulating Thumb Screw Nut
000770	17000	Stop Cam Oil Packing (wick)
202330	17890	
39629	17890	Pin
23515	17890	Shring (rong)
23516	17890	" " (short)
249543	17890	" " Cover with 249541, two
		each 9780 and 249542
9780	17890	Stop Cam Spring Cover Position Pin
		" " Screw (2)
997E	17890	
39637	17890	2 tob Prock
1349C	17890	Screw
39638	17890	" Block
457AL	17890	" " " Set Screw
23518	17882	" Lever
78D	17882	" " Hinge Screw
		" " Spring
9540	17882	
2102	17896	
1560C	17896	uegaracing indub
		Nut
23519		
	17896	Tension (side of arm) Releaser with
	17896	Tension (side of arm) Releaser with 200F
40033		200F
40033	17896 17894	200F Tension (side of arm) Releaser Arm
	17894	200F Tension (side of arm) Releaser Arm with 50128E
40033 12538		200F Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm
12538	1789 4 1789 4	200F Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin
	17894	Z00F Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm
12538	1789 4 1789 4	Z00F Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw
12538	1789 4 1789 4	Z00F Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw
12538 50128E	17894 17894 17894	200F Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw Tension (side of arm) Releaser Set Screw
12538 50128E 200F	17894 17894 17896	200F Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw Tension (side of arm) Releaser Set Screw
12538 50128E 200F 23520	17894 17894 17894 17896 17896	Z00F Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw Tension (side of arm) Releaser Set
12538 50128E 200F	17894 17894 17896	ZOOF Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw Tension (side of arm) Releaser Set Screw Tension (side of arm) Releaser Shaft """" Releaser Shaft
12538 50128E 200F 23520 40034	17894 17894 17894 17896 17896	ZOOF Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw Tension (side of arm) Releaser Set Screw Tension (side of arm) Releaser Shaft """ Crank
12538 50128E 200F 23520	17894 17894 17894 17896 17896	ZOOF Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw Tension (side of arm) Releaser Set Screw Tension (side of arm) Releaser Shaft Crank Tension (side of arm) Releaser Shaft
12538 50128E 200F 23520 40034	17894 17894 17894 17896 17896	ZOOF Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw Tension (side of arm) Releaser Set Screw Tension (side of arm) Releaser Shaft """" Crank Tension (side of arm) Releaser Shaft Crank Ball Screw Stud
12538 50128E 200F 23520 40034 679C	17894 17894 17894 17896 17896 17896	ZOOF Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw Tension (side of arm) Releaser Set Screw Tension (side of arm) Releaser Shaft """" Crank Tension (side of arm) Releaser Shaft Crank Ball Screw Stud
12538 50128E 200F 23520 40034	17894 17894 17894 17896 17896	ZOOF Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw Tension (side of arm) Releaser Set Screw Tension (side of arm) Releaser Shaft """ Crank Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Tension (side of arm) Releaser Shaft
12538 50128E 200F 23520 40034 679C 1520J	17894 17894 17894 17896 17896 17896 17896	ZOOF Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw Tension (side of arm) Releaser Set Screw Tension (side of arm) Releaser Shaft """ Crank Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Tension (side of arm) Releaser Shaft
12538 50128E 200F 23520 40034 679C	17894 17894 17894 17896 17896 17896	Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw Tension (side of arm) Releaser Set Screw Tension (side of arm) Releaser Shaft """" Crank Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Nut Tension (side of arm) Releaser Shaft
12538 50128E 200F 23520 40034 679C 1520J 2269	17894 17894 17896 17896 17896 17896 17896	Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw Tension (side of arm) Releaser Set Screw Tension (side of arm) Releaser Shaft """" Crank Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Nut Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Nut Tension (side of arm) Releaser Shaft Crank Pin
12538 50128E 200F 23520 40034 679C 1520J 2269 413F	17894 17894 17894 17896 17896 17896 17896 17896 17896	Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw Tension (side of arm) Releaser Set Screw Tension (side of arm) Releaser Shaft " " " " " " Crank Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Nut Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Nut Tension (side of arm) Releaser Shaft Crank Pin Tension (side of arm) Screw Stud
12538 50128E 200F 23520 40034 679C 1520J 2269	17894 17894 17894 17896 17896 17896 17896 17896 17896	Tension (side of arm) Releaser Arm with 50128E Tension (side of arm) Releaser Arm Pin Tension (side of arm) Releaser Arm Set Screw Tension (side of arm) Releaser Set Screw Tension (side of arm) Releaser Shaft """" Crank Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Nut Tension (side of arm) Releaser Shaft Crank Ball Screw Stud Nut Tension (side of arm) Releaser Shaft Crank Pin

No.	Plate	Name
23669	17896 17896	Tension (side of arm) Thread Guard
		Set Screw
32012 15600	17895 17895	Tension (top cover) Disc (2) " " Regulating Thumb
		Nut
39631 13870	178 9 5 17895	Tension (top cover) Releaser " " " Guide
		Screw Stud
1521E	17895	Tension (top cover) Releaser Guide Screw Stud Nut
39632	17895	Tension (top cover) Releaser Holder with 201F
999F	17895	Tension (top cover) Releaser Holder Hinge Screw
201F	17895	Tension (top cover) Releaser Set Screw
20579	17895	Tension (top cover) Releasing Disc
32572 39633	17895	" Lever
39634	17895	и и п и п
23624	1,000	Connection
974F	17895	Tension (top cover) Releasing Lever Connection Screw (back)
940F	17895	Tension (top cover) Releasing Lever
3401	11000	Connection Screw (front)
90C	17895	Tension (top cover) Releasing Lever
39635	17895	Tension (top cover) Releasing Pin
1388C	17895	" Screw Stud
2103	17895	" " Spring
	17895	" " Thread Eyelet
39636	11693	(double)
217F	178 9 5	Tension (top cover) Thread Eyelet Screw
40035	17884	Thread (lower) Cutting Blade
40036	17884	" " " Carrier
10000	00-	with 40038
40037	17894	Thread (lower) Cutting Blade Carrier Lever
320	17894	Thread (lower) Cutting Blade Carrier Lever Hinge Screw
39736	17894	Thread (lower) Cutting Blade Carrier Lever Spring
1241E	17894	Thread (lower) Cutting Blade Carrier Lever Spring Screw Stud (2)
43 5A	L 17894	Thread (lower) Cutting Blade Carrier Lever Stop Screw
1520J	17894	Thread (lower) Cutting Blade Carrier Lever Stop Screw Nut
40038	17884	Thread (lower) Cutting Blade Carrier Stud
39646	17884	Thread (lower) Cutting Blade Friction
2281	17884	Thread (lower) Cutting Blade Friction Plate Screw (2)
2401	17884	Thread (lower) Cutting Blade Screws (2)

No.	Plate	Name
249831	17894	Thread (lower) Cutting Lever
1351C	17894	" Ball
		Screw
1520J	17894	Thread (lower) Cutting Lever Ball
		Screw Nut
39921	17894	Thread (lower) Cutting Lever Ex-
		tension
966D	17894	Thread (lower) Cutting Lever Ex-
0002		tension Screw
1671C	17894	Thread (lower) Cutting Lever Ex-
10110	TIODE	tension Screw Nut
249845	17884	Throad (lover) Bull age Direct
106C	17884	Thread (lower) Pull-off Finger
1000	1/004	Guide
12500	77004	Screw
1350C	17884	Thread (lower) Pull-off Finger Hinge
10010		Screw
40048	17886	Thread 'upper' Clamping Blade
39609	17886	" Cutting Blade
39610	17886	Connecting
		Rod
40043	17886	Thread (upper) Cutting Blade Connect-
		ing Rod Collar (back) with 209AL
209AL	17886	Thread (upper) Cutting Blade Connect-
		ing Rod Collar (back) Set Screw
40044	17886	Thread (upper) Cutting Blade Connect-
		ing Rod Collar (front) with 237F
2273	17886	Thread (upper) Cutting Blade Connect-
		ing Rod Collar (front) Pin
237F	17886	Thread (upper) Cutting Blade Connect-
		ing Rod Collar (front) Set Screw
40045·	17886	Thread (upper) Cutting Blade Connect-
		ing Rod Collar (front) Washer (raw-
		hide) (2)
106C	17886	Thread (upper) Cutting Blade Connect-
		ing Rod Hinge Screy
23606	17886	Thread (upper) Cutting Blade Connect-
		ing Rod Spring
39611	17886	Thread (upper) Cutting Blade Connect-
00011	¥1000	ing Rod Spring Bracket
203F	17886	Thread (upper) Cutting Blade Connect-
2001	17000	ing Rod Spring Bracket Screw (2)
7071	17886	
7071	17000	Thread (upper) Cutting Blade Connect-
		ing Rod Spring Bracket Screw
10017	17004	Washer (2)
40047	17886	Thread (upper) Cutting Blade Connect-
		ing Rod Spring Collar with 646F
646F	17886	Thread (upper) Cutting Blade Connect-
		ing Rod Spring Collar Set Screw
21699	17886	Thread (upper) Cutting Blade Position
		Pin
219F	17886	Thread (upper) Cutting Blade Screw
40049	17886	Shart
		with 21699
40050	17886	Thread (upper) Cutting Blade Shaft
		Crank with 906C
2269	17886	Thread (upper) Cutting Blade Shaft
		Crank Pin

3

		N
No.	Plate	Neme
9060	17886	Thread (upper) Cutting Blade Shaft Crank Set Screw
40051	17894	Thread (upper) Cutting Lever with 641C
40052	17894	Thread (upper) Cutting Lever Lock Pin
13520	17894	Thread (upper) Cutting Lever Lock Pin Screw Bushing
40053	17894	Thread (upper) Cutting Lever Lock Pin Spring
2117C	17894	Thread (upper) Cutting Lever Pin
641C	17894	n n Set
		Screw
40054	17894	Thread (upper) Cutting Lever Shaft
40067	1.7894	II II II 11
		Bracket
966D	17894	Thread (upper) Cutting Lever Shaft
		Bracket Screw (4)
39612	17894	Thread (upper) Cutting Lever Shaft
		Crank with two each 200F and
		40059
40057	17894	Thread (upper) Cutting Lever Shaft
		Crank Latch
766D	17894	Thread (upper) Cutting Lever Shaft
		Crank Latch Hinge Screw
40058	17894	Thread (upper) Cutting Lever Shaft
		Crank Latch Spring
206F	17894	Thread (upper) Cutting Lever Shaft
		Crank Latch Spring Screw
1144F	17894	Thread (upper) Cutting Lever Shaft
	2.001	Crank Latch Spring Screw
40059	17894	Thread (upper) Cutting Lever Shaft
20000		Crank Latch Stop Pin
200F	17894	Thread (upper) Cutting Lever Shaft
2001	1.051	Crank Set Screw
40060	17894	Thread (upper) Cutting Lever Spring
1241E	17894	" " Spring
10111	11001	Screw Stud (2)
717C	17894	Thread (upper) Cutting Lever Stop
. , 1410	1.001	Screw
1520J	17894	Thread (upper) Cutting Lever Stop
10200	11004	Screw Nut
249692	17896	Thread (upper) Guide
228D	17896	" " Screw (2)
39711	17896	" Guiding Stud (side of arm)
	17896	" " Set Screw
39712	17895	" Retainer Holder with 462AL
1664E		" Nut
12400	17895	" Sleeve
39713	17895	" Spring
12402	17895	" Stud
	L 17895	" " Set Screw
39714	17895	Thread Retainer complete, Nos. 1664E,
20174	1,000	12400,12402,39712 and 39713
23523	17888	Thread Take-up Crank
	L 17890	" " Position Screw
TOSON	T 1020	100101 001.0W

No.	Plate	Name
1258AL	17890	Thread Take-up Crank Set Screw
23524	17888	" Lever
12166	17888	" " Hinge Pin
23543	17888	" " Link
11204	17888	" " " Hinge Pin
435AL	17888	и в и и и п
		Set Screw
23525	17888	Thread Take-up Lever complete, Nos.
		12166,23524 and 23543
4784	17888	Thread Take-up Lever Oil Pad
7335	17896	" Spring
23526	17896	" " Regulator
446C	17896	" " " Set Screw

Genuine "SINGER" Needles should be used in "SINGER" Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO"

Needles in Containers marked "FOR SINGER MACHINES" are NOT "SINGER" made needles.

ACCESSORIES

No.	Plate	Name
23530	17939	Gauge, for 1/4 to 1 in., for setting
		length of buttonhole
23445	17887	Knife, 3/8 inch
23447	17887	" 1/2 inch
23451	17887	"· 3/4 inch
23500	17892	Shuttle Bobbin (5)
40048	17886	Thread (upper) Clamping Blade
40035	17884	" (lower) Cutting Blade
39609	17886	" (upper) " "
71x1	·	Needles, three each, sizes 14 and 16
23527	17938	Drip Pan with two wood screws 1/2
		in.,No.5,R.H.B.
120346	17939	Oller (copper plated) with 120347
120347	17939	" Spout, (8-1/2 in.long)
11831	17939	Screw Driver, 5 in. blade (machine,
		large)
26026	17939	Screw Driver (machine small)
26485	17939	" " (shuttle tension)
10875	17939	Wrench, for 1518 and 1520
21654	17939	" " 1508 and 1638
23535	17939	" 1671, for regulating length
		of buttonhole
249820	17939	Wrench, for 3504150

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

27914	17897	Base with 27916 and two 28084
27915	17897	" Plate
389F	17897	" Screw
15072	17897	Bobbin Position Pin
27916	. 178 97	Brake (leather)
28084	178 9 7	" Rivet
27302	17897	Frame
50356D	17897	" Hinge Screw
1620J	17897	" " Nut
27917	17897	" Spring
27918	17897	Pulley
*27849		Spindle
27538	17897	" 27849 with 15072,27850 and
		41828
*27850	·	Spindle Collar
41828	17897	" Pin
27919	17897	Stop Latch
35D	17897	" " Hinge Screw
27920	17897	Tension Bracket with 4520

No.	Plate	Name
41336	17897	Tension Bracket complete, Nos. 5989,
		10145 and 27920
27921	17897	Tension Bracket with Rod complete, Nos.
		27922 and 41336
2455	17897	Tension Disc
1562J	17897	" Regulating Thumb Nut
418D	17897	" Screw Stud
10141	17897	" Spring
10145	17897	" Thread Guide
5989	17897	Tension complete, Nos. 418D, 1562J, 10141
		and two 2455
27922	17897	Thread Eyelet Rod
452C	17897	" " Set Screw
27923	17897	Bobbin Winder, Nos. 35D, 1620J, 27302,
		27538,27914,27917 to 27919 and
		50356D
27924	17897	Bobbin Winder (swinging automatic,
		right hand) complete, Nos. 27915,
		27921,27923 and two 389F

DRIVING EQUIPMENT

228320	18235	Bed Frame Cushion (felt)
228321	18235	Belt Idler Belt Guide with 3610
361C	18235	" ." " Set Screw
228423	18235	" " Pulley
228323	18235	" " " Bracket with three
		355C
355C	18235	Belt Idler Pulley Bracket Set Screw
126910	18235	" " " Shaft
228324	18235	" " " " Hanger
		with two 3550 and three wood screws
		l in.,No.12
355C	18235	Belt Idler Pulley Bracket Shaft Set
-		Screw
228326	18235	Belt Idler Pulley Shaft with 858AL
		and 203100
203100	18235	Belt Idler Pulley Shaft Oil Packing
		(wick)
858AL	18235	Belt Idler Pulley Shaft Oil Stop Screw
355C	18235	" " Shaft Set Screw
228327	18235	" " Washer (rawhide)
228328	18235	Belt Idler complete, Nos. 126910, 228324,
		two each 228321, 228323, 228326, 228423
		four 228327 and Form All27
228330	18235	Clamp Lifting Chain, 46 in.long, with
		39575 and 39576 (for right hand
		machine)
39571	18235	Clamp Lifting Chain Guide Pulley
236849	18235	" " " Bracket

No.	Plate	Name
236850	18235	Clamp Lifting Chain Guide Pulley
		Bracket complete, Nos. 1064D, 39571,
		236849, and two wood screws 1-1/4
		in., No.12 R.H.B.
		Int, NO.12 R.A.D.
1064D	18235	Clamp Lifting Chain Guide Pulley
		Hinge Screw
39575	18235	Clamp Lifting Chain Hook (large)
39576	18235	" " " (small)
23551	18235	" " Screw Eye"
234344	18235	Front Plank Extension (front) with
		two wood screws 2-1/4 in.,No.12
		and three wood screws 1-3/4., No.
		12
250408	18235	Machine Rest (high) with 232982 and
200100		two wood screws 1 in., No.12
232982	18235	Machine Rest Cushion (leather)
	18235	Starting Chain Cushion Spring
228333		" " Hook (large)
39575	18235	
39576	18235	(Small)
228347	18235	" " (lower) 10-1/2 in.
		long
228348	18235	Starting Chain (upper) 22 in. long
228349	18235	Starting Chain complete, Nos. 228333,
		228347,228348, two each 39575 and
		39576
14372	18235	Treadle
14373	18235	" Extension
50581R	18235	" " Screw
2718R	18235	" " Washer
		" Shaft
17881	18235	
14374	18235	" ph.rug
14375	18235	Stand
14376	18235	Treadle complete, Nos. 2718R, 14372 to
		14375,17881,50581R and two wood
		screws 1-1/4 in., No.12 F.H.
228354	18235	Driving Equipment less shaft pulley,
		complete Nos.228328,228330,228349,
		234344,250408, two each 14376,23551
		four each 228320 and 236850
		IDON DACE
		IRON BASE
39910	17938	Bed Frame with two each 16555,19398,
		four each 84E,24106,six 14010 and
		four wood screws 1-1/4 in., No.12
. 24106	17938	Bed Frame Cushion (felt)
		" " Screw
8 4 E	17938	DCT-O#

39910	17938	Bed Frame with two each 16555,19398,
		four each 84E,24106,six 14010 and
		four wood screws 1-1/4 in., No.12
. 24106	17938	Bed Frame Cushion (felt)
8 4 E	17938	" " Screw
19226	17938	" " Hinge Connection
19398	17938	" " " 19226 with 211E
		and 19397
19397	17938	Bed Frame Hinge Connection Cap
211E	17938	" " " " Screw
16555	17938	" " Plate
14010	17938	" " " Rivet
39911	17938	Splash Guard with 201655J
39912	17938	" "Hinge

\sim	۱ ۸	MP	DΑ	DTC
		MP	PA	KI.

~	_
Z	

No.	Plate	Name
200574E	17938	Splash Guard Hinge Screw
201655J	17938	" Locking Screw Wing Nut
39913	17938	Bed Frame and Splash Guard complete,
		Nos.39910,39911, two 39912 and
		eight 200574E

THREAD UNWINDER FOR TWO SPOOLS

225257 1790			ler Spool Rest (for two 'lat) with 201018C
150203 1790			shion (felt)
225388 1790		" Roc	
2003830 1790		11 11	
2010180 1790		" Set	t Screw
259658 1790		tand wit	th 200383C
225391 1790	00 Thread	Guide	
201696Н 1790	00 "	' " Lo	ock Nut
225326 1790	00 "	" Po	osition Cup
225324 1790	00 "	" Ro	od with 208AL and 225322
208AL 1790	00 "		" Screw
225322 1790	00 11	n i	" Washer
225258 1790	00 Thread	Unwinde	er (for two spools) com-
	ple	te,Nos.2	201696H,225257,225324,
	225	326,2253	388,259658, two each
	150	203,2253	391 and three wood screws
	7/8	in., No	. 12

CLAMP PARTS

FOR COLLARS AND CUFFS, SHIRT NECK BANDS BOSOMS AND LADIES WAISTS

39647	17901	Clamp Arm
39731	17901	" Check with 1348E,39733 and two
		50138F, for $3/8$ to $3/4$ in. button-
		holes
39732	17901	Clamp Check complete, for 3/8 to 3/4
		in. buttonholes, Nos. 219F, 2269, 39731,
		39734,39735,40049 and 40050
39650	17901	Clamp Check Holder
337B	17901	" " " Adjusting Screw
		" " " " "
249749	17901	
		Friction Plate
212D	17901	Clamp Check Holder Hinge Cap Screw
237F	17901	" " Stop Screw
		
39715	17901	" " " Washer

No. 1296AL 39733 50138F	17901	Name Clamp Check Screw (2) " " Section and Cutting Plate " " " " " " "
1348E	17901	Screw Clamp Check Section and Cutting Plate Support Stud
1296AL 39734 39735	17901	Clamp Check Stop Screw Thread (upper) Clamping Blade " Cutting Blade

GUIDES

23436	17902	Guide (back) for cuffs
249734	17902	" for shirt bands
23549	17902	" " bosoms
23441	17902	" (corner) for collars
23439	17902	" (left) for collars
23437	17902	" " for cuffs
23440	17902	" (right) for collars
23438	17902	" for cuffs
1238F	17902	" Screw

KNIVES

inch	Knife, 3/8	17887	23445
inch	" 7/16	17887	23446
inch	. " 1/2	17887	23447
inch	" 9/16	17887	23448
inch		17887	23449
inch	" 11/16	17887	23450
inch		17887	23451
inch	" 13/16	17887	23452
inch		17887	23453
inch	" 15/16	17887	23454
inch	" 1	17887	23455

DRIVING EQUIPMENT PARTS REQUIRED FOR MACHINES WHEN SET IN PAIRS

No.	Plate	Name
228320	17903	Bed Frame Cushion (felt)
228321	17903	Belt Idler Belt Guide with 3610
361C	17903	" " Set Screw
228423	17903	" Pulley
228323	17903	" " Bracket with three
220323	11900	355C
2550	17007	Belt Idler Pulley Bracket Set Screw
3550	17903	" " " " Shaft
126910	17903	" " " Hanger
228324	17903	with two 3550 and three wood screws
		1 in., No. 12
3550	17903	Belt Idler Pulley Bracket Shaft Set
		Screw
228326	17903	Belt Idler Pulley Shaft with 858AL
		and 203100
203100	17903	Belt Idler Pulley Shaft Oil Packing
		(wick)
858AL	17903	Belt Idler Pulley Shaft Oil Stop
		Screw
355C	17903	Belt Idler Pulley Shaft Set Screw
228327	17903	" " Washer (rawhide)
228328	17903	Belt Idler complete, Nos. 126910,
220020		228324, two each 228321,228323,
		228326,228423,four 228327 and
		Form All27
228330	17903	Clamp Lifting Chain, 46 in.long with
220000	1,500	39575 and 39576 (for right hand
		machine)
228329	17903	Clamp Lifting Chain, 34 in.long with
228329	11900	39575 and 39576 (for left hand
		machine)
39571	17903	Clamp Lifting Chain Guide Pulley " " " Bracket.
236849	17903	
1064D	17903	" urnge
		Screw
236850	17903	Clamp Lifting Chain Guide Pulley
		Bracket complete, Nos. 1064D 39571,
		236849 and two wood screws 1-1/4
		in.,Nos.12 R.H.B.
39575	17903	Clamp Lifting Chain Hook (large)
395.76	17903	" " (small)
23551	17903	" " Screw Eye
228331	17903	Front Plank Extension with two wood
		screws 2-1/2 in.No.14

No.	Plate	Name
39810	17903	Knee Starting Rock Shaft
228332	17903	" " " Connecting
		Rod
6337	17903	Knee Starting Rock Shaft Connecting Rod Bracket with two 356C
356	C 17903	Knee Starting Rock Shaft Connecting
330	0 1/303	
356	C 17903	Rod Bracket Set Screw Knee Starting Rock Shaft Connecting
228333	17903	Rod Set Screw Knee Starting Rock Shaft Connection
		Cushion Spring
39575		Knee Starting Rock Shaft Connection Hook (large)
39576	17903	Knee Starting Rock Shaft Connection Hook (small)
228334	17903	Knee Starting Rock Shaft Connection Spring
228335	17903	Knee Starting Rock Shaft Connection complete, Nos. 39575, 39576, 228333 and 228334
03.70		
21327	17903	Knee Starting Rock Shaft Hanger with
		two wood screws 1 in. No.10
6335		Knee Starting Rock Shaft Knee Arm
6336	17903	R 11 17 11 11 11
		6335 with 2766 and 2767
2766	17903	Knee Starting Rock Shaft Knee Arm Hub with 356C
356	C 17903	Knee Starting Rock Shaft Knee Arm Hub Set Screw
1507	'R 17903	Knee Starting Rock Shaft Knee Arm Lock Nut
2767	17903	Knee Starting Rock Shaft Knee Plate with 3560
150668	3 17903	Knee Starting Rock Shaft Knee Plate Pad (rubber)
356	3C 17903	Knee Starting Rock Shaft Knee Plate Set Screw
228337	17903	Knee Starting Rock Shaft Position Spring
228338	17903	Knee Starting Rock Shaft Position Spring Adjusting Collar with 454C
454	LC 17903	Knee Starting Rock Shaft Position Spring Adjusting Collar Set Screw
2770	17903	Knee Starting Rock Shaft Stop Dog with 1402190
140219	9C 17903	Knee Starting Rock Shaft Stop Dog Set Screw
228339	17905	Knee Starting Rock Shaft complete, Nos.1507R,2770,6336,6337,39810,
		150668,228332,228335,228337, 228338 and two 21327
250408	3 17903	Machine Rest (high) with 232982 and
200400	2 11303	two wood screws 1 in. No.12
07000	3 3 7007	
232982		Machine Rest Cushion (leather)
14372		Treadle
14373	3 17903	" Extension

	•

No.	Plate	Name
50581R	17903	Treadle Extension Screw
2718R	17903	" " Washer
17881	17903	" Shaft
14374	17903	" Spring
14375	17903	" Stand
14376	17903	Treadle complete, Nos. 2718R, 14372 to
		14375,17881,50581R and two wood
		screvs $1-1/4$ in. No.12, F.H.
228355	17903	Driving Equipment less shaft pulley
		complete, Nos. 228329 to 228331,
		250408, two each 14376, 23551,
		228328,228339,236850,eight 228320
		and two blue prints

KNIFE GRINDER

39886	17904	Emery Wheel, 4 in. diameter
39887	17904	" Driving Shaft
201510D	17904	" " Nut
204101	17904	" " " Washer
39888	17904	" Oil Hole Cover
350068E	17904	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,
		Screw
206963	17904	Emery Wheel Driving Shaft Pulley with
		two 200403C
200403C	17904	Emery Wheel Driving Shaft Pulley Set
t.		Screw
206969	17904	Emery Wheel Washer (paper)
39889	17904	Knife Grinder Frame
39890	17904	" Holder (adjustable)
- 57C	17904	" " Hinge Screw
39891	17904	" Indicator
203094	17904	" " Position Pin
200165H	17904	" " Screw
39892	17904	" Slide Bracket with 2003860
201298C	17904	" " " Adjusting Screw
39893	17904	. и и и и и и и
		Slide Plate
200577XC	17904	Knife Holder Slide Bracket Adjusting
		Screw Slide Plate Screw
10249	17904	Knife Holder Slide Bracket Adjusting
		Screw Tension Spring
219F	17904	Knife Holder Slide Bracket Adjusting
		Screw Tension Spring Screw
200386C	17904	Knife Holder Slide Bracket Set Screw
39894	17904	" " " Shaft
206232	17904	"" " " " Collar
		with 2010520

No.	Plate	Name
2010520	17904	Knife Holder Slide Bracket Shaft
		Collar Set Screw
771D	17904	Knife Holder Thumb Screw
9525	17904	" " " Washer
39 895	17904	" Holding Spring
39896	17904	" " Bracket
204264	17904	" " " Position Pin
176D	17904	" " Screw
204264	17904	" " Position Pin
793D	17904	" " Thumb Screw
39897	17904	" Stop (adjustable)
Z08AL	17904	" Screw
39 898	17904	Knife Grinder complete Nos.57C,176D,
		208AL,219F,771D,793D,9525,10249,
		39886 to 39897,200165H,201298C.
		201510D, 203094, 204101, 206963,
•		350068E, two each 200577XC, 204264.
		206232,206969 and three wood screws.
		1-1/4 in. No.12
		T T/ T TIL HOSTE

MISCELLANEOUS PARTS

USED IN CONJUNCTION WITH THREAD UNWINDER

60913 17900	3 17900 Spool Weight with 60914	
60914 17900	4 17900 " " Center Pin	
25377 17900	77 17900 "Wire, for small spoot	ls
27739 17900	59 17900 Thread Cone (wood)	
25390 17900	00 17900 " " Holder	

OBSOLETE PARTS

23630	 Barring Indicator
23529	 Bed Frame with two each 16555,19398,
	four each 84E,24106, six 14010 and
	four wood screws 1-1/4 in., Nos.12
23373	 Belt Cover
23374	 " " Bracket
39582	 и и и
23375	 " Hinge Block with 460AL
23376	 " " Pin
23536	 " Guide with two 168E
39531	 Clamp Carrier
23679	 Drip Pan. 7/8 in. deep
39566	 Knife Bar Stop
23548	 " " Plug (fibre)
39565	
32363	 Knife Bar Stop complete, Nos. 1673C,
	23548 and 39566
23486	 Needle Bar Frame Driving Bevel Pinion
	with two 453AL
23417	 Oscillating Shaft
24046	 " Bushing (back)
23495	 " Crank
	will

No. 23496	Plate	Name Oscillating Shaft Crank complete, Nos.231C,1636E,23495 and 24050
23537		Table Belt Guide Bracket with 448AL
23538		" " Pulley
23539		" " " Shaft with 436C
23540		Table Belt Guide (double) complete,
		Nos.23537,23539, two each 23536,
		23538 and four wood screws $1 1/4$
		in., No. 12. R. H. B.

Genuine "SINGER" Needles should be used in "SINGER" Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO"

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT "SINGER" made needles.

NUMERICAL LIST OF PARTS

No.	Plate	Name
32C	17894	Thread (lower) Cutting Blade Carrier
35D	7.7002	Lever Hinge Screw
วอบ	17897	Bobbin Winder Stop Latch Hinge Screw, for 27923
41C	17894	Clamp Lifting Arm Connection Hinge Screw
520	17882	
520	17883	
54C	17887	
340	11001	Knife Bar Driving Lever (intermediate) Connecting Link Hinge Screw
57C	17904	Knife Grinder Knife Holder Hinge
		Screw, for 39898
59D	17894	Clamp Lifting Arm Stop Pitman Hinge Screw
610	17893	Starting Lever Rod Hinge Screw
67D	17882	Clamp Carrier Slide Lever Regulator Screw
78C	17889	Needle Bar Frame Connection Hinge Screw.for 39926
78D	17882	Stop Lever Hinge Screw
84E	17938	Bed Frame Cushion Screw, for 39910
90D	17882	Feed Hand Ratchet Lever Pawl Hinge
000	11002	Screw, for 39997
900	17887	Knife Bar Disengaging Lever Catch
•00	1,00,	Hinge Screw
90C	17887	Knife Bar Disengaging Lever Hinge Screw
90C	178 9 5	Tension (top cover) Releasing Lever
93H	17889	Hinge Screw Barring Ratchet Pawl Spring Screw
106C	17884	Thread (lower) Pull-off Finger Guide
1000	11004	Screw
106C	17886	Thread (upper) Cutting Blade Connect- ing Rod Hinge Screw
123E	17893	Starting Lever Bracket Screw
124F	17880	Barring Lever Stop Screw
124F	17893	Starting Lever Stop Screw
135D	17897	Bobbin Winder Tension Bracket Screw
145F	17892	Shuttle Race Screw
157F	17894	Clamp Lifting Arm Connection Roller
		and Screw Stud Bracket Screw
157D	17887	Knife Bar Disengaging Lever Catch Bracket Screw
1570	17887	Knife Holder Screw
159F	17893	Starting Lever Belt Shifter Screw
162D	17894	Clamp Lifting Arm Stop Bracket Screw
		1 1 Doton

		NOMERICAL EST OF TARRES
No.	Plate	Name
175D		Knife Bar Disengaging Lever Catch
		Tripping Point Screw
176D	17904`	Knife Grinder Knife Holding Spring Bracket Screw, for 39898
179E	17883	Feed Wheel Tripping Lever Stop Screw
181D	17891	" Rock Shaft Spring Screw
185H	17883	" Wheel Driving Lever Screw, for 249562
190D	17895	Arm Side Cover Screw
	17881	Face Plate Screw (upper)
190D	17883	Feed Wheel Tripping Lever Spring Screw
1900	17888	Needle Bar Frame Pitman Adjusting Screw, for 23611
191C	17885	Clamp Arm Bracket Screw
191C	17887	Knife Screw
193F	17889	Barring Ratchet Wheel Tripping Point Screw
196F	17885	Clamp Arm Hinge Block Pin Set Screw, for 39584
196E	17883	Feed Wheel Driving Lever Pitman Cap Screw,for 249561
196F	17889	Needle Bar Frame Connection Stud Set Screw
199D	17886	Clamp Lifting Arm Screw
200F	17896	Tension (side of arm) Releaser Set Screw,for 23519
ZOOF	17894	Thread (upper) Cutting Lever Shaft Crank Set Screw, for 39612
, 201F	17895	Tension (top cover) Releaser Set Screw, for 39632
2030	17889	Barring Ratchet Retaining Pawl Adjust- ing Screw, for 23546
203C		Feed Wheel Tripping Lever Point Screw
203E		Shuttle Race Plate Screw, for 249929
203F	17886	Thread (upper) Cutting Blade Connect- ing Rod Spring Bracket Screw
206F	17894	Thread (upper) Cutting Lever Shaft Crank Latch Spring Screw
207F		Clamp Arm Bracket Guide (right) Screw
207E	17882	Feed Hand Ratchet Lever Pawl Point Screw, for 39996
208A	L 17904	Knife Grinder Knife Stop Screw, for 39898
208A	L 17900	Thread Unwinder Thread Guide Rod Screw, for 225324
209A	L 17886	Thread (upper) Cutting Blade Connect- ing Rod Collar (back) Set Screw, for 40043
211E	17938	Bed Frame Hinge Connection Cap Screw, for 19398
212D	17901	Clamp Check Holder Hinge Cap Screw
217D		Face Plate Screw (lower)
217F	17895	Tension (top cover) Thread Eyelet Screw
219F	17885	Clamp Arm Bracket Guide (left) Screw

No.	Plate	Name
219F	17904	Knife Grinder Knife Holder Slide
		Bracket Adjusting Screw Tension
		Spring Screw, for 39898
219F	17886	Thread (upper) Cutting Blade Screw,
		for 39693,39694 and 39732
220D	17883	Feed Wheel Tripping Point Screw, for
		23698 and 39552
223D	17882	Clamp Carrier Slide Lever Regulator
		Cap Screw
226J	17890	Oscillating Shaft Crank Slide Block
0007	12004	Cap Screw, for 24050 Thread (lower) Cutting Blade Friction
228F	17884	Plate Screw
228D	17896	Thread (upper) Guide Screw
229D	17894	Clamp Lifting Arm Connection Roller
LLSD	T1034	Cap Screw, for 1901
229D	17893	Knife Bar Driving Lever (intermediate)
2202	2,000	Roller Cap Screw, for 1959
229D	17889	Needle Bar Frame Bell Crank Roller
		Cap Screw, for 1956
233D	17883	Feed Wheel Retaining Clutch Spring
		Screw
237 F	17901	Clamp Check Holder Stop Screw
237F	17886	" Section and Cutting Plate
		Screw, for 39606 and 39639
237F	17886	Thread (upper) Cutting Blade Connect- ing Rod Collar (front) Set Screw,
		for 40044
240D	17889	Barring Ratchet Retaining Pawl Spring
LTOD	1,000	Screw
240D	17882	Clamp Carrier Regulator Stud Stop
		Screw, for 40010
240D	17884	Thread (lower) Cutting Blade Screw
337B	17901	Clamp Check Holder Adjusting Screw
355C	17903	Belt Idler Pulley Shaft Set Screw, for
		228323
35 5 C	17903	Belt Idler Pulley Bracket Set Screw,
		for 228323
355C	17903	Belt Idler Pulley Bracket Shaft Set
		Screw, for 228324
356C	17903	Knee Starting Rock Shaft Connecting Rod Bracket Set Screw, for 6337
3500	17007	Knee Starting Rock Shaft Connecting
356C	17903	Rod Set Screw, for 6337
356C	17903	Knee Starting Rock Shaft Knee Arm Hub
3300	11000	Set Screw, for 2766
356C	17903	Knee Starting Rock Shaft Knee Plate
0000		Set Screw, for 2767
3610	17903	Belt Idler Belt Guide Set Screw, for
		228321
375C	17891	Feed Connecting Rod (lower) Hinge
		Screw
38 9 F		Bobbin Winder Base Plate Screw
389F		Screw, for 2/324
399D	17892	Shuttle Bobbin Case Position Plate
		Screw, for 249929

No.	Plate	Name						
	17885	Clamp Arm Screw						
402D	17885	" Plate Support Screw						
404D		" Carrier Block Plate Screw, for						
	40006							
404D	17885	Clamp Carrier Plate Screw (front)						
404D	17884	Needle Plate Screw						
413F	17896	Tension (side of arm) Screw Stud						
418D	17897	Bobbin Winder Tension Screw Stud,						
	for 5989							
435AL 17890 Arm Shaft Flanged Bushing (back) Se								
	Screw							
435AL	435AL 17894 Thread (lower) Cutting Blade Carrier							
		Lever Stop Screw						
435AL	17888	Thread Take-up Lever Link Hinge Pin						
		Set Screw						
446C	17896	Thread Take-up Spring Regulator Set						
		Screw						
448AL		Feed Eccentric Set Screw, for 23412						
448AL		" Rock Shaft Hinge Pin Set Screw						
448AL	17882	Knife Bar Disengaging Lever Catch						
	•	Tripping Point Collar Set Screw,						
448AL	17001	for 23467						
440AL	11991	Oscillating Rock Shaft Hinge Pin Set Screw						
452C	17897	Bobbin Winder Thread Eyelet Rod Set						
4020	11001	Screw for 27920						
453AL	17882	Feed Hand Ratchet Lever Collar Set						
	21000	Screw, for 232600						
453AL	17890	Needle Bar Frame Driving Bevel Pinion						
		Set Screw, for 39967						
454C	17903	Knee Starting Rock Shaft Position						
		Spring Adjusting Collar Set Screw,						
		for 228338						
457AL		Feed Wheel Shaft Oil Hole Plug Screw						
	17890	Stop Cam Spring Stop Screw Set Screw						
460AL	17882	Feed Hand Ratchet Wheel Set Screw, for						
		39924						
460AL	17896	Tension (side of arm) Thread Guard						
40047	15000	Set Screw						
460AL		Thread Guiding Stud Set Screw						
	17890	Shuttle Driver Set Screw, for 23505						
462AL	1/895	Thread Retainer Stud Set Screw, for 39712						
564C	17893	Starting Lever Screw Center, for 58384						
591F	17892	Shuttle Tension Regulating Screw, for						
		39624						
592E	17892	Shuttle Bobbin Case Latch Stop Screw,						
	17005	for 39624						
625F	17885	Clamp Arm Adjusting Screw						
6 4 10	178 94	Thread (upper) Cutting Lever Set						
646F	17886	Screw, for 40051						
0.401	11000	Thread (upper) Cutting Blade Connecting Rod Spring Collar Set Screw,						
		for 40047						
662D	17892	Shuttle Race Cap Screw, for 249929						
673F	17888	Needle Bar Frame Screw Center						

Vo.	Plate	Name
6790	17896	Tension (side of arm) Releaser Shaft
		Crank Ball Screw Stud
717C	17893	Starting Lever Adjusting Screw
717C	17894	Thread (upper) Cutting Lever Stop
1110	1,001	Screw
721D	17883	Feed Wheel Retaining Clutch Spring
1210	17000	Stop Screw
748E	17881	Arm Screw (back)
756D	17884	Clamp Carrier Guide (left) Screw
עסכו	1/004	(long), for 39605
7000	17894	Thread (upper) Cutting Lever Shaft
766D	11894	Crank Latch Hinge Screw
	1.0004	Knife Grinder Knife Holder Thumb
771D	17904	Knile Grinder Mille holder inche
		Screw, for 39898
793D	17904	Knife Grinder Knife Holding Spring
		Thumb Screw, for 39898
794E	17888 .	Needle Bar Connecting Link Adjusting
		Screw, for 23476
805C	17889	Barring Lever Catch Spring Screw
805C	17887	Knife Bar Driving Lever Spring Screw
808F	17895	Arm Top Cover Screw
856C	17895	Barring Tripping Lever Hinge Screw
858AI	17882	" Cam Set Screw, for 23562
	17903	Belt Idler Pulley Shaft Oil Stop
0001		Screw.for 228326
858AT	17890	Needle Bar Crank Set Screw, for 23477
868E	17881	Arm Screw (front)
896E		Crank Connecting Rod Cap Screw, for
0000	11001	24028
898C	17883	Feed Wheel Retaining Clutch Cap Screw
904F		Needle Set Screw, for 39857
9060	17886	Thread (upper) Cutting Blade Shaft
9000	11000	Crank Set Screw, for 40050
0077	17892	Shuttle Race Back Spring Screw, for
907E	1/032	249929
0000	17001	Crank Connecting Rod Hinge Screw
9080	17891	Stop Cam Interlocking Rod Spring Regu-
913C	17893	lating Thumb Screw
	7.7004	Clamp Carrier Slide Guide (left) Screw
914F		" " " (right) Screw
914F		Tension (top cover) Releasing Lever
940F	17895	Connection Screw (front)
	7 5007	Feed Connecting Rod (upper) Cap Screw
966E	17891	
		for 23408 Thread (lower) Cutting Lever Exten-
966D	17894	
		sion Screw Thread (upper) Cutting Lever Shaft
966D	17894	Thread (upper) Cutcing hever bitter
		Bracket Screw
974F	17895	Tension (top cover) Releasing Lever
		Connection Screw (back)
997E	17890	Stop Cam Spring Cover Screw
9991	17889	Barring Ratchet Retaining Pawl Hinge
	· .	Screw
9991	17895	Tension (top cover) Releaser Holder
		Hinge Screw
10211	17888	Needle Bar Connecting Link Cap Screw

No.	Plate	Name
1035C		Oscillating Shaft Crank Slide Block
		Screw Stud.for 24050
1036A1	L 178 9 0	Thread Take-up Crank Position Screw,
		for 23477
1038C	17888	Needle Bar Frame Regulator Adjusting
14000	1,000	Scient per right resultator addusting
1042C	17888	
10420		Needle Bar Frame Pitman Hinge Screw
10420	17882	Feed Hand Ratchet Lever Paul Point
	12007	Position Screw, for 39926
1064D	17903	Clamp Lifting Chain Guide Pulley
30054		Hinge Screw, for 236850
1065AI	17890	Needle Bar Crank Position Screw, for
		23477
1069D	17890	Arm Shaft Screw
1070C	17893	Stop Cam Interlocking Rod Guide Set
		Screw, for 23514
1144F	17894	Thread (upper) Cutting Lever Shaft
		Crank Latch Spring Screw
12220	17887	Knife Bar Driving Lever (inter-
		mediate) Hinge Screw
1226C	17889	Barring Lever Catch Position Stud, for
	2.000	23564
1226E	17889	
+2201	T1009	Needle Bar Frame Connection Spring
10070	7.7000	Screw Stud, for 39926
1227C	17889	Barring Lever Hinge Screw
1228C	17895	" Indicator Stud
1230F	17884	Clamp Carrier Guide (right) Screw
1231F	17885	" Plate Screw (back)
1232C	17882	" Regulator Hinge Screw
1234C	17882	" " Slide Regulating Stud
1235F	17881	Bed 011 Guard Screw
1235F	17884	Clamp Plate Screw
12360	17883	Feed Wheel Driving Lever Regulating
		Stud
1237C	17883	Feed Wheel Friction Ring Screw
1238F	17902	Guide Screw
1239D	17887	Knife Bar Connecting Link Hinge Cap
+000D	1,001	Screw
12400	17887	
16400	71001	Knife Bar Connecting Link Hinge Screw
1241E	17887	
TCATE	71001	Knife Bar Disengaging Lever Catch
10415	77004	Spring Screw Stud
1241E	17894	Thread (lower) Cutting Blade Carrier
70477	7.5004	Lever Spring Screw Stud
1241E	17894	Thread (upper) Cutting Lever Spring
		Screw Stud
1242E	17887	Knife Bar Disengaging Lever Spring
		Screw, for 249656
1243C	17888	Knife Holder Guide Stud
1244C	17889	Needle Bar Frame Cam and Bevel Gear
		Screw
1245C	17888	Needle Bar Frame Regulator Hinge
		Screw, for 39900
1248C	17889	Barring Ratchet Pawl Hinge Screw
1248C	17894	Clamp Lifting Arm Stop Hinge Screw
0		and the state was pool wings belok

No.	Plate	Name
1253C	17890	Oscillating Shaft Crank Set Screw.for
		39658
1256D	17884	Clamp Carrier Slide Screw
1258AL		Thread Take-up Crank Set Screw, for
	±1030	23477
1275C	17891	
1276C		Feed Disengaging Lever Hinge Screw
1286C	17889	Barring Lever Catch Hinge Screw
	17889	" Ratchet Wheel Spring Screw
1294C	17885	Clamp Spring Bushing Position Stud
1296AL		" Check Screw
1296AL		Stop Screw
1297F	17886	Screw
1319F	17887	Knife Bar Connecting Stud Clamping
		Screw, for 23462
1341C	17888	Needle Bar Connecting Stud Set Screw for 39601
1345D	17884	Clamp Carrier Guide (left) Screw
2	1.001	(short),for 39605
1348E	17886	Clamp Check Section and Cutting Plate
		Support Stud, for 39606, 39639 and
		39731
1349C	17890	Stop Cam Spring Stop Screw
1350C	17884	Thread (lower) Pull-off Finger Hinge
		Screw
1351C	17894	Thread (lower) Cutting Lever Ball
		• Screw
1352C	17894	Thread (upper) Cutting Lever Lock
	•	Pin Screw Bushing
1387C	1.7895	Tension (top cover) Releaser Guide
		Screw Stud
1388C	17895	Tension (top cover) Screw Stud
1428C	17887	Knife Bar Driving Lever Screw Stud
1507R	17903	Knee Starting Rock Shaft Knee Arm
		Lock Nut, for 228339
1508R	17893	Starting Lever Screw Center Nut.for
		58384
1517J	17888	Needle Bar Frame Screw Center Nut
1518J	17889	Barring Lever Stop Screw Nut
	17891	Feed Connecting Rod (lower) Hinge
		Screw Nut
1518J	17893	Starting Lever Stop Screw Nut
	17882	Clamp Carrier Regulator Roller and
	11002	Screw Stud Nut, for 1960
1520J	17882	Clamp Carrier Slide Lever Roller and
10200	1.002	Screw Stud Nut, for 1960
1560J	17894	
10000	T1034	Clamp Lifting Arm Connection Hinge Screw Nut
1520J	17883	
	17887	Feed Wheel Friction Ring Screw Nut Knife Bar Driving Lever Screw Stud
1000	±1001	Nut
1520J	17893	
	17896	Starting Lever Adjusting Screw Nut Tension (side of arm) Releaser Shaft
	±1000	Crank Ball Screw Stud Nut
1520J	17894	Thread (lower) Cutting Blade Carrier
-0500	T1034	
		Lever Stop Screw Nut

-		
No.	Plate	Name
1520J	17894	Thread (lower) Cutting Lever Ball
		Screw Nut
1520J	17894	Thread (upper) Cutting Lever Stop
		Screw Nut
1521E	17891	Feed Disengaging Lever Hinge Screw
		Nut
1521E	17895	Tension (top cover) Releaser Guide
		Screw Stud Nut
1547J	17885	Clamp Arm Adjusting Screw Nut
1547J	17887	Knife Holder Screw Nut
, 15 4 7J	17888	Needle Bar Frame Pitman Hinge Screw Nut
1550J	17885	Clamp Spring Bushing Position Stud
		Nut
1560C	178 9 6	Tension (side of arm) Regulating
		Thumb Nut
1560C	17895	Tension (top cover) Regulating Thumb Nut
1562J	17897	Bobbin Winder Tension Regulating
		Thumb Nut, for 5989
1589C	17895	Barring Indicator Stud Thumb Nut
1589C	17888	Needle Bar Frame Regulator Adjust-
		ing Screw Thumb Nut
16080	17888	Knife Holder Guide Stud Nut
1611E	17894	Clamp Lifting Arm Stop Hinge Screw
		Nut
1619E	17891	Crank Connecting Rod Hinge Screw Nut
1620J	17897	Bobbin Winder Frame Hinge Screw Nut, for 27923
1620E	17883	Feed Wheel Tripping Lever Hinge Screw Nut
1636E	17890	Oscillating Shaft Crank Slide Block
		Screw Stud Nut, for 39658
1638E	17893	Stop Cam Interlocking Rod Spring Regu-
		lating Thumb Screw Nut
1655E	17889	Barring Lever Hinge Screw Nut
1655C	17889	Needle Bar Frame Bell Crank Roller and
		Screw Stud Nut, for 1956
1658C	17882	Clamp Carrier Slide Regulating Stud Thumb Nut
1659C	17885	Clamp Pressure Regulating Thumb Nut
1664E	17895	Thread Retainer Holder Nut, for 39714
16710	17882	Clamp Carrier Regulator Stud Nut
16710	17894	Thread (lower) Cutting Lever Extension
		Screw Nut
1901	17894	Clamp Lifting Arm Connection Roller
		and Screw Stud, with 229D and 12424
1956	17889	Needle Bar Frame Bell Crank Roller and Screw Stud with 229D,1655C and 23389,for 23558
1959	17893	Knife Bar Driving Lever (intermediate)
1303		Roller and Screw Stud with 229D,
*.		and 12424, for 23514
1960	17882	Clamp Carrier Regulator Roller and
		Screw Stud with 1520J, for 40010

No.	Plate	Name
1960	17882	Clamp Carrier Slide Lever Roller and
		Screw Stud with 1520J, for 23394
1963	17887	Knife Bar Disengaging Lever Catch
1000	1.7007	Roller and Stud, for 23464
1963	17889	Needle Bar Frame Connection Roller and
1962	1,009	
	1=-00	Stud, for 39622
2080	17892	Shuttle Bobbin Case Thread Guide Rivet
		for 15628
2102	17896	Tension (side of arm) Disc -
2103	17895	" (top cover) Spring
2117C	17883	Feed Wheel Pin
2117C	17894	Thread (upper) Cutting Lever Pin
2256	17883	Feed Wheel Retaining Clutch Spring
2269	17890	Shuttle Driver Pin
2269	17896	Tension (side of arm) Releaser Shaft
		Crank Pin
2269	17886	Thread (upper) Cutting Blade Shaft
	_,,,,,	Crank Pin, for 39693, 39694 and 39732
2273	17886	Thread (upper) Cutting Blade Connect-
4413	T1000	
6455	3 7007	ing Rod Collar (front) Pin
2455	17897	Bobbin Winder Tension Disc, for 5989
2523	17892	Shuttle Bobbin Case Position Finger
		Rivet, for 39624
2532	17892	Shuttle Race Back Position Pin, for
		249929
2533	17892	Shuttle Race Back Spring, for 249929
2718R	17903	Treadle Extension Screw Washer, for
		14376
2766	17903	Knee Starting Rock Shaft Knee Arm
		Hub with 356C, for 6336
2767	17903	Knee Starting Rock Shaft Knee Plate
		with 3560, for 6336
2770	17903	Knee Starting Rock Shaft Stop Dog,
		with 1402190, for 228339
2973	17892	Shuttle Bobbin Case Latch Lever, for
2010	11000	15141
2974	17892	Shuttle Bobbin Case Latch Lever Ful-
201±	17000	crum Pin, for 15141
2975	17892	Shuttle Bobbin Case Latch Spring, for
2915	1/032	39624
7030	17000	
3012	17882	Feed Hand Ratchet Wheel Pin
4784	17890	Arm Shaft Oil Pad
4784	17891	Oscillating Rock Shaft Oil Pad, for
		39654
4784	17888	Thread Take-up Lever Oil Pad, for
		23478
5989	17897	Bobbin Winder Tension complete, Nos.
		418D,1562J,10141 and two 2455,for
		41336
6335	17903	Knee Starting Rock Shaft Knee Arm,
		for 6336
6336	17903	Knee Starting Rock Shaft Knee Arm
2200		6335 with 2766 and 2767, for 228339
6337	17903	Knee Starting Rock Shaft Connecting
0001	#1400	Rod Bracket with two 3560, for
		228339
		220000

41	
----	--

*	•		TOMERICAL EST OF TARTS							TOTAL CONTROL OF TANKING
	No.	Plate	Name		r	-	,	No.	Plate	Name
	7070	17883	Feed Wheel Driving Lever Regulating Stud Sleeve					14374 14375	17903 17903	Treadle Spring " Stand
	7070	17888	Needle Bar Frame Regulator Adjusting					14376	17903	Treadle complete, Nos. 2718R, 14372 to 14375, 17881, 50581R and two wood
	7071	17889	Screw Sleeve Barring Ratchet Wheel Tripping Point Screw Washer							screws 1-1/4 in.,No.12,F.H.,for 228354 and 228355
	7071	17888	Needle Bar Frame Pitman Adjusting Screw Washer, for 23611					15072	17889	Barring Ratchet Pawl Spring Stop Pin, for 23558
	7071	17886	Thread (upper) Cutting Blade Connect- ing Rod Spring Bracket Screw					15072	17897	Bobbin Winder Bobbin Position Pin, for 27538
			Washer					15140 15141	17892 17892	Shuttle Bobbin Case Latch, for 15141
	7278 7326	17882 17892	Clamp Carrier Slide Lever Socket Joint Shuttle Race Cap, for 249929							" " Hinge, Nos. 2973, 2974 and 15140, for 39624
	7335 8238	17896 17896	Thread Take-up Spring Tension (side of arm) Spring		•	•		15628	17892	Shuttle Bobbin Case Thread Guide with two 2080, for 39624
	8582	17881	Arm Dowel Pin		, ,			16555	17938	Bed Frame Hinge Plate, for 23529 and 39910
	8582 9525	17893 17904	Starting Lever Bracket Dowel Pin Knife Grinder Knife Holder Thumb	•	4	÷		17881	17903	Treadle Shaft, for 14376
			Screw Washer, for 39898					19226	17938	Bed Frame Hinge Connection, for 19398
	9540	17882	Stop Lever Spring					19397 19398	17938 17938	" " " Cap,for 19398 " " " 19226 with
	9780	17890	" Cam Spring Cover Position Pin, 249543						•	19226 With 211E and 19397, for 23529 and 39910
	10141	17897	Bobbin Winder Tension Spring, for 5989					19448	17890	Oscillating Shaft Crank Slide Block,
	10145	17897	" " Thread Guide, for 41336					21327	17903	for 24050 Knee Starting Rock Shaft Hanger with
	10249	17904	Knife Grinder Knife Holder Slide Bracket Adjusting Screw Tension							two wood screws 1 in.No.10, for 228339
	10875	17939	Spring,for 39898 Wrench,for 1518 and 1520					21643	17893	Starting Lever Belt Shifter complete, Nos.66108 and 66109
	11204	17888	Thread Take-up Lever Link Hinge Pin					21651	17893	Stop Cam Interlocking Rod Spring
	11831	17939	Screw Driver, 5 in. blade (machine,					21654	17939	Wrench, for 1508 and 1638
	12166	17888	large) Thread Take-up Lever Hinge Pin, for					21699	17886	Thread (upper) Cutting Blade Position Pin, for 40049
	#2100	17000	23525					23352	17890	Arm Shaft
*	12204		Feed Connecting Rod (upper) Cap, for		_	4		23361	17889	Barring Ratchet Pawl
			23408	!		•		23362	17889	" " Spring
	12357	17890	Arm Shaft Flanged Bushing (back)					23364	17889	" Retaining Pawl Spring " Wheel Tripping Point
•	12400	17895	Thread Retainer Sleeve, for 39714					23367	17889	" wheel fripping forms
	12402	17895	" Stud, for 39714		4	o		23370	17895	
	12424	17894	Clamp Lifting Arm Connection Roller					23373	NOS	s.23373 to 23376 (obsolete) Belt Cover
			Cap Screw Washer, for 1901					23374		" " Bracket
	12424	17893	Knife Bar Driving Lever (intermediate)					23375		" " Hinge Block with 460AL
	12424	17890	Roller Cap Screw Washer, for 1959 Oscillating Shaft Crank Slide Block					23376		" " Pin
	17474	1/030	Cap Screw Washer, for 24050					23379	17885	Clamp Arm Hinge Block
	12538	17894	Tension (side of arm) Releaser Arm Pin					23380	17885	" " " Pin
	13218	17882	Feed Hand Ratchet Lever Pawl Spring,					23384	17882	" Carrier Connecting Rod
		12020	for 39997					23389	17889	Needle Bar Frame Bell Crank Roller Cap Screw Washer, for 1956
	14010	17938	Bed Frame Hinge Plate Rivet, for 23529 and 39910		5 -	٠.		23390	17887	Knife Screw Washer
	14017	17883	Feed Wheel Friction Ring Screw Washer					23392	17884	Clamp Carrier Slide Guide (left)
	14174	17893	Starting Lever Spring					23393	17884	(LTBILL)
			s.14372 to 14375, for 14376					23394	17882	TeAct. Attu 1200
	14372	17902	Treadle		٠.	-		23395	17882	Regulator
	14373	17903	" Extension					23396	17882	. ○ Cab
								23397	17882	Regulating Stud
										Bushing

		. The second of				18.72		
		•						NUMEDICAL LIST OF PARTS 43
42	,	NUMERICAL LIST OF PARTS						NUMERICAL LIST OF PARTS 43
No.	Plate	Name			e.	No.	Plate	Name
23404	17885			٠.	-	23470	17887	Knife Bar Driving Lever (intermediate)
		Clamp Spring						Wille Bal Dilating money (Transaction)
23407	17891	Feed Connecting Rod (lower)				23471	17887	
23408	17891	(-FF)		r			17007	Connecting Link
07.400	3 5 6 6 3	12204,202277 and two 966E				23473	17887	Knife Holder
23409	17891	Feed Disengaging Lever				23476	17888	Needle Bar Connecting Link with 794E " " Crank with 858AL, 1036AL,
23412	17890	" Eccentric with 448AL				23477	17890	1065AL and 1258AL
23417	17001	Oscillating Shaft (obsolete)				0=100	3 5000	Needle Bar Frame with 4784
23 4 18 23 4 19	17891	Feed Rock Shaft, for 23419				23478	17888	" " Connection Spring
25419	17891	Feed Rock Shaft complete, Nos. 23418				23483	17889	n n n n Hook
07.100	-7.50.07	and 23420				23484	17889	" " " Stud
23420	17891	Feed Rock Shaft Hinge Pin with 23421,				23485	17889	" " Driving Bevel Pinion
07.407	70007	for 23419				23486		with two 453AL (obsolete)
23421	17891	Feed Rock Shaft Hinge Pin Plug					3.5000	Needle Bar Frame Regulator, for 39900
07.403	3.5001	(leather), for 23420				23491	17888	Oscillating Rock Shaft Hinge Pin with
23421	17891	Oscillating Rock Shaft Hinge Pin Oil				23494	17891	23421, for 39654
		Hole Plug (leather), for 23494						Oscillating Shaft Crank (obsolete), for
23422	17891	Feed Rock Shaft Spring		-		23495		
*23429		" Wheel Driving Lever Pitman Cap,						23496 Oscillating Shaft Crank complete, Nos.
		for 249561				23496		OSCILLACING SHALL CHAIR COMPLETE, NOS.
23431	17882	Feed Wheel Shaft						2310,1636E,23495 and 24050
23432	17883	" Tripping Point, for 23698					10000	(obsolete)
		and 39552	,			23500	17892	Shuttle Bobbin, for 39626
23433	17883	Feed Wheel Tripping Lever				23503	17892	" Body,for 39626 " Driver with 462AL
23435	17883	Shring				23505	17890	
23436	17902	Guide .(back), for cuffs				23510	17893	Starting Lever Bracket " Rod
234 37	17902	" (left), for cuffs				23511	17893	
23438	17902	" (right), for cuffs				23514	17893	Stop Cam Interlocking Rod Guide with
23439	17902	(left), for collars						10700 and 1959
23440	17902	" (right), for collars				23515	17890	Stop Cam Spring (long) " " (short)
23441	17902	" (corner), for collars				23516	17890	(5.151 5)
23445	17887	Knife,3/8 inch				23518	17882	Stop Lever
 23446	17887	" 7/16 inch				23519	178 9 6	Tension (side of arm) Releaser with
23447	17887	1/2 111611				,		200F
23448	17887	" 9/16 inch				23520	17896	Tension (side of arm) Releaser Shaft
23449	17887	" 5/8 inch		p	•	23523	17888	Thread Take-up Crank
23450	17887	" 11/16 inch				23524	17888	" Lever, for 23525
23451	17887	" 3/4 inch				23525	17888	Thread Take-up Lever complete, Nos.
23452	17887	" 13/16 inch						12166,23524 and 23543
23453	17887	7/8 inch		*	•	23526	17896	Thread Take-up Spring Regulator
23454	17887	" 15/16 inch				23527	17938	Drip Pan with two wood screws 1/2 in.
23455	17887	" l inch						No.5, R. H.B.
23460	17887	Bar				23529		Bed Frame with two each 16555,19398,
23461	17887	Commecting mak						four each 84E,24106,six 14010 and
23462	17887	. Bud with 19191						four wood screws 1-1/4 in., No.12
23464	17887	" " Disengaging Lever Catch with						(obsolete) Gauge,for $1/4$ to 1 in.,for setting
		1963				23530	17939	Gauge, for 1/4 to 1 in., for secting
23465	17887	Knife Bar Disengaging Lever Catch						length of buttonhole
		Bracket				23535	17939	Wrench, for 1671, for regulating length
23466	17882	Knife Bar Disengaging Lever Catch						of buttonhole
		Tripping Point		۲	•			os.23536 to 23539, for 23540
23467	17882	Knife Bar Disengaging Lever Catch				23536		Table Belt Guide with two 168E
		Tripping Point Collar with two						(obsolete)
		448AL				23537		Table Belt Guide Bracket with 448AL
23468	1788 7	Knife Bar Disengaging Lever Catch		*	>			(obsolete)
		Spring				23538	·	Table Belt Guide Pulley
23469	17887	Knife Bar Driving Lever						•

and the second second

No.	Plate	Name	٠	•		No.	Plate	Name
23539		Table Belt Guide Pulley Shaft with				23681	17887	Knife Bar Driving Lever Spring
		4360 (obsolete)				23693	17885	Clamp Spring Bushing
23540		Table Belt Guide (double) complete, Nos.		/ <u>-</u>		23698	17883	Feed Wheel with 23432 and two 220D,
		23537,23539,two each 23536,23538				20000	1,000	for wide bight and wide cutting
		and four wood screws 1-1/4 in., No.						<u> </u>
		12, R.H.B. (obsolete)				94000	17001	space, for overall work, etc.
23543	17888	Thread Take-up Lever Link, for 23525			•	24028	17891	Crank Connecting Rod with 24085 and
23544	17889	Barring Ratchet Retaining Pawl (hinge						two 896E
20044	71009					24046		Oscillating Shaft Bushing (back)
07545	7.7000	screw end), for 23546						(obsolete)
23545	17889	Barring Ratchet Retaining Pawl (wheel				24047	17890	Oscillating Shaft Bushing (front)
		end), for 23546				2405)	17890	Oscillating Shaft Crank Slide Block
23546	17889	Barring Ratchet Retaining Pawl (ad-						complete, Nos. 226J, 1035C, 12424 and
		justable) complete, Nos. 2030, 23544	r	*				19448, for 23496 and 39658
		and 23545				*24081		Arm Shaft Bushing (front), for 39602
2354 8		Knife Bar Stop Plug (fibre) (obsolete)				*24085		Crank Connecting Rod Cap, for 24028
		for 39565				24106	17938	Bed Frame Cushion (felt), for 23529
23549	17902	Guide, for short bosoms	-	~				and 39910
23551	17903	Clamp Lifting Chain Screw Eye, for				26026	17939	Screw Driver (machine, small)
		228354 and 228355				26485	17939	" (shuttle tension)
	Nos	.23552 to 23554, for 23555				27302	17897	Bobbin Winder Frame, for 27923
23552	17883	Feed Wheel Friction Ring Section				27538	17897	
20001	1.000	(long)				21556	71091	" " Spindle 27849 with 15072,
23553	17883	Feed Wheel Friction Ring Section				02270	7.7000	27850 and 41828, for 27923
20000	11000	(short)				27739	17900	Thread Unwinder Thread Cone (wood)
07554	17883					*27849		Bobbin Winder Spindle, for 27538
23554		Feed Wheel Friction Ring Spring				*27850		Collar, for 27538
23555	17883	Feed Wheel Friction Ring complete, Nos.				27914	178 9 7	" Base with 27916 and two
00550	3 = 0.03	23552 to 23554						28084,for 27923
23557	17891	Feed Disengaging Lever Spring				27915	17897	Bobbin Winder Base Plate, for 27924
23558	17889	Needle Bar Frame Bell Crank with 1956				27 9 16	17897	" Brake (leather), for
		and 15072						27914
23562	17882	Barring Cam with two 858AL					Nos	.27917 to 27919, for 27923
23563	1788 9	" Lever				27917	17897	Bobbin Winder Frame Spring
23564	17889	" Catch with 1226C				27918	17897	" Pulley
23565	1788 9	" " " Spring				27919	17897	" Stop Latch
23566	17889	" " Spring	F	-		27920	17897	" Tension Bracket with
23567	17886	Clamp Arm					_,,,,,,,	452C, for 41336
23573	17885	" Plate Support				27921	17897	Bobbin Winder Tension Bracket with
23574	17885	" Post				2.021	11001	Rod complete, Nos. 27922 and 41336,
23587	17883	Feed Wheel Tripping Lever Point	•	?				
23606	17887	Knife Bar Disengaging Lever Spring				27922	17007	for 27924
23606	17886	Thread (upper) Cutting Blade Connect-	-			21922	17897	Bobbin Winder Thread Eyelet Rod, for
25000	11000	/				07407	3 7 0 0 7	27921
97600	17000	ing Rod Spring				27923	17897	Bobbin Winder Nos.35D,1620J,27302,
23609	17888	Needle Bar Frame Pitman (regulator						27538,27914,27917 to 27919 and
07010		end), for 23611						50356D, for 27924
23610	17888	Needle Bar Frame Pitman (hinge Screw				27924	17897	Bobbin Winder (swinging automatic,
	_	end), for 23611						right hand) complete, Nos. 27915,
23611	17888	Needle Bar Frame Pitman (adjustable)						27921,27 92 3 and two 389F
		complete, Nos. 23609, 23610, two each				28084	1789 7	Bobbin Winder Brake Rivet, for 27914
		190C and 7071				32012	17895	Tension (top cover) Disc
23630		Barring Indicator (obsolete)		•		32572	178 9 5	" " Releasing Disc
23664	17889	" Ratchet Wheel				39504	17883	Feed Wheel Retaining Clutch Cap
23665	17889	" " "Spring						Screw Washer
23666	17889	" " " Washer				39523	17882	Feed Hand Ratchet Lever Pawl Point,
23667	17889	Needle Bar Frame Bell Crank Stud	*	•		0.020	2.500	for 39996
23669	17896	Tension (side of arm) Thread Guard				39531		Clamp Carrier (obsolete)
23679		Drip Pan, 7/8 in., deep (obsolete)				39532	17882	" Regulator Stud Sleeve
						00002	1100 4	MARGITANAL DIREC DIABAS

Ψ.	. '							
No.	Plate	Name		۲	•	No.	Plate	Name
39538	17881	Bed Oil Guard				39621	17895	Arm Top Cover
39541	17885	Clamp Arm Bracket Screw Washer				39622	17889	Needle Bar Frame Connection with 1963,
39541	17894	" Lifting Arm Connection Roller		•	ne ne			39616 to 39618, for 39926
		and Screw Stud Bracket Screw Washer				39623	17892	Shuttle Bobbin Case Position Finger,
39544	17881	Clamp Carrier Regulator Slide	·			20004	7,7000	for 39624
39552		Feed Wheel with 23432 and two 220D				39624	17892	Shuttle Bobbin Case complete, Nos. 591F, 592E, 2523, 2975, 15141, 15628, 39623
39565		Knife Bar Stop complete, Nos. 1673C, 23548 and 39566 (obsolete)						and 39625, for 39626
39566		Knife Bar Stop (obsolete), for 39565				39625	17892	Shuttle Tension Spring, for 39624
39571	17903	Clamp Lifting Chain Guide Pulley, for 236850				39626	17892.	" 1-11/16 in.diam., Nos. 23500, 23503 and 39624
39575	17903	Clamp Lifting Chain Hook (large), for				39627	17893	Starting Lever
•		228329 and 228330		r.	nd.	39628	17890	Stop Cam with 39629 and 202330
39575	17903	Knee Starting Rock Shaft Connection				39629	17890	" Pin, for 39628
		Hook (large), for 228335				39631	17895	Tension (top cover) Releaser
39575	18235	Starting Chain Hook (large), for 228349		*	.	39632	17895	" " " Holder with
39576	17903	Clamp Lifting Chain Hook (small), for				39633	17895	Tension (top cover) Releasing Lever
30070	11000	228329 and 228330				39634	17895	и и и и
3 9 576	17903	Knee Starting Rock Shaft Connection						Connection
00010	1,000	Hook (small), for 228335				39635	17895	Tension (top cover) Releasing Pin
395.76	18235	Starting Chain Hook (small), for 228349				39636	17895	Tension (top cover) Releasing Pin " " Thread Eyelet
39580	17893	Stop Cam Interlocking Rod						(double)
39582		Belt Cover Bracket (obsolete)	•			39637	17890	Stop Cam Spring Stop Block
39583	17882	Clamp Carrier Regulator Stud Stop, for				3963 8	17890	" " " Screw Block
00000		40010				39639	17886	Clamp Check with 39607, two each 237F
39584	17885	Clamp Arm Bracket with 196F						and $1348E$, for $3/8$ to 1 in. button-
39590	17891	Feed Rock Shaft Spring Plate						holes, for 39694
39591	17884	Clamp Carrier Guide (left), for 39605				39645	17884	Clamp Carrier Guide (right)
39595	17883	Feed Wheel Retaining Clutch Cap				39646	17884	Thread (lower) Cutting Blade Friction
39596	17883	" " " Stud						Plate
39601	17888	Needle Bar Connecting Stud with 1341C				39647	17901	Clamp Arm
*39602		Arm with 24081				39650	17901	" Check Holder
*39603		Bed				39653	17891	Oscillating Rock Shaft, for 39654
39605	17884	Clamp Carrier Slide with 1345D,39591 and two 756D		-	*	39654	17891	Oscillating Rock Shaft complete, Nos. 4784,23494 and 39653
39606	17886	Clamp Check with 39607, two each 237F				39655	17890	Oscillating Shaft
55000	11000	and 1348E, for 3/8 to 3/4 in.		_	,	39656	17890	" " Bushing (back)
		buttonhole, for 39693		•	•	39657	17890	"
39607	17886	Clamp Check Section and Cutting Plate, for 39606 and 39639				39658	17890	Oscillating Shaft Crank complete, Nos. 1636E, 24050, 39657 and two 1253C
39608	17884	Needle Plate				39693	17886	Clamp Check complete, for 3/8 to 3/4
39609	17886	Thread (upper) Cutting Blade, for 39693 and 39694						in. buttonholes, Nos. 219F, 2269, 39606, 39609 and 40048 to 40050
39610	17886	Thread (upper) Cutting Blade Connect-				39694	17886	Clamp Check complete, for 3/8 to 1 in. buttonholes, Nos. 219F, 2269, 39609,
39611	17886	ing Rod Thread (upper) Cutting Blade Connect-				39711	17896	39639 and 40048 to 40050 Thread Guiding Stud (side of arm)
		ing Rod Spring Bracket				39712	17895	" Retainer Holder with 462AL, for
39612	17894	Thread (upper) Cutting Lever Shaft Crank with two each 200F and 40059			•			39714
		s.39616 to 39618, for 39622				39713	17895	Thread Retainer Spring, for 39714
39616	17889	Barring Lever Catch Stud " " " Rivet (long)				39714	17895	Thread Retainer complete, Nos. 1664E,
39617	17889	" " " Rivet (long) " " " (short)		*	•	70035	2 77.02	12400,12402,39712 and 39713
39618	17889	• • •				39715	17901	Clamp Check Holder Stop Screw Washer
29620	17895	Arm Side Cover				39731	17901	" with 1348E,39733 and two 50138F, for 3/8 to 3/4 in. button-holes, for 39732
								•

-0		THOMENICAL EIGH OF TAME
No.	Plate	Name
39732	17901	Clamp Check complete, for 3/8 to 3/4
55152	1,001	in. buttonholes, Nos. 219F, 2269,
		39731,39734,39735,40049 and 40050,
		for collars and cuffs, shirt neck
		bands, bosoms and ladies waists.
	3 7003	
39733	17901	Clamp Check Section and Cutting Plate,
		for 39731
39734	17901	Thread (upper) Clamping Blade, for
	_	39732
39735	17901	Thread (upper) Cutting Blade, for
		39732
39736	17894	Thread (lower) Cutting Blade Carrier
		Lever Spring
39810	17903	Knee Starting Rock Shaft, for 228339
39844	17895	Barring Indicator
39857	17888	Needle Bar with 904F
		.39886 to 39897, for 39898
39886	17904	Knife Grinder Emery Wheel, 4 in.diam.
39887	17904	" " Driving
00001	11501	Shaft
39888	17904	Knife Grinder Emery Wheel Driving
23000	11204	Shaft 011 Hole Cover
20000	17004	Knife Grinder Frame
39889	17904	" " Knife Holder (adjustable)
39890	17904	" " " Indicator
39891	17904	" " " Slide Bracket
39892	17904	DIIG DIGORO
		with 200386C
39893	17904	Knife Grinder Knife Holder Slide
		Bracket Adjusting Screw Slide
		Plate
39894	17904	Knife Grinder Knife Holder Slide
		Bracket Shaft
39895	17904	Knife Grinder Knife Holding Spring
39896	17904	
		Bracket
39897	17904	Knife Grinder Knife Stop (adjustable)
39898	17904	Knife Grinder complete, Nos. 57C, 176D,
		208AL,219F,771D,793D,9525,10249,
		39886 to 39897,200165H,201298C,
		201510D,203094,204101,206963,
		350068E, two each 200577XC, 204264,
		206232,206969 and three wood
	,	screws,1-1/4 in.No.12
20000	17888	Needle Bar Frame Regulator 23491 with
39900	T1000	1245C
	No	3.39910 to 39912, for 39913
70030		Bed Frame with two each 16555,19398,
39910	17 9 38	four each 84E,24106,six 14010 and
		four wood screws 1-1/4 in., No.12
	1 7 6 7 5	Tour wood surews I-1/+ In., No.12
39911	17938	Bed Frame Splash Guard with 201655J
39912	17938	" " Hinge
39913	17938	Bed Frame and Spalsh Guard complete,
		Nos.39910,39911,two 39912 and
		eight 200574E
39921	178 94	Thread (lower) Cutting Lever Extension
39924	17882	Feed Hand Ratchet Wheel with 460AL

No.	Plate	Name
39926	17889	Needle Bar Frame Connection 39622 with
		78C and 1226E
39927	17890	Pulley 40024 with 40025
39966	17889	Needle Bar Frame Cam and Bevel Gear
39967	17890	Dirating peage truton
		with two 453AL
39969	17892	Shuttle Race Back, for 249929
39988	17893	Stop Cam Interlocking Rod Guide
		Washer (rawhide)
39994	17882	Feed Hand Ratchet Lever, for 39997
39995	17882	" " Pawl Body, for
	,00	39996
39996	17882	Feed Hand Ratchet Lever Pawl complete
29990	. 11002	Nos.207E,39523,39995 and two 1049E
		for 39997
39997	17882	Feed Hand Ratchet Lever complete, Nos.
		90D,13218,39994 and 39996
40003	17885	Clamp Arm Bracket Guide (left)
40004	17885	" " " (right)
40005	17884	" Carrier
40006	17882	" Block with 40007 and four
10000	1.002	404D
40007	17882	Clamp Carrier Block Plate, for 40006
		" Regulator with 240D,1960
40010	17882	
		and 39583
40014	17886	Clamp Lifting Arm
40015	17894	" " Connection
40016	17894	" " " Roller and
		Screw Stud Bracket
40017	17894	Clamp Lifting Arm Stop
40018	17894	" " " Bracket
40019	17894	" " " Pitman
40020	17885	" Plate
40024	17890	Pulley (tight), for 39927
40024		" Pin, for 39927
	17890	
40033	17894	Tension (side of arm) Releaser Arm
		with 50128E
40034	17896	Tension (side of arm) Releaser Shaft
		Crank
40035	17884	Thread (lower) Cutting Blade
40036	17884	" " " Carrier
		with 40038
40037	17894	Thread (lower) Cutting Blade Carrier
2000.	_,,,,	Lever
40038	17884	Thread (lower) Cutting Blade Carrier
40000	T1004	
		Stud, for 40036
40043	17886	Thread (upper) Cutting Blade Connect-
		ing Rod Collar (back) with 209AL
40044	17886	Thread (upper) Cutting Blade Connect-
		ing Rod Collar (front) with 237F
40045	17886	Thread (upper) Cutting Blade Connect-
		ing Rod Collar (front) Washer (raw-
		hide)
40047	17886	Thread (upper) Cutting Blade Connect-
TOOT !	+,000	ing Rod Spring Collar with 646F
		THE WAY SPITTING COTTET ATOM OFFI

		•
No.	Plate	Name
	No	s.40048 to 40050, for 39693 and 39694
40048	17886	Thread (upper) Clamping Blade
40049	17886	" Cutting Diede
	-,000	" Cutting Blade Shaft with
40050	17000	21699,also for 39732
40000	17886	Thread (upper) Cutting Blade Shaft
		Crank with 906C, also for 39732
40051	17894	Thread (upper) Cutting Lever with 641C
40052	17894	" " Tock Pin
40053	17894	и и и и и и
		Spring
40054	17894	
40057	17894	Thread (upper) Cutting Lever Shaft
40001	11034	
40050	7.7004	Crank Latch
40058	17894	Thread (upper) Cutting Lever Shaft Crank Latch Spring
		Crank Latch Spring
40059	17894	Thread (upper) Cutting Lever Shaft
		Crank Latch Stop Pin, for 39612
40060	17894	Thread (upper) Cutting Lever Spring
40067	17894	
10001	11034	" " Shaft
47.220	3	Bracket
41336	17897	Bobbin Winder Tension Bracket complete
		Nos.5989,10145 and 27920.for 27921
41828	17897	Bobbin Winder Spindle Collar Pin, for
		27538
50088C	17883	Feed Wheel Driving Lever Pitman Ball
	_, 555	Toint Samer for Otorga Filman Ball
50128E	17004	Joint Screw, for 249561
201705	17894	Tension (side of arm) Releaser Arm
	_	Set Screw, for 40033
50138F	17901	Clamp Check Section and Cutting Plate
		Screw, for 39731
50356D	178 9 7	Bobbin Winder Frame Hinge Screw, for
		27923
50581R	17903	Treadle Extension Screw, for 14376
50615D	17887	Knife Dan Star Database Da
58384		Knife Bar Stop Retainer Plate Screw
36364	178 9 3	Starting Lever Screw Center 5640 with
		1508R
60913	17900	Thread Unwinder Spool Weight, with
		60914
60914	17900	Thread Unwinder Spool Weight Center
		Pin, for 60913
66108		Starting Lever Belt Shifter Fork, for
		21643
66109		
00103		Starting Lever Belt Shifter Shank, for
00746	30000	21643
20346	17939	Oiler (copper-plated) with 120347
20347	17939	" Spout (8-1/2 in.long), for 120346
.26910	17903	Belt Idler Pulley Bracket Shaft, for
		228328
40219C	17903	Knee Starting Rock Shaft Stop Dog Set
•	·	Screw, for 2770
.50203	17000	Monord Harden Grand Day of the
.00200	17900	Thread Unwinder Spool Rest Cushion
50000		(felt), for 225258
.50668	17903	Knee Starting Rock Shaft Knee Plate
		Pad (rubber), for 228339
00165H	17904	Knife Grinder Knife Holder Indicator
		Screw, for 39898

	No.	Plate	, Name
2	2003830	17900	Thread Unwinder Spool Rest Rod Set Screw, for 259658
2	00386C	17904	Knife Grinder Knife Holder Slide Bracket Set Screw, for 39892
2	2004030	17904	Knife Grinder Emery Wheel Driving
2	00574E	17938	Shaft Pulley Set Screw, for 206963 Bed Frame Splash Guard Hinge Screw,
. 2	00577XC	17904	for 39913 Knife Grinder Knife Holder Slide
			Bracket Adjusting Screw Slide Plate Screw, for 39898
2	200584D	17890	Pulley (loose) Grease Retaining Screw for 249538
2	01018C	17900	Thread Unwinder Spool Rest Set Screw, for 225257
2	01052C	17904	Knife Grinder Knife Holder Slide Bracket Shaft Collar Set Screw, for 206232
2	01 29 80	17904	Knife Grinder Knife Holder Slide
. 2	2015100	17904	Bracket Adjusting Screw, for 39898 Knife Grinder Emery Wheel Driving Shaft Nut, for 39898
. 2	01655J	17938	Bed Frame Splash Guard Locking Screw Wing Nut, for 39911
. 2	01696Н	17900	Thread Unwinder Thread Guide Lock Nut, for 225258
2	01724A	17883	Feed Wheel Driving Lever Regulating Stud Thumb Nut, for 249560
2	01897	17883	Feed Wheel Clutch Roller, for 249562
	02277	17891	Feed Connecting Rod (upper) Oil Packing (wick), for 23408
2	02330	17890	Stop Cam Oil Packing (wick), for 39628
	03094	17904	Knife Grinder Knife Holder Indicator Position Pin, for 39898
2	03100	17903	Belt Idler Pulley Shaft Oil Packing (wick), for 228326
2	04101	17904	Knife Grinder Emery Wheel Driving Shaft Nut Washer, for 39898
2	04264	17904	Knife Grinder Knife Holding Spring Bracket Position Pin, for 39898
2	04264	17904	Knife Grinder Knife Holding Spring Position Pin, for 39898
2	06232	17904	Knife Grinder Knife Holder Slide Bracket Shaft Collar with 201052C, for 39898
2	06963	17904	Knife Grinder Emery Wheel Driving Shaft Pulley with two 200403C, for 39898
2	06969	17904	Knife Grinder Emery Wheel Washer (paper), for 39898
s	13949	17889	Barring Lever Catch Spring Screw Washer
2	25257	17900	Thread Unwinder Spool Rest (for two spools) (flat) with 201018C, for 225258

r,

No.	Plate	Name
225258	17900	Thread Unwinder (for two spools) com-
		plete, Nos. 201696H, 225257, 225324,
		225326,225388,259658,two each
		150203,225391 and three wood screws
		7/8 in.No.12
225322	17900	Thread Unwinder Thread Guide Rod
		Washer, for 225324
225324	17900	Thread Unwinder Thread Guide Rod with
		208AL and 225322, for 225258
225326	17900	Thread Unwinder Thread Guide Position
		Cup, for 225258
225377	17900	Thread Unwinder Spool Wire, for small
		spools
225388	17900	Thread Unwinder Spool Rest Rod, for
		225258
225390	17900	Thread Unwinder Thread Cone Holder
225391	17900	" " Guide, for
		225258
228320	17903	Bed Frame Cushion (felt), for 228354
		and 228355
228321	17903	Belt Idler Belt Guide with 3610, for
000707	10007	228328
228323	17903	Belt Idler Pulley Bracket with three
000704	12007	355C, for 228328
228324	17903	Belt Idler Pulley Bracket Shaft
		Hanger with two 355C and three
228326	17903	wood screws 1 in.No.12, for 228328
220020	17903	Belt Idler Pulley Shaft with 858AL
228327	17903	and 203100, for 228328 Belt Idler Pulley Washer (rawhide),
220021	11305	for 228328
	Nos	.228328 to 228331, for 228355
228328	17903	Belt Idler complete, Nos. 126910, 228324,
		two each 228321,228323,228326,
		228423, four 228327 and Form All27,
		also for 228354
228329	17903	Clamp Lifting Chain 34 in.long with
		39575 and 39576 (for left hand
		machine)
228330	17903	Clamp Lifting Chain 46 in.long with
		39575 and 39576 (for right hand
		machine), also for 228354
228331	17903	Front Plank Extension with two wood
		šcrews 2-1/2 in.,No.14
228332	17903	Knee Starting Rock Shaft Connecting
	-	Rod, for 228339
228333	17903	Knee Starting Rock Shaft Connection
		Cushion Spring, for 228335
228333	18235	Starting Chain Cushion Spring, for
		228349
228334	17903	Knee Starting Rock Shaft Connection
000777	120	Spring, for 228335
228335	17903	Knee Starting Rock Shaft Connection
		complete, Nos. 39575, 39576, 228333
		and 228334, for 228339


No.	Plate	Name
228337	17903	Knee Starting Rock Shaft Position
		Spring, for 228339
228338	17903	Knee Starting Rock Shaft Position
		Spring Adjusting Collar with 454C,
228339	17903	for 228339
220000	11903	Knee Starting Rock Shaft complete, Nos.1507R,2770,6336,6337,39810,
		150668,228332,228335,228337,228338
		and two 21327, for 228355
228347	18235	Starting Chain (lower) 10-1/2 in.long,
		for 228349
228348	18235	Starting Chain (upper) 22 in.long, for
	- ·	228349
228349	18235,	Starting Chain complete, Nos. 228333,
		228347,228348, two each 39575 and
228354	18235	39576, for 228354 Driving Equipment less shaft pulley,
£2000 ±	10200	complete, Nos. 228328, 228330, 228349,
		234344,250408,two each 14376,23551,
		four each 228320 and 236850
228355	17903	Driving Equipment less shaft pulley,
		for machines set in pairs, complete
:		Nos.228329 to 228331,250408,two
		each 14376,23551,228328,228339,
		236850,eight 228320 and two blue prints
228423	17903	Belt Idler Pulley, for 228328
232600	17882	Feed Hand Ratchet Lever Collar with
		two 453AL
232982	17903	Machine Rest Cushion (leather), for
		250408
234344	18235	Front Plank Extension (front) with
		two wood screws 2-1/4 in. Nos. 12 and three wood screws 1-3/4 in.
		No.12, for 228354
236849	17903	Clamp Lifting Chain Guide Pulley
		Bracket, for 236850
236850	17903	Clamp Lifting Chain Guide Pulley
		Bracket complete, Nos. 1064D, 39571,
		236849 and two wood screws 1-1/4
		in.No.12,R.H.B.for 228354 and
*249538		228355 Pulley (loose) with 200584D, for 249540
249539	17890	" " Bushing, for 249540
249540	17890	Pulley (loose, ball bearing) complete,
		Nos.249538,249539 and 249891
249541	17890	Pulley (tight) Counterbalance, for
		249543
249542	17890	Pulley (tight) Counterbalance Rivet,
249543	17000	for 249543 Stop Cam Spring Cover with 249541,
443040	17890	two each 9780 and 249542
249544	17887	Knife Bar Stop
249545	17887	" " Retainer Plate
249546	17892	Shuttle Bobbin Case Position Plate,
•		for 249929


No.	Plate	Name
0.405.40		.249549 to 249551, for 249562
249549	17883	Feed Wheel Clutch Roller Carrier
249550	17883	" " " " Oiling
040553	12007	Felt
249551	17883	Feed Wheel Driving Lever
249555	17883	Clutch Disc, for 249562
		.249556 to 249559, for 249560
249556	17883	Feed Wheel Clutch Disc Locking Plate, with 350415C
249557	17883	Feed Wheel Driving Lever Plate
249558	17883	" " " Washer (felt)
249559	17883	" " Retaining Clutch
249560		Feed Wheel Clutch (positive) complete,
		for machines equipped with spring
		clutch, Nos. 520, 201724A, 249556 to- 249559, 249561, 249562, 249820 and Form 2461W
249561	17883	Feed Wheel Driving Lever Pitman with
	2,000	23429,50088C and two 196E,for
		249560
249562	17883	Feed Wheel Clutch Disc 249555 with
		249549 to 249551, three each 185H, 201897,255096 and 255097, for 249560
249631	17881	Face Plate
249656	17887	Knife Bar Disengaging Lever with 1242E
249692	17896	Thread (upper) Guide
249734	17902	Guide, for shirt bands
249737	17887	Knife Bar Spring
249749	17901	Clamp Check Holder Adjusting Screw
		Friction Plate
249753	17885	Clamp Carrier Plate
249820	17939	Wrench, for 249560 and 3504150
249831	17894	Thread (lower) Cutting Lever
249845	17884	" Pull-off Finger
249891	17890	Pulley (loose) Ball Bearing, for 249540
249924	17892	Shuttle Race, for 249929
	Nos	.249926 to 249928, for 249929
249926	17892	Shuttle Race Plate
249927	17892	" Position Pin
249928	17892	" " Oil Packing (felt)
249929	17892	Shuttle Race complete, Nos. 907E, 2533,
		7326,39969,249546,249924,249926, two each 399D,662D,2532,249927,
		249928 and three 203E
250408	17903	Machine Rest (high) with 232982 and two wood screws 1 in.No.12, for 228354 and 228355
2550 9 6	17883	Feed Wheel Clutch Roller Spring, for 249562
255097	17883	Feed Wheel Clutch Roller Spring Guide, for 249562
259658	17900	Thread Unwinder Spool Stand with 200383C, for 225258

No.	Plate	Name
350068E	17904	Knife Grinder Emery Wheel Driving
		Shaft Oil Hole Cover Screw, for
		39898
3500760	17882	Clamp Carrier Regulator Stud (to
		regulate length of buttonhole)
350237C	17883	Feed Wheel Tripping Lever Hinge Screw
350281C	17887	Knife Bar Driving Lever Hinge Screw
350415C	17883	Feed Wheel Clutch Disc Locking Plate
		Screw.for 249556

Genuine "SINGER" Needles should be used in "SINGER" Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO"

> Needles in Containers marked "FOR SINGER MACHINES" are NOT "SINGER" made needles.





40005

39608

13500

249845

39605

1230F

1230F

23393

40036

1235F


1256D


13450


3959


756D


756D
















591F


592E

662D

203E







23519

200F

446C

460AL

1560C

8238

2102

413F

23669

679C

40034

23520

460AL

1520J

2269

249692

228D

