# Singer 81-75

Form 20684 (853) Printed in U.S.A.

## LIST of PARTS



SINGER"

MACHINE No. 81-75

THE SINGER MANUFACTURING COMPANY

### INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, "TYPE B" or "TYPE D" OIL, sold by Singer Sewing Machine Company, should be applied at least twice each day to all oil holes marked "OIL". Before starting the machine, fill the oil reservoir.

"TYPE D" OIL should be used when an oil is desired which will produce a minimum of stain on fabrics, even after a long period of storage.

**CAUTION:** A machine new from the factory, or one that has not been used for some time, SHOULD NOT BE OPERATED UNTIL ABOUT THREE HOURS AFTER FILLING THE RESERVOIRS. Failure to heed this caution may result in serious damage to the mechanism of the machine.

Copyright, U. S. A., 1939 and 1953 by The Singer Manufacturing Company All Rights Reserved for all Countries

#### INDEX

	Pag
Accessories	1;
Bench Stands	1;
Foot Lifter Parts	1
Knee Lifter Parts	14
Machine Bases	
Machine Base Oil Drain Jars	1
Machine No. 81-75	7
Numerical List of Parts	17
Thread Unwinder	1/

#### INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FiRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A-Hardened, Polished, Nickel Plated and Buffed

A.A-Buffed and Chromium Plated

A.B-Hardened, Polished, Buffed and Chromium Plated

A.C-Brown Baking Enamel Finish

A.D-Gray Baking Enamel Finish

A.E-Hardened, Bright Rumbled and Nickel Plated

A.F-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

A.G-Alumilite, Plain

A.H-Alumilite, Dyed

A.J-Polished, Nickel Plated and Chromium Plated

A.K-Hardened, Polished, Nickel Plated and Chromium Plated

A.L—Heat Treated for Toughness

B-Polished, Nickel Plated and Buffed

C-Hardened Only

C.R-Hardened and Merlized

D-Polished Only

E-Soft, Not Polished

F-Hardened and Polished

F.J-Hardened, Polished and Nickel Plated

G-Bright Rumbled and Nickel Plated

H-Blued

J-Nickel Plated Only

K-Hardened and Nickel Plated

L—Brass Plated

M-Oxidized

N-Japanned, Dull

P-Japanned, Bright

P.P-Wrinkle Finish

R-Merlized

S-Cadmium Plated

T-Copper Plated

T.A—Hardened, Polished, Copper and Nickel Plated and Buffed

T.8—Copper and Nickel Plated and Polished

T.J-Copper and Nickel Plated Only

T.K-Hardened, Copper and Nickel Plated

T.L—Copper and Brass Plated

T.M-Copper Plated and Oxidized

#### INSTRUCTIONS FOR ORDERING—Continued

U—Zinc Plated

V—Silver Plated

W-Polished and Nickel Plated

X-Black Oxide, for Iron and Steel

X.C—Hardened and Black Oxide, for Iron or Steel

Y-Black Nickel Plated Only .

Z—Chromium Plated

Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated

Z.B-Polished, Nickel Plated, Buffed and Chromium Plated

Z.C-Hardened and Chromium Plated

Z.D—Polished and Chromium Plated

Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

Z.J-Nickel and Chromium Plated

Z.T-Copper and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers

1501 to 1800 and 51501 to 51800 are Nut Numbers

1801 to 2000 and 51801 to 52000 are Roller Numbers

2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward

are numbers of Electrical Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (\*) are furnished only when repairs are made at factory.


> SINGER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.\*\*"

Needles in Containers marked "FOR SINGER MACHINES" are NOT SINGER made needles. 2 SINCER Needles should be used in SINCER Machines
These Needles and their Containers are marked with the
Company's Trade Mark "SIMANCO.\*\*"

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

#### LIST OF PARTS COMPLETE

**FOR** 



MACHINE No. 81-75

FOR TRIMMING AND OVEREDGING HEAVY FABRICS UP TO 5/16" THICK, CLOSING POCKETS AND STITCHING OVER SEAMS IN HEAVY TROUSERS. ONE NEEDLE, TWO LOOPERS. THREE THREAD STITCH. TRIMMER. BIGHT ADJUSTABLE FROM 5/32" TO 7/32". SPEED 4200 R.P.M., DEPENDING ON MATERIALS USED AND OPERATIONS PERFORMED.

No.	Plate	Name
*132724		Arm with 132580, 132739 and two each 462AL, 624AL
		and 132589
4389	23074	Arm Dowel Pin (2)
68350	23074	Arm Oil Cup
949E	23074	Arm Screw (2)
132654	23075	Chip Guard
132962	23075	Cloth Plate with Hinge Bracket
132601	23075	Cloth Plate Extension (lower)
233E	23075	Cloth Plate Extension (lower) Screw (3)
42108	23075	Cloth Plate Extension (upper)
233E	23075	Cloth Plate Extension (upper) Screw (2)
132526	23075	Cloth Plate Hinge Stud
50150AL	23075	Cloth Plate Hinge Stud Set Screw.
42005	23075	Cloth Plate Lock Spring
236C	23075	Cloth Plate Lock Spring Screw (2)
132963	23075	Cloth Plate complete, Nos. 42005, 42108, 132601,
		136962, two 236C and five 233E
42205	23404	Feed Bar with 1253AL
132642	*********	Feed Bar 42205 with 132539
132528	23404	Feed Bar Hinge Pin
1253AL	23404	Feed Bar Hinge Pin Set Screw
132937	23405	Feed Connecting Rod with 171AL, 1695J, 68497, 134260 and two 1057AL

No.	Plate	Name
132938		Feed Connecting Rod 132937 with 132644
1057AL 51292C	23405	Feed Connecting Rod Cap Screw (2)
171AL	23405	Feed Connecting Rod Hinge Screw
16951	23405 23405	Feed Connecting Rod Hinge Screw Clamping Screw
15201	23405	Feed Connecting Rod Hinge Screw Clamping Screw Nut
68497	23405	Feed Connecting Rod Hinge Screw Nut
134260		Feed Connecting Rod Oil Pad
132964	23406	Feed Connecting Rod Oil Pad Retainer
1901	23406	Feed Dog, 26 teeth (16 teeth to the inch) for 132824 Feed Dog Screw
1036AL	23405	Feed Eccentric Body Set Screw (2)
19047	23405	Feed Eccentric Clamping Washer.
201J	23405	Feed Eccentric Clamping Washer Screw
132533	23405	Feed Eccentric Oil Tube
132644	23405	Feed Eccentric complete Nos 2011 19047 511450
		132533 and two 1036AL
132651	23074	Feed Eccentric Cover
50253J	23074	Feed Eccentric Cover Screw (2)
132712	23405	Feed Eccentric Lint Cover (spring)
132785	23405	Feed Eccentric Lubricator with 132537
132537	23405	reed Eccentric Lubricator Oil Wick (braided cotton)
132965	23405	Feed Lifting Eccentric with two 462AL
132539	23405	reed Litting Eccentric Connection
462AL	23405	Feed Lifting Eccentric Set Screw (2)
51145C 132625	23405	reed Regulating Screw
132626	23404	Feed Rock Shaft
42021	00.40.4	Feed Rock Shaft complete Nos 42021 and 132425
157E	23404 23404	Feed Rock Shaft Crank with 157E
132542	23404	reed Rock Shaft Crank Clamping Screw
132543	23404	Feed Rock Shaft Hinge Pin with 132544
132816	23404	Feed Rock Shaft Hinge Pin Bushing (2)
1036AL	23404	Feed Rock Shaft Hinge Pin Bushing Oil Wick (2)
132544	23404	Feed Rock Shaft Hinge Pin Bushing Set Screw (2) Feed Rock Shaft Hinge Pin Oil Wick (braided cotton)
*132545	20404	Frame
132546	23075	Frame Bottom Cover with 132594
132547	23075	Frame Bottom Cover Gasket
190E	23075	Frame Bottom Cover Screw (7)
132548	23074	Frame Oil Cup
132788	23405	Frame Oil Cup
132789		Frame Rotary Shaft 132788 with 132790, 132802, 132806
		and 132932
132790	23405	Frame Rotary Shaft Rall Sleeve (two misses)
132932	23405	Frame Kotary Shaft Ball Sleeve Guide
132810	23405	Frame Kotary Shatt Bushing (front) with 132835 12284
300077		and two 132715
132864	23405	Frame Kotary Shatt Bushina (front) Oil Pad (heaided
122715	00.405	cotton)
132715 132817	23405	Frame Kordry Shaff Bushing (front) Oil Pad Retainer (2)
51332C	23405	rrame kotary Shatt Bushina (tront) Oil Wick
132954	23405 23405	Frame Rotary Shaft Bushing (front) Set Screw
1375AL	23405	Frame Rotary Shaft Crank with 1036AL and 1375AL
1036AL	23405	Frame Rotary Shaft Crank Position Screw.
132835	23405	Frame Rotary Shaft Crank Set Screw.
132865	23405	Frame Rotary Shaft Crank Oil Sling Cover
132866	20403	Frame Rotary Shaft Flanged Bushing (back)
		Frame Rotary Shaft Flanked Bushing (back) 132865 with
132867	23405	132692, 132867, 132868 and two 132603
		(large) (braided cotton)
132868	23405	Frame Rotary Shaft Flanged Bushing (back) Oil Pad
=		(small) (braided cotton)
132603	23405	Frame Korary Shatt Flanged Rucking (back) All bad
		Retainer (2)
		,

No.	Plate	
132817	23405	Name
51332C	23405	Frame Rotary Shaft Flanged Bushing (back) Oil Wick
132558	23405	Frame Rotary Shaft Flanged Bushing (back) Set Screw
132559	23405	Frame Rotary Shaft Oil Pad (wick)
132692	23405	Frame Rotary Shaft Oil Pad Retainer
132560	23075	Frame Rotary Shaft Oil Sling Cover Frame Side Cover (left) with 132701
132701	23075	Frame Side Cover (1611) With 132/01
330W	23075	Frame Side Cover (left) Handle Frame Side Cover (left) Screw (2)
42028	23075	Frame Side Cover (lett) Screw (2)
42101	23074	Frame Side Cover (right) hinged
330W	23075	Frame Side Cover (right) Lock Spring Frame Side Cover (right) Screw (2)
132946	23075	Frame Top Cover with 132950.
132947		Frame Top Cover 132946 with 132783, 132784, 132948,
	**********	132952 and two 197J
132650	23074	Frame (on Cover Extension
42102	23074	Frame Top Cover Extension Holder
132600	23074	Frame Top Cover Extension Holder 42102 with 42101,
	200, 4	132650, 132651 and two each 176J and 50253J
283W	23074	Frame Top Cover Extension Holder Thumb Screw
19044	23074	Frame Top Cover Extension Holder Thumb Screw Washer
176J	23074	Frame Top Cover Extension Screw (2)
132948	23075	Frame Top Cover Oil Reservoir Cover
197J	23075	Frame Top Cover Oil Reservoir Cover Screw (2)
132783	23075	Frame Top Cover Oil Tube (long)
132952	23075	Frame Top Cover Oil Tube Wick.
132950	23075	Frame Top Cover Oil Tube (short)
132784	23075	Frame Top Cover Oil Tube Wick
583F	23075	Frame Top Cover Screw (large)
742F	23075	Frame Top Cover Screw (large)
42305	23407	Knife (movable) (2)
	NOTE: T	wo No. 42305 are sent with this Machine.
42306	23407	Knife (movable) Gib
132926	23407	Knife (movable) Holder
132927	********	Knife (movable) Holder 132926 with 133F, 42040, 42306,
		132928 and two 220E
132928	23407	Knife (movable) Holder Cap.
220E	* 23407	Knife (movable) Holder Cap Screw (2)
42038	23407	Knite (movable) Holder Can Cuide with 2245
42039	23407	Knife (movable) Holder Cap Guide With 330F
621E	23407	Nille (movable) Holder ( an Guido Bloto Caro /2)
336F	23407	Knife (movable) Holder Cap Guide Set Screw (2)
133F	23407	Anife (movable) Molder Screw
42040	23407	Knite (movable) Holder Screw Extension Dia
42041	23407	NUITE (MOVODIE) Holder Spring
132821	23407	Knife (movable) Lever with 175E.
132966	23405	Nuite (movable) Lever Consession with the 105741
132967	*******	Knife (movable) Lever Connection 133044
1057AL	23405	Name (movable) Lever Connection Can Scrow (2)
132565	23405	NOTE (MOVODIE) Lever Connection Lines Co. J
175E	23407	Milite (movable) Lever Connection Linear Caul Care
42045	23407	NIIITE IMOVODIEI LEVER Hinge Stud
1229C	23407	NIIITE (MOYODIE) Lever Hings Stud Sat Sarous
42309	23407	
40000	NOTE: TH	O INO. 423UY are sent with this mask:
42310	2340/	Knife (stationary) Clamping Stud
1534D	23407	Nittle (Stoffondry) Clamping Stud Thumb Not
132767	23407	Knije (Stationary) Holder
1376C	23407	Name (stationary) Holder Regulating Thumb Care
1101C	23407	Mille (SIGNORITY) Molder Screw
440AL	23407	Milite (Stationary) Holder Ston Screw (2)
15473	23407	
42049	23407	Anife (stationary) Shid (2)
132811	23408	
50117AL	23408	Looper (left hand) Clamping Screw
		·

i.

No.	Plate	Name
132795	23408	Looper (left hand) Lever with 50117AL
132796	23408	Looper (left hand) Lever Connecting Link (2)
132797	23408	Looper (left hand) Lever Connecting Link (2)
51459E	23408	Looper (left hand) Lever Connecting Link Screw (2)
1735J	23408	Looper (left hand) Lever Connecting Link Screw Nut (2)
132798	23408	Looper (left hand) Lever Hinge Stud with 132552
132552	23408	Looper (left hand) Lever Hinge Stud Oil Pad (braided) cotton(
132816	23408	Looper (left hand) Lever Hinge Stud Oil Wick
1036AL	23408	Looper (left hand) Lever Hinge Stud Set Screw
132968	23408	Looper (right hand)
132799	23408	Looper (right hand) and Spreader Lever with 233E, 241E and 140123AL
132800		Looper (right hand) and Spreader Lever 132799 with 132699
132801		Looper (right hand) and Spreader Lever 132800 with 42242, 132795, 132798 and two each 1735J, 51459E, 132796 and 132797.
132776	23405	Looper (right hand) and Spreader Lever Ball Stud
140123AL	23408	Looper (right hand) and Spreader Lever Ball Stud Set Screw
132956	23405	Looper (right hand) and Spreader Lever Connection with two 1057AL
132958	********	Looper (right hand) and Spreader Lever Connection 132956 with 1664E, 51736C, 132776, 132954, 132960, 132961, 143098 and sixteen 132959.
1057AL	23405	Looper (right hand) and Spreader Lever Connection Cap
132959	23405	Screw (2). Looper (right hand) and Spreader Lever Connection Roller
132960	23405	Bearing (16) Looper (right hand) and Spreader Lever Connection Roller
<b>223</b> C	23405	Bearing Housing with 223C Looper (right hand) and Spreader Lever Connection Roller
132961	23405	Bearing Housing Clamping Screw Looper (right hand) and Spreader Lever Connection Roller
51736C	23405	Bearing Housing Hinge Pin Looper (right hand) and Spreader Lever Connection Roller
1664E	23405	Bearing Retaining Nut Looper (right hand) and Spreader Lever Connection Roller
143098		Bearing Retaining Nut Lock Nut Looper (right hand) and Spreader Lever Connection Roller
132699	23408	Bearing Retaining Washer
132543	23408	Looper (right hand) and Spreader Lever Hinge Pin with 125056
132816		Looper (right hand) and Spreader Lever Hinge Pin Bushing.
	23408	Looper (right hand) and Spreader Lever Hing Pin Bushing Oil Wick
1036AL	23408	Looper (right hand) and Spreader Lever Hinge Pin Bushing Set Screw
125056	23408	Looper (right hand) and Spreader Lever Hinge Pin Oil Pad (braided cotton)
1036AL	23408	Looper (right hand) and Spreader Lever Hinge Pin Set Screw
241E	23408	Looper (right hand) and Spreader Lever Oil Plug Screw
1973	23408	Looper (right hand) Screw
132925	23405	Machine Driving Pulley, "V" belt groove (outside diam. of
1299AL	22405	belt groove 2.9 in.) with 448AL and 1299AL
448AL	23405 23405	Machine Driving Pulley Position Screw
38534	23408	Machine Driving Pulley Set Screw.
132739	23408	Needle Bar (hollow)
132580	23408	Needle Bar Bushing (lower)
132581	23408	Needle Bar Bushing (upper)
200 1	20700	Needle Bar Bushing (upper) Oil Pad (braided cotton) (2)

No.	Plate	Name
132621	23408	Needle Bar Bushing (upper) Oil Pad Cover
2173	23408	Needle Bar Bushing (opper) Oil Pud Cover
462AL	23408	Needle Bar Bushing (upper) Oil Pad Cover Screw
132740		Needle Bar Bushing Set Screw (2)
	23408	Needle Bar Connecting Bracket with 223F and 1057AL
1057AL	23408	Needle Bar Connecting Bracket Clamping Screw
132582	23408	Needle Bar Connectina Link
132583	23408	Needle Bar Connecting Link Hinge Pin with 132584 (2)
132584	23408	Needle Bar Connecting Link Hinge Pin Oil Pad (wick) (2)
223F	23408	Needle Bar Connecting Link Hinge Pin Set Screw for
		133740
620AL	23408	132740
UZUAL	23400	Needle Bar Connecting Link Hinge Pin Set Screw for
100007		132597
132806	23405	Needle Bar Connecting Rod with four 89641
896AL	23405	Needle Bar Connecting Rod Cap (lower) Screw (2)
896AL	23405	Needle Bar Connecting Rod Can (upper) Screw (2)
132879	23408	Needle Bar Crank (back) with 132590 and two 1259AL
132802	23405	Needle Bar Crank (back) Ball Stud
1259AL	23408	Moodle Per Creek (back) Bull Stud
132589	23408	Needle Bar Crank (back) Ball Stud Set Screw (2)
624AL		Needle Bar Crank (back) Bushing (2)
	23408	Needle Bar Crank (back) Bushing Set Screw (2)
132590	23408	Needle Bar Crank (back) Oil Pad (wick)
132880	23408	Needle Bar Crank (front) with 620AL 50200C and
		140123AL
132881		Needle Bar Crank (front) 132880 with 132582, 132740
		and two 132583
140123AL	23408	Noodle Pro Cond. (for a) B. M. A
50200C	23408	Needle Bar Crank (front) Position Screw.
42115		Needle Bar Crank (front) Set Screw
	23408	Needle Bar Thread Retainer Bracket
42483	23408	Needle Bar Thread Retainer Disc (2)
93AL	23408	Needle Bar Thread Retainer Screw
10107	23408	Needle Bar Thread Retainer Spring
137273		Needle Bar Thread Retainer complete, Nos. 93AL, 10107,
		42115 and two 42483
1737C	23408	Needle Clauster N.
42066	23407	Needle Clamping Nut
		Needle Guard
171F	23407	Needle Guard Screw
132969	23406	rresser root Chaining-off Finger
233J	23406	Presser hoot Chaining-off Finger Screw
132970	23406	Presser Foot Chaining-off Plate
132610	23406	Presser Foot Chaining-off Plate Collar with 240C
132611	23406	Presser Foot Chaining-off Plate Collar Guide Pin
735AL	23406	Presser Foot Chaining-off Plate Collar Guide Pin Set Screw.
240C	23406	Proves Fact Chairing of Plate Collar Guide Pin Set Screw.
14058	23406	Presser Foot Chaining-off Plate Collar Set Screw
		Presser Foot Chaining-off Plate Spring
42461	23406	rresser roof Hinge Pin
132971	23406	rresser root Plate
132972	23406	Presser Foot Shank with 735AI
132973	23406	Presser Foot (hinged) complete, for closing pockets and
		stitching over heavy seams in trousers, Nos. 233J,
		14058, 42461, 132610, 132611, 132969, 132970,
		132071 and 122072
1324C	23406	132971 and 132972
39541	23406	Presser Foot Screw
		Presser Foot Screw Washer
42227	23404	rresser Lever
42377		Presser Lever 42227 with 42045
42045	23404	Presser Lever Hinge Stud
1120AL	23404	Fresser Lever Hinge Stud Set Screw
42070	22404	Presser Lever Lifter
85D	23404	Pressor Lever Lifter Wines Con
1377C	23404	Presser Lever Lifter Hinge Screw
15471	23404	Presser Lever Screw Stud (eccentric)
42071		Presser Lever Screw Stud Nut
	23404	Presser Lever Spring
1378D	23404	Pressure Regulating Thumb Screw
132974	23408	Spreader (For Two-Thread Stitch)

السا

Nο.

1971

2102

51570C

50326C

59539

59534

59537

59538

2102

51570C

50148C

132871

59535

59537

59538

2102

51570C

50261C

132360

131740

59537

59538

42082

42242

42122

42123

132591

42244

42084

132872

42126

132664

176J

185J 132873

223J

1971

742F

7071

132812

52130

132623

132824

233E

176J

207 J

462AL

131696

132599

Plate

23408

23074

23074

23074

23074

23074

23074

23074

23074

23074

23074

------

23074

23074

23074

23074

23074

23074

23074

23074

23074

23074

23074

23408

23408

23405

23405

23405

23405

23075

2307.5

23404

23404

23405

23405

23408

23408

23408

23408

23408

23408

23408

23408

23408

23408

23406

23406

51570C.....

Name

Spreader Screw (For Two-Thread Stitch)

Tension (looper, left hand) Disc (2)

Tension (looper, left hand) Regulating Thumb Nut.....

Tension (looper, left hand) Screw Stud

Tension (looper, left hand) Spring.....

Tension (looper, left hand) Spring Bushing (large).....

Tension (looper, left hand) Spring Bushing (small)

Tension (looper, left hand) Thread Guide

Tension (looper, right hand) Disc (2)

Tension (looper, right hand) Regulating Thumb Nut.....

Tension (looper, right hand) Screw Stud

51570C

Tension (looper, right hand) Spring.....

Tension (looper, right hand) Spring Bushing (large).....

Tension (looper, right hand) Spring Bushing (small)

Tension (looper, right hand) Thread Guide

Tension (needle thread) Disc (2)

Tension (needle thread) Regulating Thumb Nut.....

Tension (needle thread) Screw Stud

Tension (needle thread) Screw Stud 50261C with 51570C...

Tension (needle thread) Spring.....

Tension (needle thread) Spring Bushing (large)

Thread (looper, left hand) Eyelet.....

Thread (looper, left hand) Eyelet Screw.....

Thread (looper, left hand) Nipper Spring (lower)

Thread (looper, left hand) Nipper Spring (upper).....

Thread (looper, left hand) Nipper Spring Screw...... Thread (looper, left hand Pull-off.....

Thread (looper, left hand) Pull-off Eyelet

Thread (looper, left hand) Pull-off Eyelet Screw

Thread (looper, left hand) Tube

Thread (looper, left hand) Tube Set Screw.....

Thread (looper, right hand) Controller.....

Thread (looper, right hand) Pull-off.....

Thread (looper, right hand) Staple.....

Thread (looper, right hand) Staple Screw

Thread (looper, right hand) Staple Screw Washer.....

Thread (needle) Eyelet with 52130

Thread (needle) Eyelet Bushing

Thread (needle) Eyelet Screw.....

Thread (needle) Take-up....

Thread (needle) Take-up Screw (2)

Throat Plate, for 132964....

Throat Plate Screw (2)

Tension (looper, right hand) Screw Stud 50148C with

Tension (looper, left hand) Screw Stud 50326C with

#### **ACCESSORIES**

			ACCESSORIES
N		Plate	- Name
	7258	23409	Machine Base Screw Stud
137	7259	.23409	Machine Base Screw Stud 137258 with 51756E, for 1-5/8 in. Table and Individual Stands, for use when machine is mounted on top of table
137	260	23409	Machine Base Screw Stud
	7261 1063	23409	Machine Base Screw Stud 137260 with 51756E, for use when machine is mounted 1-1/2 in. lower than standard
		23409	Machine Base Screw Stud Spring, for Screw Stud No. 137258 when machine is mounted on Individual Stand
27	498	23409	Machine Base Screw Stud Spring, for Screw Stud No. 137260 when machine is mounted 1-1/2 in, lower than standard
9	842	23411	Machine Base Screw Stud Spring Washer
	602	23409	Machine Base Screw Stud Washer
	756E	23409	Machine Base Screw Stud Wing Nut for 137259 and 137261
	344	23409	Oiler with 120345
	345	23409	Oiler Spout
	440	23409	Screw Driver
42	:090	23409	Threading Wire
120	341	23409	Tweezers (curved)
42	089	23409	Wrench for 1324 and 1737
8	908	23409	Wrench for 1520
4	822	23409	Wrench for 1547
22	003	23409	Wrench
			BENCH STAND No. 79768
			(for Machine Base No. 132592)
		WHEN MA	ACHINE IS MOUNTED ON TOP OF TABLE
79	768		Bench Stand with 27998, two each 28291, 46548 and wood screws 1-1/2 in. No. 14 F.H
28	291	23409	Cover Hinge with two each wood screws 1/2 in. No. 5 F.H. and 5/8 in. No. 5 F.H. (2)
	998	23409	Cover Hook and Eye (brass) with wood screw 1/2 in. No. 5 F.H
46	548	23409	Cover Rest (felt) (2)
			BENCH STAND No. 79790
		(	for Machine Base No. 132656)
V	HEN A	AACHINE I	S MOUNTED 1-1/2 IN. LOWER THAN STANDARD
79	790		Bench Stand with 27998, 60820, two each 28291, 46548, 150244 and three each wood screws 1-1/4 in. No. 12 F.H. and 1-1/2 in. No. 14 F.H
60:	820	23409	Cover Chain, 9-1/4 in. long with two 56865
	865	23409	Cover Chain Hook (2)
150		23409	Cover Chain Hook (2)
28		23409	Cover Chain Hook Screw Eye (2)
	29 I 998	23409	Cover Hinge with two each wood screws 1/2 in. No. 5 F.H. and 5/8 in. No. 5 F.H. (2)
	548	23409	Cover Hook and Eye (brass) with wood screw 1/2 in. No. 5 F.H
40.	J-0	23407	Cover Rest (felt) (2)

### FOOT LIFTER PARTS

No.	Plate	Name
6439	23410	Chain, 36 in. to 45 in. with 56864 and 56865
	NOTE:	When ordering No. 6439, state length required.
4879	23410	Chain Connecting Link
56864	23410	Chain Hook (large)
56865	23410	Chain Hook (small)
42130	23410	Lifting Lever
42131	23410	Lifting Lever Bracket
1229C	23410	Lifting Lever Bracket Screw (2)
1301D	23410	Lifting Lever Hinge Screw
42132	23410	Lifting Lever Spring
1148AL	23410	Lifting Lever Stop Screw (2)
15471	23410	Lifting Lever Stop Screw Nut (2)
4881	23410	Treadle
4882	23410	Treadle Shaft
4883	23410	Treadle Spring
4884	23410	Treadle Stand
4885	23410	Treadle complete, Nos. 4879, 4881, 4882, 4883, 4884 and two wood screws 1 in. No. 16
42133	23410	Foot Lifter complete, Nos. 1301D, 4885, 6439, 42130, 42131, 42132 and two each 1148AL, 1229C and 1547J

#### KNEE LIFTER PARTS

42130	23037	Lifting Lever
42131	23037	Litting Lever Bracket
1229C	23037	Lifting Lever Bracket Screw (2)
42142	23037	Lifting Lever Connecting Rod
1301D	23037	Lifting Lever Hinge Screw
42132	23037	Lifting Lever Spring
1148F	23037	Lifting Lever Stop Screw (2)
1547J	23037	Lifting Lever Stop Screw Nut (2)
2763	23037	Rock Shaft
12242	23037	Rock Shaft Hanger with two wood screws 1 in, No. 10 (2)
2765	23037	Rock Shaft Knee Arm
2766	23037	Rock Shaft Knee Arm Hub with 356C.
356C	23037	Rock Shaft Knee Arm Hub Set Screw
2768	*******	Rock Shaft Knee Arm complete, Nos. 2765, 2766 and
		2767
2767	23037	Rock Shaft Knee Plate with 356C
356C	23037	Rock Shaft Knee Plate Set Screw
6337	23037	Rock Shaft Lifting Bracket with two 356C
7125	23037	Rock Shaft Lifting Bracket Hook
356C	23037	Rock Shaft Lifting Bracket Hook Set Screw
356C	23037	Rock Shaft Lifting Bracket Set Screw
2770	23037	Rock Shaft Stop Dog with 140219C (2)
140219C	23037	Rock Shaft Stop Dog Set Screw (2)
42143	23037	Rock Shaft complete, Nas. 2763, 2768, 6337, 7125 and
		two aget 2770 J 12242
42144	23037	Knee Lifter complete, Nos. 1301D, 42130, 42131, 42132,
		42142, 42143 and two each 1148F, 1229C, and 1547J
		-, :- : : : : : ; 12276, dild 15475

MACHINE BASES
MACHINE BASE No. 132592
(When machine is mounted on top of table)

		USE WITH BENCH STAND No. 79768
No.	Plate	Name
132647	23411	Machine Base
132595	23411	Machine Base Cushion (felt, large) (4)
42088	23411	Machine Base Cushion (felt, small) (4)
132618	23411	Machine Base Cushion (felt, small)
935E	23411	Machine Base Cushion (felt, small) Screw (4)
66707	23411	Machine Base Cushion (felt, small) Screw Washer
132596	23411	Machine Base Cushion (leather)
132593	23411	Machine Base Oil Drain Strainer
54477	23411	Machine Base Screw Stud (3)
51576E	23411	Machine Base Screw Stud Nut (3)
9842	23411	Machine Base Screw Stud Nut Washer (3)
132594	23075	Machine Base Thumb Screw Bushing.
132592	23411	Machine Base complete, Nos. 132593, 132596, 132618, 132647, three each 9842, 51576E, 54477 and four each 935E, 42088, 66707 and 132595
132704	23411	Machine Base and Oil Drain Jar complete, Nos. 131268 and 132592
(Wi		MACHINE BASE No. 132656 ne is mounted 1-1/2 in. lower than standard) USE WITH BENCH STAND No. 79790
132655	23412	Machine Base
132595	23412	Machine Base Cushion (felt, large) (4)
42088	23412	Machine Base Cushion (felt, small) (4)

132655		23412	Machine Base
132595		23412	Machine Base Cushion (felt, large) (4)
42088		23412	Machine Base Cushion (felt, small) (4)
132618		23412	Machine Base Cushion (felt, small)
935E		23412	Machine Base Cushion (felt, small) Screw (4)
66707		23412	Machine Base Cushion (felt, small) Screw Washer (4)
132596		23412	Machine Base Cushion (leather)
132593		23412	Machine Base Oil Drain Strainer
1204E	•	23412	Machine Base Position Stud (3)
131022		23412	Machine Base Position Stud Bushing (rubber) (3)
132594		23075	Machine Base Thumb Screw Bushing
132656		23412	Machine Base complete, Nos. 132593, 132596, 132618, 132655, three each 1204E, 131022 and four each 935E, 42088, 66707 and 132595
132705		23412	Machine Base and Oil Drain Jar complete, Nos. 132656 and 132697

MACHINE BASE OIL DRAIN JARS
(swinging type)
OIL DRAIN JAR No. 131268, FOR MACHINE BASE No. 132592
FOR BENCH STAND No. 79768

131961	23411	Jar (glass) 2-1/8 in. diam. at mouth
131962	23411	Jar Cap (diam. of recess for jar 2-7/16 in.)
131188	23411	Jar Clamp
131217		Jar Clamp 131188 with 131189
131189	23411	Jar Clamp Lever
1247C	23411	Jar Clamp Lever Hinge Screw (2)
131265	23411	Nipple (long) (2)
131266	23411	Nipple (short)
131267	23411	Nipple Elbow (2)
131268	23411	Machine Base Oil Drain Jar (swinging type) complete, Nos.
		131217, 131266, 131961, 131962 and two each 1247C,
		131265 and 131267

#### MACHINE BASE OIL DRAIN JARS

#### (swinging type)

### OIL DRAIN JAR No. 132697, FOR MACHINE BASE No. 132656 FOR BENCH STAND No. 79790

No.	Plate	Name
131961	23412	Jar (glass) 2-1/8 in, diam, at mouth
131962	23412	Jar Cap (diam. for recess of jar 2-7/16 in.)
131188	23412	Jar Clamp
13121 <i>7</i>		Jar Clamp 131188 with 131189
131189	23412	Jar Clamp Lever
1247C	23412	Jar Clamp Lever Hinge Screw (2)
131265	23412	Nipple (long)
131266	23412	Nipple (short) (2)
131267	23412	Nipple Elbow (2)
132697	23412	Machine Base Oil Drain Jar (swinging type) complete, Nos.
		131217, 131265, 131961, 131962 and two each 1247C.
		131266 and 131267

## THREAD UNWINDER FOR THREE SPOOLS

225259	23413	Spool Rest (for one spool) with 201018C, 201528X, 228692 and 228693
225257	23413	Spool Rest (for two spools) with 201018C, two each 201528X, 228692 and 228693
150203	23413	Spool Rest Cushion (felt) (3)
228692	23413	Spool Pin (3)
201528X		Spool Pin Nut (3)
228693		Spool Pin Washer (3)
225388	23413	Spool Rest Rod
200383C	23413	Spool Rest Rod Set Screw
201018C	23413	Spool Rest Set Screw (2)
259658	23413	Spool Stand with 200383C
225391	23413	Thread Guide (3).
201696J	23413	Thread Guide Lock Nut
225326	23413	Thread Guide Position Cup.
225324	23413	Thread Guide Rod with 208AL and 225322
208AL	23413	Thread Guide Rod Screw
225322	23413	Thread Guide Rod Screw Washer.
150058	23413	Thread Separator with Bracket
150060	23413	Thread Separator Bracket Arm with 164J and 9525
164J	23413	Thread Separator Bracket Arm Clamping Screw
9525	23413	Thread Separator Bracket Arm Clamping Screw Washer
164J	23413	Thread Separator Bracket Screw
9525	23413	Thread Separator Bracket Screw Washer
150061		Thread Separator complete, Nos 164J, 9525, 150058 and
		150060
150178	23413	Thread Unwinder complete, Nos. 150061, 201696J,
		225257, 225259, 225324, 225326, 225388, 259658
		and three each 150203, 225391 and wood screws 7/8
		in. No. 12
27739		Thread Cone (wood) for large Cones
225390		Thread Cone Holder, for inverted cones
	NOTE: 1	Nos. 27739 and 225390 are used with, but not included in
	1	No. 150178.

### NUMERICAL LIST OF PARTS

		_
No.	Plate	Name
85D	23404	Presser Lever Lifter Hinge Screw
93AL	23408	Needle Bar Thread Retainer Screw for 137273
133F 157E	23407	Knife (movable) Holder Screw for 132927
164J	23404 23413	Feed Rock Shaft Crank Clamping Screw for 42021
1043	23413	Thread Unwinder Thread Separator Bracket Arm Clamping Screw for 150060
164J	23413	Thread Unwinder Thread Separator Bracket Screw for
1043	23413	150061
171AL	23405	Feed Connecting Rod Hinge Screw Clamping Screw for 132937
171F	23407	Needle Guard Screw
175E	23407	Knife (movable) Lever Connection Hinge Stud Set Screw for 132821
176J	23074	Frame Top Cover Extension Screw for 132600
176J	23405	Thread (looper, left hand) Nipper Spring Screw
176J	23408	Thread (looper, right hand) Staple Screw
185J	23408	Thread (looper, right hand) Take-up Screw
190J	23406	Feed Dog Screw
190E	23075	Frame Bottom Cover Screw
1 <i>97</i> J	23075	Frame Top Cover Oil Reservoir Cover Screw for 132947
197J	23408	Looper (right hand) Screw
1 <b>9</b> 7J	23408	Spreader Screw (for two-thread stitch)
197J	23408	Thread (needle) Take-up Screw
201J	23405	Feed Eccentric Clamping Washer Screw for 132644
207J	23075	Thread (looper, left hand) Pull-off Eyelet Screw
208AL	23413	Thread Unwinder Thread Guide Rod Screw for 225324
217J	23408	Needle Bar Bushing (upper) Oil Pad Cover Screw
220E	23407	Knife (movable) Holder Cap Screw for 132927
223C	23405	100per (right hand) and Spreader Lever Connection Roller
223F	00400	Bearing Housing Clamping Screw for 132960 Needle Bar Connecting Link Hinge Pin Set Screw for 132740
223F 223J	23408	Thread (needle) Eyelet Screw
2233 233E	23408 23075	Cloth Plate Extension (lower) Screw for 132963
233E	23075	Cloth Plate Extension (upper) Screw for 132963
2331	23406	Presser Foot Chaining-off Finger Screw for 132973
233E	23408	Thread (looper, left hand) Eyelet Screw for 132779
236C	23075	Cloth Plate Lock Spring Screw for 132963
240C	23406	Presser Foot Chaining-off Plate Collar Set Screw for
241E	23408	132610
		132799
283W	23074 23075	Frame Top Cover Extension Holder Thumb Screw
330W 330W	23075	Frame Side Cover (left) ScrewFrame Side Cover (right) Screw
336F	23407	Knife (movable) Holder Cap Guide Set Screw for 42038
356C	23037	Knee Lifter Rock Shaft Knee Arm Hub Set Screw for 2766
356C	23037	Knee Lifter Rock Shaft Knee Plate Set Screw for 2767
356C	23037	Knee Lifter Rock Shaft Lifting Bracket Hook Set Screw for 6337
356C	23037	Knee Lifter Rock Shaft Lifting Bracket Set Screw for 6337
440AL	23407	Knife (stationary) Holder Stop Screw
448AL	23405	Machine Driving Pulley Set Screw for 132925
462AL	23405	Feed Lifting Eccentric Set Screw for 132965
462AL	23408	Needle Bar Bushing Set Screw for 132724
462AL	23404	Thread (looper, left hand) Tube Set Screw
583F	23075	Frame Top Cover Screw (large)
620AL	23408	Needle Bar Connecting Link Hinge Pin Set Screw for 132880
621E	23407	Knife (movable) Holder Cap Guide Plate Screw
624AL	23408	Needle Bar Crank (back) Bushing Set Screw for 132724
735AL	23406	Presser Foot Chaining-off Plate Collar Guide Pin Set Screw for 132972

No.	Plate	M
742F		Name
	23075	Frame Top Cover Screw (small)
742F	23406	Throat Plate Screw
896AL	23405	Needle Bar Connecting Rod Cap (lower) Screw for 132806.
896AL	23405	Needle Bar Connecting Rod Cap (upper) Screw for 132806
935E	23411	Machine Base Cushion (felt, small) Screw for 132592 and 132656
949E	23074	Arm Screw
1036AL	23405	Feed Eccentric Body Set Screw for 132644
1036AL	23404	Feed Rock Shaft Hinge Pin Bushing Set Screw
1036AL	23405	
1036AL		Frame Rotary Shaft Crank Set Screw for 132954
	23408	Looper (left hand) Lever Hinge Stud Set Screw
1036AL	23408	Looper (right hand) and Spreader Lever Hinge Pin Bushing Set Screw
1036AL	23408	Looper (right hand) and Spreader Lever Hinge Pin Set Screw
1057AL	23405	Feed Connecting Rod Cap Screw for 132937
1057AL	23405	Knife (movable) Lever Connection Cap Screw for 132966
1057AL	23405	Looper (right hand) and Spreader Lever Connection Cap
105741	22400	Screw for 132956
1057AL	23408	Needle Bar Connecting Bracket Clamping Screw for 132740
1101C	23407	Knife (stationary) Holder Screw
1120AL	23404	Presser Lever Hinge Stud Set Screw
1148AL	23410	Foot Lifter Lifting Lever Stop Screw for 42133
1148F	23037	Knee Lifter Lifting Lever Stop Screw for 42144
1204E	23412	Machine Base Position Stud for 132656.
1229C	23407	Knife (movable) Lever Hinge Stud Set Screw
1229C	23410	Foot Lifter Lifting Lever Bracket Screw for 42133
1229C	23037	
1247C		Knee Lifter Lifting Lever Bracket Screw for 42144
	23411	Machine Base Oil Drain Jar Clamp Lever Hinge Screw for 131268 and 132697
1253AL	23404	Feed Bar Hinge Pin Set Screw for 42205
1259AL	23408	Needle Bar Crank (back) Ball Stud Set Screw for 132879
1299AL	23405	Machine Driving Pulley Position Screw for 132925
1301D	23410	Foot Lifter Lifting Lever Hinge Screw for 42133
1301D	23037	Knee Lifter Lifting Lever Hinge Screw for 42144
1324C	23406	Presser Foot Screw
1375AL	23405	Frame Rotary Shaft Crank Position Screw for 132954
1376C	23407	Knife (stationary) Holder Regulating Thumb Screw
1377C	23407	
	23404	Presser Lever Screw Stud (eccentric)
1378D		Pressure Regulating Thumb Screw
1520J	23405	Feed Connecting Rod Hinge Screw Nut
1534D	23407	Knife (stationary) Clamping Stud Thumb Nut
15471	23407	Knife (stationary) Holder Stop Screw Nut
1547J	23404	Presser Lever Screw Stud Nut
1547J	23410	Foot Lifter Lifting Lever Stop Screw Nut for 42133
1 <i>54</i> 7J	23037	Knee Lifter Lifting Lever Stop Screw Nut for 42144
1664E	23405	Looper (right hand) and Spreader Lever Connection Roller Bearing Retaining Nut Lock Nut for 132958
1695J	23405	Feed Connecting Rod Hinge Screw Clamping Screw Nut for 132937
1735J	23408	Looper (left hand) Lever Connecting Link Screw Nut for 132801
1737C	23408	Needle Clamping Nut
2102	23074	Tension (looper, left hand) Disc.
2102	23074	Tension (looper, right hand) Disc
2102	23074	Tension (needle thread) Disc.
2763	23074	Knee Lifter Rock Shaft for 42143.
		Knee Lifter Rock Shaft Knee Arm for 2768
2765	23037	
2766	23037	Knee Lifter Rock Shaft Knee Arm Hub with 356C, for 2768
2767	23037	Knee Lifter Rock Shaft Knee Plate with 356C for 2768
2768	******	Knee Lifter Rock Shaft Knee Arm complete, for 42143,
		Nos. 2765, 2766 and 2767

No.	Plate	Name			
2770	23037	Knee Lifter Rock Shaft Stop Dog with 140219C for 42143			
4389	23074	Arm Dowel Pin			
4822	23409	Wrench for 1547 (Accessories)			
4879	23410	Foot Lifter Chain Connecting Link for 4885			
4881	23410	Foot Lifter Treadle for 4885			
4882	23410	Foot Lifter Treadle Shaft for 4885			
4883	23410	Foot Lifter Treadle Spring for 4885			
4884	23410	Foot Lifter Treadle Stand for 4885			
4885	23410	Feet lifes Total and for 4000			
		Foot Lifter Treadle complete for 42133, Nos. 4879, 4881, 4882, 4883, 4884 and two wood screws 1 in. No. 16			
6337	23037	Knee Lifter Rock Shaft Lifting Bracket with two 356C, for 42143			
6439	23410	Foot Lifter Chain, 36 in. to 45 in. with 56864 and 56865, for 42133			
	NOTE:	When ordering No. 6439, state length required.			
7071	23408	Thread (looper, right hand) Staple Screw Washer			
7125	23037	Knee Lifter Rock Shaft Lifting Bracket Hook for 42143			
8908	23409	Wrench for 1520 (Accessories)			
9525	23413	Thread Unwinder Thread Separator Bracket Arm			
9525	23413	Clamping Screw Washer for 150060			
		Thread Unwinder Thread Separator Bracket Screw Washer for 150061			
9842	23411	Machine Base Screw Stud Nut Washer for 132592			
9842	23411	Machine Base Screw Stud Spring Washer (Accessories)			
10107	23408	Needle Bar Thread Retainer Spring for 137273			
12242	23037	Knee Lifter Rock Shaft Hanger with two wood screws 1 in. No. 10, for 42143			
14058	23406	Presser Foot Chaining-off Plate Spring for 132973			
14063	23409	Machine Base Screw Stud Spring, for Screw Stud No.			
	20-07	137258, when machine is mounted on Individual Stand			
		(Accessories)			
19044	23074	Frame Top Cover Extension Holder Thumb Screw Washer			
19047	23405	Feed Eccentric Clamping Washer for 132644			
22003	23409				
27498	23409	Wrench (Accessories)			
27470	23407	Machine Base Screw Stud Spring, for Screw Stud No. 137260, when machine is mounted 1-1/2 in. lower than			
	•	standard (Accessories)			
27739	*******	Thread Unwinder Thread Cone (wood) for large cones for use with No. 150178			
27998	23409	Bench Stand Cover Hook and Eye (brass) with wood screw 1/2 in. No. 5 F.H. for 79768 and 79790			
28291	23409	Bench Stand Cover Hinge with two each wood screws 1/2			
2027	20407	in. No. 5 F.H. and 5/8 in. No. 5 F.H. for 79768 and 79790			
38534	23408	Needle Bar (hollow)			
39541	23406	Presser Foot Screw Washer			
42005	23075	Cloth Plate Lock Spring for 132963			
42021	23404	Feed Rock Shaft Crank with 157E for 132626			
42028	23075				
42028	23407	Frame Side Cover (right) hinged			
42038		Knife (movable) Holder Cap Guide with 336F			
	23407	Knife (movable) Holder Cap Guide Plate			
42040	23407	Knife (movable) Holder Screw Extension Pin for 132927			
42041	23407	Knife (movable) Holder Spring			
42045	23407	Knife (movable) Lever Hinge Stud			
42045	23404	Presser Lever Hinge Stud for 42377			
42049	23407	Knife (stationary) Stud for 42309			
42066	23407	Needle Guard			
42070	23404	Presser Lever Lifter			
42071	23404	Presser Lever Spring			
42082	23074	Tension (needle thread) Thread Guide			
42084	23404	Thread (looper, left hand) Tube			
42088	23411	Machine Base Cushion (felt, small) for 132592 and			
		132656			

No.	Plate	Name		No.	Plate	Name
42089	23409	Wrench for 1324 and 1737 (Accessories)		56865	23410	Foot Lifter Chain Hook (small) for 6439
42090	23409	Threading Wire (Accessories)		59534	23074	Tension (looper, left hand) Spring
42101	23074	Frame Side Cover (right) Lock Spring for 132600		59535	23074	Tension (looper, right hand) Spring
42102	23074	Frame Top Cover Extension Holder for 132600		59537	23074	Tension (looper, left hand) Spring Bushing (large)
42108	23075	Cloth Plate Extension (upper) for 132963		59537	23074	Tension (looper, right hand) Spring Bushing (large)
42115	23408	Needle Bar Thread Retainer Bracket for 137273	, γ	59537	23074	
			1			Tension (needle thread) Spring Bushing (large)
42122	23405	Thread (looper, left hand) Nipper Spring (lower)		59538	23074	Tension (looper, left hand) Spring Bushing (small)
42123	23405	Thread (looper, left hand) Nipper Spring (upper)	1	59538	23074	Tension (looper, right hand) Spring Bushing (small)
42126	23405	Thread (looper, right hand) Pull-off		59538	23074	Tension (needle thread) Spring Bushing (small)
42130	23410	Foot Lifter Lifting Lever for 42133	1/8	59539		Tension looper, left hand) Screw Stud 50326C with
42130	23037	Knee Lifter Lifting Lever for 42144				51570C
42131	23410	Foot Lifter Lifting Lever Bracket for 42133		60820	23409	Bench Stand Cover Chain, 9-1/4 in. long with two 56865,
42131	23037	Knee Lifter Lifting Lever Bracket for 42144				for 79790
42132	23410	Foot Lifter Lifting Lever Spring for 42133		66707	23411	Machine Base Cushion (felt, small) Screw Washer for
42132	23037	Knee Lifter Lifting Lever Spring for 42144		00,0,	20411	132592 and 132656
42133	23410	Foot Lifter complete, Nos. 1301D, 4885, 6439, 42130,		68350	23074	
42133	23410					Arm Oil Cup
		42131, 42132 and two each 1148AL, 1229C and 1547J		68497	********	Feed Connecting Rod Oil Pad for 132937
42142	23037	Knee Lifter Lifting Lever Connecting Rod for 42144		79768	********	Bench Stand with 27998, two each 28291, 46548 and
42143	23037	Knee Lifter Rock Shaft complete, for 42144, Nos. 2763,				wood screws 1-1/2 in. No. 14 F.H. for use with 132592,
		2768, 6337, 7125 and two each 2770 and 12242				for use when mounted on top of table
42144	23037	Knee Lifter complete, Nos. 1301D, 42130, 42131, 42132,		79790		Bench Stand with 27998, 60820, two each 28291, 46548,
		42142, 42143 and two each 1148F, 1229C and 1547J				150244 and three each wood screws 1-1/4 in. No. 12
42205	23404	Feed Bar with 1253AL for 132642				F.H. and 1-1/2 in. No. 14 F.H., for use with Machine
42227	23404	Presser Lever for 42377				Base No. 132656, for use when machine is mounted
42242	23408	Thread (looper, left hand) Eyelet for 132801		1000 41	00.00	1-1/2 in, lower than standard
42244	23075	Thread (looper, left hand) Pull-off Eyelet		120341	23409	Tweezers (curved) Accessories
42305	23407	Knife (movable)		120344	23409	Oiler with 120345 (Accessories)
	NOTE:	Two No. 42305 are sent with this Machine.		120345	23409	Oiler Spout for 120344
42306	23407	Knife (movable) Gib for 132927		120440	23409	Screw Driver (Accessories)
42309	23407	Knife (stationary) with 42049		125056	23408	Looper (right hand) and Spreader Lever Hinge Pin Oil
		Two No. 42309 are sent with this Machine.				Pad (braided cotton) for 132699
42310	23407	Knife (stationary) Clamping Stud	<b>5</b> 51	131022	23412	Machine Base Position Stud Bushing (rubber) for 132656
42377	2340/	Presser Lever 42227 with 42045		131188	23411	
						Machine Base Oil Drain Jar Clamp for 131217
42461	23406	Presser Foot Hinge Pin for 132973	}	131189	23411	Machine Base Oil Drain Jar Clamp Lever for 131217
42483	23408	Needle Bar Thread Retainer Disc for 137273	1,	131217	******	Machine Base Oil Drain Jar Clamp 131188 with 131189,
46548	23409	Bench Stand Cover Rest (felt) for 79768 and 79790	*			for 131268 and 132697
50117AL	23408	Looper (left hand) Clamping Screw for 132795		131265	• 23411	Machine Base Oil Drain Jar Nipple (long) for 131268 and
50148C	23074	Tension (looper, right hand) Screw Stud for 132871				132697
50150AL	23075	Cloth Plate Hinge Stud Set Screw.		131266	23411	Machine Base Oil Drain Jar Nipple (short) for 131268 and
50200C	23408	Needle Bar Crank (front) Set Screw for 132880				132697
50253J	23074	Feed Eccentric Cover Screw for 132600		131267	23411	Machine Base Oil Drain Jar Nipple Elbow for 131268
50261C	23074	Tension (needle thread) Screw Stud for 132360		101207	20411	and 132697
				101040	22471	
50326C	23074	Tension (looper, left hand) Screw Stud for 59539		131268	23411	Machine Base Oil Drain Jar (swinging type) complete, for
51145C	23405	Feed Regulating Screw for 132644				132704, Nos. 131217, 131266, 131961, 131962 and
51292C	23405	Feed Connecting Rod Hinge Screw				two each 1247C, 131265 and 131267
51332C	23405	Frame Rotary Shaft Bushing (front) Set Screw		131696	23074	Tension (looper, right hand) Thread Guide
51332C	23405	Frame Rotary Shaft Flanged Bushing (back) Set Screw		131740	23074	Tension (needle thread) Spring
51459E	23408	Looper (left hand) Lever Connecting Link Screw for		131961	23411	Machine Base Oil Drain Jar (glass) 2-1/8 in. diam. at
		132801				mouth for 131268 and 132697
51570C	23074	Tension (looper, left hand) Regulating Thumb Nut for		131962	23411	Machine Base Oil Drain Jar Cap (diam. of recess for jar
313700	250/4			101702	20411	
£1.570.0	00074	59539		100070		2-7/16 in.) for 131268 and 132697
51570C	23074	Tension (looper, right hand) Regulating Thumb Nut for		132360		Tension (needle thread) Screw Stud 50261C with 51570C
		132871		122526	23075	Cloth Plate Hinge Stud
51570C	23074	Tension (needle thread) Regulating Thumb Nut for 132360.		132528	23404	Feed Bar Hinge Pin
51 <i>5</i> 76E	23411	Machine Base Screw Stud Nut for 132592		132533	23405	Feed Eccentric Oil Tube for 132644
51736C	23405	Looper (right hand) and Spreader Lever Connection	7	132537	23405	Feed Eccentric Lubricator Oil Wick (braided cotton) for
		Roller Bearing Retaining Nut for 132958.	,			132785
51756E	23409	Machine Base Screw Stud Wing Nut for 137259 and		132539	23405	Feed Lifting Eccentric Connection for 132642
J 17 JOL	AU-107	137261	;	132542	23404	Feed Rock Shaft Hinge Pin with 132544
52120	22400		1			
52130	23408	Thread (needle) Eyelet Bushing for 132873	7	132543	23404	Feed Rock Shaft Hinge Pin Bushing
54477	23411	Machine Base Screw Stud for 132592		132543	23408	Looper (right hand) and Spreader Lever Hinge Pin
56864	23410	Foot Lifter Chain Hook (large) for 6439			_	Bushing
56865	23409	Bench Stand Cover Chain Hook for 60820		132544	23404	Feed Rock Shaft Hinge Pin Oil Wick (braided cotton) for 132542

Na	Dless	Name		Na	Dimen	Nama
No. *132545	Plate	Frame		No. 132701	Plate 23075	Name Frame Side Cover (left) Handle for 132560
132546	23075	Frame Bottom Cover with 132594		132704	23411	Machine-Base and Oil Drain Jar complete, for Machine
				132/04	23411	Base No. 132592, when machine is mounted on top of
132547	23075	Frame Bottom Cover Gasket				Base No. 132392, when machine is mounted on top of
132548	23074	Frame Oil Cup.				table, for use with Bench Stand No. 79768, Nos.
132552	23408	Looper (left hand) Lever Hinge Stud Oil Pad (braided cotton) for 132798	i,*	132705	23412	Machine Base and Oil Drain Jar complete, for Machine
132558	23405	Frame Rotary Shaft Oil Pad (wick) for 132788				Base No. 132656, when machine is mounted 1-1/2 in.
132559	23405	Frame Rotary Shaft Oil Pad Retainer for 132788				lower than standard, for use with Bench Stand No.
132560	23075	Frame Side Cover (left) with 132701				79790, Nos. 132656 and 132697
132565	23405	Knife (movable) Lever Connection Hinge Stud	- 3	132712	23405	Feed Eccentric Lint Cover (spring).
		Knife (movable) Lever Connection Image 3100				
132580	23408	Needle Bar Bushing (upper) for 132724		132715	23405	Frame Rotary Shaft Bushing (front) Oil Pad Retainer for
132581	23408	Needle Bar Bushing (upper) Oil Pad (braided cotton)				132810
132582	23408	Needle Bar Connecting Link for 132881		*132724		Arm with 132580, 132739 and two each 462AL, 624AL
132583	23408	Needle Bar Connecting Link Hinge Pin with 132584, for 132881		132739	23408	and 132589Needle Bar Bushing (lower) for 132724
132584	23408	Needle Bar Connecting Link Hinge Pin Oil Pad (wick) for		132740	23408	Needle Bar Connecting Bracket with 223F and 1057AL, for
		132583				132881
132589	23408	Needle Bar Crank (back) Bushing for 132724		132767	23407	Knife (stationary) Holder
132590	23408	Needle Bar Crank (back) Oil Pad (wick) for 132879		132776	23405	Looper (right hand) and Spreader Lever Ball Stud for
132591	23405	Thread (looper, left hand) Pull-off				132958
132592	23411	Machine Base complete, for 132704, Nos. 132593,		132783	23075	Frame Top Cover Oil Tube (long) for 132947
		132596, 132618, 132647, three each 9842, 51576E,		132784	23075	Frame Top Cover Oil Tube Wick for 132947
		54477 and four each 935E, 42088, 66707 and 132595		132785	23405	Feed Eccentric Lubricator with 132537
132593	23411	Machine Base Oil Drain Strainer for 132592 and 132656		132788	23405	Frame Rotary Shaft with 132558 and 132559, for 132789
132594	23075	Machine Base Thumb Screw Bushing for 132546		132789		Frame Rotary Shaft 132788 with 132790, 132802, 132806
		Machine Base Cushion (felt, large) for 132592 and		132/09	•••	and 132932
132595	23411			100700	00.405	Frame Rotary Shaft Ball Sleeve (two pieces) for 132789
	00/77	132656		132790	23405	
132596	23411	Machine Base Cushion (leather) for 132592 and 132656		132795	23408	Looper (left hand) Lever with 50117AL, for 132801
132599	23074	Tension (looper, left hand) Thread Guide		132796	23408	Looper (left hand) Lever Connecting Link for 132801
132600	23074	Frame Top Cover Extension Holder 42102 with 42101, 132650, 132651 and two each 176J and 50253J		132797	23408	Looper (left hand) Lever Connecting Link Hinge Pin for 132801
132601 132602	23075 23409	Cloth Plate Extension (lower) for 132963	· <b>\</b>	132798	23408	Looper (left hand) Lever Hinge Stud with 132552, for 132801
	23405	Frame Rotary Shaft Flanged Bushing (back) Oil Pad		132799	23408	Looper (right hand) and Spreader Lever with 233E, 241E
132603		Retainer for 132866	. L		23400	and 140123AL for 132800
132610	23406	Presser Foot Chaining-off Plate Collar with 240C for 132973	,	132800	•	Looper (right hand) and Spreader Lever 132799 with 132699, for 132801
132611	23406	Presser Foot Chaining-off Plate Collar Guide Pin for 132973		132801	********	Looper (right hand) and Spreader Lever 132800 with 42242, 132795, 132798 and two each 1735J, 51459E,
132618	23411	Machine Base Cushion (felt, small) for 132592 and				132796 and 132797
		132656		132802	23405	Needle Bar Crank (back) Ball Stud for 132789
132621	23408	Needle Bar Bushing (upper) Oil Pad Cover		132806	23405	Needle Bar Connecting Rod with four 896AL, for 132789
132623	23408	Thread (needle) Take-up		132810	23405	Frame Rotary Shaft Bushing (front) with 132835, 132864
132625	23404	Feed Rock Shaft for 132626		102010	20400	and two 132715
132626		Feed Rock Shaft complete, Nos. 42021 and 132625		132811	23408	Looper (left hand)
						Thread (looper, right hand) Take-up
132642		Feed Bar 42205 with 132539		132812	23408	
132644	23405	Feed Eccentric complete, for 132938, Nos. 201J, 19047,		132816	23404	Feed Rock Shaft Hinge Pin Bushing Oil Wick
		51145C, 132533 and two 1036AL		132816	23408	Looper (left hand) Lever Hinge Stud Oil Wick
132647	23411	Machine Base for 132592		132816	23408	Looper (right hand) and Spreader Lever Hinge Pin Bushing
132650	23074	Frame Top Cover Extension for 132600				Oil Wick
132651	23074	Feed Eccentric Cover for 132600		132817	23405	Frame Rotary Shaft Bushing (front) Oil Wick
132654	23075	Chip Guard		132817	23405	Frame Rotary Shaft Flanged Bushing (back) Oil Wick
132655	23412	Machine Base for 132656		132821	23407	Knife (movable) Lever with 175E
132656	23412	Machine Base complete, for 132705, Nos. 132593,		132824	23406	Throat Plate, for 132964
132030	25412	132596, 132618, 132655, three each 1204E, 131022		132835	23405	Frame Rotary Shaft Crank Oil Sling Cover for 132810
•		and four each 935E, 42088, 66707 and 132595	· 🏲	132864	23405	Frame Rotary Shaft Bushing (front) Oil Pad (braided
132664	23408	Thread (looper, right hand) Staple				cotton) for 132810
132692	23405	Frame Rotary Shaft Oil Sling Cover for 132866		132865	23405	Frame Rotary Shaft Flanged Bushing (back) for 132866
132697	23412	Machine Base Oil Drain Jar (swinging type) complete, for	t	132866		Frame Rotary Shaft Flanged Bushing (back) 132865 with
		132705, Nos. 131217, 131265, 131961, 131962 and	. 6			132692, 132867, 132868 and two 132603
		two each 1247C, 131266 and 131267		132867	23405	Frame Rotary Shaft Flanged Bushing (back) Oil Pad
132699	23408	Looper (right hand) and Spreader Lever Hinge Pin with				(large) braided cotton for 132866
		125056 for 132800		132868	23405	Frame Rotary Shaft Flanged Bushing (back) Oil Pad (small) braided cotton for 132866
						,


. Li

No.	Plate	Name
132871	*******	Tension (looper, right hand) Screw Stud 50148C with
		51570C
132872	23405	Thread (looper, right hand) Controller
132873	23408	Thread (needle) Eyelet with 52130
132879	23408	Needle Bar Crank (back) with 132590 and two 1259AL
132880	23408	Needle Bar Crank (front) with 620AL, 50200C and 140123AL, for 132881
132881		Needle Bar Crank (front) 132880 with 132582, 132740 and two 132583
132925	23405	Machine Driving Pulley, "V" belt groove (outside diam. of belt groove 2.9 in.) with 448AL and 1299AL
132926	23407	Knife (movable) Holder for 132927
132927		Knife (movable) Holder 132926 with 133F, 42040, 42306, 132928 and two 220E
132928	23407	Knife (movable) Holder Cap for 132927
132932	23405	Frame Rotary Shaft Ball Sleeve Guide for 132789
132937	23405	Feed Connecting Rod with 171AL, 1695J, 68497, 134260 and two 1057AL, for 132938
132938	*********	Feed Conecting Rod 132937 with 132644
132946	23075	Frame Top Cover with 132950, for 132947
132947		Frame Top Cover 132946 with 132783, 132784, 132948, 132952 and two 197J
132948	23075	Frame Top Cover Oil Reservoir Cover for 132947
132950	23075	Frame Top Cover Oil Tube (short) for 132946
132952	23075	Frame Top Cover Oil Tube Wick for 132947
132954	23405	Frame Rotary Shaft Crank with 1036AL and 1375AL, for 132958
132956	23405	Looper (right hand) and Spreader Lever Connection with two 1057AL, for 132958
132958	********	Looper (right hand) and Spreader Lever Connection
		132956 with 1664E, 51736C, 132776, 132954, 132960,
100000		132961, 143098 and sixteen 132959
132959	23405	Looper (right hand) and Spreader Lever Connection Roller Bearing for 132958
132960	23405	Looper (right hand) and Spreader Lever Connection Roller Bearing Housing with 223C, for 132958
132961	23405	Looper (right hand) and Spreader Lever Connection Roller Bearing Housing Hinge Pin for 132958
132962	23075	Cloth Plate with Hinge Bracket for 132963
132963	23075	Cloth Plate complete, Nos. 42005, 42108, 132601, 132962, two 236C and five 233E
132964	23406	Feed Dog, 26 teeth (16 teeth to the inch) for 132824
132965	23405	Feed Lifting Eccentric with two 462AL for 132967
132966	23405	Knife (movable) Lever Connection with two 1057AL, for 132967
132967		Knife (movable) Lever Connection 132966 with 132965
132968	23408	Looper (right hand)
132969	23406	Presser Foot Chaining-off Finger for 132973
132970	23406	Presser Foot Chaining-off Plate for 132973
132971	23406	Presser Foot Plate for 132973
132972	23406	Presser Foot Shank with 735AL for 132973
132973	23406	Presser Foot (hinged) complete, for closing pockets and
		stitching over heavy seams in trousers, Nos. 233J, 14058, 42461, 132610, 132611, 132969, 132970, 132971 and 132972
132974	23408	Spreader (for two-thread stitch)
134260		Feed Connecting Rod Oil Pad Retainer for 132937
137258	23409	Machine Base Screw Stud for 137259
137259	23409	Machine Base Screw Stud 137258 with 51756F for
		1-5/8 in. Tables and Individual Stands, for use when machine is mounted on top of table (Accessories)
137260	23409	Machine Base Screw Stud for 137261

No.	Plate	Name
137261	23409	Machine Base Screw Stud 137260 with 51756E, for use
10, 201	20407	when machine is mounted 1-1/2 in, lower than standard (Accessories)
137273		Needle Bar Thread Retainer complete, Nos. 93Al, 10107, 42115 and two 42483
140123AL	23408	Looper (right hand) and Spreader Lever Ball Stud Set Screw for 132799
140123AL	23408	Needle Bar Crank (front) Position Screw for 132880
140219C	23037	Knee Lifter Rock Shaft Stop Dog Set Screw for 2770
143098		Looper (right hand) and Spreader Lever Connection Roller Bearing Retaining Washer for 132958
150058	23413	Thread Unwinder Thread Separator with Bracket for 150061
150060	23413	Thread Unwinder Thread Separator Bracket Arm with 164J and 9525, for 150061
150061	***************************************	Thread Unwinder Thread Separator complete, for 150178, Nos. 164J, 9525, 150058 and 150060
150178	23413	Thread Unwinder complete, for three spools, Nos. 150061, 201696J, 225257, 225259, 225324, 225326, 225388, 259658 and three each 150203, 225391 and wood
1 50000	00470	screws 7/8 in. No. 12
150203	23413	Thread Unwinder Spool Rest Cushion (felt) for 150178
150244	23409	Bench Stand Cover Chain Hook Screw Eye for 79790
200383C	23413	Thread Unwinder Spool Rest Rod Set Screw for 259658
201018C	23413	Thread Unwinder Spool Rest Set Screw for 225257 and 225259
201528X	**	Thread Unwinder Spool Pin Nut for 225257 and 225259
201696J	23413	Thread Unwinder Thread Guide Lock Nut for 150178
225257	23413	Thread Unwinder Spool Rest (for two spools) with
		201018C, two each 201528X, 228692 and 228693, for 150178
225259	23413	Thread Unwinder Spool Rest (for one spool) with 201018C, 201528X, 228692 and 228693, for 150178
225322	23413	Thread Unwinder Thread Guide Rod Screw Washer for 225324
225324	23413	Thread Unwinder Thread Guide Rod with 208AL and 225322, for 150178
225326	23413	Thread Unwinder Thread Guide Position Cup for 150178
225388	23413	Thread Unwinder Spool Rest Rod for 150178
225390		Thread Unwinder Thread Cone Holder for inverted cones
		for use with No. 150178
225391	23413	Thread Unwinder Thread Guide for 150178
228692	23413	Thread Unwinder Spool Pin for 225257 and 225259
228693		Thread Unwinder Spool Pin Washer for 225257 and 225259
259658	23413	Thread Unwinder Spool Stand with 200383C, for 150178

33

.



283W

