Singer 96-80 Singer 96-86 Singer 96-100 STORICAL COPY

Form 19118

Printed in U. S. A. DO NOT REMOVE

LIST

OF

PARTS



MACHINES Nos. 96-80, 96-86 and 96-100

THE SINGER MANUFACTURING COMPANY

INSTRUCTIONS FOR OILING

Use only Singer "011 For High Speed Sewing Machines (Cloth and Leather)" for general use, or "Stainless 011 For High Speed Sewing Machines" where a stainless oil is desired.

Oil should be applied to all oil holes and bearings of the machine at least four times a day. Keep all wicking saturated with oil.

The upper and lower gears of the upright arm shaft should be greased with Singer Gear Lubricant every 160 hours of operation, using an Alemite-Zerk grease gun as instructed in Form 19068.

Copyright, U. S. A., 1921, 1922, 1933, 1935 and 1937 by The Singer Manufacturing Co. All Rights Reserved for all Countries

INDEX

·	D
Accessories	Page 17
Binder on Shank	21
Binder (Transverse) on Shank	21
Bobbin Winders	18
Finger Guards	22
Foot Lifter Parts	25
Hemmers (Foot)	22
Hemmers on Shank	23
Knee Lifter Parts	27
Machine Base	17
Machine No. 96-80	5
Machine No. 96-86	14
Machine No. 96-100	15
Numerical List of Parts	29
Piping Attachment	24
Presser Feet	24
Ruffler	24
Thread limeinder	00

INSTRUCTIONS FOR ORDERING

表现的图形,可以对于可以在中的数据的图形,不是不是对象的一种思维,可以是一种的思维。

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A-Hardened, Polished, Nickel Plated and Buffed

B-Polished, Nickel Plated and Buffed

C-Hardened Only

D-Polished Only

E-Soft, Not Polished

F-Hardened and Polished

F.J-Hardened, Polished and Nickel Plated

G-Bright Rumbled and Nickel Plated

H-Blued

J-Nickel Plated Only

K-Hardened and Nickel Plated

L-Brass Plated

L-Diads F.

M-0xidized

N-Japanned, Dull

P-Japanned, Bright

R-Merlized

S-Cadmium Plating

T-Copper Plated

T.A-Hardened, Polished, Copper and Nickel Plated and Buffed

T.B-Copper and Nickel Plated and Polished

T.J-Copper and Nickel Plated Only

T.K-Hardened, Copper and Nickel Plated

T.L-Copper and Brass Plated

T.M-Copper Plated and Oxidized

U-Zinc Plated

V-Silver Plated

W-Polished and Nickel Plated

X-Black Oxide, for Iron and Steel

X.C-Hardened and Black Oxide, for Iron or Steel

Y-Black Nickel Plated Only

Z-Chromium Plated

Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated

Z.B-Polished, Nickel Plated, Buffed and Chromium Plated

Z.C-Hardened and Chromium Plated

Z.J-Nickel and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:


1 to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers

1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Seving Machine Parts, 190001 and upward are numbers of Electrical Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at factory.

LIST OF PARTS COMPLETE FOR



MACHINE No. 96-80

For Cloaks, Clothing and other Work in Cloth. Maximum stitch 5 1/2 to the inch. Drop feed. The machine is fitted with heavy gear shafts and three plain bearings for the arm shaft. The gears are lubricated with grease instead of oil. The grease is applied with Alemite Zerk hand pressure gun. Speed up to 4000 R. P. M., according to the material being stitched.

Name

Plate

No.

*127263		Arm with 15404 and two each 15405 and
		56015
	Note: Du	e to the accuracy required for gear align-
*	ment,	Arm cannot be supplied separately and car
	only:	be sent out as a unit, Arm and Bed assem-
	bled.	•
16532	22217	Arm Dowel Pin
52182	22217	" 011 Tube with 52184, for oiling 12723
52183	22217	" " " 52184, for oiling 52024
		and 127156, for 127193 and 150460
52180	22217	Arm Oil Tube (long) with 52184, for oil-
		ing 52022

No.	Plate	Name
52185	22217	Arm Oil Tube (short) with 42367, for
00100		oiling 52022
127187	22217	Arm 011 Tube (bent) with 42367, for 011- ing 127152, for 127193 and 150460
56 015	22217	Arm Oil Tube, for oiling 142006
52254	22217	" " for oiling 52261
52184	22217	Arm 011 Tube Packing (wick) for 52180,
		52182 and 52183
42367	22217	Arm Cil Tube Packing (braided cotton) for 52135 and 127187
52290	22217	Arm Oil Tube Hole Plug
116E	22217	" Screw (back)
85 4 E	22217	" " (front)
127265	22223	* Shaft (horizontal)
127266		* * 127265 with 52196
		and 127253
68350	22218	Arm Shaft (horizontal) Back Bearing Oil
127072	22219	CupArm Shaft (horizontal) Bevel Gear with
		two 1036C
142003	22219°	Arm Shaft (horizontal) Bevel Gear Case
		(two pieces) with 51068E, 140184E
	•	and 142005
142005	22217	Arm Shaft (horizontal) Bevel Gear Case
140184E	22217	Alemite Fitting
1101010	ODD11	Plug Screw
51068E	22218	Arm Shaft (horizontal) Bevel Gear Case
		Screw
1036C	22218	Arm Shaft (horizontal) Bevel Gear Set
		Screw
52259		Arm Shaft (horizontal) Flanged Bushing
		(back)
52260	22219	Arm Shaft (horizontal) Flanged Bushing
503.00	0001.0	(back) 52259 with 52193 and 52289
52193	22218	Arm Shaft (horizontal) Flanged Bushing
		(back) 011 Pad (inside) braided cot-
52289	22218	ton
32209	EEE10	Arm Shaft (horizontal) Flanged Bushing
448C	22218	(back) Oil Pad (outside) felt Arm Shaft (horizontal) Flanged Bushing
****	eeeT0	(back) Set Screw
52195		Arm Shaft (horizontal) Flanged Bushing
06120		(front)
52196	22219	Arm Shaft (horizontal) Flanged Bushing
		(front) 52195 with 52193 and 52198
		/TIONAL OPTION HIMI DETAG WHIT DETAG.

No.	Plate		Name
52193	22218	Arm	Shaft (horizontal) Flanged Bushing
00200		•••	(front) Oil Pad (inside) braided
			cotton
52198	22218	A 1799	Shaft (horizontal) Flanged Bushing
02130	20210	A.III	(front) Oil Pad (outside) felt
4750	22218		Shaft (horizontal) Flanged Bushing
435C	86810	Atm	Shall (notizoneal) Flanged bushing
*****	00010		(front) Set Screw
68350	22218	ΑΙŢΠ	Shaft (horizontal) Front Bearing Oil
			Cup
52261		Arm	Shaft (horizontal) Intermediate
			Bushing
52262	22219	mrA	Shaft (horizontal) Intermediate
			Bushing 52261 with 52193 and 52263
52193	22218	Arm	Shaft (horizontal) Intermediate
			Bushing Cil Pad (inside) braided
			cotton
52263	22218	Arm	Shaft (horizontal) Intermediate
			Bushing Oil Pad (outside) felt
423C	22218	Δım	Shaft (horizontal) Intermediate
4200	2222	422	Bushing Set Screw
144D	22218	A 1790	Shaft (horizontal) Screw
142006	22219	WI III	" (upright)
	22219		
52275		н.	Dubiting (10wor)
52276	22219		with 52279 and 52280
		_	
432C	22218	Arm	Shaft (upright) Bushing (lower) Set
			Screw
52277		AITII.	Shaft (upright) Bushing (upper)
52278	22219	•	* * * 52277
			with 52279 and 52280
443C	22218	Arm	Shaft (upright) Bushing (upper) Set
			Screw
52280	22218	Arm	Shaft (upright) Bushing 011 Pad
			(outside) felt
52279	22218	AIM	Shaft (upright) Bushing Oil Wick
			(inside) braided cotton
52281	22218	Arm	Shaft (upright) Bevel Gear (lower)
·			with two 1259C
1259C	22218	. A 1799	Shaft (upright) Bevel Gear (lower)
10000		224 1.1	Set Screw
52282	22218	Arm	Shaft (upright) Bevel Gear (upper)
JEROE	MALL TO	N2 111	with two 1259C
1259C	22218		Shaft (upright) Bevel Gear (upper)
12590	22218	AIM	
			Set Screw
127146	21806	Arm	Side Cap
219J	22218	-	* Screw
127079	22219	*	* Cover
50053W	22218	-	" Thumb Screw

Plate	Name
22218	Arm Spool Pin and Thread Eyelet
5936	" " Washer (cloth)
22219	* · Top Cover
22219	" " 127192 with 52183, 52239,
	127187 and 127255
22218	Arm Top Cover Positioning Disc
	" " Screw
	Balance Wheel (power, disc) 2-3/16 in.
1010000	pulley, with two 448C
22218	Balance Wheel Set Screw
	Bed
nte• Du	e to the accuracy required for gear align-
ment	Bed cannot be supplied separately and can
on1v	be sent out as a unit, Arm and Bed assem-
	se sent out as a mile, 'Will and Bed #88em-
	Red Slide
	Bed Slide
	* * Spring
	" " Screw
21000	Bed Slide complete, Nos. 4307, 12431 and
00000	two 725J
	Face Plate
	SCIOW
	THIFBEG GUERG (10Wer)
	" " " Screw
	" (upper)
	" " Screw
	Face Plate complete, Nos. 52051, 52053,
	52170 and two 226J
	Face Plate Thumb Screw
	Feed Bar
22220	" Screw Center
	" " " 313C with 1519J
22220	" " " Nut
22220	" Connecting Link
22220	" # Hinge Screw
22220	Nut
22220	" " " Stud
22220	" " " Set Screw
7727	* Dog, 19 teeth (16 teeth to the
	inch) for 127106 and 127107
22220	Feed Dog Screw
22219	and Feed Lifting Eccentric with
	448C, 1299C, 52210 and 52211
	Feed and Feed Lifting Eccentric 127202
	with 127152
22220	Feed and Feed Lifting Eccentric Lubri-
	cating Pad (long) wood
22220	cating Pad (long) wood Feed and Feed Lifting Eccentric Lubricating Pad (short) wood
	22218 5936 22219 22219 22218 22218 22226 22218 22220

No.	Plate	Name
12990	22220	Feed and Feed Lifting Eccentric Position
		Screw
448C	22218	Feed and Feed Lifting Eccentric Set Screw
127152	22219	Feed and Feed Lifting Eccentric Sleeve
20284	22223	" Forked Connection
52393		* * 20284 With 375C,
		1518J and 52165
375C	22220	Feed Forked Connection Hinge Screw
1518J	22220	" " Nut
52384	22223	" Lifting Rock Shaft
127269		Feed Lifting Rock Shaft complete, Nos. 52265 and 52384
127156	22223	Feed Lifting Rock Shaft Connecting Rod
		with two 966E
966E	22220	Feed Lifting Rock Shaft Connecting Rod Cap Screw
375C	22220	Feed Lifting Rock Shaft Connecting Rod
		Hinge Screw
· 1518J	22220	Feed Lifting Rock Shaft Connecting Rod
		Hinge Screw Nut
*52271		Feed Lifting Rock Shaft Crank
52265	22219	* " " 52271 with
		157J and 52267
157J	22220	Feed Lifting Rock Shaft Crank Clamping Screw
52266	·	Feed Lifting Rock Shaft Crank Slide
02200		Block
52267	22220	Feed Lifting Rock Shaft Crank Slide
		Block 52266 with 125060
* 125060		Feed Lifting Rock Shaft Crank Slide Block Stud
50191C	22220	Feed Lifting Rock Shaft Screw Center
52097		" " " " 50191C
		with 1513J
151 3J	22222	Feed Lifting Rock Shaft Screw Center Nut
52074	22221	* Regulator with 50083C
52118		. * * 52074 with 52073
52093		" 52118 with 818W
1128E	22222	* Hinge Screw
818W	22222	" Thumb Screw
52386	22223	* Rock Shaft
29633	22222	" " Crank with 157J
157J	22220	" " Clamping Screw
52387		Feed Rock Shaft complete, Nos. 29633 and 52386
50191C	22220	Feed Rock Shaft Screw Center
52097		" " " 50191C with
		1513J

11

No.	Plate	Name
1513J	22222	Feed Rock Shaft Screw Center Nut
25866	22221	Guide
50190W	22220	* Thumb Screw
127088	22221	Needle Bar (hollow)
127116		" 127088 with 229J, 52306 and
		52307
127230	22222	Needle Bar Bushing (lower)
1133E	22222	" " Set Screw
52014	22221	" " (upper)
1133E	22222	" " Set Screw
127231	22222	" Connecting Link with 52207
127232		127231 with
		24041
775E	22222	Needle Bar Connecting Link Cap Screw
52207	22222	" " Lubricating
		Pad (wood)
24041	22222	Needle Bar Connecting Stud with 207E
207E	2834	" Clamping Screw
127253	22221	" Crank with 1036C, 1037C and
		1065C
1065C	22222	Needle Bar Crank Position Screw
. 52306	22222	* Thread Guard
229J	22222	" " Screw
52307	22222	Clamp with 51460F
51 460F	22222	* Screw
127191	22221	011 Tube with 52184
127091	22221	* Bracket
127092	22221	" " 127091 with 127191, for
		oiling 52165
52184	22217	Oil Tube Packing (wick)
12391	22221	Presser Bar (hollow)
5233 8	5936	" Guide Bracket with 223C and
		453C
453C	5936	Presser Bar Guide Bracket Set Screw
52016	5936	" Lifter
689C	5936	" " Hinge Screw
1520J	5936	" " Nut
12327	5936	" Lifting and Releasing Lever
		Bracket
127108	22221	Presser Bar Spring
11170	5936	" " Washer
7298	7726	Foot Hinge Pin
19334		Plate
19335		Suank
19336	7726	Presser Foot (hinged) complete, Nos. 7298
300-	00000	19334 and 19335
176J	22220	Presser Foot Screw
688W	7726	Pressure Regulating Thumb Screw
127095	22222	Rotating Hook with three 1253C

PARTS FOR MACHINE No. 96-80

No.	Plate	Name
127096		Rotating Hook-127095 with 127102 and four 1053E
*127239		Rotating Hook 127096 with 40274, 127242 and three 1367E
127097	****	Rotating Hook 127096 with 40274 and three 1367E (For agents only)
127240		Rotating Hook 127239 with 52237
40264	22222	* * Bobbin
52235		* " Case
52236		" " " 52235 with 591F
02200		1380E and 40394
40392	22222	Rotating Hook Bobbin Case Latch
125320	22222	* * Lever
2974	22224	
		Fulcrum Pin
2975	22222	Rotating Hook Bobbin Case Latch Spring
592E	22224	" " " Stop Scpew
40393		* * * Hinge, Nos.
		2974, 40392 and 125320
591F	22224	Rotating Hook Bobbin Case Tension Regu-
		lating Screw
40394	22222	Rotating Hook Bobbin Case Tension Spring
1380E	22224	
		Screw
52237	22224	Rotating Hook Bobbin Case complete, Nos. 592E, 2975, 40393 and 52236
127241		Rotating Hook Bobbin Case 52237 with 127242
127242	22224	Rotating Hook Bobbin Case Holder
52018	22224	" " " Position
		Bracket
704J	22224	Rotating Hook Bobbin Case Holder Position Bracket Screw
40274	22224	Rotating Hook Section
1367E	22224	* * * Screw
1253C	22224	* Set Screw
127292	22223	*
127073	22224	" " Bevel Gear with two
		1259C
142004	22221	Rotating Hook Shaft Bevel Gear Case (two pieces) with 51068E, 140184E and
142005	22217	142005 Rotating Hook Shaft Bevel Gear Case
140184E	22217	Alemite Fitting Rotating Hook Shaft Bevel Gear Case Plug Screw
51068E	22218	Rotating Hook Shaft Bevel Gear Case Screw
1259C	22218	Rotating Hook Shaft Bevel Gear Set Screw

THE TOTAL PROPERTY OF THE PROP

No.	Plate	Name
52285		Rotating Hook Shaft Bushing (back)
52286	22221	* * 52285
		with 52279 and 52280
1148C	22224	Rotating Hook Shaft Bushing (back) Set
		Screw
52287		Rotating Hook Shaft Bushing (front)
52288	22221	52287
		with 52279 and 52280
142008	22224	Rotating Hook Shaft Bushing (front) 011
		Cup
1148C	22224	Rotating Hook Shaft Bushing (front) Set
		Screw
52280	22218	Rotating Hook Shaft Bushing Oil Pad
		(outside) felt
52279	22218	Rotating Hook Shaft Bushing Oil Wick
		(inside) braided cotton
127102	22224	Rotating Hook Thread Guard
1053E	22224	" " " Screw
52337	5936	Slack Thread Regulator
223C	5936	" Set Screw
2102	3471	Tension Disc
1560C	22224	Regulating Thumb Nut
32572	7726	Releasing Disc
43944	5936	Lever
12398	5936	" Hinge Pin
12329	5936	" Spring
32574	7726	Pin
2103	7726	Spring
50304C	7726	* Stud.
52098		" 50304C with 1560C
503050	22224	" Set Screw
52397		Tension complete, Nos. 2103, 32572, 32574
		52083, 52098, 52394 and two 2102
52027	7726	Thread Guard (side of arm)
52454	22224	* Retainer
624C	22224	" " Set Screw
52269		Thread Take-up complete, Nos. 11204,
		52025 and 52270
52216	22224	Thread Take-up Crank
52270	·	" 52216 with 775E and
		127232
1037C	22225	Thread Take-up Crank Position Screw
1036C	22218	* * Set Screw
52022	22225	* Lever with 52130
52023	22225	" " Hinge Pin
52024	22225	" " Link
11204	22225	" " " Hinge Pin
435C	22218	* Set

No.	Plate	Name
52130	22225	Thread Take-up Lever Thread Eyelet Bush-
		ing
52025		Thread Take-up Lever complete, Nos. 52022
		to 52024
52394	7726	Thread Take-up Spring
52083	7726	Regulator with
		50305C
448C	22218	Thread Take-up Spring Regulator Set
		Screw
127106	7727	Throat Plate, large needle hole, for
		127087
127107		Throat Plate, small needle hole, for
		127087
, No	te: Tr	roat Plate No. 127106 is sent with this
	machi	ine unless otherwise stated on order.
691F	7727	Throat Plate Screw
44212	7734	Drip Pan with four 1 in. wire nails
*15404		Trade Mark
15405		" " Rivet

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines" are not Singer made needles.

MACHINE No. 96-86

For Cloaks, Clothing and other Work in Cloth. Maximum stitch seven to the inch. Drop feed. The machine is fitted with heavy gear shafts and three plain bearings for the arm shaft. The gears are lubricated with grease instead of oil. The grease is applied with Alemite Zerk hand pressure gun. Speed up to 4000 R. P. M., according to the material being stitched.

NOTE: THIS MACHINE IS THE SAME AS THE 96-80 MACHINE, WITH THE FOLLOWING EXCEPTIONS:

		· · · · · · · · · · · · · · · · · · ·
No.	Plate	Name
127284	**	Arm Shaft (horizontal) 127265 with 52196 and 52246, in place of 127266
52462	7727	Feed Dog, 19 teeth (22 teeth to the inch) for 52463, in place of 127087.
52246	22221	Needle Bar Crank with 1036C, 1037C and 1065C, in place of 127253
62527	22225	Presser Foot Hinge Pin, in place of 7298
24544		" Plate, in place of 19334
24982		" Shank, in place of 19335
26231	7726	" " Spring
24983	7726	Presser Foot (spring hinged) complete, Nos. 24544, 24982, 26231 and 62527, in place of 19336
52463	7727	Throat Plate for 52462, in place of 127106 and 127107

MACHINE No. 96-100

For Cloaks, Clothing and other Work in Cloth. Maximum stitch 5 1/2 to the inch. Drop feed. The machine is fitted with heavy gear shafts; a plain bushed intermediate bearing, also front and rear ball bearings for the arm shaft. The gears are lubricated with grease instead of oil. The grease is applied with Alemite Zerk hand pressure gun. Speed up to 4000 R. P. M., according to the material being stitched.

NOTE: THIS MACHINE IS THE SAME AS THE 96-80 MACHINE, WITH THE FOLLOWING EXCEPTIONS:

No.	Plate	Name
*127264		Arm with 15404 and two each 15405 and
		56015, in place of 127263
No	te: Due	to the accuracy required for gear align-
	ment,	Arm cannot be supplied separately and can
	only b	be sent out as a unit, Arm and Bed assem-
	bled.	d
127267	22223	Arm Shaft (horizontal) with 127067, in
		place of 127265
127268		Arm Shaft (horizontal) 127267 with
		127199, in place of 127266
54897	22225	Arm Shaft (horizontal) Back Bearing 011
		Cup, in place of 68350
52146	22225	Arm Shaft (horizontal) Back Bearing Cil
		Cup Pad (braided cotton)
127011	22221	Arm Shaft (horizontal) Ball Bearing
		(back) in place of 52260
•127143		Arm Shaft (horizontal) Ball Bearing
		(back) Cover
127144	22221	Arm Shaft (horizontal) Ball Bearing
	,	(back) Cover 127143 with 127145
±12714 5		Arm Shaft (horizontal) Ball Bearing
		(back) Cover 011 Lead
219J	22218	Arm Shaft (horizontal) Ball Bearing
		(back) Cover Screw
52486	22225	Arm Shaft (horizontal) Ball Bearing
		(back) Locking Pin
52487	22225	Arm Shaft (horizontal) Ball Bearing
		(back) Locking Pin Cone

4

No.	Plate	Name
446C	22225	Arm Shaft (horizontal) Ball Bearing (back) Locking Pin Cone Screw
127066	22221	Arm Shaft (horizontal) Ball Bearing (front) in place of 52196
127009	22221	Arm Shaft (horizontal) Ball Bearing (front) Cover
401E	22225	Arm Shaft (horizontal) Ball Bearing (front) Cover Screw
127067	22225	Arm Shaft (horizontal) Ball Bearing (front) Key
54897	22225	Arm Shaft (horizontal) Front Bearing 011 Cup, in place of 68350
52146	22225	Arm Shaft (horizontal) Front Bearing Oil Pad (braided cotton)
127254	22221	Needle Bar Crank with 1036C, 1037C and 1065C
127199		Needle Bar Crank 127254 with 401E and 127009, in place of 127253

Genuine Singer Needles should be used in Singer Machines.
These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO."

Needles in Containers marked "For Singer Machines" are not Singer made needles.

MACHINE-BASE

No.	Plate			1	Name		
19219	22225	Bed	Frame	Cushic	on (leat	her)	
158C	22218		4	. *	Screw		
19220	7730	•	*	*	Sprin	g	
19226	7730	*		Hinge	Connect	ion	
19398		#	94	Ħ		19226	with 211E
			and 1	9397			
19397	22225	Bed	Frame	Hinge	Connect	ion Cap	
211E	22225	*	· R	*	**	π	Screw
16555	7730	*	Ħ		Plate		
14010	22225	n	F		* R	ivet	
20067	819	H		with	two ear	h 1655	5, 19398,
			four	each	19219,	19220,	six each
			14010	, wood	BCTeW8	1-1/4 1	n. No. 12
			F.H.	and ei	ght 158C		

ACCESSORIES

No.	Plate	Name
121587	22223	Grease Gun (3 oz. capacity) for Fitting
		No. 142005
121588		Grease Gun (1/2 lb.capacity) for Fitting
		No. 142005
20022	22225	Machine Cushion (felt)
27878	22225	* Rivet
12361	7730	" Hinge Connection
44139	7730	" " Plate
44140		Machine Hinge complete, Nos. 12361,44139
		and merlized wood screw 1-1/4 in.No.
		14 F.H
41400	22226	Machine Rest Pin (wood)
120342	21835	Oiler (copper plated) with 120343
120343	21835	" Spout, 3-1/2 in. long
26026	21835	Screw Driver (large)
26485	21835	" (smell)
8909	21835	Wrench for 1513 and 1518
8908	21835	" " 1519 and 1520

BOBBIN WINDERS

BOBBIN WINDER

(SWINGING AUTOMATIC, LEFT HAND)

		and the second s
No.	Plate	Name
41913	21834	Bracket with 4570
41563	21834	Frame with 457C
34105	21834	" Hinge Pin
4 570	22225	" " Set Screw
41914	21834	" Spring
41585	21834	Pulley with 171J
171J	22225	" Set Screw
41586	21834	Spindle
41587	21834	Stop Latch
42614	21834	" " Hinge Stud
457C	22225	" " " Set Screw
7958	22225	" Stop Pin
41588	21834	" Tripping Arm with 185H
185H	22225	" " " Clamping Screw
150459	21834	Tension Bracket with 460C
150460		Tension Bracket complete, Nos. 41593 to
		41595, 52183, 52239, 127187, 127255,
		150459 and two 2455
127255	22218	Tension Bracket Positioning Disc
158 J	22218	Screw
52239	22218	 Spool Pin and Thread
		Eyelet
8879	5936	Tension Bracket Spool Pin Washer (cloth)
2455	22227	* Disc
41593	5936	* Spring
41594	5936	* Stud
460C	22227	* Set Screw
41595	5936	Thread Guide
60845		Bobbin Winder, Nos. 7958, 34105, 41583,
		41585 to 41588, 41913, 41914 and
		42614
41915	21834	Bobbin Winder 60845 with 880E and 25446.
150461		Bobbin Winder complete, Nos. 41915 and
		150460
880E	22227	Bobbin Winder Screw
25446	22227	" " Washer

BOBBIN WINDER (SWINGING AUTOMATIC, RIGHT HAND)

	No.	Plate	Name
	41339.	2833	Base
	41340	2833	Frame
	1429D	2834	* Hinge Screw
	41341	2833	* Spring
	207J	2834	* Screw
	41342	2833	Pulley with 200F
	200F	2834	* Set Screw
	41343	2834	Spindle
	27306	2834	Spool Pin
	27307	2833	* Stand
	27308	2833	Spool Stand complete, Nos. 418E, 1562J,
			2106, 10141, 11241, 27306, 27307 and
			two each 2455 and wood screws 1 in.
			No. 10 F.H
•	11241	2833	Spool Washer (cloth)
	41344	2834	Stop Latch
	41345	2834	" Finger
	152F	2834	" " Screw
	1430D	2834	" Hinge Screw
	1550H	2834	" " " Nut
	41346	2834	" Lever
	1430D	2834	" " Hinge Screw
	2455	22227	Tension Disc
	1562J	2834	Regulating Thumb Nut
	418E	2834	* Screw Stud
	10141	2834	* Spring
	2106	2834	* Thread Guide
	60456		Bobbin Winder, Nos. 152F, 207J, 1429D,
			1550H, 41339 to 41346 and three
	•		1430D
	41347	2833	Bobbin Winder, Nos. 60456 and two each
			9331 and wood screws 1 in. No. 10
			R.H
	41348		Bobbin Winder complete, Nos. 27308 and
			41347
	9331	2834	Bobbin Winder Washer

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

FOR POWER TABLE

		· ·
No.	Plate	Name
225433	3469	Bobbin Winder and Tension Bracket Base
225453	3470	Frame with 202277 and 225438
225454	3471	* Hinge Pin
202277	3471	" Oil Packing (wick)
225438	3471	" Well Cap
225455	3471	" Spring
225456	3471	" " Plunger
202473	3470	Pulley with 200380C
200380C	3471	" Set Screw
225381	3470	Spindle
225444	3471	Stop Latch
200056E	3471	" " Screw
2254 58	3471	" Thumb Lever
225459	3471	" " " Hinge Stud
225459	3471	" " " Joint Stud
202478	3471	" Trip Lever
2 00299H	3471	# # Hinge Screw
225461	3471	Tension Bracket with 201499B
200082D	3471	" Screw
22 8026		" " Washer
2102	3471	Disc
202407	3471	" Spring
201499B	3471	* Stud
201572B	3471	" " Thumb Nut
225462		Tension Bracket complete, Nos. 201572B,
		202407, 225461 and two 2102
225382	3469	Bobbin Winder complete, Nos. 200056E,
		200082D, 200299H, 202473, 202478,
		225381, 225433, 225444, 225453 to
		225456, 225458, 225462, 228026, two
		each 225459 and wood screws 3/4 in.
		No.12 R.H

BINDER ON SHANK

No.	Plate	Name
35208	´ 1971	Binder on Shank, to turn in both edges,
		for bias or straight binding, for
		skirts, wrappers, shirt waists, etc.
26603	21818	Feed Dog, 20 teeth (16 teeth to the
• .		inch) for 26605, 26606 and 35208
52055	21819	Presser Foot
26605	21818	Throat Plate, large needle hole, for
		26603
26606		Throat Plate, small needle hole, for
		26603

BINDER (Transverse) ON SHANK

FOR FOLDED OR UNFOLDED BIAS BINDING
(WITH TAPE REEL) FOR GENERAL WORK

Plate	No.
22227	121167
21818	43525
22227	51097 J
22227	3146
21818	121397
21819	121169
21819	121412
21819	11656
22227	51097J
22226	120536
	120537
	120538
	120539
5936	8879
	121398
	10101
	121168
	102200
	22227 21818 22227 22227 21818 21819 21819 21819 21819 22227 22226

FINGER GUARDS

	Name			Plate	No.
	1	Guard.	Finger	22227	121326
	Friction Washer		4	22227	36819
	Holder with 196J	F		22227	36820
	" Set Screw	# .	•	22227	196J
	Screw	н	11	22227	50 3 16J
36819	i (metal) complete, Nos.	Guard	Finger	22227	121327
	50316J and 121326				
	1	Quard.	Finger	22227	120857
	Holder with 50302J		Ä	22227	120858
	" Set Screw		*	22227	50302J
		H	* *	22227	236J
120857	(wire) complete, Nos.1			22227	120860
	i (metal) complete,Nos. 50316J and 121326 Holder with 50302J Set Screw	820, 50 Guard. * " Guard	369 Finger	22227 22227 22227 22227 22227	121327 120857 120858 50302J 236J

HEMMERS (Foot)

No.	Plate			Nar	ne			
120938	5921	Hemmer (:	foot)	for	3/32	in.	hem	
120803	5919	#					hem	
120804	5919	n	*	.#			hem	
120805	5919		*	- 8			hem	
36122		•		•			hem	
120806	5920	•	#	*			hem	
120807	5920				5/16	in.	hem	
6267		F. F	older,	for	36122	2		•
120939	5920			87	1208	03 1	to 120807 and	1
		12093	38					
*25888	,	Hemmer To	ongue,	for	36122			
*12083 8	5920			*	12080)4 a	nd 120805	
+120839	5920	*		#	12080)6 a	nd 120807	
*120843	5919	•		*	12080)3 aı	nd 120938	
N	ote: Wh	en orderi	ng He	mme	r Fo	ldeı	rs or Hemmer	•
	_	•				nd N	lo. of hemmer	
	_	hich they a	are re	qu11	red.			•
35710	_	hich they a Hemmer (are re foot)	qui 3/32	red. Ein.	hem	,with guide or	n,
	for w	hich they a Hemmer (: botte	are re foot) om to	quii 3/32 the	red. 2 in. right	hem	with guide on needle hole.	n,
35710 35682	_	Hemmer (: Botto Hemmer (:	are re foot) om to foot)	quii 3/32 the 1/8	red. 2 in. right in. h	hem t of nem,	with guide or needle hole. with guide or	n .
35682	for w	Hemmer (1 botto Hemmer (1 botto botto	are re foot) om to foot) om to	quii 3/32 the 1/8 the	red. in. right in. t	hem t of nem, t of	with guide or needle hole. with guide or needle hole.	n .
	for w	Hemmer (: botte Hemmer (: botte Hemmer (:	are re foot) om to foot) om to foot)	quii 3/32 the 1/8 the 5/32	red. right in. h right right in.	hem of nem, of hem	with guide on needle hole. with guide on needle hole. with guide on	n
35682 36524	for w	Hemmer (: botte Hemmer (: botte Hemmer (: botte Hemmer (: botte	are re foot) om to foot) om to foot) om to	quia 3/32 the 1/8 the 5/32 the	red. right in. h right right in.	hem t of tem, t of hem	with guide or needle hole. with guide or needle hole. with guide or needle hole.	n . n . n . n
35682	for w	Hemmer (: botte Hemmer (: botte Hemmer (: botte Hemmer (: botte Hemmer (:	are re foot) om to foot) om to foot) om to foot)	quii 3/32 the 1/8 the 5/32 the 3/16	red. in. right in. h right in. right in. right	hem t of nem, t of hem t of	with guide or needle hole. with guide or needle hole. with guide or needle hole. with guide or	n . n . n
35682 36524 35997	for w	Hemmer (: botto	are re foot) om to	quii 3/32 the 1/8 the 5/32 the 3/16	red. in. right in. right in. right in. right in. right right in.	hem t of nem, t of hem t of	with guide or needle hole. with guide or needle hole. with guide or needle hole. with guide or needle hole.	n . n . n . n . n .
35682 36524	for w	Hemmer (: botte	are re foot) om to foot) om to foot) om to foot) om to foot)	quin 3/32 the 1/8 the 5/32 the 3/16 the 7/32	red. in. right in. right in. right in. right in.	hem t of t of hem t of hem t of	with guide or needle hole. with guide or needle hole. with guide or needle hole. with guide or needle hole. with guide or	n . n . n . n
35682 36524 35997 36309	for w	Hemmer (: botte	are re foot) om to	quin 3/32 the 1/8 the 5/32 the 3/16 the 7/32	red. right in. t right in. right in. right in. right right right	hem t of tem, t of hem t of hem	with guide or needle hole. with guide or needle hole. with guide or needle hole, with guide or needle hole, with guide or needle hole.	
35682 36524 35997	for w	Hemmer (: botte	are re foot) om to foot)	quir 3/32 the 1/8 the 5/32 the 3/16 the 7/32 the 1/4	red. right in. h right in. right in. right in. right in. right in.	hem t of hem t of hem t of hem t of	with guide or needle hole. with guide or needle hole. with guide or needle hole, with guide or needle hole.	
35682 36524 35997 36309 36072	for w	Hemmer (: botto	are re foot) om to	qui: 3/32 the 1/8 the 5/32 the 3/16 the 7/32 the 1/4 the	red. right in. h right in. right in. right in. right in. right in. right right	hem t of	with guide or needle hole. with guide hole. with guide or needle hole.	
35682 36524 35997 36309	for w	Hemmer (: botto	are re foot) om to foot)	quii 3/32 the 1/8 the 5/32 the 3/16 the 7/32 the 1/4 the for	red. right in. h right in. right in. right in. right in. right in. right in. h right	hem t of hem t of hem t of hem t of hem, t of	with guide or needle hole. with guide or needle hole. with guide or needle hole, with guide or needle hole.	

No.	Plate	Name
120911	5921	Hemmer (foot) for 5/32 in. to 1/4 in.hem
		for China Silk, etc
36413		Hemmer (foot) plain bottom, for 1/16 in.
		hem
36414		Hemmer (foot) plain bottom, for 3/32 in.
		hem
36480		Hemmer (foot) plain bottom, for 5/32 in.
		hem
36416		Hemmer (foot) plain bottom, for 3/16 in.
		hem
120837	5920	Hemmer (foot) plain bottom, for 1/8 in.
		hem, slotted for lace

HEMMERS ON SHANK

No.	Plate	Name
35926		Hemmer
590J	22227	* Adjusting Screw
1443B	22227	" Screw
35927		" Shank
35540	5882	Hemmer on Shank (adjustable) complete,
		with right hand lower guide for lace,
*	100	Nos. 1443B, 35926, 35927 and two
		590J
20163	5882	Feed Dog, for 1/16 in. stitch, 16 teeth
		(16 teeth to the inch) for 20123, for
		35540
62527	22225	Presser Foot Hinge Pin
40316		" Plate
40317		* Shank
40318	5882	Presser Foot (hinged) complete, for lace
		running, for 35540, Nos. 40316,40317
		and 62527
20123	5862	Throat Plate for 20163, for 35540
35236	1971	Hemmer on Shank, for 7/16 in. hem and
		above, for bottom of shirt waists
26603	21818	Feed Dog, 20 teeth (16 teeth to the
		inch) for 26605 and 26606, for 35236
52055	21819	Presser Foot, for 35236
26605	21818	Throat Plate, large needle hole, for
		26603
26606		Throat Plate, small needle hole, for
		26603

Ρij	ΝIC	IG-	A	TTA	CL	١N	(FN	JT

No.	Plate	Name
120977		Piping Attachment
1443J	22227	" Screw
35245	21817	Piping Attachment complete, for piping house dresses, Nos. 1443J and 120977
44253	22228	Feed Dog, 16 teeth (16 teeth to the inch) for 44255 and 44256
52056	21817	Presser Foot
44256	22228	Throat Plate, large needle hole, for 44253
44255		Throat Plate, small needle hole, for 44253

PRESSER FEET

No.	Plate	Name
36464		Presser Foot Spring Guide
665J	21817	Screw
36465	21817	 Presser Foot (right hand spring guide)
		with 665J and 36464, for 1/32 in, to
		5/16 in. gauges
No	te: Wh	en ordering No. 36464 or No. 36465, state
	requi	red distance from edge of goods to seam.
36574	22228	Presser Foot
36575		* 36574 with 36576 and two
		50202J
36576	22228	Presser Foot Finger Guard
50202J	22228	* * Screw
36714		<pre>" " with 233J</pre>
36715	21817	" Guide (right) with 36716
233J	21817	Set Screw
36716	21817	* * Stud
36717	21817	Presser Foot complete with Adjustable
		Guide (right) Nos. 36714 and 36715
36773	21819	Presser Foot, for braiding
120828	21817	" (single toe) for gathering,
		for fine work

No.	Plate	Name
121116	22229	Driving Lever
51371K	22227	" Adjusting Thumb Screw (lower)

No.	Platé	Name
560B	22227	Driving Lever Adjusting Thumb Screw (up-
		per)
120812	22228	Driving Lever Bushing
120813	22228	" Friction Washer
51219F	22227	" " Hinge Screw
1700J	22228	" " Nut
121117	22229	Frame
36637	22228	" Spring Plate
3663 8	22228	Ribbon Guide
240B	22228	" " Screw
121118	22228	Ruffling Blade
121119	22228	" Holder
121120		" " 121119 with 121118
		and two 120829
36641	22228	Ruffling Blade Holder Guide
36642	22228	" " " Rivet
51221F	22228	" " Hinge Screw
1772J	22228	
121121	22229	" Lever with 560B and
		51371K
120829	22228	Ruffling Blade Rivet
36644	22228	Separating Blade
120830		" Holder
121501		" " 120830 with 36644
	•	and two 120829
36646	22228	Separating Blade Holder Friction Spring.
36647	22228	" Hinge Stud
36648	22228	" " Stop Stud
120829	22228	" Rivet
36644	22228	Shirring Blade
120618		" " Holder
120819		" " 120818 with 36644
	•	and two 120829
120829	22228	Shirring Blade Rivet
121123	22229	Ruffler complete, Nos. 240B, 1700J,1772J
*		36637, 36638, 36641, 36642, 36646 to
		36648, 51219F, 51221F, 120812,120813
		121116, 121117, 121120, 121121 and
	• • •	121501
121452		Ruffler 121123 with 120819 and 120875
120875	22227	Needle Clamp with 50203F
50203F	22227	" Screw
		* #

FOOT LIFTER PARTS

No.	Flate	Name
5596	22226	Bell Crank

FOOT LIFTER PARTS

No.	Plate	Name
56848		Bell Crank 5596 with 5599 and 5601
5599	22226	" " Bracket
178E	22230	" " Screw
5601	22230	* * Hinge Pin
5735	7730	" " Spring
5598	22226	Bell Crank complete, Nos. 5735 and 56848
5670		Chain, length 26 in. to 35 in., with
		56864 and 56865
No	te: W	hen ordering No. 5670, state length re-
	quir	red.
56864	7730	Chain Hook (large)
56865	7730	" (small)
4879	7730	Connecting Link
12237	22223	Lifting Lever with 448C
52028	22226	" Connecting Rod
12416	5936	" " Joint
76D	22230	" " " Hinge
		Screw
1521E	22230	Lifting Lever Connecting Rod Lock Nut
802D	22230	" " Hinge Screw
12241	5936	" " Link
766D	22230	" " Hinge Screw
12240	22230	# Pin
448C	22218	" Set Screw
2763	819	Rock Shaft
12242	819	" " Hanger with two wood screws 1
,		in. No. 10 F.H
6337	819	Rock Shaft Lifting Bracket with two 3560
12243	819	" " Hook
7125	819	" " " Hook
356C	22230	" " " Set Screw
356C	22230	" " " Set Screw
2770	819	" Stop Dog with 356C
356C	22230	" " " Set Screw
4880	819	Rock Shaft complete, Nos. 2763, 2770,
	•=-	7125, 12243 and two each 6337 and
		12242
4881	819	Treadle
4882	22230	" Shaft
4883	22230	* Spring.
4884	519	* Stand
4885	819	Treadle complete, Nos. 4879, 4881 to
		4884 and two wood screws 1 in. No.16
		F.H
52319		Foot Lifter complete, Nos. 76D, 766D,
		802D, 1521E, 4880, 4885, 5598, 5670,
		12237, 12240, 12241, 12416, 52028
100		and two 178E

KNEE LIFTER PARTS

	77 - 4 -	Name
No.	Plate	Bell Crank
5596	22226	* * 5596 with 5599 and 5601
56848		" Bracket
5599	22226	* * Screw
178E	22230	" Hinge Pin
5 6 01	22230	
5735	773 0	Dpi ing
5598	22226	Bell Crank complete, Nos. 5735 and 56848.
12237	22223	Lifting Lever with 448C
52028	22226	" Connecting Rod
12416	5936	" " Joint
76D	22230	_
		Screw
1521E	22230	Lifting Lever Connecting Rod Lock Nut
802D	22230	" " Hinge Screw
12241	5936	" Link
766D	22230	# # Hinge Screw
12240	22230	" " Pin
448C	22218	* * * Set Screw
2763	21823	Rock Shaft
7539	21823	" Hanger with two wood screws 1
		in, No. 10 F.H
2765	21823	Rock Shaft Knee Arm
2766	21823	" " " Hub with 356C
356C	22230	" " " Set Screw
2768		Rock Shaft Knee Arm complete, Nos. 2765
2.00		to 2767,
2767	21823	Rock Shaft Knee Plate with 356C
356C	22230	# # " Set Screw
6337	21823	 Lifting Bracket with two 3560
2778	21823	Hook
356C	22230	" " " " Set Screw
356C	22230	<pre>" " Set Screw</pre>
2770	21823	Stop Dog with 356C
356C		" " Set Screw
12250	21823	Rock Shaft complete, Nos. 2763, 2768,
12200	21020	2778, 6337 and two each 2770 and
		7539
52320		Knee Lifter complete (power table) Nos.
SECRE!		'76D, 766D, 802D, 1521E, 5598, 12237,
		12240, 12241, 12250, 12416, 52028
		and two 178E
		And Bulk to an and a second of the second of

THREAD UNWINDER

(FOR TWO SPOOLS OR TWO LARGE CONES OF THREAD)

No.	Plate	NT		
NO.	LING	Name		
225257	20335	Spool Rest with 201018C		
150203	20335	<pre>" " Cushion (felt)</pre>		
225388	20335	" " Rod		
2003830	22230	" " Set Screw		
201018C	22230	* * Set Screw		
202490	20335	* Stand with 200383C		
225391	20335	Thread Guide		
201696J	22230	Lock Nut.		
225326	20335	* Position Cup		
225324	20335	* Rod with 208E and 225322		
208 E	22230	" " Screw		
225322	22230	Washer		
225258	20335	Thread Unwinder complete, Nos. 201696J,		
		202490, 225257, 225324, 225326,		
		225388, two each 150203, 225391 and		
		three wood screws 7/8 in. No. 12		
		F.H		
27739	7234	Thread Cone (wood) for large cones		
225390	7234	" " Holder, for inverted cones		
No	te: Nos	3. 27739 and 225390 are used with, but not		
	included in 225258.			

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO."

Needles in Containers marked "For Singer Machines" are not Singer made needles.

NUMERICAL LIST OF PARTS

No.	Plate	Name
76D	22230	Lifting Lever Connecting Rod Joint Hinge
		Screw, for 52319 and 52320
116E	22217	Arm Screw (back)
144D	22218	" Shaft (horizontal) Screw
152F	2834	Bobbin Winder Stop Latch Finger Screw,
		for 60456
157J	22220	Feed Lifting Rock Shaft Crank Clamping
		Screw, for 52265
·157J	22220	Feed Rock Shaft Crank Clamping Screw, for
		29633
158 J	22218	Arm Top Cover Screw
158C	22218	Bed Frame Cushion Screw, for 20067
158 J	22218	Bobbin Winder Tension Bracket Screw, for
		150461
· 171 J	22225	Bobbin Winder Pulley Set Screw, for 41585
176J	22220	Face Plate Screw
176J	22220	Presser Foot Screw
178E	22230	Bell Crank Bracket Screw, for 52319 and
		52320
185H	22225	Bobbin Winder Stop Latch Tripping Arm
		Clamping Screw, for 41588
19 6J	22227	Finger Guard Holder Set Screw, for 36820
ZOOF	2834	Bobbin Winder Pulley Set Screw, for 41342
207E	2834	Needle Bar Connecting Stud Clamping
		Screw, for 24041
207J	2834	Bobbin Winder Frame Spring Screw, for
	****	60456,
208E	22230	Thread Unwinder Thread Guide Rod Screw,
		for 225324
211E	22225	Bed Frame Hinge Connection Cap Screw, for
0101	00010	19398
2190	22218	Arm Shaft (horizontal) Ball Bearing (back) Cover Screw, for 96-100 Ma-
		chine
219 J	22218	Arm Side Cap Screw
223C	5936	Slack Thread Regulator Set Screw, for
	0900	52338
226.1	22220	Face Plate Thread Guard (lower) Screw,
		for 52052
226J	22220	Face Plate Thread Guard (upper) Screw,
		for 52052
229J	22222	Needle Bar Thread Guard Screw, for 127116
233J	21917	Presser Foot Guide Set Screw, for 36714.

No.	Plate	Name
236J	22227	Finger Guard Screw, for 120860
240B	22228	Ruffler Ribbon Guide Screw, for 121123
.3130	22220	Feed Bar Screw Center, for 56813
356C	22230	Rock Shaft Lifting Bracket Hook Set
		Screw, for 6337
356C	22230	Rock Shaft Lifting Bracket Set Screw, for 6337
356C	22230	Rock Shaft Stop Dog Set Screw, for 2770.
356C	22230	" " Knee Arm Hub Set Screw, for
		2766
356C	22230	Rock Shaft Knee Plate Set Screw, for 2767
375C	22220	Feed Connecting Link Hinge Screw, for
		52393
375C	22220	Feed Forked Connection Hinge Screw
375C	22220	Lifting Rock Shaft Connecting Rod
		Hinge Screw
401E	22225	Arm Shaft (horizontal) Ball Bearing
		(front) Cover Screw, for 127199
419E	2834	Bobbin Winder Tension Disc Screw Stud,
		for 27308
423C	22218	Arm Shaft (horizontal) Intermediate
432C	00010	Bushing Set Screw
4020	22218	Arm Shaft (upright) Bushing (lower) Set Screw
4350	22218	Arm Shaft (horizontal) Flanged Bushing
4000		(front) Set Screw, for 96-80 and
		96-86 Machines
435C	22218	Thread Take-up Lever Link Hinge Pin Set
1000		Screw
443C	22218	Arm Shaft (upright) Bushing (upper) Set
		Screw
446C	22225	Arm Shaft (horizontal) Ball Bearing
		(back) Locking Pin Cone Screw, for
		96-100 Machine
448C	22218	Arm Shaft (horizontal) Flanged Bushing
		(back) Set Screw, for 96-80 and
		96-86 Machines
448C	22218	Balance Wheel Set Screw, for 52176
448C	22218	Feed and Feed Lifting Eccentric Set
		Screw, for 127202
448C	22218	Lifting Lever Pin Set Screw, for 12237
448C	22218	Thread Take-up Spring Regulator Set
453C	5936	Presser Bar Guide Bracket Set Screw, for
1000	0000	52338
457C	22225	Bobbin Winder Frame Hinge Pin Set Screw,
		for 41583
457C	22225	Bobbin Winder Stop Latch Hinge Stud Set
		Screw, for 41913

No.	Plate	Name
460C	22227	Bobbin Winder Tension Stud Set Screw, for
	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	150459
560B	22227	Ruffler Driving Lever Adjusting Thumb Screw (upper) for 121121
590J	22227	Hemmer Adjusting Screw, for 35540
591 F	22224	Rotating Hook Bobbin Case Tension Regu-
		lating Screw, for 52236
592E	22224	Rotating Hook Bobbin Case Latch Stop Screw, for 52237
624C	22224	Thread Retainer Set Screw
665J	21817	Presser Foot Spring Guide Screw, for 36465
688₩	7726	Pressure Regulating Thumb Screw
689C	5936	Presser Bar Lifter Hinge Screw
691F	7727	Throat Plate Screw
704J	22224	Rotating Hook Bobbin Case Holder Posi-
		tion Bracket Screw
725J	22220	Bed Slide Spring Screw, for 12432
766D	22230	Lifting Lever Link Hinge Screw, for 52319 and 52320
775E	22222	Needle Bar Connecting Link Cap Screw, for
802D	22230	52270Lifting Lever Hinge Screw, for 52319 and
		52320
	22222	Feed Regulator Thumb Screw, for 52093
854E	22217	Arm Screw (front)
880E	22227	Bobbin Winder Screw, for 41915
966E	22220	Feed Lifting Rock Shaft Connecting Rod Cap Screw, for 127156
1036C	22218	Arm Shaft (horizontal) Bevel Gear Set Screw, for 127072
1036C	22218	Thread Take-up Crank Set Screw, for 52246, 127253 and 127254
1037C	22225	Thread Take-up Crank Position Screw, for
1053E	22224	52246, 127253 and 127254 Rotating Hook Thread Guard Screw, for
10050	00000	127096
1065C	22222	Needle Bar Crank Position Screw, for 52246, 127253 and 127254
1128E	22222	Feed Regulator Hinge Screw
1133E	22222	Needle Bar Bushing (lower) Set Screw
1133E	22222	" " (upper) Set Screw
1148C	22224	Rotating Hook Shaft Bushing (back) Set Screw
1148C	22224	Rotating Hook Shaft Bushing (front) Set Screw
1253C	22224	Rotating Hook Set Screw, for 127095
1259C	22218	Arm Shaft (upright) Bevel Gear (lower)
		Set Screw, for 52281

ı

NUMERICAL LIST OF PARTS

		•
No.	Plate	Name
1259C	22218	Arm Shaft (upright) Bevel Gear (upper)
		Set Screw, for 52282
1259C	22218	Rotating Hook Shaft Bevel Gear Set Screw
		for 127073
1299C	22220	Feed and Feed Lifting Eccentric Position
3.7.000	00004	Screw, for 127202
1367E	22224	Rotating Hook Section Screw, for 127097
17000	00004	and 127239
1380£	22224	Screw, for 52236
1429D	2834	Bobbin Winder Frame Hinge Screw, for
17L3D	2001	60456
14300	2834	Bobbin Winder Stop Latch Hinge Screw, for
		60456
1430D	2834	Bobbin Winder Stop Latch Lever Hinge
		Screw, for 60456
1443B	22227	Hemmer Screw, for 35540
1443J	22227	Piping Attachment Screw, for 35245
1513 J	22222	Feed Lifting Rock Shaft Screw Center Nut,
		for 52097
1513J	22222	Feed Rock Shaft Screw Center Nut, for
		52097
1518J	22220	Feed Connecting Link Hinge Screw Nut, for
15101	100000	52393
1518J		Feed Forked Connection Hinge Screw Nut.
1518J	22220	Feed Lifting Rock Shaft Connecting Rod
1519J	. 00000	Hinge Screw NutFeed Bar Screw Center Nut, for 56813
1519J	5936	Presser Bar Lifter Hinge Screw Nut
1521E	22230	Lifting Lever Connecting Rod Lock Nut,
10215		for 52319 and 52320
1550H`	2834	Bobbin Winder Stop Latch Hinge Screw Nut,
20002	~~~	for 60456
1560C	22224	Tension Regulating Thumb Nut; for 52098.
1562J	2834	Bobbin Winder Tension Disc Regulating
		Thumb Nut, for 27308
1700 J	22228	Ruffler Driving Lever Hinge Screw Nut,
		for 121123
1772J	22228	Ruffler Ruffling Blade Holder Hinge
		Screw Nut, for 121123
2102	3471	Bobbin Winder Tension Disc, for 225462
2102	3471	Tension Disc, for 52397
2103	7726	Tension Spring, for 52397
2106	2834	Bobbin Winder Tension Thread Guide, for
0455	00000	27308
2455	22227	Bobbin Winder Tension Disc, for 27308
2763	819	and 150460
2763	21823	" " 12250
2/00	61060	#WWUV

No.	Plate	. Nаме
2765	21823	Rock Shaft Knee Arm, for 2768
2766	21823	" " Hub with 356C, for
		2768
2767	21823	Rock Shaft Knee Plate with 356C, for 2768
2768		Rock Shaft Knee Arm complete, for 12250,
		Nos. 2765 to 2767
2770	819	Rock Shaft Stop Dog with 356C, for 4880.
2770	21823	# # # # 356C, for 12250
2778	21823	" Lifting Bracket Hook, for
		12250
2974	22224	Rotating Hook Bobbin Case Latch Lever
		Fulcrum Pin, for 40393
2975	22222	Rotating Hook Bobbin Case Latch Spring,
		for 52237
3146	22227	Binder Thumb Screw Washer, for 121168
4307	22220	Bed Slide Spring, for 12432
4879	7730	Chain Connecting Link, for 4885
4880	819	Rock Shaft complete, for 52319, Nos.2763 2770, 7125, 12243 and two each 6337
		and 12242 Treadle, for 4885
4881	819	" Shaft, for 4885
4882	22230	* Spring, for 4885
4883	22230	* Stand, for 4885
4884	819 819	Treadle complete, for 52319, Nos. 4879,
4885	919	4881 to 4884 and two wood screws 1
		in. No. 16 F.H
5596	22226	Bell Crank, for 56848
5598	22226	Bell Crank complete, for 52319 and 52320
3030		Nos. 5735 and 56848
5599	22226	Bell Crank Bracket, for 56848
5601	22230	" " Hinge Pin, for 56848
5670		Chain, length 26 in. to 35 in. with
		56864 and 56865, for 52319
5735	7730	Bell Crank Spring, for 5598
6267		Hemmer Folder, for 36122
6337	819	Rock Shaft Lifting Bracket with two 3560
		for 4880
6337	21823	Rock Shaft Lifting Bracket with two 356C
		for 12250
7125	819	Rock Shaft Lifting Bracket Hook, for 4880
7298	7726	Presser Foot Hinge Pin, for 19336
7539	21823	Rock Shaft Hanger with two wood screws 1
		in. No. 10 F.H., for 12250
7958	22225	Bobbin Winder Stop Latch Stop Pin, for
		60845
8879	5936	Arm Spool Pin Washer (cloth)
8879	5936	Bobbin Winder Tension Bracket Spool Pin
	4	Washer (cloth) for 150461

No.	Plate	Name
8879	5936	Binder Tape Reel Washer (cloth) for
		121412
8908	21835	. Wrench for 1519 and 1520 (Accessories)
8909	21835	" 1513 and 1518 (Accessories)
9331	2834	Bobbin Winder Washer, for 41347
10141	2834	" Tension Spring, for 27308.
11170	5936	Presser Bar Spring Washer
11204	22225	Thread Take-up Lever Link Hinge Pin, for 52269
11241	2833	Bobbin Winder Spool Washer (clcth) for 27308
11656	21819	Binder Tape Reel Arm Steady Pin, for
	1	121412
12237	22223	Lifting Lever with 448C, for 52319 and 52320.
12240	22230	Lifting Lever Pin, for 52319 and 52320
12241	5936	" Link, for 52319 and 52320.
12242	819	Rock Shaft Hanger with two wood screws 1
		in. No. 10 F.H., for 4880
12243	819	Rock Shaft Lifting Bracket Hook, for 4880
12250	21823	Rock Shaft complete, for 52320, Nos. 2763
		2768, 2778, 6337 and two each 2770
,		and 7539
12327	5 936	Presser Bar Lifting and Releasing Lever
		Bracket
12329	59 36	Tension Releasing Lever Spring
12361	7730	Machine Hinge Connection, for 44140
12391.	22221	Presser Bar (hollow)
12398	5936	Tension Releasing Lever Hinge Pin
12416	59 36	Lifting Lever Connecting Rod Joint, for
		52319 and 52320
12431		Bed Slide, for 12432
12432	21806	Bed Slide complete, Nos. 4307, 12431 and
		two 725J
14010	22225	Bed Frame Hinge Plate Rivet, for 20067
*15404		Trade Mark, for 127263 and 127264
15405		" Rivet, for 127263 and 127264
16532	22217	Arm Dowel Pin
16555	7730	Bed Frame Hinge Plate, for 20067
19219	22225	Cuanton (reacher) 101 2000/
19220	77 3 0	Spring, for 20067
19226	7730	" Hinge Connection, for 19398
19334		Presser Foot Plate, for 19336
19 33 5 19 33 6		" " Shank, for 19336
79000	7726	Presser Foot (hinged) complete, for 96-80
		and 96-100 Machines, Nos. 7296,19334
19397	22225	and 19335
1909 (たたたた り	Bed Frame Hinge Connection Cap, for 19398

No.	Plate	Name
19398		Bed Frame Hinge Connection 19226 with 211E and 19397, for 20067
20022	22225	Machine Cushion (felt) Accessories
20022	819	Bed Frame with two each 16555, 19398,
20007	CIO	four each 19219, 19220, six each
		14010, wood screws 1-1/4 in. No. 12
		F.H. and eight 158C
20123	5882	Throat Plate, for 20163, for 35540
20163	5882	Feed Dog, for 1/16 in. stitch, 16 teeth
		(16 teeth to the inch) for 20123, for
		35540
20284	22223	Feed Forked Connection, for 52393
24041	22222	Needle Bar Connecting Stud with 207E, for
		127232 Presser Foot Plate, for 24983
24544		" Shank, for 24983
24982 24983	7726	Presser Foot (spring hinged) complete,
24300	1720	for 96-86 Machine, Nos. 24544, 24982
		26231 and 62527
25446	22227	Bobbin Winder Screw Washer, for 41915
25866	22221	Guide
*25888		Hemmer Tongue, for 36122
26026	21835	Screw Driver (large) Accessories
26231	7726	Presser Foot Spring, for 24983
26485	21835	Screw Driver (small) Accessories
26603	21818	Feed Dog, 20 teeth (16 teeth to the
		inch) for 26605, 26606, 35208 and 35236
26605	21818	Throat Plate, large needle hole, for
		26603
26606		Throat Plate, small needle hole, for
		26603
27306	2834	Bobbin Winder Spool Pin, for 27308
27307	2833	Diana, Ioi Diocottit
27308	2833	Bobbin Winder Spool Stand complete, for 41348, Nos. 418E, 1562J, 2106, 10141
		11241, 27306, 27307 and two each
	•	2455 and wood screws 1 in. No. 10
		F.H.
27739	7234	Thread Unwinder Thread Cone (wood) for
. 2,,,,,,	,	large cones, for 225258
27878	22225	Machine Cushion Rivet (Accessories)
29633	22222	Feed Rock Shaft Crank with 157J, for
		52387
32572	7726	Tension Releasing Disc, for 52397
32574	7726	* Pin, for 52397
34105	21834	Bobbin Winder Frame Hinge Pin, for 60845.
35208	1971	Binder on Shank, to turn in both edges,
		for bias or straight binding, for skirts, wrappers, shirt waists, etc.
		agirus, mishbars, amir maroca, acc.

•	•	NOMERICAL LIST OF PARTS
No.	Plate	Name
35236	1971	Hemmer on Shank, for 7/16 in. hem and
		above, for bottom of shirt waists
35245	21817	Piping Attachment complete, for piping
		house dresses, Nos. 1443J and 120977
35540	5882	Hemmer on Shank (adjustable) complete,
		with right hand lower guide, for
		lace, Nos. 1443B, 35926, 35927 and
		two 590J
35682	21817	Hemmer (foot) 1/8 in, hem, with guide on
35710		bottom to the right of needle hole
09710	*	Hemmer (foot) 3/32 in.hem, with guide on
35926		bottom to the right of needle hole
35927		Hemmer, for 35540.
35997		" Shank, for 35540 " (foot) 3/16 in.hem, with guide on
,		bottom to the right of needle hole
36072		Hemmer (foot) 1/4 in. hem, with guide on
	-	bottom to the right of needle hole
36122		Hemmer (foot) for 7/32 in. hem
36309.		" 7/32 in hem, with guide on
		bottom to the right of needle hole.
36413		Hemmer (foot) plain bottom, for 1/16 in.
70434		hem
36414		Hemmer (foot) plain bottom, for 3/32 in.
36416		hem.
00110		Hemmer (foot) plain bottom, for 3/16 in.
36464	21817	hem Presser Foot Spring Guide, for 36465
36465	21817	" (right hand spring guide)
		with 665J and 36464, for 1/32 in. to
		5/16 in. gauges
364 60		Hemmer (foot) plain bottom, for 5/32 in.
		h om
36524		Hemmer (foot) 5/32 in. hem, with guide
		on bottom to the right of needle
36574	22228	hole Presser Foot, for 36575
36575		* * 36574 with 36576 and two
•••		50202J
36576	22228	Presser Foot Finger Guard, for 36575
36637	22228	Ruffler Frame Spring Plate, for 121123
36638	22228	" Ribbon Guide, for 121123
36641	22228	* Ruffling Blade Holder Guide, for
		121123
36642	22228	Ruffler Ruffling Blade Holder Guide
36644	00000	Rivet, for 121123
36644	22228 22228	Ruffler Separating Blade, for 121501
36646	22228	Shirring Blade, for 120819
20010		* Separating Blade Holder Friction Spring, for 121123
		SALINE INT TETTED

No.	Plate	Name
36647	22228	Ruffler Separating Blade Holder Hinge
		Stud, for 121123
36648	22228	Ruffler Separating Blade Holder Stop
		Stud, for 121123
36714		Presser Foot with 233J, for 36717
36715	21817	" " Guide (right) with 36716,
		for 36717
36716	21817	Presser Foot Guide Stud, for 36715
36717	21817	Presser Foot complete with Adjustable
		Guide (right) Nos. 36714 and 36715
36773	21819	Presser Foot, for braiding
36819	22227	Finger Guard Friction Washer, for 121327
36820	22227	" " Holder with 196J, for 121327
40264	22222	Rotating Hook Bobbin
40274	22224	" Section, for 127097 and
102.1		127239
40316		Presser Foot Plate, for 40318
40317		" " Shank, for 40318
40318	5882	Presser Foot (hinged) complete, for lace
10010	0000	running, for 35540, Nos. 40316,40317
		and 62527
40392	22222	Rotating Hook Bobbin Case Latch, for
10000		40393
40393		Rotating Hook Bobbin Case Hinge, Nos.
*******		2974, 40392 and 125320, for 52237
40394	22222	Rotating Hook Bobbin Case Tension Spring,
		for 52236
41339	2833	Bobbin Winder Base, for 60456
41340	2833	" Frame, for 60456
41341	2833	<pre>" " Spring, for 60456</pre>
41342	2833	" Pulley with 200F, for 60456
41343	2834	Spindle, for 60456
41344	2834	* * Stop Latch, for 60456
41345	2834	" " " Finger, for
		60456
41346	2834	Bobbin Winder Stop Latch Lever, for 60456
41347	2633	for 41348, Nos. 60456 and
		two each 9331 and wood screws 1 in.
		No. 10 R.H
41348		Bobbin Winder (swinging automatic, right
		hand) complete, Nos. 27308 and 41347
41400	22226	Machine Rest Pin (wood) Accessories
41583	21834	Bobbin Winder Frame with 457C, for 60845
41585	21834	" Pulley with 171J, for 60845
41586	21834	<pre>" * Spindle, for 60845</pre>
41587	21834	" Stop Latch, for 60845
41588	21834	" " " Tripping Arm
		with 185H, for 60845
41593	5936	Bobbin Winder Tension Spring, for 150460
	_	· · · · · · · · · · · · · · · · · · ·

No.	Plate	Name	i
41594	5936	Bobbin Winder Tension Stud, for 150460	I
41595	5936	" " Thread Guide, for	
41913	21834	150460 Bobbin Winder Bracket With 457C,for	i
		60845	i
41914	21834	Bobbin Winder Frame Spring, for 60845	ļ
41915	21834	" " 60845 with 880E and 25446, for 150461	:
42367	22217	Arm Oil Tube Packing (braided cotton)	
		for 52185 and 127187	
42614	21834	Bobbin Winder Stop Latch Hinge Stud, for	
		60845	
43525	21818	Binder Steady Pin, for 121398	1
43944	5936	Tension Releasing Lever	į
44139	7730	Machine Hinge Plate, for 44140	
44140		Machine Hinge complete, Nos. 12361,44139	
		and merlized wood screw 1-1/4 in.No.	1
		14 F.H. (Accessories)	
44212	7734	Drip Pan with four 1 in. wire nails	
44253	22228	Feed Dog, 16 teeth (16 teeth to the	į.
		inch) for 35245, 44255 and 44256	
44255		Throat Plate (small needle hole) for 44253	
44256	22228	Throat Plate (large needle hole) for	
11000	2000	44253	
50053W	22218	Arm Side Cover Thumb Screw	ľ
50083C	22220	Feed Connecting Link Hinge Stud Set	
		Screw, for 52074	
50117£	22220	Feed Dog Screw	
50190W	22220	Face Plate Thumb Screw	İ
50190W	22220	Guide Thumb Screw	
50191C	22220	Feed Lifting Rock Shaft Screw Center, for	
		52097	
50191C	22220	Feed Rock Shaft Screw Center, for 52097.	
50202J	22228	Presser Foot Finger Guard Screw, for	
FOOORE	22227	36575	1
50203F 50302J	22227	Ruffler Needle Clamp Screw, for 120875 Finger Guard Holder Set Screw, for 120858	
50304C	7726	Tension Stud, for 52098	1.
50305C	22224	* Set Screw, for 52083	
50316J	22227	Finger Guard Screw, for 121327	
51068E	22219	Arm Shaft (horizontal) Bevel Gear Case	
		Screw, for 142003	
51068E	22216	Rotating Hook Shaft Bevel Gear Case	İ
	-	Screw, for 142004	1
510 9 7J	22227	Binder Thumb Screw, for 121168	. !
51097 J	22227	* Tape Reel Arm Thumb Screw, for	1
		121168	į ·
51219F	22227	Ruffler Driving Lever Hinge Screw, for	
		121123	[

		• .
No. F	late	Nаme
51221F 2	2228	Ruffler Ruffling Blade Holder Hinge
		Screw, for 121123
51371K 2	2227	Ruffler Driving Lever Adjusting Thumb Screw (lower) for 121121
51460F 2	2222	Needle Clamp Screw, for 52307
	2221	Bar Bushing (upper)
52016		Presser Bar Lifter
. 52018 2	2224	Rotating Hook Bobbin Case Holder Position Bracket
52022 2	2225	Thread Take-up Lever with 52130, for 52025.
52023 2	2225	Thread Take-up Lever Hinge Pin, for 52025
52024 2	2225	" " Link, for 52025
52025 -		Thread Take-up Lever complete, for 52269 Nos. 52022 to 52024
52027	7726	Thread Guard (side of arm)
52028 2	2226	Lifting Lever Connecting Rod, for 52319 and 52320.
52051 2	2226	Face Plate, for 52052
52052 -		Face Plate complete, Nos. 52051, 52053, 52170 and two 226J
52053 2	2220	Face Plate Thread Guard (1ower) for 52052.
52055 2	1819	Presser Foot, for 35208 and 35236
	1817	" " 35245
52073 2	2220	Feed Connecting Link Hinge Stud, for 52118.
52074 2	2221	Feed Regulator with 50083C, for 52118
52083	7726	Thread Take-up Spring Regulator with 50305C, for 52397.
52093 -		Feed Regulator 52118 with 818W
52097 -		* Lifting Rock Shaft Screw Center 50191C with 1513J
52097 -		Feed Rock Shaft Screw Center 50191C with 1513J
52098 -		Tension Stud 50304C with 1560C, for 52397
		Feed Regulator 52074 with 52073, for 52093.
52130 2	222 5	Thread Take-up Lever Thread Eyelet Bushing, for 52022
52146 2	2225	Arm Shaft (horizontal) Back Bearing Oil
	•	Cup Pad (braided cotton) for 96-100 Machine
52146 2	2225	Arm Shaft (horizontal) Front Bearing 0il Pad (braided cotton) for 96-100 Ma- chine
52165 2	2220	Feed Connecting Link, for 52393
		Face Plate Thread Guard (upper) for
		52052

No.	Plate	Name
52176	22226	Balance Wheel (power, disc) 2-3/16 in.
		pulley, with two 448C
5,2180	22217	Arm Oil Tube (long) with 52184, for oil- ing 52022
52182	22217	Arm 011 Tube with 52184, for oiling 127231
52183	22217	Arm 011 Tube with 52184, for oiling 52024 and 127156, for 127193 and
52184	22217	150460
52184	22217	Oil Tube Packing (wick) for 127191
52185	22217	Arm Oil Tube (short) with 42367, for oiling 52022.
52193	22218	Arm Shaft (horizontal) Flanged Bushing (back) Oil Pad (inside) braided cot- ton, for 52260
52193	22218	Arm Shaft (horizontal) Flanged Bushing (front) Oil Pad (inside) braided cotton, for 52196
52193	22218	Arm Shaft (horizontal) Intermediate Bushing Oil Pad (inside) braided
52195		cotton, for 52262
52196	22219	Arm Shaft (horizontal) Flanged Bushing (front) 52195 with 52193 and 52193, for 127266 and 127284.
52198	22218	Arm Shaft (horizontal) Flanged Bushing (front) 011 Pad (outside) felt, for 52196.
52207	22222	Needle Bar Connecting Link Lubricating Pad (wood) for 127231
52210	22220	Feed and Feed Lifting Eccentric Lubri- cating Pad (long) wood, for 127202
52211	22220	Feed and Feed Lifting Eccentric Lubri- cating Pad (short) wood, for 127202.
52216	22224	Thread Take-up Crank, for 52270
52235		Rotating Hook Bobbin Case, for 52236
52236		" " " 52235 with
52237	22224	591F, 1380E and 40394, for 52237 Rotating Hook Bobbin Case complete, for 127240 and 127241, Nos. 592E, 2975, 40393 and 52236
52239	22218	Arm Spool Pin and Thread Eyelet, for
52239	22218	Bobbin Winder Tension Bracket Spool Pin and Thread Eyelet, for 150460

No.	Plate	Name
52246	22221	Needle Bar Crank with 1036C, 1037C and
		1065C, for 127284
52254	22217	Arm Oil Tube for oiling 52261
52259		Arm Shaft (horizontal) Flanged Bushing (back) for 52260
52260	22219	Arm Shaft (horizontal) Flanged Bushing (back) 52259 with 52193 and 52289, for 96-80 and 96-86 Machines
52261		Arm Shaft (horizontal) Intermediate Bushing, for 52262
52262	22219	Arm Shaft (horizontal) Intermediate Bushing 52261 with 52193 and 52263
52263	22218	Arm Shaft (horizontal) Intermediate Bushing Oil Pad (outside) felt, for 52262
52265	22219	Feed Lifting Rock Shaft Crank 52271 with 157J and 52267, for 127269
52266		Feed Lifting Rock Shaft Crank Slide Block, for 52267
52267	22220	Feed Lifting Rock Shaft Crank Slide Block 52266 with 125060, for 52265
52269		Thread Take-up complete, Nos. 11204, 52025 and 52270
52270		Thread Take-up Crank 52216 with 775E and 127232, for 52269
*52271		Feed Lifting Rock Shaft Crank, for 52265.
52275		Arm Shaft (upright) Bushing (lower) for . 52276
52276	22219	Arm Shaft (upright) Bushing (lower) 52275 with 52279 and 52280
52277		Arm Shaft (upright) Bushing (upper) for 52278
52278	22219	Arm Shaft (upright) Bushing (upper) 52277 with 52279 and 52280
52279	22218	Arm Shaft (upright) Bushing Oil Wick (inside) braided cotton, for 52276 and 52278
52279	22218	Rotating Hook Shaft Bushing Oil Wick (inside) braided cotton, for 52286 and 52288
52280	22218	Arm Shaft (upright) Bushing Oil Pad (outside) felt, for 52276 and 52278
52280	22218	Rotating Hook Shaft Bushing Oil Pad (outside) felt, for 52286 and 52288.
52281	22218	Arm Shaft (upright) Bevel Gear (lower) with two 1259C
52282	22218	Arm Shaft (upright) Bevel Gear (upper) with two 1259C

No.	Plate	Name		No.	Plate	Name
52285		Rotating Hook Shaft Bushing (back) for		54897	22225	Arm Shaft (horizontal) Front Bearing 011 Cup, for 96-100 Machine
52286	22221	52286 Rotating Hook Shaft Bushing (back)		56015	22217	Arm Oil Tube, for oiling 142006, for
		52285 with 52279 and 52280				127263 and 127264
52287		Rotating Hook Shaft Bushing (front) for	i	56813		Feed Bar Screw Center 313C with 1519J
		52288	'	56848		Bell Crank 5596 with 5599 and 5601, for
52288	22221	Rotating Hook Shaft Bushing (front)				5598
		52287 with 52279 and 52280		56864	7730	Chain Hook (large) for 5670
52289	22218	Arm Shaft (horizontal) Flanged Bushing	ļ	56865	7 73 0	" (small) for 5670
		(back) 011 Pad (outside) felt, for 52260		60456		Bobbin Winder, for 41347, Nos. 152F,207J 1429D, 1550H, 41339 to 41346 and
52290	22217	Arm Oil Tube Hole Plug	ì			three 1430D
52306	22222	Needle Bar Thread Guard, for 127116		60845		Bobbin Winder, for 41915, Nos. 7958,
52307	22222	" Clamp with 51460F, for 127116				34105, 41583, 41585 to 41588, 41913,
52319		Foot Lifter complete, Nos. 76D, 766D,				41914 and 42614
		802D, 1521E, 4880, 4885, 5598, 5670,	1	62527	22225	Presser Foot Hinge Pin, for 24983 and
		12237, 12240, 12241, 12416, 52028				40318
		and two 178E		68350	22218	Arm Shaft (horizontal) Back Bearing Oil
52320		Knee Lifter complete (power table) Nos.	! .			Cup, for 96-80 and 96-86 Machines
		76D, 766D, 802D, 1521E, 5598, 12237,	l'	68350	22218	Arm Shaft (horizontal) Front Bearing 011
,		12240, 12241, 12250, 12416, 52028				cup, for 96-80 and 96-86 Machines
		and two 178E	ļ	120342	21835	Offer (copper plated) with 120343 (Ac-
52337	5936	Slack Thread Regulator	1			cessories)
52338	5936	Presser Bar Guide Bracket with 223C and	į ·	120343	21835	Oller Spout, 3-1/2 in. long, for 120342.
		453C		120536	22226	Binder Tape Reel Disc with 120538 and
52384	22223	Feed Lifting Rock Shaft, for 127269	i			120539, for 121168
52386	22223	* Rock Shaft, for 52387	' 1	120537		Binder Tape Reel Disc Pin, for 121412
52387		Feed Rock Shaft complete, Nos. 29633 and		120538		" " " Stud (wood) for
		52386				120536
52393		Feed Forked Connection 20284 with 375C,	ļ	120539		Binder Tape Reel Disc Stud Sleeve, for
		1518J and 52165	(120536
52394	7726	Thread Take-up Spring, for 52397		120803	5919	Hemmer (foot) for 1/8 in. hem
52397		Tension complete, Nos. 2103, 32572,32574		120804	5919	" " 5/32 in. hem
		52083, 52098, 52394 and two 2102		120805	5919	0/10 111. 110111
52452	22219	Feed Bar		120806	5920	" 1/4 in. hem
52454	22224	Thread Retainer		120807	5920	* * 5/16 in, hem
52462	7727	Feed Dog, 19 teeth (22 teeth to the inch)		120812	22228	Ruffler Driving Lever Bushing, for 121123
E0407	2222	for 52463, for 96-86 Machine		120813	22228	FITCUION WEBIIOI,
52463	7727	Throat Plate, for 52462, for 96-86 Ma-	+	120818		for 121123
52486	22225	chine	1 '	120819		. " " 120818 with
02400	ELECT	Arm Shaft (horizontal) Ball Bearing		120019		36644 and two 120829, for 121452
		(back) Locking Pin, for 96-100 Ma-	1.	120828	21817	Presser Foot (single toe) for gathering,
ED40D	22225	chine	* 1	120020	21017	for fine work
52487	ERRED	Arm Shaft (horizontal) Ball Bearing		120829	22228	Ruffler Ruffling Blade Rivet, for 121120.
		(back) Locking Pin Cone, for 96-100		120829	22228	" Separating Blade Rivet, for
54897	22225	Machine	1.	TWOODS	***************************************	121501
J*09 /	ERRED	Arm Shaft (horizontal) Back Bearing Oil	ı	120829	22228	Ruffler Shirring Blade Rivet, for 120819.
		Cup, for 96-100 Machine		100000		

No.	Plate	Name
120830		Ruffler Separating Blade Holder, for
		121501
120837	5920	Hemmer (foot) plain bottom, for 1/8 in.
*120838	5920	hem, slotted, for lace
*120839	5920	" 120806 and 120805
*120843	5919	zaccob did incoor,
120857		120809 and 120938
120858	22227	Finger Guard, for 120860
120858	22227	" " Holder, with 50302J, for 120860
120860	22227	Finger Guard (wire) complete, Nos. 120857
120875	22227	Ruffler Needle Clamp with 50203F, for
100000	5001	121452
120898	5921	Hemmer (foot) for 1/16 in. to 1/8 in.hem for China Silk, etc
120911	5921	Hemmer (foot) for 5/32 in. to 1/4 in.hem for China Silk, etc
120938	5921	Hemmer (foot) for 3/32 in. hem
120939	5920	Folder, for 120803 to 120807 and
120977		120938.
121116	22229	Piping Attachment, for 35245
121117		Ruffler Driving Lever, for 121123
	22229	" Frame, for 121123
121118	22228	Ruffling Blade, for 121120
121119	22228	" Holder, for 121120
121120		" 121119 with 121118 and two 120829, for 121123
121121	22229	Ruffler Ruffling Blade Lever with 560B
201207	40000	and 51371K, for 121123
121123	22229	Ruffler complete, for 121452, Nos. 240B, 1700J, 1772J, 36637, 36638, 36641,
		36642, 36646 to 36648, 51219F,51221F
		120812, 120813, 121116, 121117, 121120, 121121 and 121501
121167	22227	Binder Folder on Shank, for 121168
121168		Binder (transverse) on Shank complete,
		for folded or unfolded bloc binding
		for folded or unfolded bias binding
		(with tape reel) for general work,
		for 3/4 in., 7/8 in. and 1 in. tape,
		Nos. 3146, 120536, 121167, 121169,
		121397, 121398, 121412 and two 51097J
121169	21819	Presser Foot, for 121168
121326	22227	Finger Guard, for 121327
121327	22227	Finger Guard (metal) complete, Nos. 36819
		36820, 50316J and 121326
121397	21818	Feed Dog, 18 teeth (16 teeth to the
		inch) for 121168 and 121398

		•
No.	Plate	Name
121398	21818	Throat Plate with 43525, for 121168 and
		121397
121412	21819	Binder Tape Reel Arm with 8879, 11656
		and 120537, for 121168
121452		Ruffler 121123 with 120819 and 120875
121501		" Separating Holder 120830 with
		36644 and two 120829, for 121123
121587	22223	Grease Gun (3 oz. capacity) for Fitting
		No. 142005 (Accessories)
121588		Grease Gun (1/2 lb.capacity) for Fitting
		No. 142005 (Accessories)
*125060		Feed Lifting Rock Shaft Crank Slide
-120000		Block Stud, for 52267
125320	22222	Rotating Hook Bobbin Case Latch Lever.
120020	CCCCC	for 40393
127009	22221	Arm Sheft (horizontal) Ball Bearing
12,000	LODDO-	(front) Cover, for 127199
127011	22221	Arm Shaft (horizontal) Ball Bearing
12,011	WWWAT	(back) for 96-100 Machine
127066	22221	Arm Shaft (horizontal) Ball Bearing
127000	PERE	(front) for 96-100 Machine
127067	22225	Arm Shaft (horizontal) Ball Bearing
15/00/	DELLEC	(front) Key, for 127267
127072	22219	Arm Shaft (horizontal) Bevel Gear with
12,012	DUDIO	two 1036C
127073	22224	Rotating Hook Shaft Bevel Gear with two
12,0,0	energy.	1259C
127079	22219	Arm Side Cover
127087	7727	Feed Dog, 19 teeth (16 teeth to the inch)
1007	1727	for 127106 and 127107, for 96-80 and
		96-100 Machines
127088	22221	Needle Bar (hollow) for 127116
127091	22221	Oil Tube Bracket, for 127092
127092	22221	" " 127091 with 127191, for
127002	LANGUA I	oiling 52165
127095	22222	Rotating Hook with three 1253C, for
20,000		127096
127096		Rotating Hook 127095 with 127102 and
		four 1053E, for 127097 and 127239
127097		Rotating Hook 127096 with 40274 and
20,00		three 1367E (for agents only)
127102	22224	Rotating Hook Thread Guard, for 127096
127102	7727	Throat Plate, large needle hole, for
16/100	1161	127087, for 96-80 and 96-100 Machines
127107		Throat Plate, small needle hole, for
12,10,		127087, for 96-80 and 96-100 Machines
127108	22221	Presser Bar Spring
127116	~~~~	Needle Bar 127088 with 229J, 52306 and
10/110	,	52307
		UMUV/44444444444444444444444444444444444

THE REPORT OF THE PARTY OF THE

		•
No.	Plate	Name
*127143		Arm Shaft (horizontal) Ball Bearing
		(back) Cover, for 127144
127144	22221	Arm Shaft (horizontal) Ball Bearing
•		(back) Cover 127143 with 127145, for
		96-100 Machine
±127145		Arm Shaft (horizontal) Ball Bearing
		(back) Cover 011 Lead, for 127144
127146	21806	Arm Side Cap
127152	22219	Feed and Feed Lifting Eccentric Sleeve,
		for 127225
127156	22223	Feed Lifting Rock Shaft Connecting Rod
		with two 966E
127187	22217	Arm Oil Tube (bent) with 42367, for oil-
		ing 127152, for 127193 and 150460
127191	22221	Oil Tube with 52184, for 127092
127192	22219	Arm Top Cover, for 127193
127193	22219	127192 with 52183, 52239,
		127187 and 127255
127199		Needle Bar Crank 127254 with 401E and
		127009, for 127268
127202	22219	Feed and Feed Lifting Eccentric with
		448C, 1299C, 52210 and 52211, for
		127225
127225		Feed and Feed Lifting Eccentric 127202
		with 127152
127230	22222	Needle Bar Bushing (lower)
127231	22222	" Connecting Link with 52207, -
		for 127232
127232		Needle Bar Connecting Link 127231 with
		24041, for 52270
*127239		Rotating Hook 127096 with 40274, 127242
		and three 1367E, for 127240
127240		Rotating Hook 127239 with 52237
127241		* Bobbin Case 52237 with
		127242
127242	22224	Rotating Hook Bobbin Case Holder, for
		127239 and 127241
127253	22221	Needle Bar Crank with 1036C, 1037C and
		1065C, for 127266
127254	22221	Needle Bar Crank with 1036C, 1037C and
		1065C, for 127199
127255	22218	Arm Top Cover Positioning Disc, for
		127193
127255	22218	Bobbin Winder Tension Bracket Position-
		ing Disc, for 150460
*127263		Arm with 15404 and two each 15405 and
		56015, for 96-80 and 96-86 Machines,
*127264		Arm with 15404 and two each 15405 and
		56015, for 96-100 Machine

No.	Plate	Name
127265	22223	Arm Shaft (horizontal) for 127266 and
12.200		127284
127266		Arm Shaft (horizontal) 127265 with 52196 and 127253, for 96-80 Machine
127267	22223	Arm Shaft (horizontal) with 127067, for 127268
127268		Arm Shaft (horizontal) 127267 with 127199, for 96-100 Machine
127269	;	Feed Lifting Rock Shaft complete, Nos. 52265 and 52384
+127270		Bed
127284		Arm Shaft (horizontal) 127265 with 52196 and 52246, for 96-86 Machine
127292	22223	Rotating Hook Shaft
140184E	22217	Arm Shaft (horizontal) Bevel Gear Case
		Plug Screw, for 142003
140184E	22217	Rotating Hook Shaft Bevel Gear Case Plug- Screw, for 142004
142003	22219	Arm Shaft (horizontal) Bevel Gear Case (two pieces) with 51068E, 140184E
142004	22221	and 142005
142005	22217	Arm Shaft (horizontal) Bevel Gear Case Alemite Fitting, for 142003
142005	22217	Rotating Hook Shaft Bevel Gear Case Alemite Fitting, for 142004
142006	22219	Arm Shaft (upright)
142008	22224	Rotating Hook Shaft Bushing (front) 011
		Cup
150203	20335	Thread Unwinder Spool Rest Cushion (felt) for 225258
150459	218 34	Bobbin Winder Tension Bracket with 460C, for 150460
150460		Bobbin Winder Tension Bracket complete, for 150461, Nos. 41593 to 41595, 52183, 52239, 127187, 127255, 150459 and two 2455
150461		Bobbin Winder (swinging automatic, left hand) complete, Nos. 41915 and 150460
200056E	3471	Bobbin Winder Stop Latch Screw, for 225382.
2000821	3471	Bobbin Winder Tension Bracket Screw, for 225382.
2002991	3471	Bobbin Winder Stop Latch Trip Lever Hinge Screw, for 225382

1

N7	77.4.	Verso
No. 200380C	Plate 3471	Name Bobbin Winder Pulley Set Screw, for
2000000	34/1	202473
2003830	22230	Thread Unwinder Spool Rest Rod Set Screw for 202490.
201018C	22230	Thread Unwinder Spool Rest Set Screw, for
201499B	34771	225257
201572B		" " " Thumb Nut, for
		225462
201696J	22230	Thread Unwinder Thread Guide Lock Nut, for 225258
202277	3471	Bobbin Winder Frame Oil Packing (wick) for 225453
202407	3471	Bobbin Winder Tension Spring, for 225462.
202473	3470	" Pulley with 200380C, for
		225382
202478	3471	Bobbin Winder Stop Latch Trip Lever, for 225382
202490	20335	Thread Unwinder Spool Stand with 2003830 for 225258
225257	20335	Thread Unwinder Spool Rest with 201019C,
225258	20335	for 225258 Thread Unwinder complete, for two spools
		or two large cones of thread, Nos.
		201696J, 202490, 225257, 225324, 225326, 225388, two each 150203,
		225391 and three wood screws 7/8 in.
		No. 12 F.H.
225322	22230	Thread Unwinder Thread Guide Rod Washer,
		for 225324
225324	20335	Thread Unwinder Thread Guide Rod With 208E and 225322, for 225258
225326	20335	Thread Unwinder Thread Guide Position
200000	20000	Cup, for 225258
225381	3470	Bobbin Winder Spindle, for 225382
225382	3469	Bobbin Winder (swinging automatic, right
		hand) complete, for power table, Nos.
		200056E, 200082D, 200299H, 202473,
		202478, 225381, 225433, 225444, 225453 to 225456, 225458, 225462,
		228026, two each 225459 and wood
	****	screws 3/4 in. No. 12 R.H
225388	20335	Thread Unwinder Spool Rest Rod, for
		225258
225390	7234	Thread Unwinder Thread Cone Holder, for
		inverted comes, for 225258
225391	20335	Thread Unwinder Thread Guide, for 225258.
225433	3469	Bobbin Winder and Tension Bracket Base,
		for 225382

No.	Plate	Name
225438	3471	Bobbin Winder Frame Oil Well Cap, for
		225453
225444	3471	Bobbin Winder Stop Latch, for 225382
225453	3470	" " Frame with 202277 and
220100	0470	225438, for 225382
225454	3471	Bobbin Winder Frame Hinge Pin, for 225382
225455	3471	" Spring, for 225382
225456	3471	" " Plunger, for
LLUTUU	01/1	225382
225458	3471	Bobbin Winder Stop Latch Thumb Lever, for
		225382
225459	3471	Bobbin Winder Stop Latch Thumb Lever
		Hinge Stud, for 225382
225459	3471	Bobbin Winder Stop Latch Thumb Lever
		Joint Stud, for 225382
225461	3471	Bobbin Winder Tension Bracket With
200101	01/1	201499B. for 225462
005460		Bobbin Winder Tension Bracket complete,
225462		
		for 225382, Nos. 201572B, 202407,
		225461 and two 2102
228026		Bobbin Winder Tension Bracket Screw
		Washer, for 225382

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines" are not Singer made needles.

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

> Needles in Containers marked "For Singer Machines" are not Singer made needles.

PLATE 819-ONE-FOURTH SIZE




PLATE 1971-ONE-HALF SIZE



PLATE 2833-ONE-HALF SIZE




PLATE 2834-FULL SIZE




PLATE 3469-ONE-FOURTH SIZE

225382




PLATE 3470-ONE-HALF SIZE









PLATE 3471-FULL SIZE











· PLATE 5936-FULL SIZE




PLATE 7234-ONE-HALF SIZE






PLATE 7726-FULL SIZE

PLATE 7727-FULL SIZE



























PLATE 20335-ONE-SIXTH SIZE





PLATE 21806-FULL SIZE








PLATE 21817-FULL SIZE











PLATE 21818-FULL SIZE










PLATE 21819-FULL SIZE




PLATE 21823-ONE-FOURTH SIZE




PLATE 21834-ONE-HALF SIZE






PLATE 21835-ONE-HALF SIZE










PLATE 22219 - ONE-HALF SIZE 142006 52452

PLATE 22220 - FULL SIZE



PLATE 22221 - ONE-HALF SIZE 12391 127088 127108 52014 52286 52288





PLATE 22223 - ONE-FOURTH SIZE 127267 127265 52384 52386 127292 12237


PLATE 22224 - FULL SIZE 1148 704 142008 1560 2974 1053


PLATE 22225 - FULL SIZE 52486 52130 127067 62527



PLATE 22227 - FULL SIZE 121167 3146 880







51097 50316 196 50302 236

560 51371 51219 120875 50203



PLATE 22228 - FULL SIZE




PLATE 22229 - FULL SIZE







