Singer 124-1

Form 8971 Revised September, 1929 PRINTED IN U. S. A.

LIST of PARTS



MACHINE No. 124-1

THE SINGER MANUFACTURING COMPANY

8971-1

Copyright, U. S. A.
1921, 1922, 1923, 1924, 1925, 1928 and 1929
BY THE SINGER MANUFACTURING Co.
ALL RIGHTS RESERVED FOR ALL COUNTRIES

INDEX

	PAGE
Accessories	. 15
FOOT LIFTER PARTS	15
Iron Base	15
Machine 124-1	7
NUMERICAL LIST OF PARTS	21
Obsolete Parts	19
THREAD UNWINDER	16
UNDER DRIVER	16

*

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A-Hardened, Polished, Nickel Plated and Buffed

B-Polished, Nickel Plated and Buffed

C-Hardened Only D—Polished Only

E--Soft, Not Polished

F-Hardened and Polished

H-Blued

J-Nickel Plated Only

K-Hardened and Nickel Plated

L—Brass Plated

M-Oxidized

P-Japanned

R-Merlized T-Copper Plated

T. A.—Hardened, Polished, Copper and Nickel Plated and Buffed.

T. B.—Copper and Nickel Plated and Polished.

T. B.—Copper and Nickel Plated and Polished
T. J.—Copper and Nickel Plated Only.
T. K.—Hardened, Copper and Nickel Plated.
T. M.—Copper Plated and Oxidized.
T. L.—Copper and Brass Plated.
U—Zinc Plated
V—Silver Plated
W. Beliched and Nickel Plated

W-Polished and Nickel Plated

Z—Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500 and 50001 to 51500 are Screw Numbers.

1501 to 1800 and 51501 to 51800 are Nut Numbers. 1801 to 2000 and 51801 to 52000 are Roller Numbers.


2001 to 50000 and 52001 and upward are numbers of Machine Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at factory.

LIST OF PARTS COMPLETE

FOR



MACHINE No. 124-1

FOR SEWING HEAVY BAGS. BED 18 INCHES LONG; 71/2 INCHES FROM THE NEEDLE TO BASE OF ARM. ONE NEEDLE, ONE LOOPER, FOR SINGLE-THREAD CHAIN STITCH; ALSO LOOPER FOR TWO-THREAD CHAIN STITCH. THE SAME THROAT PLATE IS USED FOR EITHER SINGLE OR TWO-THREAD CHAIN STITCH. TWO INDEPENDENT PRESSER BARS AND HINGED PRESSER FEET. LENGTH OF STITCH 3/8 TO 3/4 INCH. LIFT OF PRESSER FOOT 5% INCH NEEDLE STROKE 21/4 INCHES.

49091 8812

*122001 — Arm, upper and lower (solid)....... " Oil Tube with 49092, for oiling

122012 (lower bearing).....

NO.	PLATE	NAME
49091	8812	Arm Oil Tube with 49092, for oiling 49049
52084	8812	" ,, " " 52045, for oiling inter-
		mediate bearing
52084	8812	Arm Oil Tube with 29599, for oiling 122078
52630	8812	" " " 49092, for oiling 122012
	-	(upper bearing)
56003	8812	Arm Oil Tube with 52045, for oiling 49101
52045	8813	" " Packing (felt) for 52084 and
		56003
49092	8812	Arm Oil Tube Packing (felt) for 49091
		and 52630
122097	8803	Arm Rock Shaft
49003	8801	" " Bushing (back)
446 c	8801	" " " Set Screw
122003	8801	" " " (front)
	8801	" " " Set Screw
49004	8801	" " (intermediate)
	8801	a a a a
		Set Screw
49006	8801	Arm Rock Shaft Collar with two 443c
443c		" " Set Screw
122098	8802	" " Crank (back) with
122000	000	50282E and 50582c
50582c	8809	Arm Rock Shaft Crank (back) Position
0000.20	0000	Screw
50282E	8809	Arm Rock Shaft Crank (back) Set Screw.
122099	8802	" " " (front) with
122000	0002	50282E and 50582c
50582c	8809	Arm Rock Shaft Crank (front) Position
000020	0000	Screw
50282E	0000	Arm Rock Shaft Crank (front) Set Screw
49005	8801	" " Flanged Bushing (front)
	8801	rianged Dusning (Irone)
4400	9901	G-4 G
		Set Screw
122006	8803	Arm Rotary Shaft
49011	8801	" " Bushing (front)
430c	8801	" " Set
		Screw
49010	8801	Arm Rotary Shaft Collar with two 1259c.
1259c	8801	" " Set Screw
49012	8803	" " " Flanged Bushing
		(back) with 49013 and 49093
49093	8807	Arm Rotary Shaft Flanged Bushing
		(back) Oil Pad (long) braided cotton.
49013	8812	Arm Rotary Shaft Flanged Bushing
49019	0012	(back) Oil Pad (short) braided cotton.
		(back) On rad (short) braided cotton.

NO.	PLATE	NAME
159г	8809	Arm Rotary Shaft Flanged Bushing
		(back) Screw
49014	8801	Arm Rotary Shaft Flanged Bushing
		(intermediate)
448c	8801	Arm Rotary Shaft Flanged Bushing
		(intermediate) Set Screw
64805	8812	Arm Rotary Shaft Oil Pad (braided
		cotton) for front bearing
64805	8812	Arm Rotary Shaft Oil Pad (braided
		cotton) for intermediate bearing
4288	8802	Arm Side Cover (back)
	8809	" " " Thumb Screw
4288	8802	" " " (front)
	8809	" " " Thumb Screw
122007	8803	Balance Wheel, $4\frac{8}{16}$ in. diam., with two
122001	0000	430c
4300	8801	Balance Wheel Set Screw
122008	8803	Cloth Plate
122009	0000	Cloth Plate complete, Nos. 42005, 52716c,
122009		122008, 122011, 122041 and two 217D.
50467г	0000	Cloth Plate Screw
122010	8802	" " Slide
122010	8802	Cloth Plate Slide complete, Nos. 38419,
122011		122010 and two 725J
20410	0000	
38419	8802	Cloth Plate Slide Spring
725j		OUTEW
122012	8802	Crank Connecting Rod with 896E, 49099,
000	0000	49109 and two 145E
	8809	Crank Connecting Rod Adjusting Screw
49109	8801	vy asner
*49099		
	8809	ocrew
501470		Titige ociew
1513л		1140
122013	8803	Face Plate
	8809	" Screw
122014	8802	Feed Bar
122015		Feed Bar complete, Nos. 190n, 457c,
		1258c, 122014, 122016 to 122018 and
		two 704c
122016	8802	Feed Bar Extension
	8809	" " Screw
527160		" " Hinge Pin
1258c	8801	" " ", Set Screw
122017	8807	" " Oil Pad (braided cotton)
122018	8802	" " Wearing Plate
190r	8809	" " " Screw

2 6

8 8

ij

,

NO. PLATE	NAME
122019 8804	Feed Dog
157E 8804	" " Screw
457c 8804	" " Stop Screw
122020 8802	" Eccentric with two 1036c
122021 8802	" " Connection with 2653.
122021 0002	4784, 122022 and two 145E
*122022	
	Feed Eccentric Connection Cap
145E 8809	DC1ew
4784 8812	. On Fau (left)
2653 8812	Pin.
1036c 8809	bet berew
122023 8801	" Lifting Cam with 1258c
1258c 8801	Set Screw
50086c 8809	" Regulating Screw Stud
1714c 8809	" " " Nut
49031 8801	" " " Sleeve
49032 8801	" " " Washer
122024 8805	" Rock Shaft with two 1258c
122025 8805	" " Hinge Pin
122026 8801	" " " Bushing
448c 8801	u. u u u u Set
	Screw
1258c 8801	Feed Rock Shaft Hinge Pin Set Screw .
122027 8805	Guide
690 _D 8809	" Screw
9525 8801	" " Washer
122028 8806	Looper (double thread)
122029 8806	" (single thread)
122030 8805	" Bell Crank
49039 8805	" " Hinge Stud
448c 8801	" " " Set Screw
4784 8812	" " Oil Pad (felt)
122031 8803	" " Pitman with 46223,
	49041 and two each 171E and 1057E.
50070c 8809	Looper Bell Crank Pitman Ball Screw
000.00	Stud (lower)
1636c 8809	Looper Bell Crank Pitman Ball Screw
10900 0009	Stud (lower) Nut
H0000 0000	
50069c 8809	Looper Bell Crank Pitman Ball Screw
	Stud (upper)
1619E 8809.	Looper Bell Crank Pitman Ball Screw
	Stud (upper) Nut
*49041	Looper Bell Crank Pitman Cap (lower)
171E 8809	
	Screw
*46223	Looper Bell Crank Pitman Cap (upper)
10220	Looper Ben Clauk I tillian Cap (opper)

NO. PLATE	NAME
1057E 8809	Looper Bell Crank Pitman Cap (upper)
	Screw
49043 8812	Looper Bell Crank Pitman Washer (fibre)
27398 8813	" " " " (steel)
122032 8802	Looper Carrier with two each 175E, 59019 and three 1120c
175E 8806	Looper Carrier Adjusting Screw
21506 8806	Conar with 4570
457c 8804	" " Set Screw
59019 8806	" " Gib
4784 8812	" " Oil Pad (felt)
122033 8805	Looper Carrier Pitman complete, Nos. 1722E, 1723E and 122036 to 122038
****************	172ZE, 1723E and 122030 to 122038
50070c 8809	Looper Carrier Pitman Ball Screw Stud (right)
1519E 8809	Looper Carrier Pitman Ball Screw Stud
	(right) Nut
46237 8809	Looper Carrier Pitman Ball Stud (left)
1120c 8806	" " " " Set
	Screw
*49085	Looper Carrier Pitman Cap (left)
171E 8809	" " " Screw.
*49085	" " " (right)
171E 8809	. " " " " Screw
*122034	" " End Bearing
122001	(left)
*122035	Looper Carrier Pitman End Bearing
	(right)
122036 8805	Looper Carrier Pitman Head (left) Nos
	46237, 49085, 122034 and two 171E
122037 8805	Looper Carrier Pitman Head (right) Nos
122001 0000	49085, 50070c, 122035 and two 171E.
122038 8805	Looper Carrier Pitman Rod
1722E 8809	" " Nut (left).
	"" " " (right)
1723E 8809	(right)
49043 8812	washer (nore).
122039 8805	TOUCK SHAIL
11411 8806	" " " Collar with
453c 8806	Looper Carrier Rock Shaft Collar Set
	Screw
49048 8805	Looper Carrier Rock Shaft Crank (back)
	forked, with 50083c
50083c 8809	Looper Carrier Rock Shaft Crank (back)
	Set Screw
49049 8805	Looper Carrier Rock Shaft Crank (back)
10010 0000	Slide Block
	Shue Diock

(front)
(front)
.
· · · · · · ·
crew.
Screw.
e Stud
44
th two
mping
ılating
w Stud
ng
ng read
read
read Set
read Set
Set
Set Set
Set Set t with
Set Set

NO. PLATE	NAME
59033 8807	Presser Bar (right) Bushing (lower)
452c 8806	" " " Set
	Screw
122049 8806	Presser Bar (right) Bushing (upper)
452c 8806	" " " " Set
	Screw
122052 8807	Presser Bar (right) Lifting Bracket with
	1258c
1258c 8801	Presser Bar (right) Lifting Bracket Set
	Screw
122053 8807	Presser Bar Lifter
42007 8805	" " Hinge Pin
452c 8806	" " Set Screw.
122054 8807	" Spring (flat)
122055 8807	1 0 1 7
	" " Bracket
1396д 8809	ocrew
38468 8806	Stud
×22000	root (left) Plate
646p 8804	ninge screw
122057	опапк
122058 8804	Presser Foot (left, hinged) complete, Nos.
	646p, 122056 and 122057
898р 8804	Presser Foot (left) Screw
122059 ——	" " (right Plate
646p 8804	" " " Hinge Screw.
122060	" " " Shank
122061 8804	Presser Foot (right, hinged) complete,
	Nos. 646p, 122059 and 122060
898d 8804	Presser Foot (right) Screw
574 _J 8809	Pressure Regulating Thumb Screw
1539л 8809	" " " Lock
	Nut
122062 8808	Tension (looper thread) Disc
1560c 8806	" " Regulating
	Thumb Nut
50261c 8808	Tension (looper thread) Screw Stud
122063 8808	" " " Sleeve
52975 8808	" " Spring
13915 8808	" " " Bushing.
122062 8808	" (needle thread) Disc
1560c 8806	" " Regulating
19000 9900	
50261c 8808	Thumb Nut
	Tension (needle thread) Screw Stud
122063 8808	bleeve
52975 8808	opring
13915 8808	Dusning.
122064 8808	Thread Eyelet (side of arm)

NO. PLATE	NAME
447c 8808	Thread Eyelet (side of arm) Set Screw.
122065 8808	" Guide (side of arm)
452c 8806	" " Set Screw.
122066 8808	" (under) Teke un
122020 8802	" (under) Take-up
122020 Oqu2	
1036c 8809	two 1036c Thread (under Take-up Eccentric Set
10000 0000	Screw
122067 8807	Thread (under) Take-up Lever with
	122068 and two each 145E and 1279F
*122068	Thread (under) Take-up Lever Cap
145E 8809	" " " " Screw
122069 8805	" " " Connec-
122000 0000	
11411 8806	Thread (under) Take-up Lever Connec-
11411 0000	tion Collar with 453c
453c 8806	Thread (under) Take-up Lever Connec-
400C 000U	tion Collar Set Screw
375c 8809	Thread (under) Take-up Lever Hinge
9190 0009	Canada (under) Take-up Lever Hinge
1519E 8809	Screw.
1919E 9909	Thread (under) Take-up Lever Hinge
1070- 0000	Serew Nut
1279F 8809 122070 8808	Thread (under) Take-up Set Screw
122071 8805	Bracket
100070 0000	with three 462c
122072 8808	Thread (under) Take-upStripper Bracket
400 . 0000	Bushing.
462c 8808	Thread (under) Take-up Stripper Bracket
200- 0000	Bushing Set Screw
690л 8809	Thread (under) Take-up Stripper Bracket
400 0000	Screw
462c 8808	Thread (under) Take-up Stripper Set
100070 0007	Screw
122073 8807	Thread (upper) Controller with 457c
122072 8808	
457c 8804	Set
F0001 . 0000	Screw.
50061c 8809	Thread (upper) Controller Hinge Screw.
157c 8804	Strew
9525 8801	washer
46383 8808	Nipper Cam with two
	1253c
1253c 8808	Thread (upper) Nipper Cam Set Screw.
32191 8808	Disc
1535c 8808	n eguiatin g
	Thumb Nut

NO. PLATE	NAME
122074 8808	Thread (upper) Nipper Releaser
122075 8808	" " Releasing Pin
735c 8808	" " Set
	Screw
1979 8808	Thread (upper) Nipper Roller and Screw
	Stud
122076 8808	Thread (upper) Nipper Roller Bracket
	with 735c
122077 8808	Thread (upper) Nipper Spring
122078 8807	" Stud
1036c 8809	" Set Screw.
122079 8804	Throat Plate for 122019
742F 8804	" " Screw
•	IRON BASE
NO. PLATE	NAME
49123 8812	Machine Base Oil Pipe
49124 8812	" " ,, " Valve
50468E 8809	" Screw
122084 8812	" Washer (leather)
122080 8810 .	Machine Base with 49123, 49124 and
	three each 50468E and 122084
	ACCESSORIES
	ACCESSORIES
NO. PLATE	NAME
4718 8812	Machine Base Cushion (felt)
50144 _J 8811	" " Thumb Screw with 49095
49095 8812	" " " Washer
120344 8811	Oiler (copper-plated) with 120345
120345 8811	" Spout, 5 in. long
11831 8811	Screw Driver (large)
26026 8811	" " (small)
8909 8811	Wrench for 1513, 1517 and 1636
8908 8811	" 1519, 1722, 1723 and 1753
19221 8811	" " 1619
49079 8811	" " 1714

FOOT LIFTER PARTS

NO.	PLATE	NAME
6439		Chain, 36 in. to 45 in., with 56864 and
		56865
Nor	E: Wh	en ordering No. 6439, give length required.
4879	8811	Chain Connecting Link

UNI)FR	DR	T	TEL

NAME

NO. PLATE

NO.	PLATE	NAME
56864	8811	Chain Hook (large)
56865	8812	" " (small)
122081	8810	Lifting Lever
122082	8806	" Connection
802r	8809	" " Hinge Screw
16069	8805	" " Spring
871E	8809	" Stop Screw
4881	8810	Treadle
4882	8811	" Shaft
4883	8811	" Spring
4884	8810	" Stand
4885	8810	Treadle complete, Nos. 4879, 4881 to
		4884 and two wood screws 1 in. No. 16
122083		Foot Lifter complete, Nos. 802p, 871E,
		4885, 6439, 16069, 122081 and 122082

THREAD UNWINDER

FOR TWO SPOOLS

NO.	PLATE	NAME
225395	7233	Spool Rest with 201018c
225388	7233	" " Rod
200383c	8809	" " Set Screw
201018c	8809	" Set Screw
202490	7233	" Stand with 200383c
225391	7233	Thread Guide
201696л	8809	" " Lock Nut
225392	7233	" Rod with 208E and 225393
208E	8809	" " Screw
225393	8809	" " Washer
225396	7233	Thread Unwinder complete, Nos.
		2016961, 202490, 225388, 225392,
		225395, two 225391 and three wood
		screws 1/8 in. No. 12
27739	7234	Thread Cone (wood) for large cones
225390	7234	" " Holder, for inverted cones.
N	OTE:	Nos. 27739 and 225390 are used with,
		but not included in, 225396.

UNDER DRIVER

BELT TIGHTENER, LEVER PRESSURE, RIGHT HAND
CNE SPEED, FLAT PULLEY

NO. I	LATE	NAME
126583	7877	Base with two 50288c
126572	7980	Belt Guard

50058D	7978	Belt	Guard	Screw.			
126584	7980	**	Tighter	er Scre	ew		
55767	7978	"	64	"	Hin	re Stud	
50288c	7978	"	44	44	40	gc 27444	Set
		Se	rew				200
1796E	7978	Belt	Tighter	er Sere	w Nut		• • • • • •
126585	7979	"	611001	"	66	Washe	· · · · · · ·
126573	7978	Brak	ce (therr	noid).		TT CASSILO.	•••••
126574	7877	"	Lever	with 5	1067c		
51067c	7978	ce	44	Set Sc	rew		
126575	7980	46	ui	Spring	,		
126169	7877.	Driv	ing Pull	ev (rigl	ht hand) 63/ in	diam
		wi	th 6091	1 609	35 126	6909 ar	d two
		27	414	, 000	00, 12.	Jane al	ia two
60911	7877	Driv	ing Pull	ev Frie	tion R	ing (lea	ther)
60935	7978	- 64	"		"	" Stop	Din
126756	7877	"				ow)	J 1 111
126576		"	44	"	10 (11011		6756
		wi	th 2041	7 204	108 and		
126577		Driv	ing Pu	llev Si	heft or	mnlete	Mon
		12	6173, 1	26175	126576	19857	78 and
•		12	6757	-0110,	120010	, 12001	o anu
25303	7978	Driv	ing Pull	ev Sha	ft Rall	eizo 1/	in
204107	7979	u	g _ (ii	"	"	Cup	ш
204108	7979	"		"	66	" Са	
126173	7978	"		"	Oilin	g Leath	
126757		"	"	46	"	R TICSTOT	Clip
126175	7978	46	"	"	"	"	Plug
		(le	ather).				riug
126578	7980	Driv	ing Pull	ov Sho	tt Oil V	Viole	• • • • •
50959c	7978	"	mg run	су юца.	Sot S	VIUK	
204113	7978	44	. "	"	Thin	screw	
27414	7978	"	"	Spri	. TIIII		
126201	7979	"		opii	лg Pot	aining V	Voobon
126202		Driv	ing Pull	av Spri	na Pot	aining V	Vasher
		20174	mplete,	Non 19	11g 1xeu 16901 ^	anning v	vasner
126203	7978	Drive	ing Pull	av Snei	na Dat	nu 1202	700
		Piv	1	су орга	ing reco	mining v	vasner
126586	7877	From	e with	 :0050a		• • • • • •	
40063	7980	66	Hinge	Din			• • • • •
50288c	7978	44,	TITIE	'66 (• • • • • •	• • • • •
126179	7877		ian Dull	•	bet och	ew	
	1011	1 1100	ion Pull	ey (rigi ∩ato∽	пе нап d	y with 2	27553
25362	7978	Enict.	d four 5	OULZE	، ، ، ، ، ، ، ، ، ، ، ، ، ، ، ، ، ، ،	· · · · · · · · ·	
204100	7979	Frict	ion Pull	ea Dan	, size i	7 in	
204100	7979	46	"	"		ıg Cap.	
204101	7979	"	. "	"	∪ap		
JU11UZ	1919			**	Retair	ung Sp	ring

.

.

NO.	PLATE	NAME
227553	IDAID	Friction Pulley Ball complete, Nos.
221000		204100 to 204102 and thirteen 25362.
227970	7877	Lever (compression) and Dress Guard
		with 204117 and two each 200524c and
		202845
200524c	7978	Lever (compression) and Dress Guard
_000_10		Set Screw
204117	7979	Lever Compression Plate
202845	7978	" " Rivet
126580		" Shaft
123183	7978	" Cotter Pin
126587		Pulley (flat) 3 in. diam.
126588	7877	" " 4 in. diam
126589		" 5 in. diam
	ore: 1	No. 126588 is sent with this transmitter
		another Pulley is specified on order.
50512E		Pulley Screw
11864		Shaft Driving Pulley (sectional) 10 in.
		diam. 11/4 in. face, 13/16 in. bore, with
		two 597c
597c	8813	Shaft Driving Pulley Clamping Screw
126036	8497	Treadle
126037		" 126036 with 2718R, 50581R and
		126038
126205	8497	Treadle Bracket (left)
126207	8813	" " Hook
23258	8813	" " Frietion
20200	0010	Washer
100000	0010	Treadle Bracket (left) Hook Rivet
126208 126206	8813	Treadle Bracket (left) nook kivet Treadle Bracket (left) complete, Nos.
120200		
		23258, 126205, 126207, 126208 and two
		wood screws 1 in. No. 14
46681	8497	Treadle Bracket (right)
60502		40081 WILII IWO
		wood screws 1 in. No. 14
126038	8497	Treadle Extension
50581B	8813	" " Screw
2718n	8813	" " Washer
60858	8497	" Hanging Hook
27639	8497	" Pitman Rod
9079	8497	" " Clamp with 354c
354c	8813	" " " Screw
60626	8497	Treadle Pitman Rod complete, two each
		Nos. 9097 and 27639
126211		Treadle complete, Nos. 60502, 126037
		and 126206

NO.	PLATE	NAME
126212		Treadle and Pitman complete, Nos.
		60626, 60858 and 126211
126590		Transmitter (belt tightener) complete,
		Nos. 40063, 50058, 55767, 123183,
		126169, 126179, 126572 to 126575,
		126577, 126580, 126583, 126584,
		126586, 126588, 204113, 227970, two
		each 1796E, 126585 and three wood
		screws 1½ in. No. 16
126591		Under Driver complete, Nos. 11864,
		126212 and 126590
N	OTE: N	No. 126591 Under Driver is not sent with
	me	achine, unless specified on order.

OBSOLETE PARTS

NO.	PLATE	NAME
122002	8803	Arm Rock Shaft
122004	8802	" " Crank (back) with
		50282E and 50457F
50457f	8809	Arm Rock Shaft Crank (back) Position Screw
122005 ·	8802	Arm Rock Shaft Crank (front) with 50282£ and 50457£
50457f	8809	Arm Rock Shaft Crank (front) Position Screw
29599		Arm Oil Tube Packing (felt) for 52084 and 56003

NUMERICAL LIST OF PARTS

ţ.

4

NO. PLATE	NAME
145E 8809	Crank Connecting Rod Cap Screw for
	122012
145E 8809	Feed Eccentric Connection Cap Screw for 122021.
145Е 8809	Thread (under Take-up Lever Cap Screw for 122067
157E 8804	Feed Dog Screw
157c 8804	Thread (upper) Controller Screw
159F 8809	Arm Rotary Shaft Flanged Bushing (back) Screw
171E 8809	Looper Bell Crank Pitman Cap (lower) Screw for 122031
171E 8809	Looper Carrier Pitman Cap (left) Screw for 122036
171E 8809	Looper Carrier Pitman Cap (right) Screw for 122037
175E 8806	Looper Carrier Adjusting Screwfor 122032
190ъ 8809	Feed Bar Wearing Plate Screw for 122015
190 _D 8806	Needle Guard Screw
193F 8809	Face Plate Screw
208E 8809	Thread Unwinder Thread Guide Rod Screw for 225392
217д 8809	Looper Gate, Lock Spring Screw for 122009.
286ъ 8809	Arm Side Cover (back) Thumb Screw
286р 8809	" " (front) Thumb Screw
354c 8813	Under Driver Treadle Pitman Rod Clamp Screw for 9079
375c 8809	Thread (under) Take-up Lever Hinge Screw
430c 8801	Arm Rotary Shaft Bushing (front) Set Screw
430c 8801	Balance Wheel Set Screw for 122007
443 c 8801	Arm Rock Shaft Collar Set Screw for 49006
446c 8801	Arm Rock Shaft Bushing (back) Set Screw
446c 8801	Arm Rock Shaft Bushing (front) Set Screw
446c 8801	Arm Rock Shaft Bushing (intermediate) Set Screw
446c 8801	Arm Rock Shaft Flanged Bushing (front) Set Screw
447c 8808	Thread Eyelet (side of arm) Set Screw

NO: PLATE	NAME
448c 8801	Arm Rotary Shaft Flanged Bushing (intermediate) Set Screw
448c 8801	Feed Rock Shaft Hinge Pin Bushing Set Screw
448c 8801	Looper Bell Crank Hinge Stud Set Screw
452c 8806	Needle Bar Bushing (lower) Set Screw
452c 8806	" " (upper) Set Screw.
452c 8806	Presser Bar (left) Bushing (lower) Set Screw
452c 8806	Presser Bar (left) Bushing (upper) Set Screw.
452c 8806	Presser Bar (right) Bushing (lower) Set Screw.
452c 8806	Presser Bar (right) Bushing (upper) Set Screw.
452c 8806	Presser Bar Lifter Hinge Pin Set Screw
452c 8806	Thread Guide (side of arm) Set Screw.
453c 8806	Looper Carrier Rock Shaft Collar Set
1000 0000	Screw for 11411
453c 8806	Thread (under) Take-up Lever Connec-
1000 0000	tion Collar Set Screw for 11411
457c 8804	Feed Dog Stop Screw for 122015
457c 8804	Looper Carrier Collar Set Screw for 21506
457c 8804	Thread (upper) Controller Bushing Set Screw for 122073
462c 8808	Thread (under) Take-up Stripper Bracket Bushing Set Screw for 122071
462c 8808	Thread (under) Take-up Stripper Set
5774- 0000	Screw for 122071
574J 8809	Pressure Regulating Thumb Screw
597c 8813	Under Driver Shaft Driving Pulley Clamping Screw for 11864
646р 8804	Presser Foot (left) Plate Hinge Screw for 122058
646ъ 8804	Presser Foot (right) Plate Hinge Screw
	for 122061
690ъ 8809	Guide Screw
690ъ 8809	Thread (under) Take-up Stripper Bracket Screw
704c 8809	Feed Bar Extension Screw for 122015
725」 8809	Cloth Plate Slide Spring Screw for 122011
735c 8808	Thread (upper) Nipper Releasing Pin Set Screw for 122076
742F 8804	Throat Plate Screw
802 _D 8809	Lifting Lever Hinge Screw for 122083
971m 9900	" " Ston Coron; for 199009

NO. PLATE	NAME
896E 8809	Crank Connecting Rod Adjusting Screw
	for 122012
898d 8804	Presser Foot (left) Screw
898p 8804	" (right) Screw
916c 8806	Needle Bar Thread Retainer Screw Stud
1036c 8809	Feed Eccentric Set Screw for 122020
1036c 8809	Thread (under) Take-up Eccentric Set
	Screw for 122020
1036c 8809	Thread (upper) Nipper Stud Set Screw
1057E 8809	Looper Bell Crank Pitman Cap (upper) Screw for 122031
1120c 8806	Looper Carrier Pitman Ball Stud (left)
	Set Screw for 122032
1120c 8806	Looper Set Screw for 122032
1253c 8808	Thread (upper) Nipper Cam Set Screw
	for 46383
1255E 8809	Looper Carrier Rock Shaft Crank (front)
	Clamping Screw for 122040
1258c 8801	Feed Bar Hinge Pin Set Screw for 122015
1258c 8801	" Lifting Cam Set Screw for 122023
1258c 8801	" Rock Shaft Hinge Pin Set Screw for
	122024
1258c 8801	Presser Bar (left) Lifting Bracket Set Screw for 122050.
1258c 8801	Presser Bar (right) Lifting Bracket Set
	Screw for 122052
1259c 8801	Arm Rotary Shaft Collar Set Screw for
	49010
1259c 8801	Looper Eccentric Set Screw for 49051
1259c 8801	" Gate Hinge Pin Set Screw for
	122041
1279г 8809	Thread (under) Take-up Set Screw for 122067
1396р 8809	Presser Bar Spring Bracket Screw
1454E 8806	Needle Bar Connecting Stud Clamping
	Screw for 122045
1513л 8809	Crank Connecting Rod Hinge Screw Nut
1517E 8806	Needle Bar Connecting Link Hinge Stud Nut
1519E 8809	Looper Carrier Pitman Ball Screw Stud (right) Nut
1519E-8809	Thread (under) Take-up Lever Hinge
	Screw Nut
1535c 8808	Thread (upper) Nipper Regulating Thumb Nut
1539л 8809	Pressure Regulating Thumb Screw Lock
	Nut

NO. PLAT	E NAME
1560c 880	
	Thumb Nut
1560c 880	
	Thumb Nut
1560c 880	
	Thumb Nut
1619E 8809	
	Stud (upper) Nut
1636c 880s	
	Stud (lower) Nut
1714c 880	
1722E 880	
11222 000	for 122033
1723E 8809	Looper Carrier Pitman Rod Nut (right)
	for 122033
1753c 880	F G
1796E 7978	
	for 126590
1979 880	
	Stud
2102 880	
2653 8813	
	for 122021
2718R 8813	
	Washer for 126037
4288 8803	
4288 880	(1ront)
4718 8813	
4784 8812	
	for 122021
4784 8812	
4784 8813	
4879 8811	
	Nos. 4881 to 4884 for 4885.
4881 8810	
4882 8811	Share
4883 8811	opring
4884 8810	
4885 8810	
	4881 to 4884 and two wood screws 1 in.
0.490	No. 16
6439	- Chain, 36 in. to 45 in., with 56864 and
0000 004	56865, for 122083
8908 881	1120 and 1100
8909 8811	(Accessories)
8909 8811	Wrench for 1513, 1517 and 1636 (Acces-

NO.	PLATE	NAME
9079	8497	Under Driver Treadle Pitman Rod Clamp
		with 354c for 60626
9525	8801	Guide Screw Washer
9525	8801	Thread (upper) Controller Screw Washer
10148	8806	Needle Bar Thread Retainer Spring
11411	8806	Looper Carrier Rock Shaft Collar with 453c.
11411	8806	Thread (under) Take-up Lever Connection Collar with 453c
11831	8811	Screw Driver, large (Accessories)
11864	8814	Under Driver Shaft Driving Pulley (sec-
		tional) 10 in. diam., $1\frac{1}{4}$ in. face, $1\frac{3}{16}$ in. bore with two 597c, for 126591
13915	8808	Tension (looper thread) Spring Bushing.
13915	8808	" (needle thread) Spring Bushing.
16069	8805	Lifting Lever Spring for 122083
19221	8811	Wrench for 1619 (Accessories)
21506	8806	Looper Carrier Collar with 457c
23258	8813	Under Driver Treadle Bracket (left)
		Hook Friction Washer for 126206
25303	7978	Under Driver Driving Pulley Shaft Ball, size ¼ in., for 126576
25362	7978	Under Driver Friction Pulley Ball, size $\frac{3}{16}$ in., for 227553
26026	8811	Screw Driver (small) Accessories
27398	8813	Looper Bell Crank Pitman Washer (steel)
27414	7978	Under Driver Driving Pulley Spring for 126169.
27639	8497	Under Driver Treadle Pitman Rod for 60626.
27739	7234	Thread Unwinder Thread Cone (wood) for large cones, for 225396
29599	8812	Arm Oil Tube Packing (felt) for 52084 and 56003, obsolete.
32191	8808	Thread (upper) Nipper Disc
38419	8802	Cloth Plate Slide Spring for 122011
38468	8806	Presser Bar Spring Stud
40063	7980	Under Driver Frame Hinge Pin for 126590.
42005	8805	Looper Gate Lock Spring for 122009
42007	8805	Presser Bar Lifter Hinge Pin
*46223		Looper Bell Crank Pitman Cap (upper) for 122031
46237	8809	Looper Carrier Pitman Ball Stud (left) for 122036.
46383	8808	Thread (upper) Nipper Cam with two 1253c.
4		1.40 Je N. is.

26

NO.	PLATE	NAME
46681	8497	Under Driver Treadle Bracket (right)
		for 60502
49003	8801	Arm Rock Shaft Bushing (back)
49004	8801	" " (intermediate)
49005	8801	" " Flanged Bushing (front)
49006	8801	" " Collar with two 443c
49010	8801	" Rotary Shaft Collar with two 1259c
49011	8801	" " Bushing (front
49012	8803	" " Flanged Bushing
		(back) with 49013 and 49093
49013	8812	Arm Rotary Shaft Flanged Bushing
		(back) Oil Pad (short) braided cotton
		for 49012
49014	8801	Arm Rotary Shaft Flanged Bushing (intermediate)
49031	8801	Feed Regulating Screw Stud Sleeve
49032	8801	" " Washer
49039	8805	Looper Bell Crank Hinge Stud
*49041		" " Pitman Cap (lower)
49041		for 122031
49043	8812	Looper Bell Crank Pitman Washer (fibre)
49043	8812	" Carrier Pitman Washer (fibre)
49048	8805	" Rock Shaft Crank (back)
10010	0000	forked, with 50083c
49049	8805	Looper Carrier Rock Shaft Crank (back)
10010	0000	Slide Block
49051	8805	Looper Eccentric with two 1259c
49057	8806	Needle Bar Connecting Link Hinge Stud
49079	8811	Wrench for 1714 (Accessories)
*49085		Looper Carrier Pitman Cap (left) for
		122036
*49085		Looper Carrier Pitman Cap (right) for
		122037
49091	8812	Arm Oil Tube with 49092, for oiling
		122012 (lower bearing)
49091	8812	Arm Oil Tube with 49092, for oiling 49049
49092	8812	" " Packing (felt) for 49091
		and 52630
49093	8807	Arm Rotary Shaft Flanged Bushing
		(back) Oil Pad (long) braided cotton,
		for 49012
49095	8812	Machine Base Thumb Screw Washer for
		50144 <i>J</i>
*49099		Crank Connecting Rod Cap for 122012
49101	8806	Needle Bar Connecting Link
49109	8801	Crank Connecting Rod Adjusting Washer
		f 100010

NO. PLATE	NAME
49123 8812	Machine Base Oil Pipe for 122080
49124 8812	" " " Valve for 122080
50058D 7978	Under Driver Belt Guard Screw for 126590
50061c 8809	Thread (upper) Controller Hinge Screw.
50069c 8809	Looper Bell Crank Pitman Ball Screw Stud (upper)
50070c 8809	Looper Bell Crank Pitman Ball Screw Stud (lower)
50070c 8809	Looper Carrier Pitman Ball Screw Stud (right for 122037
50083c 8809	Looper Carrier Rock Shaft Crank (back) Set Screw for 49048
50086c 8809	Feed Regulating Screw Stud
50144 _J 8811	Machine Base Thumb Screw with 49095 (Accessories)
50147c 8809	Crank Connecting Rod Hinge Screw
50261c 8808	Tension (looper thread) Screw Stud
50261c 8808	" (needle thread) Screw Stud
50282 _E 8809	Arm Rock Shaft Crank (back) Set Screw for 122004 and 122098
50282E 8809	Arm Rock Shaft Crank (front) Set Screw for 122005 and 122099
50288c 7978	Under Driver Belt Tightener Screw Hinge Stud Set Screw for 126583
50288c 7978	Under Driver Frame Hinge Pin Set Screw for 126583
50457r 8809	Arm Rock Shaft Crank (back) Position Screw for 122004, obsolete
50457F 8809	Arm Rock Shaft Crank (front) Position Screw for 122005, obsolete
50467 _F 8809	Cloth Plate Screw
50468 E 8809	Machine Screw for 122080
50512E 7978	Under Driver Pulley Screw for 126179.
50582c 8809	Arm Rock Shaft Crank (back) Position Screw for 122098
50581R	Under Driver Treadle Extension Screw for 126037
50582c 8809	Arm Rock Shaft Crank (front) Position Screw for 122099
50959c 7978	Under Driver Driving Pulley Shaft Set Screw for 126586
51067c 7978	Under Driver Brake Lever Set Screw for 126574
52045 8813	Arm Oil Tube Packing (felt) for 52084 and 56003

28

NO.	PLATE	NAME
52084	8812	Arm Oil Tube with 29599, for oiling
J2001	0012	intermediate bearing
E0004	8812	Arm Oil Tube with 52045, for oiling
52084	0014	
50000	0010	122078
52630	8812	Arm Oil Tube with 49092, for oiling
	0000	122012 (upper bearing)
52716c		Feed Bar Hinge Pin.
52716 c		Looper Gate Hinge Pin for 122009
52975	8808	Tension (looper thread) Spring
52975	8808	" (needle thread) Spring
55767	7978	Under Driver Belt Tightener Screw Hinge
		Stud 126590
56003	8812	Arm Oil Tube with 52045, for oiling 49101
56864	8811	Chain Hook (large) for 6439
56865	8812	" (small) for 6439
59019	8806	Looper Carrier Gib for 122032
59033	8807	Presser Bar (left) Bushing (lower)
59033	8807	" (right) Bushing (lower)
60502		Under Driver Treadle Bracket right
		46681 with two wood screws 1 in., No.
		14, for 126211
60626		Under Driver Treadle Pitman Rod com-
		plete, for 126212, two each Nos. 9079
		and 27639
60858	8497	Under Driver Treadle Hanging Hook for
		126212
60911	7877	Under Driver Driving Pulley Friction
		Ring (leather) for 126169
60935	7978	Under Driver Driving Pulley Friction
		Ring Stop Pin for 126169
64805	8812	Arm Rotary Shaft Oil Pad (braided
		cotton) for front bearing
64805	8812	Arm Rotary Shaft Oil Pad (braided
0.000		cotton) for intermediate bearing
120344	8811	Oiler (copper plated) with 120345 (Acces-
		sories)
120345	8811	Oiler Spout, 5 in. long, for 120344
122001		Arm, upper and lower (solid)
122002	8803	" Rock Shaft, obsolete
122003	8801	" " Bushing (front)
122004	8802	" " Crank (back) with
IPPOOT	3002	50282E and 50457F, obsolete
122005	8802	Arm Rock Shaft Crank (front) with
122000	0002	50282E and 50457F, obsolete
122006	8803	Arm Rotary Shaft
122007	8803	Balance Wheel, 4 16 in. diam., with two
144001	3000	430a.

NO.	PLATE	NAME
122008	8803	Cloth Plate for 122009
122009		Cloth Plate complete, Nos. 42005, 52716c,
		122008, 122011, 122041 and two 217p
122010	8802	Cloth Plate Slide for 122011
122011		Cloth Plate Slide complete for 122009,
		Nos. 38419, 122010 and two 7251
122012	8802	Crank Connecting Rod with 896E, 49099,
		49109 and two 145E
122013	8803	Face Plate
122014	8802	Feed Bar for 122015
122015		Feed Bar complete, Nos. 190o, 457c,
		1258c, 122014, 122016 to 122018 and
		two 704c
	No	os. 122016 to 122018 for 122015.
122016	8802	Feed Bar Extension
122017	8807	" " Oil Pad (braided cotton)
122018	8802	" " Wearing Plate
122019	8804	" Dog
122020	8802	" Eccentric with two 1036c
122020	8802	Thread (under) Take-up Eccentric with
		two 1036c
122021	8802	Feed Eccentric Connection with 2653,
		4784, 122022 and two 145E
*122022		Feed Eccentric Connection Cap for
		122021
122023	8801	Feed Lifting Cam with 1258c
122024	8805	" Rock Shaft with two 1258c
122025	8805	" " Hinge Pin
122026	8801	" " " Bushing
122027	8805	Guide
122028	8806	Looper (double thread)
122029	8806	" (single thread)
122030	8805	" Bell Crank
122031	8803	" " Pitman with 46223,
		49041 and two each 171E and 1057E
122032	8802	Looper Carrier with two each 175E, 59019
		and three 1120c
122033	8805	Looper Carrier Pitman complete, Nos.
		1722E, 1723E and 122036 to 122038
*122034		Looper Carrier Pitman End Bearing
		(left) for 122036
*122035		Looper Carrier Pitman End Bearing
		(right) for 122037
Nos. 122036 то 122038 год 122033,		
122036	8805	Looper Carrier Pitman Head (left) Nos.
144000	0000	46237, 49085, 122034 and two 171E
		TU201, TUUO, 122004 AHU 1WO 1/1E.,

17

i.

4

NO.	PLATE	NAME
122037	8805	Looper Carrier Pitman Head (right)
		Nos. 49085, 50070c, 122035 and two
		171 E
122038	8805	Looper Carrier Pitman Rod
122039	8805	" Rock Shaft
122040	8805	" " Crank (front)
		with two 1255E
122041	8803	Looper Gate with 1259c, for 122009
122042	8807	Needle Bar (hollow)
122043	8806	" " Bushing (lower)
122044	8806	" " (upper)
122045	8806	" Connecting Stud with two
		1454e
122046	8806	Needle Bar Thread Retainer Thread
		Guard
122047	8806	Needle Guard
122048	8807	Presser Bar (left)
122049	8806	" " Bushing (upper)
122049	8806	" (right) Bushing (upper)
122050	8807	" (left) Lifting Bracket with
		1258c
122051	8807	Presser Bar (right)
122052	8807	" " Lifting Bracket with
		1258c
122053	8807	Presser Bar Lifter
122054	8807	" Spring (flat)
122055	8807	" " Bracket
122056		" Foot (left) Plate for 122058
122057		" " Shank for 122058
122058	8804	Presser Foot (left, hinged) complete,
		Nos. 646p, 122056 and 122057
122059		Presser Foot (right) Plate for 122061
122060		" " Shank for 122061
122061	8804	Presser Foot (right, hinged) complete,
		Nos. 646p, 122059 and 122060
122062	8808	Tension (looper thread) Disc
122062	8808	" (needle thread) Disc
122063	8808	" (looper thread) Screw Stud
122000	0000	Sleeve
122063	8808	Tension (needle thread) Screw Stud
122003	0000	Sleeve
100004	0000	Thread Eyelet (side of arm)
122064	8808	
122065	8808	" Guide (side of arm)
122066	8808	" " Lever with
122067	8807	122068 and two each 145E and 1279F.
		122008 and two each 143E and 1279F.

NO.	PLATE	NAME
*122068		Thread (under) Take-up Lever Cap for 122067
122069	8805	Thread (under) Take-up Lever Connection
122070	.8808	Thread (under) Take-up Stripper.
		" " Bracket
122071	8805	with three 462c
122072	8808	Thread (under) Take-up Stripper Bracket
1000000	0000	Bushing Thread (upper) Controller Bushing
122072	8808	" " with 457c
122073	8807	WIGH 491C
122074	.8808	Thread (upper) Nipper Releaser
122075	8808	" " Releasing Pin " " Roller Bracket
122076	8808	
100055	0000	with 735c
122077	8808	Thread (upper) Nipper Spring
122078	8807	::::::::::::::::::::::::::::::::::::::
122079	8804	Throat Plate for 122019
122080	8810	Machine Base with 49123, 49124 and three each 50468E and 122084
122081	8810	Lifting Lever for 122083
122082	8806	" " Connection for 122083
122083		Foot Lifter complete, Nos. 802D, 871E,
		4885, 6439, 16069, 122081 and 122082
122084	8812	Machine Washer (leather) for 122080
122097	8803	Arm Rock Shaft
122098	8802	" " Crank (back) with
122000	0002	50282E and 50582c
122099	8802	Arm Rock Shaft Crank (front) with 50282£ and 50582c
123183	7978	Under Driver Lever Shaft Cotter Pin
		for 126590
126036	8497	Under Driver Treadle for 126037
126037		" " 126036 with
		2718R, 50581R and 126038, for 126211
126038	8497	Under Driver Treadle Extension for 126037
126169	7877	Under Driver Driving Pulley (right
		hand) 6¾ in. diam., with 60911, 60935, 126202 and two 27414, for 126590
126173	7978	Under Driver Driving Pulley Shaft Oil-
		ing Leather for 126577
126175	7978	Under Driver Driving Pulley Shaft Oil-
120110	, ,,,,	ing Leather Plug (leather) for 126577.
126179	7877	Under Driver Friction Pulley (right
120119	1011	hand) with 227553 and four 50512E,
		for 126590
		101 120000

.

, ţ

NO.	PLATE	NAME
126201	7979	Under Driver Driving Pulley Spring
		Retaining Washer for 126202
126202		Under Driver Driving Pulley Spring
		Retaining Washer complete for 126169,
		Nos. 126201 and 126203
126203	7978	Under Driver Driving Pulley Spring
		Retaining Washer Pin for 126202
126205	8497	Under Driver Treadle Bracket (left) for
		126206
126206		Under Driver Treadle Bracket (left)
		complete for 126211, Nos. 23258,
		126205, 126207, 126208 and two wood
,	-	screws 1 in. No. 14
126207	8813	Under Driver Treadle Bracket (left)
,	0010	Hook for 126206
126211		Under Driver Treadle complete for 126212
		Nos. 60502, 126037 and 126206
126212		Under Driver Treadle and Pitman com-
		plete for 126591, Nos. 60626, 60858
		and 126211
	N	os. 126572 to 126575, for 126590
126572	7980	Under Driver Belt Guard
126573	7978	" " Brake (thermoid)
126574	7877	" " Lever with 51067c.
126575	7980	" " " Chains
126576		" " Driving Pulley Shaft (hol-
120010		low) 126756 with 204107, 204108, and
		eleven 25303, for 126577
126577		Under Driver Driving Pulley Shaft
120017		complete, for 126590, Nos. 126173,
		126175, 126576, 126578 and 126757
126578	7980	Under Driver Driving Pulley Shaft Oil
120076	1900	Wick for 126577
126580		Under Driver Lever Shaft for 126590
120000	N	os. 126583 to 126589 for 126590
126583	7877	Under Driver Base with two 50288c
126584	7980	
126585	7979	" " Belt Tightener Screw " Nut
140000	1919	Washer
126586	7877	Under Driver Frame with 50959c
126587	1011	
126588	7877	rulley (nat) 5 in. diam
126588 126589	1017	4 in. diam
± ∠ 0ეგე		" " 5 in. diam


NO.	PLATE	NAME
126590		Transmitter (belt tightener) complete
		for 126591, Nos. 40063, 50058, 55767
		123183, 126169, 126179, 126572 to
		126575, 126577, 126580, 126583, 126584
		126586, 126588, 204113, 227970, two
		each 1796E, 126585 and three wood
		screws 1½ in. No. 16
126591		Under Driver (belt tightener, lever pres
		sure, right hand, one speed, flat pulley
	-	complete, Nos. 11864, 126212 and
		126590
126756	7877	Under Driver Driving Pulley Shaf
		(hollow) for 126576
126757		Under Driver Driving Shaft Oiling Leather Clip for 126577
2003830	8809	Thread Unwinder Spool Rest Rod Se
	3000	Screw for 202490
2005240	7978	Under Driver Lever (compression) and
		Dress Guard Set Screw for 227970
2010180	8809	Thread Unwinder Spool Rest Set Screv
		for 225395
201696л	8809	Thread Unwinder Thread Guide Loc Nut for 225396.
202490	7233	Thread Unwinder Spool Stand wit
202300	1200	200383c, for 225396
202845	7978	Under Driver Lever Compression Plat
		Rivet for 227970
		los. 204100 to 204102 for 227553
204100	7979	Under Driver Friction Pulley Ball Bear
		ing Cap
204101	7979	Under Driver Friction Pulley Ball Ca
204102	7979	
004		taining Spring
204107	7979	Under Driver Driving Pulley Shaft Ba
904100	7070	Cup for 126576
204108	7979	Under Driver Driving Pulley Shaft Bal Cup Cap for 126576
204113	7978	Under Driver Driving Pulley Shaf
207110	1010	Thimble for 126590
204117	7979	Under Driver Lever Compression Plat
		for 227970
225388	7233	Thread Unwinder Spool Rest Rod fo
		225396
225390	7234	Thread Unwinder Thread Cone Holder
		for inverted cones, for 225396
225391	7233	Thread Unwinder Thread Guide fo
		995996

NUMERICAL LIST OF PARTS

NO. PLATE		NAME
225392	7233	Thread Unwinder Thread Guide Rod
		with 208E and 225393, for 225396
225393	8809	Thread Unwinder Thread Guide Rod
		Washer for 225392
225395	7233	Thread Unwinder Spool Rest with
		201018c, for 225396
225396	7233	Thread Unwinder complete, for two
		spools, Nos. 201696J, 202490, 225388,
		225392, 225395, two 225391 and
		three wood screws 1/8 in. No. 12
227553		Under Driver Friction Ball Cap, Nos.
		204100 to 204102 and thirteen 25362,
		for 126179
227970	7877	Under Driver Lever (compression) and
		Dress Guard with 204117 and two
•		each 200524c and 202845, for 126590

Genuine Singer Needles and their Containers are marked with the Company's Trade Mark "SIMANCO."

Needles in Containers marked
"For Singer Machines"
are not Singer made needles.










PLATE 7978-FULL SIZE 50512 200524 51067 25362 25303 126175 50058 50288 55767 27414 126203 123183 202845












PLATE 8803-ONE-FOURTH SIZE 122006 122097




PLATE 8805-ONE-HALF SIZE 122039 122033 122024 42007 42005




PLATE 8807-ONE-HALF SIZE

PLATE 8808-FULL SIZE




PLATE 8809-FULL SIZE 145 896 690 159 50147 50467 375 50061 46237 50070 1636 1714 1519 1722 50582 50457 50282 200383 201018 208




PLATE 8811-ONE-HALF SIZE 50144 120344 19221 4879 SIMI STER ((()))




PLATE 8813-FULL SIZE 23258 126208

PLATE 8814-ONE-FOURTH SIZE