Singer 147-90 Singer 147-115 Form 20686 (154) Printed in U.S.A.

LIST of PARTS

SINGER"

MACHINES

Nos. 147-90 and 147-115

THE SINGER COMPANY

A Trade Mark of THE SINGER COMPANY

INDEX

	Pag
Accessories	2
Belt Guard	2;
Bench Stands	
oot Lifter Parts	
nee Lifter Parts	
Machine Bases	
Machine Base Oil Drain Jar	
Machine No. 147-90	
Machine No. 147-115	
lumerical List of Parts	
hread Unwinders	

Copyright, U. S. A., 1938, 1940, 1942, 1948, 1951 and 1954

by The Singer Company

All Rights Reserved for All Countries

بنأ

INSTRUCTIONS FOR ORDERING

J


In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

LIST OF PARTS COMPLETE



MACHINE No. 147-90

FOR CLOTH OR LEATHER. STITCHING GLOVES, CLOSING SHOES. BINDING LIGHT AND MEDIUM WEIGHT FABRICS, OR LEATHER. ONE NEEDLE, ONE LOOPER. INDEPENDENT UPPER AND UNDER FEEDS. ALTERNATING PRESSERS. LENGTH OF STITCHES 5 TO 20 TO THE INCH. NEEDLE BAR STROKE 1-5/16". SPEED 3000, DEPENDING ON MATERIALS USED AND OPERATIONS PERFORMED.

No.	Plate	Name
*131601		Arm, upper and lower (solid) with 51422J, 68483, and four 131022
68428	24469	Arm Bottom Cover
68429	24469	Arm Bottom Cover Gasket (cork)
1057AL	24469	Arm Bottom Cover Screw (4)
50608R	24469	Arm Hole Plug Screw, for access to Crank Connecting Rod (upper bearing)
139017	24469	Arm Hole Plug Screw Washer
68350	20711	Arm Oil Cup, for oiling Arm Rock Shaft Front Bearing
131864	24470	Arm Oil Cup, for 131866
131865	24470	Arm Oil Cup Oil Gauge
131866	24470	Arm Oil Cup with Oil Gauge complete, for filling ail reservoir, Nos. 131864 and 131865
131319	20711	Arm Oil Cup Oil Pad for 68350
11119	20711	Arm Oil Tube with 52045, for oiling Thread (upper) Nipper
56003	20711	Arm Oil Tube with 52045, for oiling Feed (upper) Bell Crank Connection Sleeve
52045	20711	Arm Oil Tube Packing (wick) (2)
131733	20711	Arm Rock Shaft and Front Crank with 853AL
131734		Arm Rock Shaft 131733 with 50391C, 131738 and two each 914J and 131695
1309C	20711	Arm Rock Shaft Adjusting Screw


No.	Plate	Name				No.	Plate	Name
131056	20711	Arm Rock Shaft Adjusting Screw Washer		4 .		54209	24471	Cloth Plate Slide (right) Position Spring
68433	20711	Arm Rock Shaft Bushing (back)				6653	24471	Cloth Plate Slide (right) Position Spring Screw (2)
68435	20711	Arm Rock Shaft Bushing (back) Cap				131381	24471	Cloth Plate Slide (right) Spring.
131095	20711	Arm Rock Shaft Bushing (back) Cap Washer (fiber)				665J	24471	Cloth Plate Slide (right) Spring Screw (2)
446AL	20711	Arm Rock Shaft Bushing (back) Set Screw				131924	24471	Cloth Plate Slide (right) complete, Nos. 54209, 131381,
68436	20711	Arm Rock Shaft Bushing (intermediate)		4	15			131923 and four 665J
423AL	20711	Arm Rock Shaft Bushing (intermediate) Set Screw				131925	24471	Cloth Plate complete, Nos. 131051, 131606 and 131924
131486	24470	Arm Rock Shaft Crank (back) Ball Bearing solid, with two				1011F	24471	Cloth Plate Screw (left) (2)
		51407AL				50396F	24471	Cloth Plate Screw (right)
51407AL	24470	Arm Rock Shaft Crank (back) Set Screw (2)				131610	24471	Cloth Plate Screw (right)
131456	20711	Arm Rock Shaft Flanged Bushing (front)				389F	24471	Cloth Plate Thread Guard Screw (lower)
453AL	20711	Arm Rock Shaft Flanged Bushing (front) Set Screw				50473F	24471	Cloth Plate Thread Guard Screw (upper)
42365	20711	Arm Rock Shaft Oil Pad for oiling Back Bearing				131926	24470	Crank Connecting Rod with two each 1057AL, 51715AL,
54969	20711	Arm Rock Shaft Oil Pad for oiling Intermediate Bearing						131927 and 131928
131 <i>487</i>	24470	Arm Rotary Shaft					NOTE:	When No. 131926 is required for repairs, Connecting Rod
	NOTE:	When No. 131487 is required for repairs, the Looper Driving						and Arm Rock Shaft Crank (back) fitted together, will be
		Shaft and Feed Lifting Eccentric must be returned to the						furnished. All Agency orders for this part must state the
		factory to be adjusted to the new part.						Machine No. for which it is required in order to obtain correct
147508		Arm Rotary Shaft 131487 with 640E, 131502, 131617,						Needle Bar Stroke.
		131931 and 147507			Ma.	131931		Crank Connecting Rod 131926 with 131486.
131366	24470	Arm Rotary Shaft Ball Bearing (back) (2)				131927	24470	Crank Connecting Rod Cap (lower) Screw Stud (2)
131478	24470	Arm Rotary Shaft Ball Bearing (back) Case				51715AL	24470	Crank Connecting Rod Cap (lower) Screw Stud Nut (2)
131479		Arm Rotary Shaft Ball Bearing (back) Case 131478 with				131928	24470	Crank Connecting Rod Cap (lower) Screw Stud Nut Lock
		131369 and three 205C						Washer (2)
131526		Arm Rotary Shaft Ball Bearing (back) Case with Ball			Na.	1057AL	24470	Crank Connecting Rod Cap (upper) Screw (2)
		Bearings complete, Nos. 131479, 131480 and two		_	-	131735	24473	Face Plate
		131366				142W	24473	Face Plate Screw (2)
131369	24470	Arm Rotary Shaft Ball Bearing (back) Case Cap				131854	24475	Feed Dog, 14 teeth (14 teeth to the inch)
205C	24470	Arm Rotary Shaft Ball Bearing (back) Case Cap Screw (3)				140275J	24475	Feed Dog Screw
131370	24470	Arm Rotary Shaft Ball Bearing (back) Case Position Stud (3)				460AL	20746	Feed Dog Stop Screw
429C	24470	Arm Rotary Shaft Ball Bearing (back) Case Set Screw				131941	20746	Feed (lower) Bar
131480	24470	Arm Rotary Shaft Ball Bearing (back) Spacing Collar				131730	20746	Feed (lower) Bar Feed Dog Seat (adjustable) with 460AL
131366	24470	Arm Rotary Shaft Ball Bearing (intermediate)				190J	20746	Feed (lower) Bar Feed Dog Seat Screw
131481	24470	Arm Rotary Shaft Ball Bearing (intermediate) Case				22436	20746	Feed (lower) Bar Feed Dog Seat Screw Washer
1304C	24470	Arm Rotary Shaft Ball Bearing (intermediate) Case Set				131942		Feed (lower) Bar with Feed Dog Leveling Device complete,
		Screw						Nos. 190J, 22436, 68467, 131730, 131941 and two
131482	24470	Arm Rotary Shaft Ball Bearing (intermediate) Collar with						207E
		two 457AL				131197	20746	Feed (lower) Bar Hinge Pin (eccentric)
457AL	24470	Arm Rotary Shaft Ball Bearing (intermediate) Collar Set				59343	20746	Feed (lower) Bar Hinge Pin Collar with 735AL
		Screw (2)				735AL	20746	Feed (lower) Bar Hinge Pin Collar Set Screw
131457	24470	Arm Rotary Shaft Bushing (front)		•	1°p	131943	20746	Feed (lower) Bar Slide Block
761E	24470	Arm Rotary Shaft Bushing (front) Set Screw				131944	20746	Feed (lower) Bar Slide Block 131943 with 68495 and
42367	24470	Arm Rotary Shaft Front Bearing Oil Pad (lower)						134260
54218	24470	Arm Rotary Shaft Front Bearing Oil Pad (upper)				68495	20746	Feed (lower) Bar Slide Block Oil Pad (wick)
144D	24470	Arm Rotary Shaft Screw.				134260	20746	Feed (lower) Bar Slide Block Oil Pad Retainer
131276	24469	Arm Side Cover (oil vent)		~	•	68467	20746	Feed (lower) Bar Wearing Plate
131909	24469	Arm Side Cover Cap				207E	20746	Feed (lower) Bar Wearing Plate Screw (2)
131280	24469	Arm Side Cover Cap Position Pin				131500	24470	Feed (lower) Connecting Rod with 1057AL, 68497,
1289X	24469	Arm Side Cover Cap Screw				••••		134260 and two 896AL
131910	24469	Arm Side Cover Cap Spring				131502		Feed (lower) Connecting Rod 131500 with 54025
131911	24469	Arm Side Cover (oil vent) complete, Nos. 1289X, 131276,				896AL	24470	Feed (lower) Connecting Rod Cap Screw (2)
		131280, 131909 and 131910				1057AL	24470	Feed (lower) Connecting Rod Clamping Screw
68448	24469	Arm Side Cover Gasket (victorite)				68497	24470	Feed (lower) Connecting Rod Oil Pad (wick)
1057AL	24469	Arm Side Cover Screw (4)				134260	24470	Feed (lower) Connecting Rod Oil Pad Retainer
131606	24471	Cloth Plate with 54309				51061AL	24470	Feed (lower) Eccentric Body Set Screw (3)
.54309	24471	Cloth Plate Oil Tube with 49092				7071	24470	Feed (lower) Eccentric Body Clamping Washer (2)
49092	24471	Cloth Plate Oil Tube Packing (felt)				2171	24470	Feed (lower) Eccentric Clamping Washer Screw (2)
68368	24471	Cloth Plate Slide (left)				138306		Feed (lower) Eccentric Lubricating Pad (wood)
131050	24471	Cloth Plate Slide (left) Spring				54025	24470	Feed (lower) Eccentric (adjustable) complete, Nos. 1103C,
665J	24471	Cloth Plate Slide (left) Spring Screw (2)			20		<u> </u>	138306 two each 217J, 7071 and three 51061AL
131051	24471	Cloth Plate Slide (left) complete, Nos. 68368, 131050 and	•	*	j e	1103C	24470	Feed (lower) Regulating Screw
	A	two 665J				131240	20746	Feed (lower) Rocking Frame with two 453AL
131923	24471	Cloth Plate Slide (right)				131945		Feed (lower) Rocking Frame 131240 with 59343, 131197
								and 131942

No.	Plate	Name			No.	Plate	Name
57234	20746	Feed (lower) Rocking Frame Hinge Pin	4.	*	131625	20746	Feed (upper) Rock Shaft Pitman Crank with two 50200C
57235	20746	Feed (lower) Rocking Frame Hinge Pin Bushing (2)			50200C	20746	Feed (upper) Rock Shaft Pitman Crank Set Screw (2)
453AL	20746	Feed (lower) Rocking Frame Hinge Pin Bushing Set			131626	20746	Feed (upper) Rock Shaft Pitman Crank Shaft
433AL	20740	Screw (2)			131627	20746	Feed (upper) Rock Shaft Pitman Crank Shaft Bracket
453AL	20746	Feed (lower) Rocking Frame Hinge Pin Set Screw (2)			131027 129E	20746	Feed (upper) Rock Shaft Pitman Crank Shaft Bracket
		Feed (upper) Bar	,	<u>.</u>	1295	20740	
131613	24473		•	'R			Screw (2)
131691		Feed (upper) Bar 131613 with 1194C, 1749C, 9525,			41F	20746	Feed (upper) Rock Shaft Pitman Hinge Screw (2)
		52595, 54143, 54144, 54145, 54150, 127946, 131615			1520J	20746	Feed (upper) Rock Shaft Pitman Hinge Screw Nut (2)
		and six 1423W			54158	24475	Feeding Foot Hinge Pin
1423W	24473	Feed (upper) Bar Cap Screw			54159	24475	Feeding Foot Plate
131615	24473	Feed (upper) Bar Connecting Bracket			54160	24475	Feeding Foot Shank
54143	24473	Feed (upper) Bar Connecting Link (lower)			54161	24475	Feeding Foot (hinged) complete, Nos. 54158, 54159 and
1423W	24473	Feed (upper) Bar Connecting Link (lower) Cap Screw (2)					54160
54145	24473	Feed (upper) Bar Connecting Link (upper)			203J	24475	Feeding Foot Screw
1423W	24473	Feed (upper) Bar Connecting Link (upper) Cap Screw			25618		Guide
54144	24473	Feed (upper) Bell Crank			51224W		Guide Thumb Screw
						04470	
1423W	24473	Feed (upper) Bell Crank Cap Screw			57255	24473	Lifting Presser Bar
54150	24473	Feed (upper) Bell Crank Connecting Link			131629	24473	Lifting Presser Bar Bushing (lower)
1423W	24473	Feed (upper) Bell Crank Connecting Link Cap Screw			1133E	24473	Lifting Presser Bar Bushing (lower) Set Screw
1194C	24473	Feed (upper) Bell Crank Connecting Link Hinge Screw	•	19-	54162	24473	Lifting Presser Bar Bushing (upper)
1749C	24473	Feed (upper) Bell Crank Connecting Link Hinge Screw Nut			1133E	24473	Lifting Presser Bar Bushing (upper) Set Screw
9525	24473	Feed (upper) Bell Crank Connecting Link Hinge Screw Nut			131630	24473	Lifting Presser Bar Lifting Bracket with 453AL
		Washer			131631	24473	Lifting Presser Bar Lifting Bracket Guide
127946	24473	Feed (upper) Bell Crank Connecting Stud with 50200C			453AL	24473	Lifting Presser Bar Lifting Bracket Guide Set Screw
50200C	24473	Feed (upper) Bell Crank Connecting Stud Set Screw			453AL	24473	Lifting Presser Bar Lifting Bracket Set Screw.
131500	24470	Feed (upper) Connecting Rod with 1057AL, 68497, 134260	*	-	131632	24477	Lifting Presser Bar Lifting Lever.
131300	244/0						
		and two 896AL			68184	24477	Lifting Presser Bar Lifting Lever Extension
131617		Feed (upper) Connecting Rod 131500 with 54456			1617	24477	Lifting Presser Bar Lifting Lever Extension Screw (2)
896AL	24470	Feed (upper) Connecting Rod Cap Screw (2)			802X	24477	Lifting Presser Bar Lifting Lever Hinge Screw
1057AL	24470	Feed (upper) Connecting Rod Clamping Screw			38467	24469	Lifting Presser Bar Spring (flat)
131618	20746	Feed (upper) Connecting Rod Crank with two 140123AL			131198	24469	Lifting Presser Bar Spring (auxiliary)
140123AL	20746	Feed (upper) Connecting Rod Crank Set Screw (2)			38468	24409	Lifting Presser Bar Spring Stud
131619	20746	Feed (upper) Connecting Rod Hinge Stud			54214	24475	Lifting Presser Foot
68497	24470	Feed (upper) Connecting Rod Oil Pad (wick)			190J	24475	
134260	24470	Feed (upper) Connecting Rod Oil Pad Retainer			53202	24475	
51061AL	24470	Feed (upper) Eccentric Body Set Screw (3):			53202	24475	
	24470						
7071		Feed (upper) Eccentric Clamping Washer (2)			54027	24479	Looper Carrier with two 175E
2171	24470	Feed (upper) Eccentric Clamping Washer Screw (2)			175E	24479	Looper Carrier Adjusting Screw (2)
138306		Feed (upper) Eccentric Lubricating Pad (wood)			54 22 7	24479	Looper Carrier Connection
54456	24470	Feed (upper) Eccentric (adjustable) complete, Nos. 1103C,		-	54228	24479	Looper Carrier Connection Shaft
		138306, two each 217J, 7071 and three 51061AL	-	-	68478	24479	Looper Carrier Connection Shaft Bushing
147560	24473	Feed (upper) Lifting Regulator			51263D	24479	Looper Carrier Connection Shaft Bushing Cap Screw
131737	24473	Feed (upper) Lifting Regulator Connection with 140123AL			131882	24479	Looper Carrier Connection Shaft Bushing Collar with
140123AL	24473	Feed (upper) Lifting Regulator Connection Clamping			101002		50597C and two 443AL
140120712	2,	Screw			50597C	24479	Looper Carrier Connection Shaft Bushing Collar Position
131622	24473	Feed (upper) Lifting Regulator Connection Sleeve	-	•	30377	244//	Screw Stud
		Feed (Upper) Lifting Regulator Connection Steeve Stide			4.011	0.4470	
131738	20711	Feed (upper) Lifting Regulator Connection Sleeve Slide			443AL	24479	Looper Carrier Connection Shaft Bushing Set Screw (2)
		Block			128419	24479	
131695	20711	Feed (upper) Lifting Regulator Connection Sleeve Slide			68479	24479	
		Block Clamping Washer (2)			175AL	24479	Looper Carrier Driver Cap Screw (4)
914J	20711	Feed (upper) Lifting Regulator Connection Sleeve Slide			147506	24479	Looper Driving Shaft and Feed Lifting Eccentric
		Block Clamping Washer Screw (2)				NOTE:	When No. 147506 is required for repairs, the Arm Rotary
50391C	20711	Feed (upper) Lifting Regulator Connection Sleeve Slide					Shaft must be returned to the factory to be adjusted to the
000714		Block Regulating Screw					new part.
1103C	24470	Feed (upper) Regulating Screw			147507		Looper Driving Shaft and Feed Lifting Eccentric 147506
	20746	Feed (upper) Rock Shaft			14/30/		
54155		Feed (upper) Rock Shaft Collar with two 465AL			40.400		with 54027, 54227, 54228 and 68479
54369	20746				68483		Looper Driving Shaft and Feed Lifting Eccentric Bracket
465AL	20746	Feed (upper) Rock Shaft Collar Set Screw (2)					with 761E
54156	20746	Feed (upper) Rock Shaft Crank (back) with two 50200C			51422J	24470	
50200C	20746	Feed (upper) Rock Shaft Crank (back) Set Screw (2)	•	100			Screw
	24473	Feed (upper) Rock Shaft Crank (front) with 1057AL			131959	24479	Looper Driving Shaft and Feed Lifting Eccentric Bushing
52595							
52595 1057AL	24473	Feed (upper) Rock Shaft Crank (front) Clamping Screw			131028	24479	Looper Driving Shaft and Feed Lifting Eccentric Bushing

							•	ARIO TOR TRACE
No.	Plate	Name				No.	Plate	Name
761E	24470	Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw	*	-		131002	24487	Oil Pipe (front of arm) Connection with two 198E, for
68497		Looper Driving Shaft and Feed Lifting Eccentric Front				131003	24487	oiling Looper Carrier Connection Shaft
		Bearing Oil Pad (wick)				131003	24407	131112 and 131113 (3)
640E	24470	Looper Driving Shaft and Feed Lifting Eccentric Screw	.,			131084	24487	Oil Pipe (front of arm) Connection with two 198E, for
54035	24479	Looper Holder with 1120AL	~	⁵ 19.		101004	24407	68500
51119J	24479	Looper Holder Screw				198E	24487	Oil Pipe (front of arm) Connection Cap Screw (10)
52661	24475 24475	Looper Needle Guard with 46105				131004	24487	Oil Pipe (front of arm) Coupling (center)
46105 229J	24475	Looper Needle Guard Pin Looper Needle Guard Screw				131004	24487	Oil Pipe (front of arm) Coupling (left)
1120AL	24479	Looper Set Screw				131087	24487	Oil Pipe (front of arm) Coupling (right) with Oil Lead
131914	24470	Machine Driving Pulley "V" belt groove (outside diam, of				1733	24487	Oil Pipe (front of arm) Coupling Nut (brass) (3)
101714	244/0	belt groove 2.9 in.) with two 51283AL, for 3/8 in. "V"				131089	24487	Oil Pipe (front of arm) Oil Pad (wick) for 68500 and 131637 (2)
51283AL	24470	Machine Driving Pulley Set Screw (2).				68497	24487	Oil Pipe (front of arm) Oil Pad (wick) for 131112 and
131739	24473	Needle Bar (hollow) with 857AL						131113 (3)
131291	24473	Needle Bar Bushing (lower)				574W	24469	Pressure Regulating Thumb Screw
1133E	24473	Needle Bar Bushing (lower) Set Screw				1539W	24469	Pressure Regulating Thumb Screw Lock Nut
68187	24473	Needle Bar Bushing (upper)				131025	24481	Slack Thread Controller
1133E	24473	Needle Bar Bushing (upper) Set Screw	er			54242	24481	Slack Thread Controller Clamp
68488	24473	Needle Bar Connecting Link and Thread (upper) Controller	.,	30		1901	24481	Slack Thread Controller Clamp Screw
131399		Needle Bar Connecting Link and Thread (upper)				131896	24481	Slack Thread Regulator
		Controller 68488 with 68489 and 131400				131404	24481	Slack Thread Regulator Holder
68489	24473	Needle Bar Connecting Link Hinge Stud (hollow)				131405	24481	Slack Thread Regulator Holder Crank with 171AL
1520J	24473	Needle Bar Connecting Link Hinge Stud Nut				1423J	24481 24481	Slack Thread Regulator Holder Crank Cap Screw Slack Thread Regulator Holder Crank Clamping Screw
131270	24473	Needle Bar Connecting Link Hinge Stud Oil Pad (wick)		•		171AL 131639	24481	Slack Thread Regulator Holder Crank Connecting Link
861C	24473	Needle Bar Connecting Link Hinge Stud Oil Plug Screw				217J	24481	Slack Thread Regulator Screw
853AL	20711	Needle Bar Connecting Link Hinge Stud Set Screw				131012	24477	Tension (under thread) Bracket
131400	24473	Needle Bar Connecting Stud with 211C and 1492E				691AL	24477	Tension (under thread) Bracket Screw (2)
1492E	24473	Needle Bar Connecting Stud Clamping Screw				2102	24477	Tension (under thread) Disc (2)
131316	24475	Needle Guard (movable)				51570C	24477	Tension (under thread) Regulating Thumb Nut
68123	04470	Needle Guard (movable) Clamp				50326C	24477	Tension (under thread) Screw Stud
857AL	24473 24487	Needle Set ScrewOil Pipe (back of arm) with 68497, for oiling Feed (lower)				59539		Tension (under thread) Screw Stud 50326C with 51570C
131636	24407	Rocking Frame Hinge Pin Front Bearing				131740	24477	Tension (under thread) Spring.
147562	24487	Oil Pipe (back of arm) Clamp				59537	24477	Tension (under thread) Spring Bushing (large)
147563	24487	Oil Pipe (back of arm) Clamping Plate				59538	24477	Tension (under thread) Spring Bushing (small)
147564	24487	Oil Pipe (back of arm) Clamping Plate Bracket				131696	24477	Tension (under thread) Thread Guide
443AL	24487	Oil Pipe (back of arm) Clamping Plate Bracket Screw				54045	24477	Tension (upper thread) Bracket
1520J	24487	Oil Pipe (back of arm) Clamping Plate Bracket Screw Lock				140443J	24477	Tension (upper thread) Bracket Screw
		Nut	•			2102	24477	Tension (upper thread) Disc (2)
176E	24487	Oil Pipe (back of arm) Clamping Screw				51570C	24477	Tension (upper thread) Regulating Thumb Nut
68494	24487	Oil Pipe (back of arm) Connection with 68495 and two				32572	24477	Tension (upper thread) Releasing Disc
		198F for ailing Feed (lower) Rocking Frame Hinge Pin				54988	24477 24477	Tension (upper thread) Releasing Pin
		Back Bearing and Feed (upper) Rock Shaft Pitman	fo			54046 54047	24477	Tension (upper thread) Releasing Shaft Crank with 624AL
		Crank Shaft (2)		4		54048	24477	Tension (upper thread) Releasing Shaft Crank Will 024AL
198E	24487	Oil Pipe (back of arm) Connection Cap Screw (4)				624AL	24477	Tension (upper thread) Releasing Shaft Crank Set Screw
68495	24487	Oil Pipe (back of arm) Connection Oil Pad (wick) (2)				68261	24477	Tension (upper thread) Releasing Shaft Spring
68496	24487	Oil Pipe (back of arm) Coupling				131011	24477	Tension (upper thread) Releasing Shaft Spring Position
1733	24487	Oil Pipe (back of arm) Coupling Nut (brass)						Plate
68497	24487	Oil Pipe (back of arm) Oil Pad (wick)				316C	24477	Tension (upper thread) Releasing Shaft Stop Screw
131637	24487	Oil Pipe (front of arm) with 131089 and two 1733, for				1547J	24477	Tension (upper thread) Releasing Shaft Stop Screw Nut
		oiling Looper Driving Shaft and Feed Lifting Eccentric				50326C	24477	Tension (upper thread) Screw Stud
101110	24487	Oil Pipe (front of arm) with 68497 and 131003, for oiling				59539	************	Tension (upper thread) Screw Stud 50326C with 51570C
131112	24407	Feed Bar Slide Block				131741	24477	Tension (upper thread) Spring
68500	24487	Oil Pipe (front of arm) with 1733, 131084 and 131089,				59537	24477	Tension (upper thread) Spring Bushing (large)
00300	24407	for oiling Arm Rotary Shaft Front Bearing				59538	24477	Tension (upper thread) Spring Bushing (small)
131113	24487	Oil Pipe (front of arm) with 68497 and 131003, for oiling				131696	24477	Tension (upper thread) Thread Guide
131113	A-1-10/	Feed (lower) Connecting Rod				53225	24477	Thread (under) Eyelet (back)
131113	24487	Oil Pipe (front of arm) with 68497 and 131003, for oiling	-			190J	24477	Thread (under) Eyelet (back) Screw
		Feed (upper) Connecting Rod			-	38284	24483	Thread (under) Eyelet (front)
131638		Oil Pipe (front of arm) complete, Nos. 68500, 131112,				131970	24470	Thread (under) Nipper Cam with 465AL
	-	131637 and two 131113				465AL	24470	Thread (under) Nipper Cam Screw

No.	Plate	Name
38210	24483	Thread (under) Nipper Spring (lower)
38211	24483	Thread (under) Nipper Spring (upper)
46247	24483	Thread (under) Nipper Spring Stop
176J	24483	Thread (under) Nipper Spring Stop Screw
38475	24470	Thread (under) Take-up with 465AL
465AL	24470	Thread (under) Take-up Set Screw
38478	24483	Thread (under) Take-up Staple with two each 590J and
		38481
54049	24483	Thread (under) Take-up Staple Bracket with 460AL
965D	24483	Thread (under) Take-up Staple Bracket Screw
46041	24483	Thread (under) Take-up Staple Spring
1 90 J	24483	Thread (under) Take-up Staple Spring Screw
38481	24483	Thread (under) Take-up Staple Thread Guard (2)
590J	24483	Thread (under) Take-up Staple Thread Guard Screw (2)
38482	24483	Thread (under) Take-up Stripper
207 J	24483	Thread (under) Take-up Stripper Screw
131972	24470	Thread (under) Take-up Thread Guard
64356	24483	Thread (under) Take-up Thread Guard Steady Pin
460AL	24483	Thread (under) Take-up Thread Guard Steady Pin Set
		Screw
68129	24481	Thread (upper) Nipper Body
1149AL	24481	Thread (upper) Nipper Body Set Screw
68130	24481	Thread (upper) Nipper Disc (inside)
68131	24481	Thread (upper) Nipper Disc (inside) Washer (fibre)
68132	24481	Thread (upper) Nipper Disc (outside)
1698R	24481	Thread (upper) Nipper Disc (outside) Nut.
59456	24481	Thread (upper) Nipper Disc (outside) Nut Washer
68133 🔭	24481	Thread (upper) Nipper Roller
68134	24481	Thread (upper) Nipper Roller Hinge Pin
68135	24481	Thread (upper) Nipper Stud
68136		Thread (upper) Nipper Stud 68135 with 68133 and 68134
131977	24481	Thread (upper) Nipper Stud Spring
68137	24481	Thread (upper) Nipper complete, Nos. 1698R, 59456.
		68129, 68130, 68131, 68132, 68136 and 131977
68138	24481	Thread (upper) Nipper Thread Guide
207J	24481	Thread (upper) Nipper Thread Guide Screw
131332	24481	Thread (upper) Take-up
54194	24481	Thread (upper) Take-up Plate.
68164	24481	Thread (upper) Take-up Plate Spring
1449J	24481	Thread (upper) Take-up Plate Spring Screw
131333	24481	Thread (upper) Take-up complete, Nos. 1449J, 54194,
		68164 and 131332
211C	24473	Thread (upper) Take-up Set Screw
54215	24475	Throat Plate for 131854
742F	24475	Throat:Plate Screw (2).
		Section 1

LIST OF PARTS COMPLETE



MACHINE No. 147-115

FOR LIGHT AND MEDIUM WEIGHT CLOTH OR LEATHER. TWO NEEDLES, TWO LOOPERS. GAUGES 3/32" TO 3/8", IN STEPS OF 1/32". HAS UNDER THREAD NIPPER. INDEPENDENT UPPER AND UNDER FEED ALTERNATING PRESSERS. LENGTH OF STITCHES 5 TO 20 TO THE INCH. NEEDLE BAR STROKE 1-5/16". SPEED 3000 DEPENDING ON MATERIALS USED AND OPERATIONS PERFORMED.

No.	Plate	Name
*131601		Arm, upper and lower (solid) with 51422J, 68483 and four 131022
68428	24469	Arm Bottom Cover
68429	24469	Arm Bottom Cover Gasket (cork)
1057AL	24469	Arm Bottom Cover Screw (4)
50608R	24469	Arm Hole Plug Screw, for access to Crank Connecting Rod (upper bearing)
139017	24469	Arm Hole Plug Screw Washer
68350	20711	Arm Oil Cup, for oiling Arm Rock Shaft Front Bearing
131864	24470	Arm Oil Cup, for 131866
131865	24470	Arm Oil Cup Oil Gauge
131866	24470	Arm Oil Cup with Oil Gauge complete, for filling oil reservoir, Nos. 131864 and 131865
131319	20711	Arm Oil Cup Oil Pad for 68350
11119	20711	Arm Oil Tube with 52045, for oiling Thread (upper) Nipper
56003	20711 ,	Arm Oil Tube with 52045, for oiling Feed (upper) Bell Crank Connection Sleeve
52045	20711	Arm Oil Tube Packing (wick) (2)
131733	20711	Arm Rock Shaft and Front Crank with 853AL
131734		Arm Rock Shaft 131733 with 50391C, 131738 and two each 914J and 131695
1309C	20711	Arm Rock Shaft Adjusting Screw

No.	Plate	Name
131056	20711	Arm Rock Shaft Adjusting Screw Washer
68433	20711	Arm Rock Shaft Bushing (back)
68435	20711	Arm Rock Shaft Bushing (back) Cap.
131095	20711	Arm Rock Shaft Bushing (back) Cap Washer (fiber)
446AL	20711	Arm Rock Shaft Bushing (back) Set Screw
68436	20711	Arm Rock Shaft Bushing (intermediate)
423AL	20711	Arm Rock Shaft Bushing (intermediate) Set Screw
131486	24470	Arm Rock Shaft Crank, back (ball bearing, solid) with two
C1 40741	04/70	51407AL
51407AL	24470	Arm Rock Shaft Crank (back) Set Screw (2)
131456	20711	Arm Rock Shaft Flanged Bushing (front)
453AL	20711	Arm Rock Shaft Flanged Bushing (front) Set Screw
42365	20711	Arm Rock Shaft Oil Pad for oiling Back Bearing
54969	20711	Arm Rock Shaft Oil Pad for oiling Intermediate Bearing
131487	24470	Arm Rotary Shaft
	NOTE:	When No. 131487 is required for repairs, the Looper Driving
		Shaft and Feed Lifting Eccentric must be returned to the
		factory to be adjusted to the new part.
147508		Arm Rotary Shaft 131487 with 640E, 131502, 131617,
		131931 and 147507
131366	24470	Arm Rotary Shaft Ball Bearing (back) (2)
131478	24470	Arm Ratary Shaft Ball Bearing (back) Case
131479		Arm Rotary Shaft Ball Bearing (back) Case 131478 with
		131369 and three 205C
131526	****	Arm Rotary Shaft Ball Bearing (back) Case with Ball
		Bearings complete, Nos. 131479, 131480 and two
		131366
131369	24470	Arm Rotary Shaft Ball Bearing (back) Case Cap
205C	24470	Arm Rotary Shaft Ball Bearing (back) Case Cap Screw (3)
131370	24470	Arm Rotary Shaft Ball Bearing (back) Case Position Stud (3)
429C	24470	Arm Rotary Shaft Ball Bearing (back) Case Set Screw
131480	24470	Arm Rotary Shaft Ball Bearing (back) Spacing Collar
131366	24470	Arm Rotary Shaft Ball Bearing (intermediate)
131481	24470	Arm Rotary Shaft Ball Bearing (intermediate) Case
1304C	24470	Arm Rotary Shaft Ball Bearing (intermediate) Case Set
		Screw
131482	24470	Arm Rotary Shaft Ball Bearing (intermediate) Collar with
		two 457AL
457AL	24470	Arm Rotary Shaft Ball Bearing (intermediate) Collar Set
		Screw (2)
131457	24470	Arm Rotary Shaft Bushing (front)
761E	24470	Arm Rotary Shaft Bushing (front) Set Screw
42367	24470	Arm Rotary Shaft Front Bearing Oil Pad (lower)
54218	24470	Arm Rotary Shaft Front Bearing Oil Pad (upper)
144D	24470	Arm Rotary Shaft Screw
131276	24469	Arm Side Cover (oil vent)
131909	24469	Arm Side Cover Cap
131280	24469	Arm Side Cover Cap Position Pin
1289X	24469	Arm Side Cover Cap Screw
131910	24469	Arm Side Cover Cap Spring
131911	24469	Arm Side Cover (oil vent) complete, Nos. 1289X, 131276,
		131280, 131909 and 131910
68448	24469	Arm Side Cover Gasket (victorite)
1057AL	24469	Arm Side Cover Screw (4)
131606	24472	Cloth Plate with 54309
54309	24472	Cloth Plate Oil Tube with 49092
49092	24472	Cloth Plate Oil Tube Packing (felt)
68368	24472	Cloth Plate Slide (left)
131050	24472	
665J	24472	Cloth Plate Slide (left) Spring
	24472	Cloth Plate Slide (left) Spring Screw (2)
131051	244/2	Cloth Plate Slide (left) complete, Nos. 68368, 131050
101/07	0.4.70	and two 665J
131607	24472	Cloth Plate Slide (right)

No. Plate Name Name Name
665J 24472 Cloth Plate Slide (right) Spring Screw (2). 131608 24472 Cloth Plate Slide (right) complete, Nos. 131381, 131607 and two 665J
131608
and two 665J. 131609 24472 Cloth Plate complete, Nos. 131051, 131606 and 131608 1011F 24472 Cloth Plate Screw (left) (2) 50396F 24472 Cloth Plate Screw (right) 131610 24472 Cloth Plate Thread Guard 389F 24472 Cloth Plate Thread Guard Screw (lower) 50473F 24472 Cloth Plate Thread Guard Screw (upper) 131926 24470 Crank Connecting Rod with two each 1057AL, 51715AL, 131927 and 131928 NOTE: When No. 131926 is required for repairs, Connecting Rod and Arm Rock Shaft Crank (back) fitted together, will be furnished. All Agency Orders for this part must state the Machine No. for which it is required, in order to obtain correct Needle Bar Stroke. 131931 Crank Connecting Rod 131926 with 131486 131927 24470 Crank Connecting Rod Cap (lower) Screw Stud (2) 131928 24470 Crank Connecting Rod Cap (lower) Screw Stud (2) 131928 24470 Crank Connecting Rod Cap (lower) Screw Stud Nut Lock
131609 24472 Cloth Plate complete, Nos. 131051, 131606 and 131608 1011F 24472 Cloth Plate Screw (left) (2) 131610 24472 Cloth Plate Thread Guard Complete, Nos. 131051, 131606 and 131608 131926 24472 Cloth Plate Thread Guard Screw (lower) 131926 24470 Cloth Plate Thread Guard Screw (lower) 131927 and 131928 NOTE: When No. 131926 is required for repairs, Connecting Rod and Arm Rock Shaft Crank (back) fitted together, will be furnished. All Agency Orders for this part must state the Machine No. for which it is required, in order to obtain correct Needle Bar Stroke. 131921 Crank Connecting Rod Cap (lower) Screw Stud (2). 131928 24470 Crank Connecting Rod Cap (lower) Screw Stud (2). 131928 24470 Crank Connecting Rod Cap (lower) Screw Stud (2).
1011F 24472 Cloth Plate Screw (left) (2)
50396F 24472 Cloth Plate Screw (right)
131610 24472 Cloth Plate Thread Guard
50473F 131926 24470 Cloth Plate Thread Guard Screw (upper). Crank Connecting Rod with two each 1057AL, 51715AL, 131927 and 131928 NOTE: When No. 131926 is required for repairs, Connecting Rod and Arm Rock Shaft Crank (back) fitted together, will be furnished. All Agency Orders for this part must state the Machine No. for which it is required, in order to obtain correct Needle Bar Stroke. 131931 Crank Connecting Rod 131926 with 131486 Crank Connecting Rod Cap (lower) Screw Stud (2) 51715AL 24470 Crank Connecting Rod Cap (lower) Screw Stud Nut (2) Crank Connecting Rod Cap (lower) Screw Stud Nut (2) Crank Connecting Rod Cap (lower) Screw Stud Nut Lock
131926 24470 Crank Connecting Rod with two each 1057AL, 51715AL, 131927 and 131928
NOTE: When No. 131926 is required for repairs, Connecting Ros and Arm Rock Shaft Crank (back) fitted together, will be furnished. All Agency Orders for this part must state the Machine No. for which it is required, in order to obtain correct Needle Bar Stroke. 131931 Crank Connecting Rod 131926 with 131486
NOTE: When No. 131926 is required for repairs, Connecting Rod and Arm Rock Shaft Crank (back) fitted together, will be furnished. All Agency Orders for this part must state the Machine No. for which it is required, in order to obtain correct Needle Bar Stroke. 131931 Crank Connecting Rod 131926 with 131486
and Arm Rock Shaft Crank (back) fitted together, will be furnished. All Agency Orders for this part must state the Machine No. for which it is required, in order to obtain correct Needle Bar Stroke. 131931 Crank Connecting Rod 131926 with 131486. 131927 24470 Crank Connecting Rod Cap (lower) Screw Stud (2). 131928 24470 Crank Connecting Rod Cap (lower) Screw Stud Nut (2). 131928 24470 Crank Connecting Rod Cap (lower) Screw Stud Nut Lock
furnished. All Agency Orders for this part must state the Machine No. for which it is required, in order to obtain correct Needle Bar Stroke. 131931 Crank Connecting Rod 131926 with 131486 131927 24470 Crank Connecting Rod Cap (lower) Screw Stud (2) 131928 24470 Crank Connecting Rod Cap (lower) Screw Stud Nut (2) 131928 24470 Crank Connecting Rod Cap (lower) Screw Stud Nut Lock
Machine No. for which it is required, in order to obtain correct Needle Bar Stroke. 131931
correct Needle Bar Stroke. 131931
131931 Crank Connecting Rod 131926 with 131486
131927 24470 Crank Connecting Rod Cap (lower) Screw Stud (2)
51715AL 24470 Crank Connecting Rod Cap (lower) Screw Stud Nut (2) 131928 24470 Crank Connecting Rod Cap (lower) Screw Stud Nut Lock
131928 24470 Crank Connecting Rod Cap (lower) Screw Stud Nut Lock
131720 24470 Crank Connecting Rod Cup (lower) Screw Stud Not Lock
1057AL 24470 Crank Connecting Rod Cap (upper) Screw (2)
131735 24474 Face Plate
142W 24474 Face Plate Screw (2)
147556 24476 Feed Dog, 19 teeth (16 teeth to the inch) for 3/32 in. to
5/32 in. gauges, for 147557
147558 24476 Feed Dog, 18 teeth (16 teeth to the inch, for 3/16 in. to
3/8 in. gauges, for 147559
50073J 24476 Feed Dog Screw
460AL 20746 Feed Dog Stop Screw
131941 20746 Feed (lower) Bar
131730 20746 Feed (lower) Bar Feed Dog Seat (adjustable) with 460AL
190J 20746 Feed (lower) Bar Feed Dog Seat Screw
22436 20746 Feed (lower) Bar Feed Dog Seat Screw Washer
131942 Feed (lower) Bar with Feed Dog Leveling Device complete,
Nos. 190J, 22436, 68467, 131730, 131941 and two
207E
59343 20746 Feed (lower) Bar Hinge Pin Collar with 735AL
735AL 20746 Feed (lower) Bar Hinge Pin Collar Set Screw
131943 20746 Feed (lower) Bar Slide Block
131944 20746 Feed (lower) Bar Slide Block 131943 with 68495 and
134260
68495 20746 Feed (lower) Bar Slide Block Oil Pad (wick)
134260 20746 Feed (lower) Bar Slide Block Oil Pad Retainer
68467 20746 Feed (lower) Bar Wearing Plate
207E 20746 Feed (lower) Bar Wearing Plate Screw (2)
131500 24470 Feed (lower) Connecting Rod with 1057AL, 68497, 134260
and two 896AL
131502 Feed (lower) Connecting Rod 131500 with 54025
896AL 24470 Feed (lower) Connecting Rod Cap Screw (2)
1057AL 24470 Feed (lower) Connecting Rod Clamping Screw
68497 24470 Feed (lower) Connecting Rod Oil Pad (wick)
134260 24470 Feed (lower) Connecting Rod Oil Pad Retainer
51061AL 24470 Feed (lower) Eccentric Body Set Screw (3)
217J 24470 Feed (lower) Eccentric Clamping Washer (2)
138306 Feed (lower) Eccentric Clamping Washer Screw (2)
54025 24470 Feed (lower) Eccentric (adjustable) complete, Nos. 1103C,
138306 two each 217J, 7071 and three 51061AL
1103C 24470 Feed (lower) Regulating Screw
131240 20746 Feed (lower) Rocking Frame with two 453AL

	-1 .	N
No.	Plate	Name Feed (lower) Rocking Frame 131240 with 59343, 131197
131945		and 131942
57234	20746	Feed (lower) Rocking Frame Hinge Pin
57235	20746	Feed (lower) Rocking Frame Hinge Pin Bushing (2)
453AL	20746	Feed (lower) Rocking Frame Hinge Pin Bushing Set Screw (2)
453AL	20746	Feed (lower) Rocking Frame Hinge Pin Set Screw (2)
131613	24474	Feed (upper) Bar.
131691		Feed (upper) Bar 131613 with 1194C, 1749C, 9525,
		52595, 54143, 54144, 54145, 54150, 127946, 131615 and six 1423W
1423W	24474	Feed (upper) Bar Cap Screw
131615	24474	Feed (upper) Bar Connecting Bracket
54143	24474	Feed (upper) Bar Connecting Link (lower)
1423W	24474	Feed (upper) Bar Connecting Link (lower) Cap Screw (2)
54145	24474	Feed (upper) Bar Connecting Link (upper)
1423W	24474	Feed (upper) Bar Connecting Link (upper) Cap Screw
54144	24474	Feed (upper) Bell Crank
1423W	24474	Feed (upper) Bell Crank Cap Screw
54150	24474	Feed (upper) Bell Crank Connecting Link
1423W	24474	Feed (upper) Bell Crank Connecting Link Cap Screw
1194C	24474	Feed (upper) Bell Crank Connecting Link Hinge Screw
1749C	24474	Feed (upper) Bell Crank Connecting Link Hinge Screw Nut.
9525	24474	Feed (upper) Bell Crank Connecting Link Hinge Screw Nut Washer
127946	24474	Feed (upper) Bell Crank Connecting Stud with 50200C
50200C	24474	Feed (upper) Bell Crank Connecting Stud Set Screw
131500	24470	Feed (upper) Connecting Rod with 1057AL, 68497,
101300	244/0	134260 and two 896AL
131617		Feed (upper) Connecting Rod 131500 with 54456
896AL	24470	Feed (upper) Connecting Rod Cap Screw (2)
1057AL	24470	Feed (upper) Connecting Rod Clamping Screw
131618	20746	Feed (upper) Connecting Rod Crank with two 140123AL
140123AL	20746	Feed (upper) Connecting Rod Crank Set Screw (2)
131619	20746	Feed (upper) Connecting Rod Hinge Stud
68497	24470	Feed (upper) Connecting Rod Oil Pad (wick)
134260	24470	Feed (upper) Connecting Rod Oil Pad Retainer
51061AL	24470	Feed (upper) Eccentric Body Set Screw (3)
70 7 1	24470	Feed (upper) Eccentric Clamping Washer (2).
217J	24470	Feed (upper) Eccentric Clamping Washer Screw (2)
138306		Feed (upper) Eccentric Lubricating Pad (wood)
54456	24470	Feed (upper) Eccentric (adjustable) complete, Nos. 1103C, 138306, two each 217J, 7071 and three 51061AL
147560	24474	Feed (upper) Lifting Regulator
131737	24474	Feed (upper) Lifting Regulator Connection with 140123AL
131/3/ 140123AL	24474	Feed (upper) Lifting Regulator Connection Clamping
		Screw
131622	24474	Feed (upper) Lifting Regulator Connection Sleeve
131738	20711	Feed (upper) Lifting Regulator Connection Sleeve Slide Block
131695	20711	Feed (upper) Lifting Regulator Connection Sleeve Slide Block Clampina Washer (2)
914J	20711	Feed (upper) Lifting Regulator Connection Sleeve Slide Block Clamping Washer Screw (2)
50391C	20711	Feed (upper) Lifting Regulator Connection Sleeve Slide Block Regulating Screw
1103C	24470	Feed (upper) Regulating Screw
54155	20746	Feed (upper) Rock Shaft
54369	20746	Feed (upper) Rock Shaft Collar with two 465AL
465AL	20746	Feed (upper) Rock Shaft Collar Set Screw (2)
54156	20746	Feed (upper) Rock Shaft Crank (back) with two 50200C
50200C	20746	Feed (upper) Rock Shaft Crank (back) Set Screw (2)
52595	24474	Feed (upper) Rock Shaft Crank (front) with 1057AL
		• FERMIN CO. C.

No.	Plate	Name
1057AL	24474	Feed (upper) Rock Shaft Crank (front) Clamping Screw
131624	20746	Feed (upper) Rock Shaft Pitman
131625	20746	Feed (upper) Rock Shaft Pitman Crank with two 50200C
50200C	20746	Feed (upper) Rock Shaft Pitman Crank Set Screw (2)
131626	20746	Feed (upper) Rock Shaft Pitman Crank Shaft
131627	20746	Feed (upper) Rock Shaft Pitman Crank Shaft Bracket
129E	20746	Feed (upper) Rock Shaft Pitman Crank Shaft Bracket
		Screw (2)
41F	20746	Feed (upper) Rock Shaft Pitman Hinge Screw (2)
1520J	20746	Feed (upper) Rock Shaft Pitman Hinge Screw Nut (2)
52596	24476	Feeding Foot
203J	24476	Feeding Foot Screw
57255	24474	Lifting Presser Bar.
131629	24474	Lifting Presser Bar Bushing (lower)
1133E	24474	Lifting Presser Bar Bushing (lower) Set Screw
54162	24474	Lifting Presser Bar Bushing (upper)
1133E	24474	Lifting Presser Bar Bushing (upper) Set Screw
131630	24474	Lifting Presser Bar Lifting Bracket with 453AL
131631	24474	Lifting Presser Bar Lifting Bracket Guide Lifting Presser Bar Lifting Bracket Guide Set Screw
453AL	24474	
453AL	24474	Lifting Presser Bar Lifting Bracket Set ScrewLifting Presser Bar Lifting Lever
131632 68184	24478 24478	Lifting Presser Bar Lifting Lever Extension.
	24478	Lifting Presser Bar Lifting Lever Extension Screw (2)
161J 802X	24478	Lifting Presser Bar Lifting Lever Hinge Screw
38467	24469	Lifting Presser Bar Spring (flat)
131198	24469	Lifting Presser Bar Spring (auxiliary)
38468	24469	Lifting Presser Bar Spring Stud
52535	24476	Lifting Presser Foot
19 0 J	24476	Lifting Presser Foot Screw.
131425	24476	Looper (back)
101720		When ordering No. 131425, state gauge of machine for
	110.2.	which required.
452AL	24480	Looper (back) Set Screw
131426	24476	Looper (front)
	NOTE:	When ordering No. 131426, state gauge of machine for
		which required.
1120AL	24480	Looper (front) Set Screw
54027		
175E	24480	Looper Carrier with two 175E
	24480 24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2)
54227	24480 24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection
54227 54228	24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection. Looper Carrier Connection Shaft
	24480 24480 24480 24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection Looper Carrier Connection Shaft Looper Carrier Connection Shaft
54228 68478 51263D	24480 24480 24480 24480 24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection Looper Carrier Connection Shaft Looper Carrier Connection Shaft Bushing Looper Carrier Connection Shaft Bushing Cap Screw
54228 68478	24480 24480 24480 24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection Looper Carrier Connection Shaft Looper Carrier Connection Shaft Bushing Looper Carrier Connection Shaft Bushing Cap Screw Looper Carrier Connection Shaft Bushing Collar with
54228 68478 51263D 131882	24480 24480 24480 24480 24480 24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection Looper Carrier Connection Shaft Looper Carrier Connection Shaft Bushing Looper Carrier Connection Shaft Bushing Cap Screw Looper Carrier Connection Shaft Bushing Collar with 50597C and two 443AL
54228 68478 51263D	24480 24480 24480 24480 24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection Looper Carrier Connection Shaft Looper Carrier Connection Shaft Bushing Looper Carrier Connection Shaft Bushing Cap Screw Looper Carrier Connection Shaft Bushing Collar with 50597C and two 443AL Looper Carrier Connection Shaft Bushing Collar Position
54228 68478 51263D 131882 50597C	24480 24480 24480 24480 24480 24480 24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection Looper Carrier Connection Shaft Looper Carrier Connection Shaft Bushing Looper Carrier Connection Shaft Bushing Cap Screw Looper Carrier Connection Shaft Bushing Collar with 50597C and two 443AL. Looper Carrier Connection Shaft Bushing Collar Position Screw Stud
54228 68478 51263D 131882 50597C 443AL	24480 24480 24480 24480 24480 24480 24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection Looper Carrier Connection Shaft Looper Carrier Connection Shaft Bushing Looper Carrier Connection Shaft Bushing Cap Screw Looper Carrier Connection Shaft Bushing Collar with 50597C and two 443AL Looper Carrier Connection Shaft Bushing Collar Position Screw Stud Looper Carrier Connection Shaft Bushing Set Screw (2)
54228 68478 51263D 131882 50597C 443AL 128419	24480 24480 24480 24480 24480 24480 24480 24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection Looper Carrier Connection Shaft Looper Carrier Connection Shaft Bushing Looper Carrier Connection Shaft Bushing Cap Screw Looper Carrier Connection Shaft Bushing Collar with 50597C and two 443AL Looper Carrier Connection Shaft Bushing Collar Position Screw Stud
54228 68478 51263D 131882 50597C 443AL 128419 68479	24480 24480 24480 24480 24480 24480 24480 24480 24480 24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection Looper Carrier Connection Shaft Looper Carrier Connection Shaft Bushing Looper Carrier Connection Shaft Bushing Cap Screw Looper Carrier Connection Shaft Bushing Collar with 50597C and two 443AL Looper Carrier Connection Shaft Bushing Collar Position Screw Stud Looper Carrier Connection Shaft Bushing Set Screw (2) Looper Carrier Connection Shaft Oll Pad (braided cotton) Looper Carrier Driver with four 175AL
54228 68478 51263D 131882 50597C 443AL 128419 68479 175AL	24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 24480	Looper Carrier with two 175E. Looper Carrier Adjusting Screw (2) Looper Carrier Connection
54228 68478 51263D 131882 50597C 443AL 128419 68479	24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 24480	Looper Carrier with two 175E. Looper Carrier Adjusting Screw (2) Looper Carrier Connection. Looper Carrier Connection Shaft Looper Carrier Connection Shaft Bushing Looper Carrier Connection Shaft Bushing Cap Screw Looper Carrier Connection Shaft Bushing Collar with 50597C and two 443AL. Looper Carrier Connection Shaft Bushing Collar Position Screw Stud. Looper Carrier Connection Shaft Bushing Set Screw (2) Looper Carrier Connection Shaft Bushing Set Screw (2) Looper Carrier Connection Shaft Oil Pad (braided catton) Looper Carrier Driver with four 175AL Looper Carrier Driver Cap Screw (4) Looper Driving Shaft and Feed Lifting Eccentric
54228 68478 51263D 131882 50597C 443AL 128419 68479 175AL	24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection Shaft Looper Carrier Connection Shaft Bushing Looper Carrier Connection Shaft Bushing Cap Screw Looper Carrier Connection Shaft Bushing Collar with 50597C and two 443AL Looper Carrier Connection Shaft Bushing Collar Position Screw Stud Looper Carrier Connection Shaft Bushing Set Screw (2) Looper Carrier Connection Shaft Bushing Set Screw (2) Looper Carrier Connection Shaft Oil Pad (braided cotton) Looper Carrier Driver with four 175AL Looper Carrier Driver With four 175AL Looper Carrier Driver With four 175AL Looper Driving Shaft and Feed Lifting Eccentric When No. 147506 is required for repairs, the Arm Rotary
54228 68478 51263D 131882 50597C 443AL 128419 68479 175AL	24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection
54228 68478 51263D 131882 50597C 443AL 128419 68479 175AL 147506	24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 NOTE:	Looper Carrier with two 175E. Looper Carrier Adjusting Screw (2) Looper Carrier Connection. Looper Carrier Connection Shaft Looper Carrier Connection Shaft Bushing Looper Carrier Connection Shaft Bushing Cap Screw Looper Carrier Connection Shaft Bushing Collar with 50597C and two 443AL. Looper Carrier Connection Shaft Bushing Collar Position Screw Stud Looper Carrier Connection Shaft Bushing Set Screw (2) Looper Carrier Connection Shaft Oil Pad (braided cotton) Looper Carrier Driver with four 175AL Looper Carrier Driver Cap Screw (4). Looper Driving Shaft and Feed Lifting Eccentric. When No. 147506 is required for repairs, the Arm Rotary Shaft must be returned to the factory to be adjusted to the new part.
54228 68478 51263D 131882 50597C 443AL 128419 68479 175AL	24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 24480	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection Looper Carrier Connection Shaft Looper Carrier Connection Shaft Bushing Looper Carrier Connection Shaft Bushing Cap Screw Looper Carrier Connection Shaft Bushing Collar with 50597C and two 443AL. Looper Carrier Connection Shaft Bushing Collar Position Screw Stud. Looper Carrier Connection Shaft Bushing Set Screw (2) Looper Carrier Connection Shaft Oil Pad (braided cotton) Looper Carrier Driver with four 175AL Looper Driving Shaft and Feed Lifting Eccentric. When No. 147506 is required for repairs, the Arm Rotary Shaft must be returned to the factory to be adjusted to the new part. Looper Driving Shaft and Feed Lifting Eccentric 147506
54228 68478 51263D 131882 50597C 443AL 128419 68479 175AL 147506	24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 2460 NOTE:	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection
54228 68478 51263D 131882 50597C 443AL 128419 68479 175AL 147506	24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 NOTE:	Looper Carrier with two 175E. Looper Carrier Adjusting Screw (2)
54228 68478 51263D 131882 50597C 443AL 128419 68479 175AL 147506	24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 NOTE:	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2) Looper Carrier Connection Looper Carrier Connection Shaft Looper Carrier Connection Shaft Bushing Looper Carrier Connection Shaft Bushing Cap Screw Looper Carrier Connection Shaft Bushing Collar with 50597C and two 443AL Looper Carrier Connection Shaft Bushing Collar Position Screw Stud Looper Carrier Connection Shaft Bushing Set Screw (2) Looper Carrier Connection Shaft Oil Pad (braided cotton) Looper Carrier Connection Shaft Oil Pad (braided cotton) Looper Carrier Driver with four 175AL Looper Carrier Driver Cap Screw (4) Looper Driving Shaft and Feed Lifting Eccentric. When No. 147506 is required for repairs, the Arm Rotary Shaft must be returned to the factory to be adjusted to the new part. Looper Driving Shaft and Feed Lifting Eccentric 147506 with 54027, 54227, 54228 and 68479. Lobper Driving Shaft and Feed Lifting Eccentric Bracket with 761E.
54228 68478 51263D 131882 50597C 443AL 128419 68479 175AL 147506	24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 2460 NOTE:	Looper Carrier with two 175E. Looper Carrier Adjusting Screw (2)
54228 68478 51263D 131882 50597C 443AL 128419 68479 175AL 147506	24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 NOTE:	Looper Carrier with two 175E Looper Carrier Adjusting Screw (2)
54228 68478 51263D 131882 50597C 443AL 128419 68479 175AL 147506	24480 24480 24480 24480 24480 24480 24480 24480 24480 24480 NOTE:	Looper Carrier with two 175E. Looper Carrier Adjusting Screw (2)

Ι.

No.	Plate	Name
131028	24480	Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Plug
761E	24470	Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw
68497		Looper Driving Shaft and Feed Lifting Eccentric Front Bearing Oil Pad (wick)
640E	24470	Looper Driving Shaft and Feed Lifting Eccentric Screw
131052	24480	Looper Holder with 452AL and 1120AL
511191	24480	Looner Holder Screw
131914	24470	Machine Driving Pulley, "V" belt groove (outside diam. of belt groove 2.9 in.) with two 51283AL, for 3/8 in. "V" belt
51283AL	24470	Machine Driving Pulley Set Screw (2)
64319	24474	Needle Bar (hollow)
131045		Needle Bar complete, Nos. 64319 and 131044
131291	24474	Needle Bar Bushing (lower)
1133E	24474	Needle Bar Bushing (lower) Set Screw
68187	24474	Needle Bar Bushing (upper)
1133E	24474	Needle Bar Bushing (upper) Set Screw
68488	24474	Needle Bar Connecting Link and Thread (upper)
00400	2	Controller
131399		Needle Bar Connecting Link and Thread (upper)
1010//		Controller 68488 with 68489 and 131400
68489	24474	Needle Bar Connecting Link Hinge Stud (hollow)
1520J	24474	Needle Bar Connecting Link Hinge Stud Nut
131270	24474	Needle Bar Connecting Link Hinge Stud Oil Pad (wick)
861C	24474	Needle Bar Connecting Link Hinge Stud Oil Plug Screw
853AL	20711	Needle Bar Connecting Link Hinge Stud Set Screw
131400	24474	Needle Bar Connecting Stud with 211C and 1492E
1492E	24474	Needle Bar Connecting Stud Clamping Screw
131044	24474	Needle Clamp with two 1498AL
54068	24476	Needle Guard (stationary)
54038	24476	Needle Guard (stationary) Holder
176J	24476	Needle Guard (stationary) Holder Screw
217C	24476	Needle Guard (stationary) Screw
1498AL	24474	Needle Set Screw
131636	24487	Oil Pipe (back of arm) with 68497, for oiling Feed (lower)
101000	2440,	Rocking Frame Hinge Pin Front Bearing
147562	24487	Oil Pipe (back of arm) Clamp.
147563	24487	Oil Pipe (back of arm) Clamping Plate
147564	24487	Oil Pipe (back of arm) Clamping Plate Bracket
443AL	24487	Oil Pipe (back of arm) Clamping Plate Bracket Screw
15201	24487	Oil Pipe (back of arm) Clamping Plate Bracket Screw
17/5	04407	Lock NutOil Pipe (back of arm) Clamping Screw
176E 68494	24487 24487	Oil Pipe (back of arm) Clamping Screw
08474	2446/	
		198E, for oiling Feed (lower) Rocking Frame Hinge Pin Back Bearing and Feed (upper) Rock Shaft Pitman
1005	0.4407	Crank Shaft (2) Oil Pipe (back of arm) Connection Cap Screw (4)
198E	24487	
68495	24487	Oil Pipe (back of arm) Connection Oil Pad (wick) (2)
68496	24487	Oil Pipe (back of arm) Coupling Oil Pipe (back of arm) Coupling Nut (brass)
1733	24487	
68497	24487	Oil Pipe (back of arm) Oil Pad (wick)
131637	24487	oiling Looper Driving Shaft and Feed Lifting Eccentric Front Bearing
131112	24487	Oil Pipe (front of arm) with 68497 and 131003, for oiling
	2-107	Feed (lower) Bar Slide Block
68500	24487	Oil Pipe (front of arm) with 1733, 131084 and 131089, for
00000	2770/	oiling Arm Rotary Shaft Front Bearing
131113	24487	Oil Pipe (front of arm) with 68497 and 131003, for oiling
		Feed (lower) Connecting Rod

No.	Plate	Name
131113	24487	Oil Pipe (front of arm) with 68497 and 131003, for oiling
		Feed (upper) Connecting Rod
131638		Oil Pine (front of arm) complete, Nos, 68500, 131112,
.0.000		131637 and two 131113
131002	24487	Oil Pine (front of arm) Connection with two 198E, for
131002	24407	oiling Looper Carrier Connection Shaft
131003	24487	Oil Pipe (front of arm) Connection with two 198E, for
131003	24407	131112 and 131113 (3)
	0.4407	Oil Pipe (front of arm) Connection with two 198E, for
131084	24487	68500
		Oil Pipe (front of arm) Connection Cap Screw (10)
198E	24487	Oil Pipe (front of arm) Connection Cap screw (10)
131004	24487	Oil Pipe (front of arm) Coupling (center)
131004	24487	Oil Pipe (front of arm) Coupling (left)
131087	24487	Oil Pipe (front of arm) Coupling (right) with Oil Lead
1733	24487	Oil Pipe (front of arm) Coupling Nut (brass) (3)
131089	24487	Oil Pipe (front of arm) Oil Pad (wick) for 68500 and
		131637 (2)
68497	24487	Oil Pipe (front of arm) Oil Pad (wick) for 131112 and
00-177		131113 (3)
574W	24469	Pressure Regulating Thumb Screw
1539W	24469	Pressure Regulating Thumb Screw Lock Nut
	24482	Slack Thread Controller
131025		Slack Thread Contoller Clamp
54242	24482	
190J	24482	Slack Thread Controller Clamp Screw
139390	24482	Slack Thread Regulator
131404	24482	Slack Thread Regulator Holder
131405	24482	Slack Thread Regulator Holder Crank with 171AL
1423J	24482	Slack Thread Regulator Holder Crank Cap Screw
171AL	24482	Slack Thread Regulator Holder Crank Clamping Screw
131639	24482	Slack Thread Regulator Holder Crank Connecting Link
217J	24482	Slack Thread Regulator Screw
131012	24478	Tension (under thread) Bracket
691AL	24478	Tension (under thread) Bracket Screw (2)
2102	24478	Tension (under thread) Disc (4)
51570C	24478	Tension (under thread) Regulating Thumb Nut (2)
50326C	24478	Tension (under thread) Screw Stud (2)
59539	24470	Tension (under thread) Screw Stud 50326C with 51570C (2)
	24478	
131740		Tension (under thread) Spring (2)(1,) (2)
59537	24478	Tension (under thread) Spring Bushing (large) (2)
59538	24478	Tension under thread) Spring Bushing (small) (2)
131696	24478	Tension (under thread) Thread Guide (2)
54070	24478	Tension (upper thread) Bracket.
140443J	24478	Tension (upper thread) Bracket Screw
2102	24478	Tension (upper thread) Disc (4)
51570C	24478	Tension (upper thread) Regulating Thumb Nut (2)
32572	24478	Tension (upper thread) Releasing Disc (2)
54988	24478	Tension (upper thread) Releasing Pin (2)
54071	24478	Tension (upper thread) Releasing Shaft
54047	24478	Tension (upper thread) Releasing Shaft Crank with 624AL
54048	24478	Tension (upper thread) Releasing Shaft Crank Link
624AL	24478	Tension (upper thread) Releasing Shaft Crank Set Screw
68261	24478	Tension (upper thread) Releasing Shaft Spring
	24478	Tension (upper thread) Releasing Shaft Spring Position
131011	244/6	
	0.4.70	Plate
316C	24478	Tension (upper thread) Releasing Shaft Stop Screw
1547J	24478	Tension (upper thread) Releasing Shaft Stop Screw Nut
50326C	24478	Tension (upper thread) Screw Stud (2)
59539		Tension (upper thread) Screw Stud 50326C with 51570C (2)
131741	24478	Tension (upper thread) Spring (2)
59537	24478	Tension (upper thread) Spring Bushing (large) (2)
59538	24478	Tension (upper thread) Spring Bushing (small) (2)
131696	24478	Tension (upper thread) Thread Guide (2)
53225	24478	Thread (under) Eyelet (back)

No.	Plate	Name
190J	24478	Thread (under) Eyelet (back) Screw
54072	24484	Thread (under) Eyelet (front)
131970	24470	Thread (under) Nipper Cam with 465AL
465AL	24470	Thread (under) Nipper Cam Screw
38210	24484	Thread (under) Nipper Spring (lower)
38211	24484	Thread (under) Nipper Spring (upper)
46247	24484	Thread (under) Nipper Spring Stop
176J	24484	Thread (under) Nipper Spring Stop Screw
38475	24470	Thread (under) Take-up with 465AL
465AL	24470	Thread (under) Take-up Set Screw
54435	24484	Thread (under) Take-up Staple with 590J and 38481
54049	24484	Thread (under) Take-up Staple Bracket with 460AL
965D	24484	Thread (under) Take-up Staple Bracket Screw
46041	24484	Thread (under) Take-up Staple Spring
190J	24484	Thread (under) Take-up Staple Spring Screw
38481	24484	Thread (under) Take-up Staple Thread Guard
5901	24484	Thread (under) Take-up Staple Thread Guard Screw
38482	24484	Thread (under) Take-up Stripper.
207	24484	Thread (under) Take-up Stripper Screw
131972	24470	Thread (under) Take-up Thread Guard
64356	24484	Thread (under Take-up Thread Guard Steady Pin
460AL	24484	Thread (under) Take-up Thread Guard Steady Pin Set
TOUAL	24404	Screw
68129	24482	Thread (upper) Nipper Body
1149AL	24482	Thread (upper) Nipper Body Set Screw
68130	24482	Thread (upper) Nipper Disc (inside)
68131	24482	Thread (upper) Nipper Disc (inside) Washer (fiber)
68132	24482	Thread (upper) Nipper Disc (outside)
1698R	24482	Thread (upper) Nipper Disc (outside) Nut
59456	24482	Thread (upper) Nipper Disc (outside) Nut Washer
68133	24482	Thread (upper) Nipper Roller
68134	24482	Thread (upper) Nipper Roller Hinge Pin
. 68135	24482	Thread (upper) Nipper Stud
68136		Thread (upper) Nipper Stud 68135 with 68133 and 68134
131977	24482	Thread (upper) Nipper Stud Spring
68137	24482	Thread (upper) Nipper complete, Nos. 1698R, 59456,
00107	2	68129, 68130, 68131, 68132, 68136 and 131977
68138	24482	Thread (upper) Nipper Thread Guide
2071	24482	Thread (upper) Nipper Thread Guide Screw
131334	24482	Thread (upper) Take-up
54095	24482	Thread (upper) Take-up Plate
68164	24482	Thread (upper) Take-up Plate Spring
1449J	24482	Thread (upper) Take-up Plate Spring Screw
131335	24482	Thread (upper) Take-up complete, Nos. 1449J, 54095,
131333	24402	68164 and 131334
211C	24474	Thread (upper) Take-up Set Screw
147557	24474	Throat Plate for 3/32 in. to 5/32 in. gauges, for 147556
147559	24476	Throat Plate for 3/16 in. to 3/8 in. gauges, for 147558
742F	24476	Throat Plate Screw (2)
/421	244/0	INIOUI FIGIE SCIEW (2)

ACCESSORIES			
No. 120344 120345 120440 121108 120341 4822 8908 17905 164197	Plate 20691 20691 20691 20691 20691 20691 20691 20691 20691	Name Oiler (copper plated) with 120345. Oiler Spout, 4-1/2 in. long	
		BELT GUARD	
68222	20633	Belt Guard with two wood screws 1 in. No. 12	
		BENCH STANDS	
		BENCH STAND NO. 79772	
		OR MACHINE BASE NO. 131264	
		ACHINE IS MOUNTED ON TOP OF TABLE.	
	WHEN MA	ACHINE IS MOUNTED ON TOT OF TABLES	
79772		Bench Stand with 27998, two each 41538, 126849, three wood screws 1-1/4 in. No. 12, four each 60656, wood screws 1-1/4 in. No. 10, eight wood screws 5/8 in. No. 6 and sixteen wood screws 5/8 in. No. 7	
126849	20691	Flap Hinge with four wood screws 3/4 in. No. 7 (2) Flap Hook and Eye (large) with wood screw 1/2 in. No. 5	
27998	20691 20691	Flush Rolt (2)	
126247 126248	20691	Elink Bale Plata (2)	
41538		Flush Bolt with Plate complete, Nos. 126247, 126248 and four brass wood screws 5/8 in. No. 4 (2)	
60656	20691	Hinge (4)	
		BENCH STANDS BENCH STAND NO. 135115 FOR MACHINE BASE NO. 131919	
	WHEN	MACHINE IS MOUNTED SEMI-SUBMERGED	
135115	************	Bench Stand with 27998, 60220 and four each 126849 with wood screws 5/8 in. No. 7 F.H. (in place of wood screws 3/4 in. No. 7 F.H.) and wood screws 1-1/2 in. No. 10 F.H	
126849 27998	20691 20691	Flap Hinge with four wood screws 5/8 in. No. 7 F.H. (4) Flap Hook and Eye (large) with wood screw 1/2 in.	
60220		Flap Hook and Eye (small) with wood screw 5/8 in. No. 4	

FOOT LIFTER PARTS

No.	Plate	Name
6439		Chain, 36 in. to 45 in., with 56864 and 56865
	NOTE:	When ordering No. 6439, state length required.
4879	20633	Chain Connecting Link
56864	20691	Chain Hook (large)
56865	20691	Chain Hook (small)
126249	20633	Treadle
4882	20633	Treadle Shaft
126250	20633	Treadle Spring
150451	20633	Treadle Stand
150452	20633	Treadle complete, Nos. 4879, 4882, 126249, 126250, 150451 and two wood screws 1 in. No. 16 F.H

KNEE LIFTER PARTS

FOR USE WHEN MACHINE IS MOUNTED ON TOP OF TABLE

37563		Chain, length 15 in., with 56864 and 56865
56864	20691	Chain Hook (large)
56865	20691	Chain Hook (small)
2763	20633	Rock Shaft
12242	20633	Rock Shaft Hanger with two wood screws 1 in. No. 10 (2)
6335	20633	Rock Shaft Knee Arm
6336		Rock Shaft Knee Arm complete, Nos. 2766, 2767 and 6335
2766	20633	Rock Shaft Knee Arm Hub with 356C
356C	20633	Rock Shaft Knee Arm Hub Set Screw
2767	20633	Rock Shaft Knee Plate with 356C
356C	20633	Rock Shaft Knee Plate Set Screw
6337	20633	Rock Shaft Lifting Bracket with two 356C
7125	20633	Rock Shaft Lifting Bracket Hook
356C	20633	Rock Shaft Lifting Bracket Hook Set Screw
356C	20633	Rock Shaft Lifting Bracket Set Screw
2770	20633	Rock Shaft Stop Dog with 140219C
140219C	20633	Rock Shaft Step Dog Set Screw
23767	20633	Rock Shaft complete, Nos. 2763, 2770, 6336, 6337, 7125 and two 12242

MACHINE BASES

MACHINE BASE NO. 131264

WHEN MACHINE IS MOUNTED ON TOP OF TABLE

FOR USE WITH BENCH STAND NO. 79772

131263	21038	Machine Base
54477	21038	Machine Base Screw Stud, to fasten base to table (3)
131205	21038	Machine Base Screw Stud, to position machine on base (4)
51 <i>5</i> 76E	21038	Machine Base Screw Stud Nut (3)
9842	21038	Machine Base Screw Stud Nut Washer (3)
131022	21038	Machine Base Screw Stud Bushing (rubber) (4)
131279	21038	Machine Cushion (felt) (4)
131264	21038	Machine Base complete, Nos. 131263, three each 9842, 51576E, 54477 and four each 131205 and 131279
131328	21038	Machine Base and Oil Drain Jar (swinging type) complete, Nos. 131264 and 131268

MACHINE BASES

MACHINE BASE NO. 131919

WHEN MACHINE IS MOUNTED SEMI-SUBMERGED

FOR USE WITH BENCH STAND NO. 135115

No.	Plate	Name
131918	24468	Machine Base
140570R	24468	Machine Base Bolt with 1778R (4)
1778R	24468	Machine Base Bolt Nut (4)
126150	24468	Machine Base Bolt Nut Lock Washer (4)
151141	24468	Machine Base Bolt complete, to fasten base to table, Nos. 126150 and 140570R (4)
131205	24468	Machine Base Screw Stud, to position machine on base (4)
131022	21038	Machine Base Screw Stud Bushing (rubber) (4)
131279	24468	Machine Cushion (felt) (4)
131919	24468	Machine Base complete, Nos. 131918 and four each 131205, 131279 and 151141
131920	24468	Machine Base and Oil Drain Jar (swinging type) complete, for semi-submerged mounting, Nos. 131268 and 131919

MACHINE BASE OIL DRAIN JAR

(Swinging Type)

131961 131962 131188 131217 131189 1247C 131265 131266 131267 131268	21038 21038 21038 21038 21038 21038 21038 21038 21038 21038	Jar (glass) Jar Cap
131268	21038	

THREAD UNWINDERS

THREAD UNWINDER

(For two Spools)

FOR NO. 147-90 MACHINE

228692		Spool Pin (2)
201528X		Spool Pin Nut (2)
228693		Spool Pin Washer (2)
2252 57	24485	Spool Rest (for two spools) with 201018C and two each 201528X, 228692 and 228693
150203	24485	Spool Rest Cushion (felt) (2)
225388	24485	Spool Rest Rod
200383C	24485	Spool Rest Rod Set Screw
201018C	24485	Spool Rest Set Screw
259658	24485	Spool Stand with 200383C.
225391	24485	Thread Guide (2)
201696J	24485	Thread Guide Lock Nut
225326	24485	Thread Guide Position Cup
225324	24485	Thread Guide Rod with 208AL and 225322

No.	Plate	Name
208AL	24485	Thread Guide Rod Screw
225322	24485	Thread Guide Rod Washer
150086	24485	Thread Separator
150060	24485	Thread Separator Bracket Arm with 164J and 9525
164J	24485	Thread Separator Bracket Arm Clamping Screw
9525	24485	Thread Separator Bracket Arm Clamping Screw Washer
164J	24485	Thread Separator Bracket Arm Screw
9525	24485	Thread Separator Bracket Arm Screw Washer
150087	••••	Thread Separator complete, Nos. 164J, 9525, 150060 and 150086
150088	24485	Thread Unwinder complete, Nos. 150087, 201696J, 225257, 225324, 225326, 225388, 259658, two each 150203, 225391 and three wood screws 7/8 in. No. 12
27739	24485	Thread Cone (wood) for large cones
225390	24485	Thread Cone Holder, for inverted cones
	NOTE:	Nos. 27739 and 225390 are used with, but not included in 150088.

THREAD UNWINDER

(For four Spools)

FOR NO. 147-115 MACHINE

228692		Spool Pin (4)
201528X		Spool Pin Nut (4)
228693	************	Spool Pin Washer (4)
225257	24486	Spool Rest (for two spools) with 201018C and two each 201528X, 228692 and 228693 (2)
150203	24486	Spool Rest Cushion (felt) (4).
225388	24486	Spool Rest Rod
200383C	24486	Spool Rest Rod Set Screw
201018C	24486	Spool Rest Set Screw (2)
259658	24486	Spool Stand with 200383C
225391	24486	Thread Guide (4)
201696J	24486	Thread Guide Lock Nut
225326	24486	Thread Guide Positian Cup
225324	24486	Thread Guide Rod with 208AL and 225322
208AL	24486	Thread Guide Rod Screw
225322	24486	Thread Guide Rod Washer
150058	24486	Thread Separator
150060	24486	Thread Separator Bracket Arm with 164J and 9525
1643	24486	Thread Separator Bracket Arm Clamping Screw
9525	24486	Thread Separator Bracket Arm Clamping Screw Washer
164J	24486	Thread Separator Bracket Arm Screw
9525	24486	Thread Separator Bracket Arm Screw Washer
150061	*******	Thread Separator complete, Nos. 164J, 9525, 150058 and 150060
150062	24486	Thread Unwinder complete, Nos. 150061, 2016961, 225324, 225326, 225388, 259658, two 225257, three wood screws 7/8 in. No. 12 and four each 150203 and
		225391
27739	24486	Thread Cone (wood) for large cones
225390	24486	Thread Cone Holder, for inverted cones
		Nos. 27739 and 225390 are used with, but not included
	.,512.	in 150062.

NUMERICAL LIST OF PARTS

No.	Plate	Name
41F	20746	Feed (upper) Rock Shaft Pitman Hings Same
129E	20746	Feed (upper) Rock Shaft Pitman Crank Shaft Bracket Screw.
142W	24473	i uce riore acrew
144D	24470	Arm Rotary Shaft Screw
161J	24477	Lifting Presser Bar Lifting Lever Extension Screw
164J	24485	Tiffedd Unwinder Thread Separator Bracket A
		Clamping Screw for 150060
164J	24485	Thread Unwinger Inread Senarator Bracket Ave. C.
171AL	24481	for 150061 and 150087
_		
175E	24479	Looper Carrier Adjusting Screw for 5/1027
175AL	24479	LOOPER CORRIER DRIVER Can Screw for 49470
176J	24476	Machine (stationary) Holder Screw for No. 147-115
176E	24487	On ripe (back of arm) Clamping Screw
176J	24483	medu (under) Nipper Spring Stan Second
190J	20746	reed (lower) but head I)on Sent Scrow for 1910 to
190J	24475	
1901	24481	SIGUR TILLEDO CONTROLLER L'IGMA Scrow
190J	24477	
190J	24483	
198E	24487	On tipe (buck of arm) Lonnection Can Seem In- 40 (0.4
198E	24487	Oil Pipe (front of arm) Conhection Cap Screw for 131002, 131003 and 131084.
203J	24475	
205C	24470	Citii (Oldry Short Boll Regains (back) Cass Cass Cass C
207E	20746	1014/7,
2071	24483	Feed (lower) Bar Wearing Plate Screw for 131942
2071	24481	Thread (under) Take-up Stripper Screw.
208AL	24485	Thread (upper) Nipper Thread Guide Screw
2110	24473	Thread Unwinder Thread Guide Rod Screw for 225324
2171	24470	Thread (upper) Take-up Set Screw for 131400
217J	24470	Feed (lower) Eccentric Clamping Washer Screw for 54025
217C	24476	Feed (upper) Eccentric Clamping Washer Screw for 54425 Needle Guard (stationary) Screw for No. 147-115
21 <i>7</i> J	24481	Machine
2291	24475	Slack Thread Regulator Screw.
316C	24477	LOODE Needle Caudid Sciew for 43203
356C	20633	Tension (upper thread) Releasing Shaft Stop Screw
356C	20633	Knee Lifter Rock Shaft Knee Arm Hub Set Screw for 2766
356C	20633	Knee Lifter Rock Shaft Knee Plate Set Screw for 2767 Knee Lifter Rock Shaft Lifting Bracket Hook Set Screw for
356C	20633	6337 Knee Lifter Pool Shots Lifting Pool of Society for
389F	24471	Knee Lifter Rock Shaft Lifting Bracket Set Screw for 6337
423AL	20711	Cloth Plate Thread Guard Screw (lower)
429C	24470	Arm Rock Shaft Bushing (intermediate) Set Screw
443AL	24479	Arm Rotary Shaft Ball Bearing (back) Case Set Screw
443AL		Looper Carrier Connection Shaft Bushing Set Screw for 131882
443AL 446AL	24487	Oil Pipe (back of grm) Clamping Plate Bracket Screw
440AL 452AL	20711	Arm Rock Shaft Bushina (back) Set Screw
452AL 453AL	24480	Looper (back) Set Screw for 131052
453AL	20711	Arm Rock Shaft Flanged Bushing (front) Set Screw
	20746	Feed (lower) Rocking Frame Higgs Pip Rushing Set Second
453AL	20746	Teed (lower) Rocking Frame Hinge Pin Set Screw for
453AL	24473	Litting Presser Bar Lifting Bracket Guide Set Screw
453AL	24473	Litting Presser Bar Litting Bracket Set Screw for 131630
457AL	24470	Arm Rotary Shaft Ball Bearing (intermediate) Collar Set Screw for 131482

No.	Plate	Name			No.	Plate	Name Feed (upper) Bell Crank Cap Screw for 131691
460AL 460AL	20746 24483	Feed Dog Stop Screw for 131730 Thread (under) Take-up Thread Guard Steady Pin Set	A	9	1423W 1423W	24473 24473	Feed (upper) Bell Crank Connecting Link Cop Screw for
400AL	24403	Screw for 54049					131691
465AL	20746	Feed (upper) Rock Shaft Collar Set Screw for 54369			1423J	24481	Slack Thread Regulator Holder Crank Cap Screw
465AL	24470	Thread (under) Nipper Cam Screw for 131970			1449J	24481	Thread (upper) Take-up Plate Spring Screw for 131333
465AL	24470	Thread (under) Take-up Set Screw for 38475	,al	Α.p.			and 131335
574W	24469	Pressure Regulating Thumb Screw.			1492E	24473	Needle Bar Connecting Stud Clamping Screw for 131400
590J	24483	Thread (under) Take-up Staple Thread Guard Screw for			1498AL	24474	Needle Set Screw for 131044
		38478 and 54435			1520J	20746	Feed (upper) Rock Shaft Pitman Hinge Screw Nut
624AL	24477	Tension (upper thread) Releasing Shaft Crank Set Screw for 54047			1520J 1520J	24473 24487	Oil Pipe (back of arm) Clamping Plate Bracket Screw
640E	24470	Looper Driving Shaft and Feed Lifting Eccentric Screw for			1539W	24469	Lock NutPressure Regulating Thumb Screw Lock Nut
		147508			1547J	24477	Tension (upper thread) Releasing Shaft Stop Screw Nut
665J	24471	Cloth Plate Slide (left) Spring Screw for 131051			1698R	24481	Thread (upper) Nipper Disc (outside) Nut for 68137
665J	24471	Cloth Plate Slide (right) Position Spring Screw for 131924			1733	24487	Oil Pipe (back of arm) Coupling Nut (brass)
665J	24471	Cloth Plate Slide (right) Spring Screw for 131608 and			1733	24487	Oil Pipe (front of arm) Coupling Nut (brass) for 68500
		131924			1700	24407	and 131637
691AL	24477	Tension (under thread) Bracket Screw			1749C	24473	Feed (upper) Bell Crank Connecting Link Hinge Screw
735AL	20746	Feed (lower) Bar Hinge Pin Collar Set Screw for 59343			17-7-0	2	Nut for 131691
742F	24475	Throat Plate Screw	•	, 35	1778R	24468	Machine Base Bolt Nut for 140570R
761E	24470	Arm Rotary Shaft Bushing (front) Set Screw.			2102	24477	Tension (under thread) Disc
761E	24470	Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw for 68483			2102	24477	Tension (upper thread) Disc
2001	0.4.477				2763	20633	Knee Lifter Rock Shaft for 23767
802X	24477	Lifting Presser Bar Lifting Lever Hinge Screw			2766	20633	Knee Lifter Rock Shaft Knee Arm Hub with 356C, for 6336
853AL	20711	131733	٠.	•	2767	20633	Knee Lifter Rock Shaft Knee Plate with 356C, for 6336
857AL	24473	Needle Set Screw for 131739			2770	20633	Knee Lifter Rock Shaft Stop Dog with 140219C, for 23767
861C	24473	Needle Bar Connecting Link Hinge Stud Oil Plug Screw			4822	20691	Wrench for 1527 (Accessories)
896AL	24470	Feed (lower) Connecting Rod Cap Screw for 131500			4879	20633	Foot Lifter Chain Connecting Link for 150452
896AL	24470	Feed (upper) Connecting Rod Cap Screw for 131500			4882	20633	Foot Lifter Treadle Shaft for 150452
914J	20711	Feed (upper) Lifting Regulator Connection Sleeve Slide			6335	20633	Knee Lifter Rock Shaft Knee Arm for 6336
7147	20/11	Block Clamping Washer Screw for 131734			6336		Knee Lifter Rock Shaft Knee Arm complete, for 23767,
965D	24483	Thread (under) Take-up Staple Bracket Screw					Nos. 2766, 2767 and 6335
1011F	24471	Cloth Plate Screw (left)			6337	20633	Knee Lifter Rock Shaft Lifting Bracket with two 356C,
1057AL	24469	Arm Bottom Cover Screw					for 23767
1057AL	24469	Arm Side Cover Screw			6439		Foot Lifter Chain, 36 in. to 45 in. with 56864 and 56865
1057AL	24470	Crank Connecting Rod Cap (upper) Screw for 131926			~~~		When ordering No. 6439, state length required.
1057AL	24470	Feed (lower) Connecting Rod Clamping Screw for 131500			7071	24470	Feed (lower) Eccentric Clamping Washer for 54025 Feed (upper) Eccentric Clamping Washer for 54456
1057AL	24470	Feed (upper) Connecting Rod Clamping Screw for 131500			7071	24470 20633	Knee Lifter Rock Shaft Lifting Bracket Hook for 23767
1057AL	24473	Feed (upper) Rock Shaft Crank (front) Clamping Screw for		- 10	7125	20691	Wrench for 1520 (Accessories)
		52595	•-	·	8908	24473	Feed (upper) Bell Crank Connecting Link Hinge Screw Nut
1103C	24470	Feed (lower) Regulating Screw for 54025			9525	244/3	Washer for 131691
1103C	24470	Feed (upper) Regulating Screw for 54456			9525	24485	Thread Unwinder Thread Separator Bracket Arm
1120AL	24480	Looper (front) Set Screw for 131052			7323	24403	Clamping Screw Washer for 150060
1120AL	24479	Looper Set Screw for 54035	ţ.,	· ·	9525	24485	Thread Unwinder Thread Separator Bracket Arm Screw
1133E	24473	Lifting Presser Bar Bushing (lower) Set Screw			7323	14403	Washer for 150061 and 150087
1133E	24473	Lifting Presser Bar Bushing (upper) Set Screw			9842	21038	Machine Base Screw Stud Nut Washer for 131264
1133E	24473	Needle Bar Bushing (lower) Set Screw			11119	20711	Arm Oil Tube with 52045, for oiling Thread (upper)
1133E	24473	Needle Bar Bushing (upper) Set Screw			*****	20,	Nipper
1149AL	24481	Thread (upper) Nipper Body Set Screw			12242	20633	Knee Lifter Rock Shaft Hanger with two wood screws 1 in.
1194C	24473	Feed (upper) Bell Crank Connecting Link Hinge Screw for 131691			17905	20691	No. 10, for 23767Wrench for 147-90 Machine (Accessories)
1247C	21038	Machine Base Oil Drain Jar Clamp Lever Hinge Screw for 131268			22436	20746	Feed (lower) Bar Feed Dog Seat Screw Washer for 131942
1289X	24469	Arm Side Cover Cap Screw for 131911			23767	20633	Knee Lifter Rock Shaft complete, Nos. 2763, 2770, 6336,
1304C	24470	Arm Rotary Shaft Ball Bearing (intermediate) Case Set					6337, 7125 and two 12242
1309C	20711	Arm Rack Shaft Adjusting Screw			25618	04405	Guide for No. 147-90 Machine
1423W	24473	Feed (upper) Bar Cap Screw for 131691			27739	24485	
1423W	24473	Feed (upper) Bar Connecting Link (lower) Cap Screw for	i#		27998	20691	No. 27739 is used with, but not included in 150062 or 150088 Bench Stand Flap Hook and Eye (large) with wood screw
1423W	24473	131691Feed (upper) Bar Connecting Link (upper) Cap Screw for				•	1/2 in. No. 5, for 79772 and 135115
		131691			32572	24477	Tension (upper thread) Releasing Disc

(4

							HOMERICAL LIST OF TARRE
No.	Plate	Name				-1	N
37563		Knee Lifter Chain, length 15 in., with 56864 and 56865	n		No.	Plate	Name
38210	24483	Thread (under) Nipper Spring (lower)		•	54027	24479	Looper Carrier with two 175E
38211	24483	Thread (under) Nipper Spring (upper)			54035	24479	Looper Holder with 1120AL, for No. 147-90 Machine
38284	24483	Thread (under) Eyelet (front) for No. 147-90 Machine			54038	24476	Needle Guard (stationary) Holder for No. 147-115
38467	24469	Lifting Presser Bar Spring (flat)					Machine
38468	24469	Lifting Presser Bar Spring Stud	ہ		54045	24477	Tension (upper thread) Bracket for No. 147-90 Machine
38475	24470	Thread (under) Take-up with 465AL		3	54046	24477	Tension (upper thread) Releasing Shaft for No. 147-90
38478	24483	Thread (under) Take-up Staple with two each 590J and					Machine
		38481, for No. 147-90 Machine			54047	24477	Tension (upper thread) Releasing Shaft Crank with 624AL
38481	24483	Thread (under) Take-up Staple Thread Guard for 38478			54048	24477	Tension (upper thread) Releasing Shaft Crank Link
		and 54435			54049	24483	Thread (under) Take-up Staple Bracket with 460AL
38482	24483	Thread (under) Take-up Stripper			54068	24476	Needle Guard (stationary) for No. 147-115 Machine
41538		Bench Stand Flush Bolt with Plate complete, for 79772,			54070	24478	Tension (upper thread) Bracket for No. 147-115 Machine
		Nos. 126247, 126248 and four brass wood screws 5/8 in. No. 4			54071	24478	Tension (upper thread) Releasing Shaft for No. 147-115 Machine
42365	20711	Arm Rock Shaft Oil Pad for oiling Back Bearing			54072	24484	Thread (under) Eyelet (front) for No. 147-115 Machine
42367	24470	Arm Rotary Shaft Front Bearing Oil Pad (lower)			54095	24482	Thread (upper) Take-up Plate for 131335
46041	24483	Thread (under) Take-up Staple Spring			54143	24473	Feed (upper) Bar Connecting Link (lower) for 131691
46105	24475	Looper Needle Guard Pin for 52661			54144	24473	Feed (upper) Bell Crank for 131691
46247	24483	Thread (under) Nipper Spring Stop.			54145	24473	Feed (upper) Bar Connecting Link (upper) for 131691
49092	24471	Cloth Plate Oil Tube Packing (felt) for 54309	-%	NA.	54150	24473	Feed (upper) Bell Crank Connecting Link for 131691
50073J	24476	Feed Dog Screw for No. 147-115 Machine			54155	20746	Feed (upper) Rock Shaft
50200C	24473	Feed (upper) Bell Crank Connecting Stud Set Screw for			54156	20746	Feed (upper) Rock Shaft Crank (back) with two 50200C
		127946			54158	24475	Feeding Foot Hinge Pin for 54161
50200C	20746	Feed (upper) Rock Shaft Crank (back) Set Screw for 54156			54159	24475	Feeding Foot Plate for 54161
50200C	20746	Feed (upper) Rock Shaft Pitman Crank Set Screw for	د)	ris.	54160	24475	Feeding Foot Shank for 54161
50326C	24477	131625. Tension (under thread) Screw Stud for 59539.		ų.	54161	24475	Feeding Foot (hinged) complete, for No. 147-90 Machine, Nos. 54158, 54159 and 54160
50326C	24477	Tension (upper thread) Screw Stud for 59539			54162	24473	Lifting Presser Bar Bushing (upper)
50326C 50391C	20711	Feed (upper) Lifting Regulator Connection Sleeve Slide			54194	24481	Thread (upper) Take-up Plate for 131333
303710	20/11				54209	24471	Cloth Plate Slide (right) Position Spring for 131924
50396F	24471	Block Regulating Screw for 131734			54214	24475	Lifting Presser Foot for No. 147-90 Machine
50473F	24471	Cloth Plate Screw (right)			54215	24475	Throat Plate for use with 131854, for No. 147-90 Machine
		Cloth Plate Thread Guard Screw (upper)			54218	24470	Arm Rotary Shaft Front Bearing Oil Pad (upper)
50597C	24479	Looper Carrier Connection Shaft Bushing Collar Position			54227	24479	Looper Carrier Connection for 147507
50/000	04440	Screw Stud for 131882			54228	24479	Looper Carrier Connection Shaft for 147507
50608R	24469	Arm Hole Plug Screw, for access to Crank Connecting			54242	24481	Slack Thread Controller Clamp
51061AL	24470	Rod (upper bearing)			54309	24471	Cloth Plate Oil Tube with 49092, for 131606
51061AL		Feed (lower) Eccentric Body Set Screw for 54025			54369	20746	Feed (upper) Rock Shaft Collar with two 465AL
	24470	Feed (upper) Eccentric Body Set Screw for 54456			54435	24484	Thread (under) Take-up Staple with 590J and 38481, for
51119J	24479	Looper Holder Screw			34433	24404	No. 147-115 Machine
51224W	0.4470	Guide Thumb Screw for No. 147-90 Machine	()	9	54456	24470	Feed (upper) Eccentric (adjustable) complete, for 131617,
51263D	24479	Looper Carrier Connection Shaft Bushing Cap Screw			34436	244/0	Nos. 1103C, 138306, two each 217J, 7071 and three
51283AL	24470	Machine Driving Pulley Set Screw for 131914					
51407AL	24470	Arm Rock Shaft Crank (back) Set Screw for 131486			E / 177	21038	51061AL
51422J	24470	Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw for 131601	-3	79	54477		Machine Base Screw Stud, to fasten base to table, for 131264
51570C	24477	Tension (under thread) Regulating Thumb Nut for 59539			54969	20711	Arm Rock Shaft Oil Pad for oiling Intermediate Bearing
51570C	24477	Tension (upper thread) Regulating Thumb Nut for 59539			54988	24477	Tension (upper thread) Releasing Pin
51576E 51715AL	21038 24470	Machine Base Screw Stud Nut for 131264 Crank Connecting Rod Cap (lower) Screw Stud Nut for			56003	20711	Arm Oil Tube with 52045, for oiling Feed (upper) Bell Crank Connection Sleeve
0., 10,12	2	131926			56864	20691	Foot Lifter Chain Hook (large) for 6439
52045	20711	Arm Oil Tube Packing (wick) for 11119 and 56003			56864	20691	Knee Lifter Chain Hook (large) for 37563
52535	24476	Lifting Presser Foot for No. 147-115 Machine			56865	20691	Foot Lifter Chain Hook (small) for 6439
52595	24473	Feed (upper) Rock Shaft Crank (front) with 1057AL,			56865	20691	Knee Lifter Chain Hook (small) for 37563
32373	24470	for 131691for 131691			57234	20746	Feed (lower) Rocking Frame Hinge Pin
52596	24476	Feeding Foot for No. 147-115 Machine			57235	20746	Feed (lower) Rocking Frame Hinge Pin Bushing
52661	24475				57255	24473	Lifting Presser Bar.
53202	244/5	Looper Needle Guard with 46105, for 53203		,	59343	20746	Feed (lower) Bar Hinge Pin Collar with 735AL, for 131945
53202	244/5	Looper for 53203			59456	24481	Thread (upper) Nipper Disc (outside) Nut Washer for
33203	244/3	Looper 53202 with 229J and 52661, for No. 147-90			5,400		68137681
53225	24477	Machine	:•		59537	24477	Tension (under thread) Spring Bushing (large)
54025	24477	Thread (under) Eyelet (back)		ħ	59537	24477	Tension (upper thread) Spring Bushing (large)
34023	244/0	Feed (lower) Eccentric (adjustable) complete, for 131502,		ı	59538	24477	Tension (under thread) Spring Bushing (small).
		Nos. 1103C, 138306, two each 217J, 7071 and three		ı	59538	24477	Tension (upper thread) Spring Bushing (small)
		51061AL			37300	~~~,,	rension (opper milead) opinig bosining (sindit/

¥

No.	Plate	Name
59539	*******	Tension (under thread) Screw Stud 50326C with 51570C
59539		Tension (upper thread) Screw Stud 50326C with 51570C
60220		Bench Stand Flap Hook and Eye (small) with wood screw 5/8 in. No. 4, for 135115
60656	20691	Bench Stand Hinge for 79772.
64319	24474	Needle Bar (hollow) for 131045
64356	24483	Thread (under) Take-up Thread Guard Steady Pin
68123		Needle Guard (movable) Clamp for No. 147-90 Machine
68129	24481	Thread (upper) Nipper Body for 68137
68130	24481	Thread (upper) Nipper Disc (inside) for 68137
68131	24481	Thread (upper) Nipper Disc (inside) Washer (fiber) for 68137
68132	24481	Thread (upper) Nipper Disc (outside) for 68137
68133	24481	Thread (upper) Nipper Roller for 68136
68134	24481	Thread (upper) Nipper Roller Hinge Pin for 68136
68135	24481	Thread (upper) Nipper Stud for 68136
68136	••••	Thread (upper) Nipper Stud 68135 with 68133 and 68134, for 68137
68137	24481	Thread (upper) Nipper complete, Nos. 1698R, 59456, 68129, 68130, 68131, 68132, 68136 and 131977
68138	24481	Thread (upper) Nipper Thread Guide
68164	24481	Thread (upper) Take-up Plate Spring for 131333 and 131335
68184	24477	Lifting Presser Bar Lifting Lever Extension
68187	24473	Needle Bar Bushing (upper)
68222	20633	Belt Guard with two wood screws 1 in, No. 12
68261	24477	Tension (upper thread) Releasing Shaft Spring
68350	20711	Arm Oil Cup, for oiling Arm Rock Shaft Front Bearing
68368	24471	Cloth Plate Slide (left) for 131051
68428	24469	Arm Bottom Cover
68429	24469	Arm Bottom Cover Gasket (cork)
68433	20711	Arm Rock Shaft Bushing (back)
68435	20711	Arm Rock Shaft Bushing (back) Cap
68436	20711	Arm Rock Shaft Bushing (intermediate)
68448	24469	Arm Side Cover Gasket (victorite)
68467	20746	Feed (lower) Bar Wearing Plate for 131942
68478	24479	Looper Carrier Connection Shaft Bushing
68479	24479	Looper Carrier Driver with four 175AL, for 147507
68483		Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E, for 131601
68488	. 24473	Needle Bar Connecting Link and Thread (upper) Controller for 131399
68489	24473	Needle Bar Connecting Link Hinge Stud (hollow) for 131399
68494	24487	Oil Pipe (back of arm) Connection with 68495 and two 198E, for oiling Feed (lower) Rocking Frame Hinge Pin
		Back Bearing and Feed (upper) Rock Shaft Pitman Crank Shaft
68495	20746	Feed (lower) Bar Slide Block Oil Pad (wick) for 131944
68495	24487	Oil Pipe (back of arm) Connection Oil Pad (wick) for 68494
68496	24487	Oil Pipe (back of arm) Coupling
68497	24470	Feed (lower) Connecting Rod Oil Pad (wick) for 131500
68497	24470	Feed (upper) Connecting Rod Oil Pad (wick) for 131500
68497		Looper Driving Shaft and Feed Lifting Eccentric Front Bearing Oil Pad (wick)
68497	24487	Oil Pipe (back of arm) Oil Pad (wick) for 131636.
68497	24487	Oil Pipe (front of arm) Oil Pad (wick) for 131112 and 131113
68500	24487	Oil Pipe (front of arm) with 1733, 131084 and 131089, for oiling Arm Rotary Shaft Front Bearing, for 131638

No.	Plate	Name
79772	********	Bench Stand with 27998, two each 41538, 126849, three
		wood screws 1-1/4 in. No. 12, four each 60656, wood
		screws 1-1/4 in. No. 10, eight wood screws 5/8 in.
		No. 6 and sixteen wood screws 5/8 in. No. 7, for use
		with Machine Base No. 131264, when machine is
		mounted on top of table
120341	20691	Tweezers (curved) Accessories
120344	20691	Oiler (copper plated) with 120345 (Accessories)
120345	20691	Oiler Spout, 4-1/2 in. long, for 120344
120440	20691	Screw Driver (large) Accessories
121108	20691	Screw Driver (small) Accessories
126150	24468	Machine Base Bolt Nut Lock Washer for 151141
126247	20691	Bench Stand Flush Bolt for 41538
126248	20691	Bench Stand Flush Bolt Plate for 41538
126249	20633	Foot Lifter Treadle for 150452
126250	20633	Foot Lifter Treadle Spring for 150452
126849	20691	Bench Stand Flap Hinge with four wood screws 3/4 in.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2007	No. 7, for 79772
126849	20691	Bench Stand Flap Hinge with four wood screws 5/8 in.
	44-71	No. 7 F.H. for 135115
127946	24473	Feed (upper) Bell Crank Connecting Stud with 50200C,
(2//10	24770	for 131691
128419	24479	Looper Carrier Connection Shaft Oil Pad (braided cotton)
131002	24487	Oil Pipe (front of arm) Connection with two 198E, for
101002	24407	oiling Looper Carrier Connection Shaft
131003	24487	Oil Pipe (front of arm) Connection with two 198E, for
701000	1440/	131112 and 131113
131004	24487	Oil Pipe (front of arm) Coupling (center)
131004	24487	Oil Pipe (front of arm) Coupling (left)
131011	24477	Tension (upper thread) Releasing Shaft Spring Position
101011	144//	Plate
131012	24477	Tension (under thread) Bracket.
131022	21038	Machine Base Screw Stud Bushing (rubber) for 131601
131025	24481	Slack Thread Controller
131028	24479	Looper Driving Shaft and Feed Lifting Eccentric Bushing
131020	244//	Oil Plug
131044	24474	Needle Clamp with two 1498AL, for 131045
131045		Needle Bar complete, for No. 147-115 Machine, Nos.
1010-0		64319 and 131044
131050	24471	Cloth Plate Slide (left) Spring for 131051
131051	24471	Cloth Plate Slide (left) complete, for 131609 and 131925,
101051	244/ 1	Nos. 68368, 131050 and two 665J
131052	24480	Looper Holder with 452AL and 1120AL, for No. 147-115
131032	14400	Machine
131056	20711	Arm Rock Shaft Adjusting Screw Washer
131084	24487	Oil Pipe (front of arm) Connection with two 198E, for
131004	2440/	6850068500
131087	24487	Oil Pipe (front of arm) Coupling (right) with Oil Lead
131089	24487	
131089	2440/	Oil Pipe (front of arm) Oil Pad (wick) for 68500 and
131095	20711	131637 Arm Rock Shaft Bushing (back) Cap Washer (fiber)
131112	24487	
131112	2446/	Oil Pipe (front of arm) with 68497 and 131003, for oiling
131113	24487	Feed (lower) Bar Slide Block, for 131638
131113	2445/	Oil Pipe (front of arm) with 68497 and 131003, for oiling
101110	0.440=	Feed (lower) Connecting Rod, for 131638.
131113	24487	Oil Pipe (front of arm) with 68497 and 131003, for oiling
101100	01000	Feed (upper) Connecting Rod, for 131638
131188	21038	Machine Base Oil Drain Jar Clamp for 131217
131189	21038	Machine Base Oil Drain Jar Clamp Lever for 131217
131197	20746	Feed (lower) Bar Hinge Pin (eccentric) for 131945
131198	24469	Lifting Presser Bar Spring (auxiliary)
131205	21038	Machine Base Screw Stud, to position machine on base,
		for 131264 and 131919

No.	Plate	Name			No.	Plate	Name
131217		Machine Base Oil Drain Jar Clamp 131188 with 131189, for 131268	4	4	131500	24470	Feed (lower) Connecting Rod with 1057AL, 68497, 134260 and two 896AL, for 131502
131240 131263	20746 21 03 8	Feed (lower) Rocking Frame with two 453AL, for 131945 Machine Base for 131264			131500	24470	Feed (upper) Connecting Rod with 1057AL, 68497, 134260 and two 896AL, for 131617
131264	21038	Machine Base complete, for 131328, Nos. 131263, three		: 	131502	•••••	Feed (lower) Connecting Rod 131500 with 54025, for
		each 9842, 51576E, 54477 and four each 131205 and	•	•	131526		147508
131265	21038	131279 Machine Base Oil Drain Jar Nipple (long) for 131268			131326		Arm Rotary Shaft Ball Bearing (back) Case with Ball Bearings complete, Nos. 131479, 131480 and two
131266	21038	Machine Base Oil Drain Jar Nipple (short) for 131268					131366
131267 131268	21038 21038	Machine Base Oil Drain Jar Nipple Elbow for 131268 Machine Base Oil Drain Jar (swinging type) complete,			*131601		Arm, upper and lower (solid) with 51422J, 68483 and four
131208	21038	for 131328 and 131920, Nos. 131217, 131266, 131961,			131606	24471	131022
		131962 and two each 1247C, 131265 and 131267			131607	24472	Cloth Plate Slide (right) for 131608.
131270	24473	Needle Bar Connecting Link Hinge Stud Oil Pad (wick)			131608	24472	Cloth Plate Slide (right) complete, for 131609, Nos.
131276	24469	Arm Side Cover (oil vent) for 131911					131381, 131607 and two 665J
131279	21038	Machine Cushion (felt) for 131264 and 131919			1 31609	24472	Cloth Plate complete, for No. 147-115 Machine, Nos.
131280	24469	Arm Side Cover Cap Position Pin for 131911			101/10		131051, 131606 and 131608
131291	24473	Needle Bar Bushing (lower)			131610	24471	Cloth Plate Thread Guard
131316	24475	Needle Guard (movable) for No. 147-90 Machine			131613	24473	Feed (upper) Bar for 131691
131319	20711	Arm Oil Cup Oil Pad for 68350	to	*	131615	24473	Feed (upper) Bar Connecting Bracket for 131691
131328	21038	Machine Base and Oil Drain Jar (swinging type) complete, for use when machine is mounted on top of table, for			131617	•••••	Feed (upper) Connecting Rod 131500 with 54456, for 147508
		use with Bench Stand No. 79772, Nos. 131264 and		l	131618	20746	Feed (upper) Connecting Rod Crank with two 140123AL
		131268	:		131619	20746	Feed (upper) Connecting Rod Hinge Stud
131332	24481	Thread (upper) Take-up for 131333		38	131622	24473	Feed (upper) Lifting Regulator Connection Sleeve
131333	24481	Thread (upper) Take-up complete, for No. 147-90		~	131624	20746	Feed (upper) Rock Shaft Pitman
		Machine, Nos. 1449J, 54194, 68164 and 131332			131625	20746	Feed (upper) Rock Shaft Pitman Crank with two 50200C
131334	24482	Thread (upper) Take-up for 131335	į		131626	20746	Feed (upper) Rock Shaft Pitman Crank Shaft
131335	24482	Thread (upper) Take-up complete, for No. 147-115			131627	20746	Feed (upper) Rock Shaft Pitman Crank Shaft Bracket
		Machine, Nos. 1449J, 54095, 68164 and 131334			131629	24473	Lifting Presser Bar Bushing (lower)
131366	24470	Arm Rotary Shaft Ball Bearing (back) for 131526	'		131630	24473	Lifting Presser Bar Lifting Bracket with 453AL
131366	24470	Arm Rotary Shaft Ball Bearing (intermediate)			131631	24473	Lifting Presser Bar Lifting Bracket Guide
131369	24470	Arm Rotary Shaft Ball Bearing (back) Case Cap for			131632	24477	Lifting Presser Bar Lifting Lever
		131479	j		131636	24487	Oil Pipe (back of arm) with 68497, for oiling Feed (lower)
131370	24470	Arm Rotary Shaft Ball Bearing (back) Case Position Stud			101.07		Rocking Frame Hinge Pin Front Bearing
131381	24471	Cloth Plate Slide (right) Spring for 131608 and 131924	-		131637	24487	Oil Pipe (front of arm) with 131089 and two 1733, for
131399		Needle Bar Connecting Link and Thread (upper)					oiling Looper Driving Shaft and Feed Lifting Eccentric
101 (00	24473	Controller 68488 with 68489 and 131400			131638		Front Bearing, for 131638
131400	244/3	131399				*******	Oil Pipe (front of arm) complete, Nos. 68500, 131112, 131637 and two 131113
131404	24481	Slack Thread Regulator Holder	1	-	131639	2448 1	Slack Thread Regulator Holder Crank Connecting Link
131405	24481	Slack Thread Regulator Holder Crank with 171AL	İ		131691		Feed (upper) Bar 131613 with 1194C, 1749C, 9525,
131425	24476	Looper (back) for No. 147-115 Machine					52595, 54143, 54144, 54145, 54150, 127946, 131615
		When ordering No. 131425, state gauge of machine for			101/05		and six 1423W
101 (0)		which required.	47	•	131695	20711	Feed (upper) Lifting Regulator Connection Sleeve Slide
131426	24476	Looper (front) for No. 147-115 Machine			131696	24477	Block Clamping Washer for 131734
		which required.			131696	24477	Tension (under thread) Thread Guide
131456	20711	Arm Rock Shaft Flanged Bushing (front)			131730	20746	Tension (upper thread) Thread Guide
131457	24470	Arm Rock Shaft Planged Boshing (front)			101730	20740	Feed (lower) Bar Feed Dog Seat (adjustable) with 460AL, for 131942
131437	24470	Arm Rotary Shaft Ball Bearing (back) Case for 131479			131733	20711	
131478		Arm Rotary Shaft Ball Bearing (back) Case 131478 with			131734		Arm Rock Shaft and Front Crank with 853AL, for 131734 Arm Rock Shaft 131733 with 50391C, 131738 and two
		131369 and three 205C, for 131526	•				each 914J and 131695
131480	24470	Arm Rotary Shaft Ball Bearing (back) Spacing Collar for	į		131735	24473	Face Plate
		131526		i	131737	24473	Feed (upper) Lifting Regulator Connection with 140123AL
131481 131482	24470 24470	Arm Rotary Shaft Ball Bearing (intermediate) Case Arm Rotary Shaft Ball Bearing (intermediate) Collar with			131738	20711	Feed (upper) Lifting Regulator Connection Sleeve Slide Block for 131734
· ·	•	two 457AL			131739	24473	Needle Bar (hollow) with 857AL, for No. 147-90 Machine
131486	24470	Arm Rock Shaft Crank, back (ball bearing, solid) with			131740	24477	Tension (under thread) Spring
	_	two 51407AL, for 131931	•	#ł	131741	24477	Tension (upper thread) Spring
131487	24470	Arm Rotary Shaft for 147508.			131854	24475	Feed Dog, 14 teeth (14 teeth to the inch) for use with
		When No. 131487 is required for repairs, the Looper Driving					54215, for No. 147-90 Machine
		Shaft and Feed Lifting Eccentric must be returned to the		ļ	131864	24470	Arm Oil Cup for 131866
		factory to be adjusted to the new part.					,

No.	Plate	Name
131865	24470	Arm Oil Cup Oil Gauge for 131866
131866	24470	Arm Oil Cup with Oil Gauge complete, for filling oil
		reservoir, Nos. 131864 and 131865
131882	24479	Looper Carrier Connection Shaft Bushing Collar with 50597C and two 443AL
131896	24481	Slack Thread Regulator for No. 147-90 Machine
131909	24469	Arm Side Cover Cap for 131911
131910	24469	Arm Side Cover Cap Spring for 131911
131911	24469	Arm Side Cover (oil vent) complete, Nos. 1289X, 131276, 131280, 131909 and 131910
131914	24470	Machine Driving Pulley, "V" belt groove (outside diam. of belt groove 2.9 in.) with two 51283AL, for 3/8 in. "V" belt.
131918	24468	Machine Base for 131919
131918	24468	Machine Base complete, for 131920, Nos. 131918 and
131717	£4400	four each 131205, 131279 and 151141
131920	24468	Machine Base and Oil Drain Jar (swinging type) complete, for semi-submerged mounting, for use with Bench Stand No. 135115, Nos. 131268 and 131919
131923	24471	Cloth Plate Slide (right) for 131924
131924	24471	Cloth Plate Slide (right) complete, for 131925, Nos. 54209, 131381, 131923 and four 665J
131925	24471	Cloth Plate complete, for No. 147-90 Machine, Nos. 131051, 131606 and 131924
131926	24470	Crank Connecting Rod with two each 1057AL, 51715AL, 131927 and 131928 for 131931
	f	Vhen No. 131926 is required for repairs, Connecting Rod and Arm Rock Shaft Crank (back) fitted together, will be urnished. All Agency Orders for this part must state the Aachine No. for which it is required, in order to obtain correct Needle Bar Stroke.
131927	24470	Crank Connecting Rod Cap (lower) Screw Stud for 131926.
131928	24470	Crank Connecting Rod Cap (lower) Screw Stud Nut Lock Washer for 131926
131931		Crank Connecting Rod 131926 with 131486, for 147508
131941	20746	Feed (lower) Bar for 131942
131942		Feed (lower) Bar with Feed Dog Leveling Device
131942		complete, for 131945, Nos. 190J, 22436, 68467,
		131730, 131941 and two 207E
131943	20746	Feed (lower) Bar Slide Block for 131944.
131944	20746	Feed (lower) Bar Slide Block 131943 with 68495 and 134260
131945		Feed (lower) Rocking Frame 131240 with 59343, 131197 and 131942
131959	24479	Looper Driving Shaft and Feed Lifting Eccentric Bushing
131961	21038	Machine Base Oil Drain Jar (glass) for 131268
131962	21038	Machine Base Oil Drain Jar Cap for 131268
131970	24470	Thread (under) Nipper Cam with 465AL
131972	24470	Thread (under) Take-up Thread Guard
131977	24481	Thread (upper) Nipper Stud Spring for 68137
134260	20746	Feed (lower) Bar Slide Block Oil Pad Retainer for 131944
134260	24470	Feed (lower) Connecting Rod Oil Pad Retainer for 131500.
134260	24470	Feed (upper) Connecting Rod Oil Pad Retainer for 131500.
		Bench Stand with 27998, 60220 and four each 126849
135115	•••••	with wood screws 5/8 in. No. 7 F.H. (in place of wood screws 3/4 in. No. 7 F.H.) and wood screws 1-1/2 in. No. 10 F.H., for use with Machine Base No. 131919, when Machine is mounted semi-submerged.
120207		Feed (lower) Eccentric Lubricating Pad (wood) for 54025
138306		e 1/ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
138306		reed (upper) Eccentric Lubricating rad (wood) for 34430
	24469	Feed (upper) Eccentric Lubricating Pad (wood) for 54456 Arm Hole Plug Screw Washer
138306		Arm Hole Plug Screw Washer

No.	Plate	Name
140123AL	24473	Feed (upper) Lifting Regulator Connection Clamping Screw for 131737
140219C	20633	Knee Lifter Rock Shaft Stop Dog Set Screw for 2770
140275J	24475	Feed Dog Screw for No. 147-90 Machine
140443J	24:77	Tension (upper thread) Bracket Screw
140570R	24468	Machine Base Bolt with 1778R, for 151141
147506	24479	Looper Driving Shaft and Feed Lifting Eccentric for
147 300		147507
	NOTE:	When No. 147506 is required for repairs, the Arm Rotary Shaft must be returned to the factory to be adjusted to the new part.
147507		Looper Driving Shoft and Feed Lifting Eccentric 147506 with 54027, 54227, 54228 and 68479, for 147508
147508		Arm Rotary Shaft 131487 with 640E, 131502, 131617, 131931 and 147507
147556	24476	Feed Dog, 19 teeth (16 teeth to the inch) for 3/32 in. to 5/32 in. gauges, for use with 147557, for No. 147-115 Machine
147557	24476	Throat Plate for 3/32 in. to 5/32 in. gauges, for use with 147556, for No. 147-115 Machine
147558	24476	Feed Dog, 18 teeth (16 teeth to the inch) for 3/16 in. to
147 350	244/0	3/8 in. gauges, for use with 147559, for No. 147-115 Machine
147559	24476	Throat Plate for 3/16 in. to 3/8 in. gauges, for use with 147558, for No. 147-115 Machine
147560	24473	Feed (upper) Lifting Regulator
147562	24487	Oil Pipe (back of arm) Clamp
147563	24487	Oil Pipe (back of arm) Clamping Plate
147564	24487	Oil Pipe (back of arm) Clamping Plate Bracket
150058	24486	Thread Unwinder Thread Separator for 150061
150060	24485	Thread Unwinder Thread Separator Bracket Arm with 164J and 9525, for 150061 and 150087
150061		Thread Unwinder Thread Separator complete, for 150062, Nos. 164J, 9525, 150058 and 150060
150062	24486	Thread Unwinder complete, for four spools for No. 147-115 Machine, Nos. 150061, 201690J, 225324, 225326, 225388, 259658, two 225257, three wood screws 7/8 in. No. 12 and four each 150203 and 225391.
150086	24485	Thread Unwinder Thread Separator for 150087
150087		Thread Unwinder Thread Separator complete, for 150088, Nos. 1641, 9525, 150060 and 150086
150088	24485	Thread Unwinder complete, for two spools for No. 147-90 Machine, Nos. 150087, 201696J, 225257, 225324, 225326, 225388, 259658, two each 150203, 225391 and three wood screws 7/8 in. No. 12
150203	24485	Thread Unwinder Spool Rest Cushion (felt) for 150062 and 150088
150451	20633	Foot Lifter Treadle Stand for 150452
150452	20633	Foot Lifter Treadle complete, Nos. 4879, 4882, 126249, 126250, 150451 and two wood screws i in. No. 16 F.H
151141	24468	Machine Base Bolt complete, for 131919, to fasten base to table, Nos. 126150 and 140570R
164197	20691	Wrench for 51715 (not regularly furnished) Accessories
200383C	24485	Thread Unwinder Spool Rest Rod Set Screw for 259658
201018C	24485	Thread Unwinder Spool Rest Set Screw for 225257
201528X	14405	Thread Unwinder Spool Pin Nut for 225257
201696J	24485	
225257	24485	Thread Unwinder Spool Rest (for two spools) with 201018C and two each 201528X, 228692 and 228693, for 150062 and 150088
225322	24485	

38		NUMERICAL LIST OF PARTS
No.	Plate	Name
225324	24485	Thread Unwinder Thread Guide Rod with 208AL and 225322, for 150062 and 150088
225326	24485	Thread Unwinder Thread Guide Position Cup for 150062 and 150088
225388	24485	Thread Unwinder Spool Rest Rod for 150062 and 150088
225390	24485 NOTE:	Thread Unwinder Thread Cone Holder, for inverted cones No. 225390 is used with, but not included in 150062 or 150088.
225391	24485	Thread Unwinder Thread Guide for 150062 and 150088
228692	*********	Thread Unwinder Spool Pin for 225257
228693	********	Thread Unwinder Spool Pin Washer for 225257
259658	24485	Thread Unwinder Spool Stand with 200383C, for 150062

 $, \delta$

...

1,

MILMEDICAL LIST OF DADTS

