# Singer 17-33

Form 19184 (538) Printed in U. S. A.

## LIST of PARTS



MACHINE No. 17-33

THE SINGER MANUFACTURING COMPANY

### INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, it should be oiled at least twice each day with Singer Manufacturing Sewing Machine Oil (Cloth and Leather).

7.3

Copyright, U. S. A., 1937 and 1938 by The Singer Manufacturing Co. All Rights Reserved for all Countries

#### INDEX

ccessories		age 9
Sobbin Winder		9
Cloth Plate	. <b>.</b>	10
Machine Base		10
Machine No. 17-33		5
Numerical List of Parts		11
ork Guiding Sleeve		10

#### INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A-Hardened, Polished, Nickel Plated and Buffed

B-Polished, Nickel Plated and Buffed

C-Hardened Only

D-Polished Only

E-Soft, Not Polished

F-Hardened and Polished

F.J-Hardened, Polished and Nickel Plated

G-Bright Rumbled and Nickel Plated

H-Blued

J-Nickel Plated Only

K-Hardened and Nickel Plated

L-Brass Plated

M-0x1d1zed

N-Japanned, Dull

p-Japanned, Bright

R-Merlized

S-Cadmium Plating

T-Copper Plated

T.A-Hardened, Polished, Copper and Nickel Plated and Buffed

T.B-Copper and Nickel Plated and Polished

T.J-Copper and Nickel Plated Only

T.K-Hardened, Copper and Nickel Plated

T.L-Copper and Brass Plated

T.M-Copper Plated and Oxidized

U-Zinc Plated

V-Silver Plated

W-Polished and Nickel Plated

X-Black Oxide, for Iron and Steel

X.C-Hardened and Black Oxide, for Iron or Steel

Y-Black Nickel Plated Only

Z-Chromium Plated

Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated

Z.B-Polished, Nickel Plated, Buffed and Chromium Plated

Z.C-Hardened and Chromium Plated

Z.J-Nickel and Chromium Plated

These letters MUST ES USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500, 50001 to 51500 and 140001 to 142000


are Screw Numbers 1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward are numbers of Electrical Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (\*) are furnished only when repairs are made at factory.

## Counter Copy

LIST OF PARTS COMPLETE FOR



#### MACHINE No. 17-33

For Darning Table Linen, Towels, Knit Underwear, etc. No feeding mechanism. Presser barrises automatically after each stitch is made. A counterbalanced arm shaft reduces vibration to a minimum when driven by power. Speed 1400 R. P. M.

No.	Plate	Name
<b>*65132</b>		Arm with 4448, 15404, 16717 and two
		15405
4389	20924	Arm Dowel Pin
<b>444</b> 8	20923	" Oil Tube for oiling intermediate
		bearing
123E	20924	Arm Screw
65106	20923	* Shaft
65133		<ul> <li>* 65106 with 65107 and 65139</li> </ul>
3005	20923	" " Bushing (back)
448C	20923	" " " Set Screw
*16717	20923	*
65107	20923	" Counterbalance with 1362C
1362C	20923	<pre># * Position Screw</pre>
144D	20923	" " Screw
4288	20923	* Side Cover

No,	Plate	Name
51224D	20923	Arm Side Cover Thumb Screw
52239	20923	" Spool Pin and Thread Eyelet
.8879	20923	" " " Washer (cloth)
16267	20923	Balance Wheel (disc) power, 2 3/4 in.
		pulley, with two 448C
16278	20923	Balance Wheel (disc) stand, 3 in.pulley,
		for clamp stop motion
448C	20923	Balance Wheel Set Screw
256J	20923	Clamp Stop Motion Clamp Screw
248A	20923	" " Stop Screw
2020	20923	
*3023		##201161
4933	20923	" " Flanged Bushing
4300	20320	with two 462C
2022		Clamp Stop Motion Flanged Bushing Pin.
462C	20923	
4020	20320	Set
3022		Screw
3022		Clamp Stop Motion complete, Nos. 248A,
4292	20923	256J, 2020 and 4933
4252 145E	20923	Crank Connecting Rod with two 145E
375C	20923	cap sciew
	_	ninge Screw
1518J	20923	" " " NUT
<b>*65108</b>		Cylinder, 1 7/8 in. diam
16723	20925	Face Plate
16881		"
16883	20925	Face Plate complete, Nos. 448C, 460C, 2107,
		2127,12296,16881,16882 and two 233J
164J	20925	Face Plate Screw
2107	20925	" " Thread Guard (lower)
233J	20925	" " " " Screw
12296	20925	" " " (upper)
460C	20925	" " " Set Screw
65109	20926	Needle Bar (hollow)
<b>*304</b> 5	20926	" " Connecting Link
65134		" " " 3045 with
		65135
37 <b>7</b> C	20926	Needle Bar Connecting Link Hinge Screw.
1518J	20926	
		Nut
65135	20926	Needle Bar Connecting Stud with 175E
175E	20926	" " " Clamping
		Screw
290E	20926	Needle Bar Screw Bushing
16725	20926	" * Thread Eyelet
662J	20926	" " " Screw
1678C	20926	" Clamping Nut
16726		* Plate, large needle hole
16727	20925	" small needle hole
		HOOGIC HOID

No.	Plate	Name
12310	20925	Needle Plate Screw
<b>#6022</b>		Oscillating Rock Shaft with 4784
16806	20923	" " 6022 with 65131.
65130	20923	" " Hinge Pin
65131		" " " " 65130
		with 1513J
1513J	20923	Oscillating Rock Shaft Hinge Pin Nut
4784	20923	" " " Oil Pad (felt)
6462	20923	" Shaft
*16835		" 6462 with 2049, 7225
		and 16736
<b>*722</b> 5	****	Oscillating Shaft Crank with 219C and 1813
7054	20923	Oscillating Shaft Crank with 1813 and
		two 462C
2049		Oscillating Shaft Crank Pin
1813	20923	" " Roller and Stud
219C		" " Set Screw for
		7225
462C	20923	Oscillating Shaft Crank Set Screw for
		7054
8224	20926	Presser Bar
65136	20926	" Guide Bracket with 454C
65141		" " " 65136 with
		16733 and 50022C
454C	20926	Presser Bar Guide Bracket Set Screw
52016	20926	" " Lifter
689¢	20926	" " Screw
1520J	20926	" " " Nut
16730	20926	" " Lifting Rock Shaft
65137	20926	" " " " Arm with
		172C and 1979
1720	20926	Presser Bar Lifting Rock Shaft Arm
		Clamping Screw
1979	20926	Presser Bar Lifting Rock Shaft Arm
		Roller and Screw Stud
65138	20926	Presser Bar Lifting Rock Shaft Arm
		Spring
16733	20926	Presser Bar Lifting Rock Shaft Link
81 <b>0D</b>	20926	и и и и и Сар
		Screw
50022C	20926	Presser Bar Lifting Rock Shaft Link
		Hinge Screw
290E	20926	Presser Bar Screw Bushing
3100	20926	" " Spring
2070	20926	" " Washer
<b>+</b> 65037		" Foot
65038		" Finger Guard
65039	20926	Presser Foot with Finger Guard complete,
		Nos. 65037 and 65038

No.	Plate	Name
190J	20926	Presser Foot Screw
262J	20926	Pressure Regulating Thumb Screw
2996	20925	Shuttle Bobbin
15140	20925	" Case Latch
2973	20925	* * * Lever
2974	20925	" " " " Fulcrum
2314	LOOLO	Pin
2975	20925	Shuttle Bobbin Case Latch Spring
	20925	" " " Stop Screw
592E	20925	" " Hinge, Nos. 2973, 2974
15141		and 15140
		Shuttle Bobbin Case Position Finger
<b>*3</b> 9623		" " Rivet
2523		
40112	20925	Shuttle Bobbin Case complete, Nos.591F,
		592E, 2523, 2975, 15141, 15278 and
		39623
16614	20925	Shuttle Body
591 <b>F</b>	20925	Tension Regulating Screw
15278	20925	" Spring
16735	20925	" 1 1/2 in. diam., Nos.2996,16614
		and 40112
16736	20923	Shuttle Driver
2049	20923	" Pin
16838	20925	" Race
16738	20925	" " Cover
979D	20925	" " Hinge Screw
50258J	20925	" " Screw
2102	20925	Tension Disc
1560C	20925	" Regulating Thumb Nut
600C	20925	" Screw Stud
16202		" " 600C with 1560C
448C	20925	"
10148	20925	" Spring
2105	20925	" Thread Guard
16882	20925	Tension complete, Nos.10148,16202,16766
20002	20000	and two 2102
*65139		Thread Take-up Cam
65140	20923	" " 65139 with 446C
3012	20923	" " Pin
446C	20923	" " " Set Screw
*16740	20923	" " Lever with 1819
65034		" " 16740 with 1088C
	20923	" " " Hinge Screw
1088C 889C	20923	" " " Set
0090	2032	Screw
1010	90093	Thread Take-up Lever Roller and Stud
1819	20923 20925	" " Spring
16766	20925	# " Regulator Plate
2127	20925	Megalitori in M.d.
233J	<b>೭</b> 0920	justing Screw
0055	00000	Drip Pan
6053	20927	Trade Mark
*15404		Trade Mark
15405		" Kivet

### **ACCESSORIES**

No.	Plate	Name
51072E	20927	Machine Bolt with \$1581E, to secure ma-
		chine to table
51581E	20927	Machine Bolt Nut
6055	20927	" " Washer
120342	20927	Oiler (copper plated) with 120343
120343	20927	" Spout, 3 1/2 in. long
26026	20927	Screw Driver (machine)
26485	20927	" " (shuttle tension)
8908	20927	Wrench for 1520
4347	20927	<pre>" 1513 and 1518</pre>
19079	20927	<b>"</b> 1678

#### BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

No.	Plate	Name
27540	20928	Base
15072	20928	Bobbin Position Pin
27302	20928	Frame
50356D	20928	" Hinge Screw
1620J	20928	" " " Nut
27303	20928	* Spring
27541	20928	Pulley
<b>*27849</b>	20928	Spindle
27538		" 27849 with 15072,27850 and 41828
<b>*27850</b>	20928	" Collar
41828	20928	" " Pin
27306	20928	Spool Pin
150534	20928	" Stand
150535	20928	Spool Stand complete, Nos. 418E, 1562J,
		2106, 10141, 11241, 27306, 150534
	,	and two each 2455 and wood screws 1
		in. No. 10
11241	20928	Spool Washer (cloth)
27312	20928	Stop Latch
35D	20928	" " Hinge Screw
2455	20928	Tension Disc
1562J	20928	Regulating Thumb Nut
418E	20928	" Screw Stud
10141	20928	" Spring
2106	20928	Thread Guide

#### BOBBIN WINDER

No.	Plate	Name
27647	20928	Bobbin Winder, Nos. 35D, 1620J, 27302,
		27303, 27312, 27538, 27540, 27541,
		50356D and two wood screws 1 in.No.
	,	7
150536	20928	Bobbin Winder (swinging automatic, right
		hand) complete, Nos. 27647 and 150535

## CLOTH PLATE

No.	Plate			Name	
16718	20924	Cloth	Plate		
16719	20924	*	Ħ	Bracket	with 3450
345C	20924	n	Ħ	*	Set Screw
389 <b>F</b>	20924	H	#	**	Screw
16695	20924	, и	Ħ	Slide	
3286	20924	11	*	* S	pring
725J	20924	Ħ		*	" Screw
16720	20924	Cloth	Plate	e complet	e, Nos. 3286, 16695,
		16	718 a	and two 7	25J
16721	20924	Cloth	Plate	with Br	acket complete, Nos.
		16	719,	16720 an	d two 389F

### MACHINE BASE

No.	Plate	Name
7169	20927	Machine Base with four each 6055,51070E
		and wood screws 1 in. No. 12
51070E	20927	Machine Bolt with 51581E, to secure ma-
		chine to base
51581E	20927	Machine Bolt Nut
6055	20927	" " Washer
51581E	20927	chine to base

### WORK GUIDING SLEEVE

No.	Plate			Name		
121166	20924	Work	Guiding	Sleeve	with	50379C
50379C	20924	=			Stop	Screw

### NUMERICAL LIST OF PARTS

No.	Plate	Name
35D	20928	Bobbin Winder Stop Latch Hinge Screw
		for 27647
123E	20924	Arm Screw
144D	20923	" Shaft Screw
145E	20923	Crank Connecting Rod Cap Screw for 4292
164J	20925	Face Plate Screw
172C	20926	Presser Bar Lifting Rock Shaft Arm
		Clamping Screw for 65137
175E	20926	Needle Bar Connecting Stud Clamping
		Screw for 65135
190J	20926	Presser Foot Screw
219C		Oscillating Shaft Crank Set Screw for
		7225
233J	20925	Face Plate Thread Guard (lower) Screw
2000		for 16883
233J	20925	Thread Take-up Spring Regulator Plate
2000		Adjusting Screw for 16883
248A	20923	Clamp Stop Motion Clamp Stop Screw for
W1W1.	2002	3022
256J	20923	Clamp Stop Motion Clamp Screw for 3022.
262J	20926	Pressure Regulating Thumb Screw
290E	20926	Needle Bar Screw Bushing
290E	20926	Presser Bar Screw Bushing
345C	20924	Cloth Plate Bracket Set Screw for 16719
375C	20923	Crank Connecting Rod Hinge Screw
377C	20926	Needle Bar Connecting Link Hinge Screw.
369F	20924	Cloth Plate Bracket Screw for 16721
418E	20928	Bobbin Winder Tension Screw Stud for
TIOD	20020	150535
446C	20923	Thread Take-up Cam Set Screw for 65140.
448C	20923	Arm Shaft Bushing (back) Set Screw
448C	20923	Balance Wheel Set Screw for 16267
448C	20925	Tension Screw Stud Set Screw for 16883.
454C	20925	Presser Bar Guide Bracket Set Screw for
4540	20920	65136
460C	20925	Face Plate Thread Guard (upper) Set
460C	20925	Screw for 16883
4000	00007	Clamp Stop Motion Flanged Bushing Set
462C	20923	Screw for 4933
462C	20923	Oscillating Shaft Crank Set Screw for
4020	20920	7054
591 <b>F</b>	20925	Shuttle Tension Regulating Screw for
2911	20920	40112
FOOD	20925	Shuttle Bobbin Case Latch Stop Screw
592E	20323	for 40112
600C	20925	Tension Screw Stud for 16202
662J	20925	Needle Bar Thread Eyelet Screw
		Presser Bar Lifter Screw
689C	20926	Cloth Plate Slide Spring Screw for
725J	20924	
		16720

							••
No.	Plate	Name	•	*	No.	Plate	Name
8101	20926	Presser Bar Lifting Rock Shaft Link Cap			2996	20925	Shuttle Bobbin for 16735
		Screw			3005	20923	Arm Shaft Bushing (back)
88 <b>9C</b>	20923	Thread Take-up Lever Hinge Screw Set			3012	20923	Thread Take-up Cam Pin
		Screw	•	•	3022		Clamp Stop Motion complete, Nos. 248A,
979D	20925	Shuttle Race Cover Hinge Screw					256J, 2020 and 4933
1088C	20923	Thread Take-up Lever Hinge Screw for			<b>*</b> 3023		Clamp Stop Motion Flanged Bushing for
		65034					4933
1231D	20925	Needle Plate Screw			<b>*304</b> 5	20926	Needle Bar Connecting Link for 65134
13620	20923	Arm Shaft Counterbalance Position Screw			3100	20926	Presser Bar Spring
		for 65107			3286	20924	Cloth Plate Slide Spring for 16720
151 <b>3</b> J	20923	Oscillating Rock Shaft Hinge Pin Nut			4288	20923	Arm Side Cover
		for 65131			4292	20923	Crank Connecting Rod with two 145E
1518J	20923	Crank Connecting Rod Hinge Screw Nut			4347	20927	Wrench for 1513 and 1518 (Accessories)
1518J	20926	Needle Bar Connecting Link Hinge Screw			<b>43</b> 89	20924	Arm Dowel Pin
		Nut			<b>444</b> 8	20923	Oil Tube for oiling intermediate
1520J	20926	Presser Bar Lifter Screw Nut					bearing for 65132
1560C	20925	Tension Regulating Thumb Nut for 16202.			4784	20923	Oscillating Rock Shaft Oil Pad (felt)
1562J	20928	Bobbin Winder Tension Regulating Thumb					for 6022
		Nut for 150535			4933	20923	Clamp Stop Motion Flanged Bushing 3023
1620J	20928	Bobbin Winder Frame Hinge Screw Nut for					with two 462C for 3022
		27647		~	*6022		Oscillating Rock Shaft with 4784 for
1678C	20926	Needle Clamping Nut					16806
1813	20923	Oscillating Shaft Crank Roller and Stud			6053	20927	Drip Pan
2020	20020	for 7054 and 7225			6055	20927	Machine Bolt Nut Washer for 7169
1819	20923	Thread Take-up Lever Roller and Stud		L	6055	20927	" " " (Accessories)
1010	20000	for 16740			6462	20923	Oscillating Shaft for 16835
1979	20926	Presser Bar Lifting Rock Shaft Arm			7054	20923	" Crank with 1813 and two
10.0	20020	Roller and Screw Stud for 65137					462C
2020	20923	Clamp Stop Motion Clamp Washer for 3022			7169	20927	Machine Base with four each 6055,51070E
2022		" " Flanged Bushing Pin			, 200		and wood screws 1 in. No. 12
2049		Oscillating Shaft Crank Pin			<b>≠</b> 7225		Oscillating Shaft Crank with 219C and
2049	20923	Shuttle Driver Pin for 16835			-,		1813 for 16835
2070	20926	Presser Bar Spring Washer			8224	20926	Presser Bar
2102	20925	Tension Disc for 16882			8879	20923	Arm Spool Pin Washer (cloth)
2102	20925	* Thread Guard for 16881			8908	20927	Wrench for 1520 (Accessories)
2106	20928	Bobbin Winder Tension Thread Guide for			10141	20928	Bobbin Winder Tension Spring for 150535
2100	20320	150535			10148	20925	Tension Spring for 16882
2107	20925	Face Plate Thread Guard (lower) for			11241	20928	Bobbin Winder Spool Washer (cloth) for
2107	20920	16883			11011	20020	150535
2127	20925	Thread Take-up Spring Regulator Plate			12296	20925	Face Plate Thread Guard (upper) for
2121	20920	for 16883			15550	2004	16883
0455	20928	Bobbin Winder Tension Disc for 150535			15072	20928	Bobbin Winder Bobbin Position Pin for
2455		Shuttle Bobbin Case Position Finger		/-	10072	<b>5005</b> 0	27538
2523		Rivet for 40112		7	15140	20925	Shuttle Bobbin Case Latch for 15141
0007	00005	Shuttle Bobbin Case Latch Lever for			15141		Shuttle Bobbin Case Hinge, Nos. 2973, 2974
2973	20925	15141			10141		and 15140 for 40112
0004	00005	Shuttle Bobbin Case Latch Lever Fulcrum	•	4	15278	20925	Shuttle Tension Spring for 40112
2974	20925	Pin for 15141			+15404	20920	Trade Mark for 65132
0005	00005	Shuttle Bobbin Case Latch Spring for			15405		* " Rivet for 65132
2975	20925	40112			10403		******
		**UILE,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					

7.7	•						
No.	Plate	Name			No.	Plate	Name
16202		Tension Screw Stud 600C with 1560C for	•	•	27541	20928	Bobbin Winder Pulley for 27647
		16882	•		27647	20928	Bobbin Winder, Nos. 35D, 1620J, 27302,
16267	20923	Balance Wheel (disc) power, 2 3/4 in.					27303, 27312, 27538, 27540, 27541,
		pulley, with two 448C					50356D and two wood screws 1 in.No.
16278	20923	Balance Wheel (disc) stand, 3 in.pulley,	, n				7 for 150536
		for clamp stop motion			<b>*</b> 27849	20928	Bobbin Winder Spindle for 27538
16614	20925	Shuttle Body for 16735			<b>*27850</b>	20928	" " Collar for 27538.
16695	20924	Cloth Plate Slide for 16720			<b>*</b> 39623		Shuttle Bobbin Case Position Finger for
*16717	20923	Arm Shaft Bushing (front) for 65132					40112
16718	20924	Cloth Plate for 16720			40112	20925	Shuttle Bobbin Case complete for 16735,
16719	20924	" " Bracket with 345C for 16721					Nos.591F,592E,2523,2975,15141,15278
16720	20924	Cloth Plate complete for 16721, Nos.					and 39623
10720	LUBLE	· · · · · · · · · · · · · · · · · · ·			41828	20928	Bobbin Winder Spindle Collar Pin for
16721	20924	3286, 16695, 16718 and two 725J					27538
10/21	LUSEE	Cloth Plate with Bracket complete, Nos.			50022C	20926	Presser Bar Lifting Rock Shaft Link
16723	20925	16719, 16720 and two 389F					Hinge Screw for 65141
16725	20926	Face Plate for 16881			50258J	20925	Shuttle Race Screw
16726	20920	Needle Bar Thread Eyelet			50356D	20928	Bobbin Winder Frame Hinge Screw for
16727	20925	" Plate, large needle hole					27647
		Spail needle noie			50379C	20924	Work Guiding Sleeve Stop Screw for
16730 16733	20926	Presser Bar Lifting Rock Shaft					121166
10/33	20926	LINK 10F	•	*	51070E	20927	Machine Bolt with 51581E, to secure ma-
1000		65141					chine to base for 7169
16735	20925	Shuttle 1 1/2 in. diam., Nos.2996,16614			51072E	20927	Machine Bolt with 51581E, to secure ma-
16736	00007	and 40112					chine to table (Accessories)
	20923	Shuttle Driver for 16835	•		51224D	20923	Arm Side Cover Thumb Screw
16738	20925	" Race Cover			51581E	20927	Machine Bolt Nut for 51070E and 51072E.
*16740	20923	Thread Take-up Lever with 1819 for			52016	20926	Presser Bar Lifter
		65034			52239	20923	Arm Spool Pin and Thread Eyelet
16766	20925	Thread Take-up Spring for 16882			65034		Thread Take-up Lever 16740 with 1088C
16806	20923	Oscillating Rock Shaft 6022 with 65131.			*65037		Presser Foot for 65039
*16835		Shaft 6462 with 2049, 7225			65038		" " Finger Guard for 65039
		and 16736			65039	20926	Presser Foot with Finger Guard complete
16838	20925	Shuttle Race			-		Nos. 65037 and 65038
16881		Face Plate 16723 with 2105 for 16883			65106	20923	Arm Shaft for 65133
16882	20925	Tension complete for 16883, Nos. 10148,			65107	20923	" " Counterbalance with 1362C for
		16202, 16766 and two 2102			0020		65133
16883	20925	Face Plate complete, Nos. 448C, 460C, 2107,			<b>*65108</b>		Cylinder 1 7/8 in. diam
		2127,12296,16881,16882 and two 233J			65109	20926	Needle Bar (hollow)
19079	20927	Wrench for 1678 (Accessories)			65130	20923	Oscillating Rock Shaft Hinge Pin for
26026	20927	Screw Driver (machine) Accessories					65131
26485	20927	" (shuttle tension) Acces-			65131		Oscillating Rock Shaft Hinge Pin 65130
		sories			00202		with 1513J for 16806
27302	20928	Bobbin Winder Frame for 27647		•	*65132		Arm with 4448,15404,16717 and two 15405
27303	20928	" " Spring for 27647	•		65133		* Shaft 65106 with 65107 and 65139
27306	20928	<pre>" " Spool Pin for 150535</pre>			65134		Needle Bar Connecting Link 3045 with
27312	20928	" Stop Latch for 27647			00104	_	65135,
<b>2753</b> 8		" Spindle 27849 with 15072,	\$	-ji	65135	20926	Needle Bar Connecting Stud with 175E
		27850 and 41828 for 27647			00100	20020	for 65134
27540	20928	Bobbin Winder Base for 27647	İ				101 00101

NO.	LTGCG	Sec. 100
65136	20926	Presser Bar Guide Bracket with 454C for
		65141
65137	20926	Presser Bar Lifting Rock Shaft Arm with
		172C and 1979
<b>6513</b> 8	20926	Presser Bar Lifting Rock Shaft Arm
		Spring
*65139		Thread Take-up Cam for 65133 and 65140.
65140	20923	" " 65139 with 4460
65141		Presser Bar Guide Bracket 65136 with
		16733 and 500220

Oiler (copper plated) with 120343 (Accessories.....

Oiler Spout, 3 1/2 in. long for 120342.

Work Guiding Sleeve with 50379C......

Bobbin Winder Spool Stand for 150535...

Bobbin Winder Spool Stand complete for 150536, Nos. 418E,1562J,2106,10141, 11241,27306,150534 and two each 2455 and wood screws 1 in. No. 10..

Bobbin Winder (swinging automatic, right hand) complete, Nos. 27647 and 150535

NUMERICAL LIST OF PARTS

16

No

120342

120343

121166

150534

150535

150536

Plate

20927

20927

20924


20928


20928


20928


Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

> Needles in Containers marked "For Singer Machines" are not Singer made needles.









"For Singer Machines"