Singer 31-17

Singer 31-18

Singer 31-29

Form 19689 (541) Printed in U. S. A.

LIST of PARTS



MACHINES Nos. 31-17, 31-18 and 31-29

** A TRADE MARK OF

THE SINGER MANUFACTURING COMPANY

INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, "TYPE B" or "TYPE D" OIL, sold only by Singer Sewing Machine Company, should be applied at least twice each day to all oil holes marked "OIL", as instructed in Form 18711.

"TYPE D" OIL is stainless.

Copyright, U. S. A., 1930, 1939, 1940 and 1941
by The Singer Manufacturing Co.
All Rights Reserved for all Countries

INDEX

Attachments and Accessories	ge 26
Belt Guards	26
Bobbin Winders	29
Bobbin Winder (Universal)	29
Edge Guides 30 and	31
Guides	3 3
Feller (Foot)	31
Finger Guards	31
Foot Lifter Parts	32
Guide (Adjustable) Hinged	33
Knee Lifter Parts	34
Machine Base	3 5
Machine No. 31-17	5
Machine No. 31-18	12
Machine No. 31-29	19
Numerical List of Parts	41
Roller Pressers (Ball Bearing)	37
Roller Pressers with Ratchet Brake (Ball Bearing)	38
Roller Pressers (Plain)	36
Thread Unwinders	39


INSTRUCTIONS FOR ORDERING

```
In ordering from this list, use CNLY the part NUMBER in the
FIRST column.
    The number stamped on a Sewing Machine Part is in every case
the number of the single part only.
    Every combination of parts sent out as such has its specific
number, which, although not stamped on the parts, must be used
when ordering the combination.
    Each number always indicates the SAME PART in whatever list
it appears, or for whatever machine.
    The letters after some of the numbers indicate the style of
finish only, as follows:
  A-Hardened, Polished, Nickel Plated and Buffed
 A.A-Buffed and Chromium Plated
 A.B-Hardened, Polished, Buffed and Chromium Plated
 A.C-Brown Baking Enamel Finish
 A.D-Gray Baking Enamel Finish
 A.E-Hardened, Bright Rumbled and Nickel Plated
 A.F.-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and
       Chromium Plated
   B-Polished, Nickel Plated and Buffed
   C-Hardened Only
 C.R-Hardened and Merlized
   D-Polished Only
   E-Soft, Not Polished
   F-Hardened and Polished
 F.J-Hardened, Polished and Nickel Plated
   G-Bright Rumbled and Nickel Plated
   H-Blued
   J-Nickel Plated Only
   K-Hardened and Nickel Plated
   L-Brass Plated
   M-Oxidized
   N-Japanned, Dull
   P-Japanned, Bright
P.P-Wrinkle Finish
   R-Merlized
   S-Cadmium Plated
  T-Copper Plated
 T.A-Hardened, Polished, Copper and Nickel Flated and Buffed
 T.B-Copper and Nickel Plated and Polished
 T.J-Copper and Nickel Plated Only
 T.K-Hardened, Copper and Nickel Plated
 T.L-Copper and Brass Plated
 T.M-Copper Plated and Oxidized
  U-Zinc Plated
  V-Silver Plated
  W-Polished and Nickel Plated
  X-Black Oxide, for Iron and Steel
X.C-Hardened and Black Oxide, for Iron or Steel
   Y-Black Nickel Plated Only
  Z-Chromium Plated
 Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated
 Z.B-Polished, Nickel Plated, Buffed and Chromium Plated
2.C-Mardened and Chromium Plated
Z.D-Polished and Chromium Plated
Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated
 Z.J-Nickel and Chromium Plated
 Z.T-Copper and Chromium Flated
   These letters MUST BE USED when they appear in the list; and
AFTER the number as in the list.
   In this series:
              1 to 1500, 50001 to 51500 and 140001 to 142000
           are Screw Numbers
           1501 to 1800 and 51501 to 51800 are Nut Numbers
           1801 to 2000 and 51801 to 52000 are Roller Numbers
           2001 to 50000 and 52001 to 140000 and 142001 to
           190000 are Sewing Machine Parts, 190001 and upward
           are numbers of Electrical Parts.
   The figures in the second column refer only to the plates,
illustrating the parts, and are NOT TO BE USED in ordering.
```

Parts marked with an asterisk (*) are furnished only when

repairs are made at factory.

LIST OF PARTS COMPLETE FOR



MACHINE No. 31-17

FOR LEATHER. DROP FEED. ROLLER PRESSER. SPEED 2000 R. P. M.

No.	Plate	Name
*4417 8		Arm with 15404 and two 15405
8582	22314	* Dowel Pin
12453	22314	" Oil Tube for intermediate bearing
24131	22314	" " with 52045, for oiling 12197
11119	22314	" " " 52045, for ciling 12408
12454	22314	" " " 132590, for oiling 12409
52045	22314	" " Packing (felt) for 11119 and
		24131
132590	22314	Arm Oil Tube Packing (felt) for 12454
748E	22314	" Screw (back) (2)
85 4E	22314	" " (front) (2)
12427	22310	" Shaft
12357	22310	* Flanged Bushing (back)
448AL	22310	" " " " Set Screw
144D	22310	" " Screw
12480	22312	" Side Cap
219J	22312	" " Screw
12193	22314	" " Cover
51224J	22314	" " Thumb Screw

No.	Plate	Name					
52239	22314	Arm Spool Pin and Thread Eyelet					
8879	22314	" " Washer (cloth)					
12358	22310	Balance Wheel (power) light rim, 2 3/16					
15000	20010	in. pulley, with two 448AL					
4370		Balance Wheel (stand) heavy rim, 2 3/4					
1010		in. pulley, with two 448AL					
2135	22310	Balance Wheel (stand) heavy rim, 2 1/2					
2100	55510	in. pulley, for 3022					
2862		Balance Wheel (stand) heavy rim, 3 in.					
5005		pulley, for 3022					
24297	22310	Balance Wheel Oil Cover					
210J	22310	" " " Screw					
448AL	22310	" " Set Screw (2)					
*12360		Bed.,					
256J	22310	Clamp Stop Motion Clamp Screw					
248A	22310	" " " Stop Screw					
2020	22310	" " " Washer					
4933	22310	" " Flanged Bushing with					
1000	22020	two 462AL					
462AL	22310	Clamp Stop Motion Flanged Bushing Set					
		Screw (2)					
3022	22310	Clamp Stop Motion complete, Nos. 248A,					
		256J, 2020 and 4933					
20197	22310	Crank Connecting Rod with two 896AL					
896AL	22310	" " Cap Screw (2)					
908C	22310	" " Hinge Screw					
1619E	22310	" " " " Nut					
20057	22311	Face Plate					
12150	22311	" Thread Guard (lower) with 12152					
12152	22311	" " " " Rivet					
139615	22311	" " " (upper) with					
		125424					
125424	22311	Face Plate Thread Guard (upper) Rivet					
20058		Face Plate complete, Nos.12150,20057 and					
		139615					
190J	22311	Face Plate Screw					
51224J	22311	Thumb Screw					
12368	22312	Feed Bar					
313C	22312	" " Screw Center (2)					
56813		" " " 313C with 1519J (2)					
1519J	22312	" " " Nut (2)					
12197	22310	 Cam and Feed Lifting Eccentric with 					
		446AL					
446AL	22310	Feed Cam and Feed Lifting Eccentric Set					
		Screw					
52165	22310	Feed Connecting Link					
375C	22310	" " Hinge Screw (2)					
1518J	22310	" " " " Nut (2)					

No.	Plate	Name
12436	22311	Feed Dog, 11 teeth (18 teeth to the inch)
		for 12438, 12452 and 20192
No	te: No.	12436 is sent with this machine unless
	anoth	er Feed Dog is specified on order.
20323	22330	Feed Dog, 8 teeth (12 teeth to the inch)
		for 12438, 12452 and 20192
20011	22330	Feed Dog, 11 teeth (18 teeth to the inch)
		for 20012 and 20293
208AL	22311	Feed Dog Screw (2)
12123	22310	" Forked Connection
375C	22310	" " Hinge Screw
1518J	22310	" " " Nut
12374	22312	" Lifting Rock Shaft
20001	22312	Feed Lifting Rock Shaft complete, Nos.
		12374, 12376 and 16556
16556	22312	Feed Lifting Rock Shaft Crank (back)
		with 462AL.
462AL	22312	Feed Lifting Rock Shaft Crank (back) Set
		Screw
12376	22312	Feed Lifting Rock Shaft Crank (front)
		with 157J and 1813
157J	22312	Feed Lifting Rock Shaft Crank (front)
2020		Clamping Screw
1813	22312	Feed Lifting Rock Shaft Crank (front)
47000	00710	Roller and Stud
43976	22310	Feed Lifting Rock Shaft Crank Connecting
966E	00210	Rod with two 966E
3000	22310	Feed Lifting Rock Shaft Crank Connecting
375C	22310	Rod Cap Screw (2)
0700	22010	Feed Lifting Rock Shaft Crank Connecting
1518J	22310	Rod Hinge Screw
10100	SECTO	Feed Lifting Rock Shaft Crank Connecting
307C	22312	Rod Hinge Screw NutFeed Lifting Rock Shaft Screw Center (2)
56814	MULE	
00021		
1513J	22312	with 1513J (2) Feed Lifting Rock Shaft Screw Center Nut
20200	2222	(2)
3039	22310	Feed Regulator
1128E	22310	" " Hinge Screw
818D	22310	" " Thumb Screw
12379	22312	* Rock Shaft.
20333		Feed Rock Shaft complete, Nos. 12379 and
		29633
29633	22312	Feed Rock Shaft Crank with 157J
157J	22312	" " " Clamping Screw
	2 23 12	" " Screw Center (2)
56814		" " " " 307C with
		1513J (2)
1 51 3 J	22312	Feed Rock Shaft Screw Center Nut (2)

 \mathbf{A}^{n}


No.	Plate	Name
12448	22313	Needle Bar (hollow)
43997	22313	" " Connecting Link with 794E and
-		12384
794E	22313	Needle Bar Connecting Link Adjusting
		Screw
12384	22313	Needle Bar Connecting Stud with 453AL
22007	22020	and 1904
1904	22313	Needle Bar Connecting Stud Roller
1001	22010	(roller only)
453AL	22313	Needle Bar Connecting Stud Set Screw
20188	22310	" " Crank with 858AL and 1065C
1065C	22310	" " Position Screw
	22310	* * Set Screw
858AL		" Screw Bushing (2)
936E	22313	DOTON DEBILING (D)
44245	22313	Im ead duald
2330	22313	5010***********************************
2167	22313	Clamp with Lour
196F	22313	" " Screw
44222	22311	Oil Cup
44223		" " 44222 with 44005
44005	22311	" " Extension with 24075
24075	22311	" " Post
44006	22311	" " Packing (felt)
44224	22311	" " Thread Retainer
44225	22311	011 Cup complete, Nos. 44006, 44223 and
		44224
24105	22310	Oscillating Rock Shaft complete, Nos.
		4784 and 12388
139602		Oscillating Rock Shaft 24105 with 908C
12388	22310	* " " Hinge Pin
448AL	22310	" " " " Set
		Screw
4784	22310	Oscillating Rock Shaft Oil Pad
12389	22312	* Shaft
19496		" Crank for 19447
44134		* * * 44135
19447		Oscillating Shaft Crank complete, Nos.
		457AL, 1518E, 19449 and 19496
44135	22312	Oscillating Shaft Crank complete, Nos.
11100	22012	1518E, 19449, 44134 and two 453AL
457AL		Oscillating Shaft Crank Set Screw for
3018T		19447
453AL	22312	Oscillating Shaft Crank Set Screw for
400AL	ت در زنده	44135 (2)
19448		Oscillating Shaft Crank Slide Block
19448 226J	22312	" " " " Cap
ಒದರು	2001Z	Screw
30404	00710	
12424	22312	Oscillating Shaft Crank Slide Block Cap
		Screw Washer

No.	Plate	Name
988C	22312	Oscillating Shaft Crank Slide Block
0000		Screw Stud
1518E	22312	Oscillating Shaft Crank Slide Block Screw Stud Nut
19449	22312	Oscillating Shaft Crank Slide Block com-
10110		plete, Nos,226J,988C,12424 and 19448
19441	22313	Presser Bar (hollow)
19464		Presser Bar complete, Nos. 190J,19441 to
		19443 and 24445
12326	22313	Presser Bar Guide Bracket With 453AL
453AL	22313	" " " Set Screw
52016	22313	" " Lifter
689C	22313	" " Screw
1520J	22313	" " " Nut
12327	22313	 * Lifting and Releasing Lever
		Bracket
11167	22313	Presser Bar Spring (light) .051 wire
Not	e: No. 1	1167 is sent with this machine unless
		Spring is specified on order.
12139		Presser Bar Spring (medium) .055 wire
20023		" " (heavy) .063 wire
11170	22313	
19165	22313	1000
Not		9165 is sent with this machine unless Presser Foot is specified on order.
00334		Presser Foot
20114 20271	22330 22330	* * for beading or top stitch-
20271	22000	ing
20272	22330	Presser Foot for shoe tips and gores
20272	22330	* * inside stays, for 3/64
20070	22000	in, to 1/4 in. gauge
Not	e: When	ordering No. 20273, state gauge required.
20274	22330	Presser Foot, for outside stays
		ordering No. 20274, send sample of
	materia	il for which it is to be used.
190J	22313	Presser Foot Screw
688J	22313	Pressure Regulating Thumb Screw
1841	22313	Roller, 7/8 in. diam., 9/64 in. face,
		fine with 652D and 1528J
62677	22313	Roller Arm
19442	22313	" " Bracket
19443	22313	" " Position Collar with
		456C
456C	22313	Roller Arm Bracket Position Collar Set
		Screw
987E	22313	Roller Arm Bracket Screw Stud
19444	22313	" " " Spring
19445	22313	" " Stud
19446	22313	Roller Arm Bracket Spring Stud complete,
24445		Nos. 987E and 19444 to 19446
	•	MOS. SO/E SIN ISTIT OF ISTITUTE

1

		·			-	,
No.	Plate	Name		No.	Plate	Name
62722	22313	Roller Presser complete, 7/8 in. diam.,	, ,	725J	22311	Shuttle Race Slide Spring Screw (2)
		9/64 in. face, fine roller, Nos.		2102	22311	Tension Disc (2)
		1841 and 62677		1560C	22311	" Regulating Thumb Nut
Not	e: No.	62722 is sent with this machine unless		32572	22311	* Releasing Disc
	anothe	r Roller Presser is specified on order.	- ,	43944	22311	* Lever
190J	22313	Roller Presser Screw		12398	22311	" " Hinge Pin
652D	22313			12329	22311	* * Spring
1528J	22313	" Screw				* * Pin
2996	22313	14001		32574	22311	* Screw Stud
1514 0	22313	Shuttle Bobbin		50 3 270	22311	* " " 50327C with 1560C
2973		" " Case Latch		44141		
	22313	" " " Lever		43945	22311	* Spring
2974	22313	* * * * Fulcrum		12149	22311	" Thread Guard
		Pin		44118	22311	Tension complete, Nos. 7336,32572,32574,
2975	22313	Shuttle Bobbin Case Latch Spring	€ • †			43945, 43946, 44141 and two 2102
592 E	22313	" " " Stop Screw	5	52454	22311	Thread Retainer
15141		Shuttle Bobbin Case Hinge, Nos. 2973,	\$	624AL	22311	" Set Screw
		2974 and 15140	ų.	12404	22313	* Take-up Crank
2523	22313	Shuttle Bobbin Case Position Finger	<i>}</i>	3094	22310	" " Wedge
		Rivet	P. Committee of the Com	690E	22310	" " " Screw
24412	22314	Shuttle Bobbin Case Position Plate		12408	22313	" " Lever
391J	22314	" " " " Screw		775E	22313	" " Cap Screw
		(2)		12166	22313	" " Hinge Pin
62740	22313	Shuttle Bobbin Case complete, Nos. 591F,		12409	22313	" " Link
		592E, 2523, 2975, 15141 and 15278		11204	22313	" " " Hinge Pin
12393	22313	Shuttle Body		435AL	22313	" " " " " Set
591 F	22313	" Tension Regulating Screw		40041	22010	Screw
15278	22313			12410		Thread Take-up Lever complete, Nos.
19292	22313	~P1.148	<i>⁵</i> ~)	12410		12166, 12408 and 12409
10202	22010	Shuttle, 1 11/16 in. diam., Nos. 2996,	į	43990		Thread Take-up complete, Nos. 775E,
12444	22312	12393 and 62740		43990		11204, 12404, 12410 and 43997
1266AL	22312	Shuttle Driver with two 1266AL	٠, ١	40040	00811	• •
_		OOU DOLEM (2)	1	43946	22311	Thread Take-up Spring Regulator
2531	22314	Mace Dack	₹	7336	22311	* * Regulator
2532	22314	" " Position Pin (2)		448AL	22311	
2533	22314	" " Spring		12438	22311	Throat Plate, large oblong needle hole,
9070	22314	" " " Screw				for 12436 and 20323 (2)
24413	22314	" " Body		Not		No. 12438 are sent with this machine un-
62502		" " 24413 with 24418 and two			less	ther Throat Plates are specified on order.
		1053E		20192	22330	Throat Plate, small oblong needle hole,
62517		Shuttle Race Body 62502 with two 2532				for 12436 and 20323
62909		" " 62517 with two 391J		12452	22330	Throat Plate, small oblong needle hole,
		(for Agents only)				for 12436 and 20323, raised at
24418	22314	Shuttle Race Cap	•			needle hole, for top stitching
1053E	22314	"	1 .	20012	22330	Throat Plate, large oblong needle hole,
24419	22314	Shuttle Race complete, Nos. 907D, 2531,	1° 11			for 20011
		2533, 24412, 62517 and two 391J	,	20293		Throat Plate, small oblong needle hole,
145D	22314	Shuttle Race Screw (2)	. 1	20000		for 20011
12431	22311	" " Slide	' #	691F	22311	Throat Plate Screw (2)
12432	22311	Shuttle Race Slide complete, Nos. 4307,	* × 24	*15404		Trade Mark
		12431 and two 725J	•	15405		* * Rivet (2)
4307	22311	Shuttle Race Slide Spring		139622	22341	Drip Pan, with four 1 in. wire nails, for
1001	~~~~	OURAGE TWOO OTTO ON THE		199000	~~~+T	power table
						hower parte

LIST OF PARTS COMPLETE FOR



MACHINE No. 31-18

FOR LEATHER. WHEEL FEED. ROLLER PRESSER. SPEED 2000 R. P. M.

No.	D1-4-	
	Plate	Name
*123 55		Arm with 15404 and two 15405
8582	22328	" Dowel Pin
12453	22328	" Oil Tube for intermediate bearing
24131	22328	" " with 52045, for oiling 5570
11119	22328	" " 52045, for oiling 12408
12454	22328	" " 132590, for oiling 12409
52045	22328	" " Packing (felt) for 11119 and
		24131
132590	22328	Arm Oil Tube Packing (felt) for 12454
748E	22328	" Screw (back) (2)
854E	22328	" " (front) (2)
12427	22324	" Shaft
12357	22324	" " Flanged Bushing (back)
448AL	22324	" " " Set Screw
144D	22324	* * Screw
12480	22326	* Side Cap
219J	22326	" " Screw
12193	22328	" " Cover
51224J	22328	" " Thumb Screw

No.	Plate	Name
52239	22328	Arm Spool Pin and Thread Eyelet
8879	22328	" " Washer (cloth)
12358	22324	Balance Wheel (power) light rim, 2 3/16
4.000	22021	the military with the AACA
4370		in. pulley, with two 448AL
4070		Balance Wheel (stand) heavy rim, 2 3/4
0100		in. pulley, with two 448AL
2135	22324	Balance Wheel (stand) heavy rim, 2 1/2
		in. pulley, for 3022
2862		Balance Wheel (stand) heavy rim, 3 in.
		pulley, for 3022
24297	22324	Balance Wheel Cil Cover
210J	22324	" " " Screw
448AL	22324	" " Set Screw (2)
+1236 0		Bed
256J	22324	Clamp Stop Motion Clamp Screw
248A	22324	" " " Stop Screw
2020	22324	" " " Washer
4933	22324	Majorier
4300	66064	Lighted properties where
40041	00704	two 462AL
462AL	22324	Clamp Stop Motion Flanged Bushing Set
		Screw (2)
3022	22324	Clamp Stop Motion complete, Nos. 248A,
		Clamp Stop Motion complete, Nos. 248A, 256J, 2020 and 4933
20197	22324	Crank Connecting Rod with two 896AL
896AL	22324	" " Cap Screw (2)
908C	22324	" " Hinge Screw
1619E	22324	" " Nut
20057	22325	Face Plate
12150	22325	" " Thread Guard (lower) with
		12152
12152	22325	Face Plate Thread Guard (lower) Rivet
139615	22325	
109019	ومومم	(upper) wrom
305404		125424
125424	22325	Face Plate Thread Guard (upper) Rivet
20058		Face Plate complete, Nos. 12150, 20057
		and 139615
1903	22325	Face Plate Screw
51224J	22325	" " Thumb Screw
52165	22324	Feed Connecting Link
3 750	22324	" " Hinge Screw (2)
1518J	22324	" " " " Nut (2)
5570	22324	" Eccentric with 446AL
446AL	22324	" Set Screw
12429	22324	" Forked Connection
375C	22324	191100 00111000101111111111111111111111
		utuge berew
1518J	22324	Nuc
3039	22324	" Regulator
1128E	22324	" " Hinge Screw
818D	22324	" " Thumb Screw
12379	22326	" Rock Shaft

No.	Plate	Mama	
20333		Name	
ಜರಿತಿತಿತ		Feed Rock Shaft complete, Nos. 12379 an 29633.	
29633	22326	Feed Rock Shaft Crank with 157J	
157J	22326	" " " Clamping Screw	
307C	22326	" " Screw Center (2)	
56814		" " " " 307C with	
		1513J (2)	
1 51 3 J	22326	Feed Rock Shaft Screw Center Nut (2)	
2258	22329	" Wheel for 20165 and 20262 to 20264	
. Not	te: No.	2258 is sent with this machine unless	
	anothe	r Feed Wheel is specified on order.	
15022		Feed Wheel, coarse teeth, for 20165 and 20262 to 20264	
2263	22329	Feed Wheel Driver with 2266	
19266	22326	" " Link	
324F	22326	" " " Screw	
3130	22326	" " " " Center (2	
56813	٥٩٥٩٩	" " " " Center (2	-
00010		with 1519J (2)	
1519J	22326	Feed Wheel Driver Link Screw Center Nut	
10100	22020	(2)	
2265	22329	Feed Wheel Driver Spring	•
2266	22329	" " " Hook	
19267	22329	" " Frame with 453AL	
19302		Feed Wheel Frame complete, Nos. 151C,	•
		183C,183F,240D,2252,2254 to 2256,	
		2258, 3114, 19267 and two each 1190	
•		and 1528J	
119C	22329	Feed Wheel Frame Adjusting Screw (2)	
1528J	22329	" " " " Nut (2)
453AL	22329	" " Set Screw	
20006	22326	" " " Shaft	
307C	22326	" " " Screw Center (2	
56814		1 11 11 11 11 11 11 11 11 11 11 11 11 1	
		with 1513J (2)	
1513J	22326	Feed Wheel Frame Shaft Screw Center Nut	
	•	(2)	
3114	22329	Feed Wheel Friction Plate (back)	
151C	22329	" " " " " Screw.	
2252	22329	" " " (front)	1
183C	22329	" " " " " Screw.	•
2254	22329	" " Retaining Clutch	
2255	22329	" " " Cap	
183F	22329	" " " " Screw.	
2256	22329	" " Spring	
240D	22329	" " " " Screv	
12448	22327	Needle Bar (hollow)	
43997	22327	" " Connecting Link with 794E and	
		12384	•
794E	22327	Needle Bar Connecting Link Adjusting	
		Screw	

37.	77.4.	M-ma
No.	Plate	Name
12384	22327	Needle Bar Connecting Stud with 453AL and 1904
1904	22327	Needle Bar Connecting Stud Roller
		(roller only)
453AL	22327	Needle Bar Connecting Stud Set Screw
20188	22324	" Crank with 858AL and 1065C
1065C	22324	" " Position Screw
858AL	22324	" " Set Screw
936E	22327	" " Screw Bushing (2)
44245	22327	Thread Guard
233D	22327	" " " Screw
2167	22327	* Clamp with 196F
19 6F	22327	" " Screw
44222	22325	011 Cup
44223		<pre>" * 44222 with 44005</pre>
44005	22325	* Extension with 24075
24075	22325	" " Post
44006	22325	<pre>" " Packing (felt)</pre>
44224	22325	* * Thread Retainer
44225	22325	011 Cup complete, Nos. 44006, 44223 and
		44224
24105	22324	Oscillating Rock Shaft complete, Nos.
3,70,000		4784 and 12388
139602 12388	22324	" " Hinge Pin
		" " ninge Fin
448AL	CCOCA	Screw
4784	22324	Oscillating Rock Shaft Oil Pad
12389	22326	* Shaft
19496		" Crank for 19447
44134		" " " 44135
19447		Oscillating Shaft Crank complete, Nos.
19447		457AL, 1518E, 19449 and 19496
44135	22326	Oscillating Shaft Crank complete, Nos.
		1518E, 19449, 44134 and two 453AL
457AL		Oscillating Shaft Crank Set Screw for
		19447
453 a L	22326	Oscillating Shaft Crank Set Screw for
		44135 (2)
19448		Oscillating Shaft Crank Slide Block
226J	22326	" " " Cap
		Screw
12424	22326	Oscillating Shaft Crank Slide Block Cap
		Screw Washer
988C	22326	Oscillating Shaft Crank Slide Block
		Screw Stud
1518E	22326	Oscillating Shaft Crank Slide Block
		Screw Stud Nut
19449	22326	Oscillating Shaft Crank Slide Block com-
		plete, Nos.226J,988C,12424 and 19448

No.	Plate	Name
19441	22327	Presser Bar (hollow)
19464		Presser Bar complete, Nos. 190J, 19441
		to 19443 and 24445
20059	22327	Presser Bar Guide Bracket with 453AL
453AL	22327	" " " Set Screw
52016	22327	" " Lifter
689C	22327	* * * Screw
1520J	22327	" " " Nut
12327	22327	" Lifting and Releasing Lever
		Bracket
11167	22327	Presser Bar Spring (light) .051 wire
No	te: No.	
		er Spring is specified on order.
12139		Presser Bar Spring (medium) .055 wire
20023		" " (heavy) .063 wire
11170	22327	" " Washer
19165	22327	" Foot
Not	ce: No.	19165 is sent with this machine unless
		er Presser Foot is specified on order.
20114	22331	Presser Foot
190J	22327	" " Screw
688J	22327	Pressure Regulating Thumb Screw
1841	22327	Roller, 7/8 in. diam., 9/64 in. face,
00.000	00000	fine with 652D and 1528J
62677 19442	22327	Roller Arm
19442	22327 22327	* * Bracket
19443	22021	1031010H COLLAR WICH
456C	22327	456CRoller Arm Bracket Position Collar Set
3000	ושטשו	Screw
987E	22327	Roller Arm Bracket Screw Stud
19444	22327	" " Spring
19445	22327	" " P1n
19446	22327	" " Stud
24445		Roller Arm Bracket Spring Stud complete.
		Nos. 987E and 19444 to 19446
62722	22327	Roller Presser complete, 7/8 in. diam.,
		9/64 in. face, fine roller, Nos.1841
		and 62677
Not	e: No.	62722 is sent with this machine unless
	anothe	r Roller Presser is specified on order.
1 90J	22327	Roller Presser Screw
652D	22327	* Screw
1528J	22327	" " Nut
2996	22327	Shuttle Bobbin
15140	22327	" Case Latch
2973	22327	" " " Lever
2974	22327	" " " " Fulcrum
		Pin
2975	22327	Shuttle Bobbin Case Latch Spring

No.	Plate	Name
592 E	22327	Shuttle Bobbin Case Latch Stop Screw
15141		Shuttle Bobbin Case Hinge, Nos.2973,2974
		and 15140
2523	22327	Shuttle Bobbin Case Position Finger
		Rivet
24412	22328	Shuttle Bobbin Case Position Plate
391J	22328	" " " " Screw
		(2)
62740	22327	Shuttle Bobbin Case complete, Nos. 591F,
		592E, 2523, 2975, 15141 and 15278
12393	22327	Shuttle Body
591F	22327	" Tension Regulating Screw
15278	22327	" " Spring
19292	22327	Shuttle, 1 11/16 in. diam., Nos. 2996, 12393 and 62740
12444	23226	Shuttle Driver with two 1266AL
1266AL	23226	* * Set Screw (2)
2531	22328	* Race Back
2532	22328	" " Position Pin (2)
2533	22328	" " Spring
907D	22328	" " " Screw
62749	22328	" " Body
62750		" " 62749 with 5709 and two
		662E
62751		Shuttle Race Body 62750 with two 2532
62752		" " 62750 with 24412 and
		two 391J
5709	22328	Shuttle Race Cap
662E	22328	" " Screw (2)
62753	22328	Shuttle Race complete, Nos. 907D, 2531,
		2533, 62752 and two 2532
145D	22328	Shuttle Race Screw (2)
12431	22325	511401111111111111111111111111111111111
24810	22325	Shuttle Race Slide complete, Nos. 4307, 12431 and two 1208J
4307	22325	Shuttle Race Slide Spring
1208J	22325	* " " Screw (2)
20060	22327	Slack Thread Regulator
225F	22327	" " " Adjusting Screw
2102	22325	Tension Disc (2)
1560C	22325	* Regulating Thumb Nut
32572	22325	" Releasing Disc
43944	22325	* * Lever
12398	22325	" " Hinge Pin
12329	22325	" " Spring
32574	22325	" " Pin
503270	22325	" Screw Stud
44141		" * 50327C with 1560C
43945	22325	" Spring
44118	22325	Tension complete, Nos. 7336,32572,32574,
		43945, 43946, 44141 and two 2102

PARTS FOR MACHINE No. 31-18

No.	Plate	Name
2135	22318	Balance Wheel (stand) heavy rim, 2 1/2
2200	22010	in. pulley, for 3022
2862		Balance Wheel (stand) heavy rim, 3 in.
		pulley, for 3022
24355	22318	Balance Wheel Oil Cover
210J	22318	" " " Screw
448AL	22318	" " Set Screw (2)
+20211		Bed
256J	22318	Clamp Stop Motion Clamp Screw
248A	22318	" " " Stop Screw
2020	22318	" " " Washer
4933	22318	" " Flanged Bushing with
		two 462AL
462AL	22318	Clamp Stop Motion Flanged Bushing Set
		Screw (2)
3022	22318	Clamp Stop Motion complete, Nos. 248A,
		256J, 2020 and 4933
20197	22318	Crank Connecting Rod with two 896AL
896AL	22318	* * * Cap Screw (2)
908C	22318	* * Hinge Screw
1619E	22318	" " " " Nut
20212	22319	Face Plate
20213	22319	Face Plate complete, Nos. 233J, 448AL,
		457AL, 2923, 20061 to 20063, 20212,
		20214, 20228, 20231, 44157, 52454
		and two 2102
19 5 J	22319	Face Plate Screw (2)
20214	22319	* * Thread Guard
233J	22319	" " " Screw
52165	22318	Feed Connecting Link
3 750	22318	" " Hinge Screw (2)
1518J	22318	" " " " Nut (2)
5570	22318	* Eccentric with 446AL
446AL	22318	* * Set Screw
12429	22318	* Forked Connection
375C	22318	* * * Hinge Screw
1518J	22318	
3039	22318	* Regulator
1128E	22318	111186 00164
8180	22318	Indian Scien
12379	22321	Note Shart
20333		Feed Rock Shaft complete, Nos. 12379 and
29633	22321	29633
29000 157J	22321	Feed Rock Shaft Crank with 157J " " Clamping Screw
307C	22321	" " Screw Center (2)
56814	ZZOZI	" " " Screw Center (2)
00014		1513J (2)
1513J	22321	Feed Rock Shaft Screw Center Nut (2)
2258	22320	" Wheel for 20165 and 20262 to 20264
ಜನಾರ Not		2258 is sent with this machine unless
MOU		r Feed Wheel is specified on order.
	anome	r tood wheat to observing on order.

No.	Plate	Name
15022		Feed Wheel, coarse teeth, for 20165 and
10000		20262 to 20264
2263	22320	Feed Wheel Driver with 2266
19266	22321	" " Link
324F	22321	" " " Screw
313C	22321	" " " Center (2)
56813		* * * * * * 313C
20010	*****	with 1519J (2)
1519J	22321	Feed Wheel Driver Link Screw Center Nut
10130	LAUSI	(2)
2265	22320	Feed Wheel Driver Spring
2266	22320	" " " " Hook
19267	22320	" " Frame with 453AL
19302		Feed Wheel Frame complete, Nos. 151C,
19002		183C,183F,240D,2252,2254 to 2256,
		2258, 3114, 19267 and two each 1190
		and 1528J
1100	00704	Feed Wheel Frame Adjusting Screw (2)
119C	22320	reed wheel Frame Adjusting Screw (2)
1528J	22320	
453AL	22320	200 2010
20006	22321	UMBI V
307C	22321	Octom Content (2)
56814		0070
		with 1513J (2)
151 3 J	22321	Feed Wheel Frame Shaft Screw Center Nut
		(2)
3114	22320	Feed Wheel Friction Plate (back)
151C	22320	" " Screw
2252	22320	(110110)
183C	22320	DOIGH.
2254	22320	" Retaining Clutch
2255	22320	* "
183F	22320	" " " " Screw
2256	22320	" " " Spring
240D	22320	" " " " Screw
12448	22322	Needle Bar (hollow)
44011	22322	" " Connecting Link with 794E and
		12384
794E	22322	Needle Bar Connecting Link Adjusting
		Screw
1090C	22322	Needle Bar Connecting Link Hinge Screw
12384	22322	" " Stud with 453AL and
		1904
1904	22322	Needle Bar Connecting Stud Roller
		(roller only)
453AL	22322	Needle Bar Connecting Stud Set Screw
936E	22322	" Screw Bushing (2)
2166	22322	" " Thread Guard
233D	22322	" " " Screw
2167	22322	" Clamp with 196F

No.	Plate	Name
196F	22322	Needle Clamp Screw
24021	22319	Oil Cup Extension
12486	22319	" " Packing (felt)
44224	22319	* * Thread Retainer
20261		011 Cup complete, Nos. 12486 and 24021
44227	22319	* * 20261 with 44224
213F	22319	" " Screw
24105	22318	Oscillating Rock Shaft complete, Nos. 4784 and 12388
139602		Oscillating Rock Shaft 24105 with 908C
12388	22318	" " Hinge Pin
448AL	22318	" " " " Set
		Screw
4784	22318	Oscillating Rock Shaft Oil Pad
21031	22321	" Shaft
20295	22321	" " Crank
20296	22321	Oscillating Shaft Crank complete, Nos.
		457AL, 1518E, 19449 and 20295
457AL	22321	Oscillating Shaft Crank Set Screw
19448		" " " Slide Block
226J	22321	m m m m Cap
		Screw
12424	22321	Oscillating Shaft Crank Slide Block Cap
		Screw Washer
988C	22321	Oscillating Shaft Crank Slide Block
		Screw Stud
151 8 E	22321	Oscillating Shaft Crank Slide Block
		Screw Stud Nut
19449	22321	Oscillating Shaft Crank Slide Block com-
		plete, Nos.226J,988C,12424 and 19448
19441	22322	Presser Bar (hollow)
19464		Presser Bar complete, Nos. 190J,19441 to
		19443 and 24445
20217	22322	Presser Bar Guide Bracket with 453AL
453AL	22322	" " " Set Screw
52016	22322	" " Lifter
689C	22322	" " Screw
1520J	22322	" " " Nut
20218	22322	" " Lifting Bracket
11167	22322	<pre>* * Spring (light),051 wire</pre>
Note	e: No.	11167 is sent with this machine unless
	anothe	r Spring is specified on order.
12139		Presser Bar Spring (medium) .055 wire
20023		" " (heavy) .063 wire
11170	22322	" " Washer
19165	22322	* Foot
Not		19165 is sent with this machine unless
		r Presser Foot is specified on order.
20114		Presser Foot
190J	22322	" " Screw

No.	Plate	Name
688 J	22322	Pressure Regulating Thumb Screw
1841	22322	Roller, 7/8 in. diam., 9/64 in. face,
		fine with 652D and 1528J
62677	22322	Roller Arm
19442	22322	* * Bracket
19443	22322	" " Position Collar with
		456C
456C	22322	Roller Arm Bracket Position Collar Set
		Screw
987E	22322	Roller Arm Bracket Screw Stud
19444	22322	" " " Spring
19445	22322	" " " Pin
19446	22322	" " " Stud
24445		Roller Arm Bracket Spring Stud complete,
		Nos. 987E and 19444 to 19446
62722	22322	Roller Presser complete, 7/8 in. diam.,
		9/64 in. face, fine roller, Nos.1841
		and 62677
Not	e: No.	\$2722 is sent with this machine unless
	another	r Roller Presser is specified on order.
190J	22322	Roller Presser Screw
652D	22322	* Screw
1528J	22322	" " Nut
24051	22322	Shuttle Bobbin
20499	22322	" Retaining Spring
+20297		Body with 1142E,20499,20500 and
		44213
20365	22322	Shuttle Cover
*44 000		 20365 with 112E,466E,2078,
		2080, 2086 and 2090
2076	22322	Shuttle Cover Hinge Pin
2078	22322	 Delivery Eye Thread Guard
2080	22322	" " " " Rivet.
20500	22322	" Main Spring
1142E	22322	" " Screw
44213	22322	" " " Steady Pin
466E	22322	* Tension Regulating Screw
2086	22322	" " Spring
2090	22322	" " " Plate
112E	22322	* * Screw
20298	22322	Shuttle complete, Nos. 2076,20297,24051
		and 44000
20299	22321	Shuttle Driver
2049	22321	* * Pin
20224	22320	* Race Back
190C	22320	" " Screw (2)
20305	22320	" " Body
20306	22320	Shuttle Race complete, Nos. 20224, 20305
		and two 190C
158D	22320	Shuttle Race Screw (2)

PARTS FOR MACHINE No. 31-29

No.	Plate	Name
12431	22319	Shuttle Race Slide
24810	22319	Shuttle Race Slide complete, Nos. 4307,
21010	200	12431 and two 1208J
4307	22319	Shuttle Race Slide Spring
1208J	22319	" " " Screw (2)
2102	22319	Tension Disc (2)
1560C	22319	Regulating Thumb Nut
20228	22319	* Releaser
1018C	22319	* Screw Stud
44157		" " 1018C with 1560C
20061	22319	" " Bushing
448AL	22319	" " " Set Screw
20062	22319	" " Flange
20063	22319	" " " Collar
2923	22319	" Spring
52454	22319	Thread Retainer
457AL	22319	" " Set Screw
20300	22318	* Take-up Cam with 858AL and 1500C.
1500C	,22318	" " Position Screw
858 al	22318	" " Set Screw
20230	22321	 " Lever with 1547D and 1915
1091C	22321	" " Hinge Screw
20324	22321	" " " " Bushing
2653	22321	н п п п п
		Pin
1520E	22321	Thread Take-up Lever Hinge Screw Nut
1915	22321	" " Roller and Screw Stud
1547D	22321	8
00071	00210	Nut,
20231 20232	22319 22322	Thread Take-up Spring
20202 227 0	22322	Negata cor
2210	مدعد	Ma 1 Mp c THE
8068	22322	Screw Thread Take-up Spring Regulator Adjust-
8088	amaa	ing Screw Washer
20262	22331	Throat Plate, large oblong needle hole,
20202		for 2258 and 15022
20263	22320	Throat Plate, medium oblong needle hole,
20200		for 2258 and 15022
20264	22320	Throat Plate, small oblong needle hole,
		for 2258 and 15022
Note	e: Nos.	20263 and 20264 are sent with this
	machine	unless other Throat Plates are specified
	on orde	
20165	22331	Throat Plate, small oblong needle hole,
		for 2258 and 15022, raised at needle
		hole for top stitching
691F	22320	Throat Plate Screw (2)
*15404		Trade Mark
1 5405		" " Rivet (2)

No.	Plate	Name
20007		Wheel Feed complete, Nos. 324F, 2263,
		2265,5570,19266,19302,20006,20263,
		20264 and 24810
20291	22342	Drip Pan with four 1 in. wire nails, for
		power table

PARTS FOR MACHINE No. 31-29

SINGER Needles should be used in SINGER Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.*" 1

Needles in Containers marked "FOR SINGER MACHINES" are NOT **SINGER** made needles. 2

ATTACHMENTS AND ACCESSORIES

No.	Plate	Name
51075E	22308	Machine Hinge Bolt with 51581E
51581E	22308	" " Nut
6055	22308	" " " Washer
12361	22308	" " Connection
44139	22308	" " Plate
44140	22308	Machine Hinge complete, Nos. 12361,44139
		and merlized wood screw 1 1/4 in.
		No. 14
44 180		Machine Hinge complete, Nos. 6055,12361,
		44139 and 51075E
20022	22308	Machine Rest (felt)
28084	22308	" " Pin
41400	22308	" " (wood) 3 1/8 in. long
120342	22308	Oiler (copper plated) with 120343
120343	22308	* Spout, 3 1/2 in. long
26026	22308	Screw Driver (machine)
26485	22308	" (shuttle tension)
8909	22308	Wrench for 1513 and 1518
4822	22308	* * 1521, 1528 and 1547
8908	22308	"
19221	22308	" " 936 and 1619
22003		" " 1550
20461	22308	* * 1620

BELT GUARDS

BELT GUARD

No.	Plate	Name
41929	22343	Belt Guard
8418	22343	* * Button
8419	22343	" " Washer (leather)
8420		" " 8418 with 8419 and wood
		screw 1 1/4 in. No.9 R.H.B
41930	22343	Belt Guard Hinge
41931	22343	Belt Guard complete, Nos. 8420,41929,two
		41930 and four wood screws 3/4 in.
		No. 9

BELT GUARD FOR BENCH STAND

No.	Plate	Name
126356	22332	Belt Guard
126363	22332	" " Bracket
126364	22332	" Extension
162D	22332	" " Screw
9331	22332	" " " Washer
1480D	22332	" Retaining Screw
50551J	22332	" " Set Screw
126365	22332	Belt Guard (adjustable) complete, Nos.
		162D, 1480D, 9331, 50551J, 126356,
		126363, 126364 and two wood screws 1
		in. No. 10

BOBBIN WINDERS BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

FOR 2996 FOR STAND

FOR NOS. 31-17 AND 31-18 MACHINES

No.	Plate	Name
27540	22333	Base
15072	22333	Bobbin Position Pin
27302	22333	Frame
50356D	22333	* Hinge Screw
1620J	22333	" " " Nut
27303		" Spring
27541	22333	Pulley
27538	22333	Spindle with 15072 and 41828
41828	22333	* Collar Pin
27306	22333	Spool Pin
27307	22333	" Stand
27308	22333	Spool Stand complete, Nos. 418E, 1562J,
		2106,10141,11241,27306,27307 and two
		each 2455 and wood screws 1 in. No.
		10
11241	22333	Spool Washer (cloth)
27312	22333	Stop Latch
35D	22333	" " Hinge Screw
2455	22333	Tension Disc (2)

~~	

BOBB	IN	WI	N	חב	D

BOBB	IN W	IND	ER
------	------	-----	----

20

No.	Plate	Name
1562J	22333	Tension Regulating Thumb Nut
418E	22333	" Screw Stud
10141	22333	* Spring
2106	22333	" Thread Guide
27647	22333	Bobbin Winder, Nos. 35D, 1620J, 27302, 27303,27312,27538,27540,27541,50356D and two wood screws 1 in. No. 7
27544	22333	Bobbin Winder (swinging automatic, right hand) complete, Nos.27308 and 27647.

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

FOR 24051 FOR STAND

FOR NO. 31-29 MACHINE

NOTE: THIS BOBBIN WINDER IS THE SAME AS NO. 27544
WITH THE FOLLOWING EXCEPTIONS:

No.	Plate	Name
27699	22334	Stop Latch, in place of 27312
41548	22334	Bobbin Winder, Nos. 35D, 1620J, 27302, 27303,27538,27540,27541,27699,50356D
		and two wood screws 1 in. No. 7, in place of 27647
41549	22334	Bobbin Winder (swinging automatic, right hand) complete, Nos. 27308 and 41548

BOBBIN WINDER

FOR 4370

	-	
No.	Plate	Name
15072	22335	Bobbin Position Pin
12168	22335	Bracket
692D	22335	" Screw
12169	22335	Frame
12171	22335	Frame complete, Nos. 333D, 5960, 5961,
		5963, 12169 and 15077
32D	22335	Frame Hinge Screw
5960	22335	Friction Wheel (leather)
5961	22335	" " Washer
333D	22335	" " " Screw
15077	22335	Spindle with 15072
5963	22335	" Flange

No.	Plate .	Name
12170	22335	Spring
180F	22335	" Screw
12172	22335	Bobbin Winder complete, Nos. 32D, 180F,
	-	12168, 12170 and 12171

BOBBIN WINDER

FOR 2!35 AND 2862

No.	Plate	Name
12201	22335	Frame complete, Nos.333D,5960,5961,5963,
		12169 and 15077, in place of 12171
12202	22335	Bobbin Winder complete, Nos. 32D, 180F,
		12168, 12170 and 12201

BOBBIN WINDER

FOR 12358

No. 20307	Plate 22335	Name Frame, in place of 12169
20308	22335	Frame complete, Nos.333D,5960,5961,5963.
_		15077 and 20307, in place of 12171
20309	22335	Bobbin Winder complete, Nos. 32D, 180F,
		12168, 12170 and 20308

BOBBIN WINDER (Universal)

No.	Plate	Name
259428	23217	Brake (leather)
259429	23217	" Clamp
200113F	23217	" " Screw
225453	23217	Frame with 202277 and 225438
225454	23217	" Hinge Pin
202277	23217	" 011 Packing (wick)
225438	23217	" " Well Cap
225455	23217	" Spring
225456	23217	" " Plunger
225368	23217	Pulley with 200380C
2003800	23217	" Set Screw

No.	Plate	Name
225381	23217	Spindle
225444	23217	Stop Latch
200056E	23217	" " Screw
225458	23217	" " Thumb Lever
225459	23217	" " " Hinge Stud
225459	23217	" " " Joint Stud
202478	23217	" " Trip Lever
200299H	23217	" " " Hinge Screw
225461	23217	Tension Bracket with 201499B
200082D	23217	" " Screw
228026	23217	" " Washer
2102	23217	" Disc (2)
13710	23217	" Spring
201499B	23217	" Stud
201572B	23217	" " Thumb Nut
225462	23217	Bobbin Winder Tension Bracket complete,
		Nos. 13710, 201572B, 225461 and two
		2102
259430	23217	Bobbin Winder and Tension Bracket Base
259431	23217	Bobbin Winder (universal) complete, Nos.
		200056E, 200082D, 200113F, 200299H,
		202478,225368,225381,225444,225453
		to 225456, 225458, 225462, 228026,
		259428 to 259430, two each 225459
		and wood screws 3/4 in. No.12 R.H.B.

EDGE GUIDES

EDGE GUIDE (Roller)

No.	Plate				Νаπ	e			
26803	22336	Edge	Guide	Bed w	ith 2	362			.
220J	22336	**		Level:	ing S	crew	(4).		
121146	22336	**		Slide	with	26809	, 51	.916 a	and
		1	two 12:	152					
26805	22336	Edge	Guide	Slide	Cap	(left)		,	
20 7F	22336	#	*	19	н	#	Scr	ew	
2362	22336	=	*	Ħ	**	*	Ste	ady F	in
26806	22336	**	*	#	**	(right	;)		
207F	22336	77	**	4	Ħ	"	Scre	w (le	arge)
2 3 3J	22336	n	**	#	н	н	**	(sn	nall)
26807	22336	•	• #	**	Leve	r			• • • •
94D	22336	17	**	,,	19	Hing	e Sc	rew.	
51916	22336	"	#	•	Roll	er and	Stu	d	
26808	22336	**	"	**	Spri	ng			
26809	22336	**	п	**	•	Cov	er		
12152	22336	**	77	17	**	•	F	livet	(2)
26810	22336	Edge	Guide	(rolle	er) c	omplet	e, N	los. 9	94D,
		2	2 33J ,20	6803,20	6805	to 268	08,1	21146	, two
		2	207F at	nd four	r 220	J			
190J	22336	Edge	Guide	Screw					

EDGE GUIDE (Roller)

FOR GLOVE WORK

No.	Plate				Name
36185	22336	Edge	Guide	Arm	with 1988
36186	22336	*	#	π	Friction Washer
1425D	22336	-	*	•	Hinge Screw
1988	22336	**	*	**	Roller and Screw Stud
36187	22336	41	*	Bed	with four 465F
465 F	22336	#	*	**	Leveling Screw (4)
36188	22336	Edge	Gu1de	(ro	ller) complete, Nos. 1425D
			and 361	185	to 36187

FELLER (Foot)

No.	Plate	Name
26403	22336	Feller (foot)

FINGER GUARDS

No.	Plate	Name
36818	22336	Finger Guard
36819	22336	" " Friction Washer
5 0316 J	22336	" " Hinge Screw
36820	22336	* " Holder with 196J
1 96J	22336	" " Clamping Screw
36821	22336	Finger Guard (metal) complete, Nos.36818
		to 36820 and 50316J
120496	22336	Finger Guard
120497	22336	* * Holder with 50302J
50302J	22336	" " Set Screw
236J	22336	* * Screw
120498	22336	Finger Guard (metal) complete, Nos.236J,
		120496 and 120497
120857	22336	Finger Guard
120858	22336	" " Holder with 50302J
50302J	22336	" " Set Screw
236J	22336	" " Screw (2)
120860	22336	Finger Guard (wire) complete, Nos.120857,
		120858 and two 236J

FOOT LIFTER PARTS

No.	Plate	Name
5596	22312	Bell Crank
56848		<pre>" " 5596 with 5599 and 5601</pre>
5599	22312	" " Bracket
178E	22312	" " Screw (2)
5601	22312	" " Hinge Pin
5735	22312	" " Spring
5598	22312	Bell Crank complete, Nos. 5735 and 56848
5670	22909	Chain, length 26 in. to 35 in., with
		56864 and 56865
Not	e: When	ordering No. 5670, state length required.
4879	22909	Chain Connecting Link
56864	22909	* Hook (large)
56865	22909	" " (small)
12237	22312	Lifting Lever with 448AL, for 20008
20233	22321	<pre>" 448AL, for 20289</pre>
12415	22312	" Connecting Rod
12416	22312	" " " Joint
76D	22312	" " " " Hinge
		Screw
1521J	22312	Lifting Lever Connecting Rod Lock Nut
802D	22312	" " Hinge Screw
12241	22313	" " Link for 20008
20234	22322	* * * 20289
766D	22313	" " Hinge Screw
12240	22312	" " Pin
448AL	22312	" " Set Screw
2763	22909	Rock Shaft
12242	22909	" Hanger with two wood screws 1
		in. No. 10 F.H. (2)
6337	22909	Rock Shaft Lifting Bracket with two 3560
	•	(2)
12243	22909	Rock Shaft Lifting Bracket Hook for 5598
7125	22909	" " " " " 5670
356C	22909	" " " Set Screw (2)
		(2)
356C	22909	Rock Shaft Lifting Bracket Set Screw (2)
2770	22909	" Stop Dog with 140219C
1402190	22909	" " " Set Screw
4880	22909	Rock Shaft complete, Nos. 2763, 2770,
		7125, 12243 and two each 6337 and
		12242
4881	22909	Treadle
4882	22909	" Shaft
4 883	22909	" Spring

No.	Plate	Name
4884	22909	Treadle Stand
4885	22909	Treadle complete, Nos. 4879,4881 to 4884
		and two wood screws 1 in. No. 16
80008		Foot Lifter complete for 31-17 and 31-18
•		Machines, Nos. 76D, 766D, 802D, 1521J,
		4880, 4885, 5598, 5670, 12237, 12240,
		12241, 12415, 12416 and two 178E
20289		Foot Lifter complete for 31-29 Machine,
		Nos. 76D,766D,802D,1521J,4880,4885,
		5598,5670,12240,12415,12416,20233,
		20234 and two 178E

GUIDES

No.	Plate		Name
25866	22337	Guide,	for flush throat plate
25874	22337	**	" raised throat plate
25873	22337	π	(combination)
28658	22337	n	(roller) with 1852
1852	22337	'n	Roller for 28658
284D	22337	77	Thumb Screw (long)
732D	22337	te	" (short)
3146	22337	tr	" " Washer for 25873

GUIDE (Adjustable) HINGED

No.	Plate	Name
28971	22337	Guide
28972	22337	" Holder
35610	22337	" " Friction Washer
940W	22337	" " Hinge Screw
120427	22337	" " Shank
51224W	22337	" Thumb Screw
7071	22337	" " Washer
120428	22337	Guide (adjustable, hinged) complete, Nos.
		940W,7071,28971,28972,35610,51224W
		and 120427

KNEE LIFTER PARTS

No.	Plate	Name
5596	22312	Bell Crank
56848		" " 5596 with 5599 and 5601
5599	22312	" " Bracket
178E	22312	" " " Screw (2)
5601	22312	" " Hinge Pin
5735	22312	" " Spring
5598	22312	Bell Crank complete, Nos. 5735 and 56848
12237	22312	Lifting Lever with 448AL, for 139626 and
		139627
20233	22321	Lifting Lever with 448AL, for 139635 and
		139636
12415	22312	Lifting Lever Connecting Rod
12416	22312	" Joint
76D	22312	" " " Hinge
		Screw
1521J	22312	Lifting Lever Connecting Rod Lock Mut
802D	22312	" " Hinge Screw
12241	22313	" " Link for 139626 and 139627
20234	22322	" " " 139635 and 139636
766D	22313	" " " Hinge Screw
12240	22312	" " Pin
448 a L	22312	" " Set Screw
2763	22338	Rock Shaft
139633		" " 2763 with 2770, 6337 and 139623
127312	22338	" " Hanger (back) with two wood
		screws 1 in. No. 10 F.H
12242	22338	Rock Shaft Hanger (front) with two wood
		screws 1 in. No. 10 F.H
7539	22338	Rock Shaft Hanger with two wood screws 1
		in. No. 10 F.H., for 139625 (2)
2765	22338.	Rock Shaft Knee Arm
2766	22338	" " " Hub with 356C
356C	22338	" " " " Set Screw
2768		Rock Shaft Knee Arm complete, Nos. 2765
		to 2767
	22338	Rock Shaft Knee Plate with 356C
356C	22338	" / " " Set Screw
6337	22338	" Lifting Bracket with two 3560
139623	22338	" " " Hook
356C	22338	" " " " Set Screw
356C	22338	" " Set Screw
2770	22338	" Stop Dog with 140219C
1402190	22338	" " " Set Screw
139624	22338	Rock Shaft complete, Nos. 2768, 12242,
		127312 and 139633

No.	Plate	Name
139625	22338	Rock Shaft complete, Nos.2768,139633 and
		two 7539
139626		Knee Lifter complete (power table) for
		31-17 and 31-18 Machines, Nos. 76D,
		766D,802D,1521J,5598,12237,12240,
		12241, 12415, 12416, 139624 and two
		178E
139627		Knee Lifter complete (individual motor
		and foot power stands) for 31-17 and
		31-18 Machines, Nos. 76D,766D,802D,
		1521J,5598,12237,12240,12241,12415,
		12416, 139625 and two 178E
139635		Knee Lifter complete (power table) for
		31-29 Machine, Nos. 76D, 766D, 802D,
		1521J,5598,12240,12415,12416,20233,
		20234, 139624 and two 178E
139636		Knee Lifter complete (individual motor
		and foot power stands) for 31-29 Ma-
		chine, Nos.76D,766D,802D,1521J,5598,
		12240,12415,12416,20233,20234,139625
		and two 178E

MACHINE BASE

No.	Plate	• Name
19219	22909	Bed Frame Cushion (leather) (4)
158C	22909	" " " Screw (8)
19220	22909	* * * Spring (4)
19226	22909	 * Hinge Connection (2)
19398		* * * 19226 with 211E
		and 19397 (2)
19397	22909	Bed Frame Hinge Connection Cap (2)
211E	22909	* * * * Screw (2)
16555	22909	" " " Plate (2)
14010	22909	<pre>" " Rivet (6)</pre>
20067	22909	Bed Frame with two each 16555, 19398,
		four each 19219, 19220, six each
		14010, wood screws 1 1/4 in. No. 12
		and eight 158C

PLAIN ROLLER PRESSERS

Diameter of Roller	9/16*	9/16"	9/16*	48/4	1/8*	1/8	1 1/4"	1 1/4"	1 1/4"
Face of Roller	3/32*	3/35"	9/64"	9/64*	9/64"	3/16*	9/64*	9/64"	3/16"
Knurl of Roller	Coarse	Fine	Coarse	Coarse	Fine	Coarse	Coarse	Fine	Coarse
Roller	51801	51802	1867	1968	1841	1895	1911	1912	1897
Roller Arm	24903	24.903	24903	62677	62677	62677	16573	16573	24990
Roller Screw	3880	3880	3880	6520	6520	6520	3860	386D	3860
Roller Screw Nut	1550H	1550H	1550H	1528J	1528J	1528J	1528J	1528J	1528J
Roller Presser complete	24904	24905	62718	62721	62722	*62680	16581	16582	62627

* Note: No. 62680 has roller set 1/8 in. beyond center of needle

BALL BEARING ROLLER PRESSERS

Diameter of Roller	1/8"	.8/4	1/8#	1 1/4"
Face of Roller	9/64"	1/8"	1/8*	7/32
Knurl of Roller	Coarse	Coarse	Fine	Coarse
Roller complete	20619	21900	10613	51863
Roller Arm	62857	62855	62865	62747
Roller Ball	206417	206417	206417	16232
Roller Ball Retaining Nut	2016990	2016990	2016990	17660
Roller Screw	350104c	3501040	350104C	505530
Roller Nut	1528J	1528J	1528J	1528J
Roller Presser complete	89829	*62860	*62861	62748

* Note: Nos. 62860 and 62861 have roller set 1/8 in. beyond center of needle

BALL BEARING ROLLER PRESSERS WITH RATCHET BRAKE

Diameter of Roller	1/8"	1/8"	1/8"	1/8	1/8#	1 1/4"	1 1/4"
Face of Roller	# 1 9/6	3/35#	1/8#	1/8#	9/64*	7/32*	1/8"
Knurl of Roller	Coarse	Fine	Coarse	Fine	Fine	Coarse	Coarse
Roller complete	51890	51912	51909	51907	51882	51894	51892
Roller Arm	62840	62840	62840	62840	62840	44274	62843
Roller Ball	206417	206417	206417	206417	206417	16232	16232
Roller Ball Retaining Nut	2016990	2016990	2016990	2016990	2016990	17660	17660
Roller Ratchet Spring Stop	62850	62850	09829	62850	62850	62853	62853
Roller Ratchet Spring Stop Bracket	62851	62851	62877	62851	62851	62851	62851
Roller Ratchet Spring Stop Bracket complete	62852	62852	62878	62852	62852	62854	62854
Roller Ratchet Spring Stop Bracket Screw	230F	230F	230F	230F	230F	230F	230F
Roller Ratchet Spring Stop Screw	665J	665J	665J	665J	665J	665J	665J
Roller Sorew	350104c	3501040	3501040	3501040	350104C	505530	505530
Roller Screw Nut	1528J	1528J	15280	1528J	1528J	1528J	1528J
Roller Presser complete	44276	62880	62891	62871	62842	44279	62849

THREAD UNWINDERS

THREAD UNWINDER

FOR ONE SPOOL OR ONE LARGE CONE OF THREAD

No.	Plate	Name
225259	22893	Spool Rest with 201018C
150203	22893	" " Cushion (felt)
225388	22893	* * Rod
200383C	22893	" " Set Screw
201018C	22893	" " Set Screw
202490	22893	* Stand with 200383C
225391	22893	Thread Guide
201696J	22893	" " Lock Nut
225326	22893	" " Position Cup
225324	22893	 Rod with 208E and 225322
208E	22893	* * Screw
225322	22893	" " Washer
225260	22893	Thread Unwinder complete, Nos. 150203,
		201696J,202490,225259,225324,225326
		225388, 225391 and three wood screws
		7/8 in. No. 12 F.H
27739	22893	Thread Cone (wood) for large cones
225390	22893	" " Holder for inverted comes
		27739 and 225390 are used with, but not
		d in 225260.

THREAD UNWINDER

FOR TWO SPOOL OR TWO LARGE CONES OF THREAD

No. Plate	Name .
225257 22248	
150203 22248	" . " Cushion (felt) (2)
225388 22248	* * Rod
200383C 22248	* * * Set Screw
201018C 22248	" " Set Screw
202490 22248	* Stand with 200383C
225391 22248	Thread Guide (2)
201696J 22248	* * Lock Nut
225326 22248	" Position Cup
225324 22248	" Rod with 208E and 225322
208E 22246	" " Screw
225322 22248	" " Washer

> SINGER Needles should be used in SINGER Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.**" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT SINGER made needles. 2

NUMERICAL LIST OF PARTS

No.	Plate	N ame
32D	22335	Bobbin Winder Frame Hinge Screw for
		12172, 12202 and 20309
35D,	22333	Bobbin Winder Stop Latch Hinge Screw for 27647 and 41548
76D	22312	Lifting Lever Connecting Rod Joint Hinge
		Screw for 20008,20289,139626,139627,
		139635 and 139636
94D	22336	Edge Guide Slide Lever Hinge Screw for 26810.
112E	22322	Shuttle Tension Spring Screw for 44000
119C	22320	Feed Wheel Frame Adjusting Screw for
1100		19302 (2)
144D	22310	Arm Shaft Screw
145D	22314	Shuttle Race Screw for 31-17 and 31-18
-		Machines (2)
1 510	22320	Feed Wheel Friction Plate (back) Screw
		for 19302
1 57J	22312	Feed Lifting Rock Shaft Crank (front)
		Clamping Screw for 12376
1 57J	22312	Feed Rock Shaft Crank Clamping Screw for 29633
158C	22909	Bed Frame Cushion Screw for 20067 (8)
158D	22320	Shuttle Race Screw for 31-29 Machine (2)
162D	22332	Belt Guard Extension Screw for 126365
178E	22312	Bell Crank Bracket Screw for 20008,
		20289, 139626, 139627, 139635 and
		139636 (2)
180F	22335	Bobbin Winder Spring Screw for 12172,
		12202 and 20309
1830	22320	Feed Wheel Friction Plate (front) Screw
100-	00500	for 19302
183F	22320	Feed Wheel Retaining Clutch Cap Screw
190J	00776	for 19302 Edge Guide Screw for 26810
190J	22336 22311	Face Plate Screw for 31-17 and 31-18 Ma-
1900	EWII.	chines
190J	22313	Presser Foot Screw
190J	22313	Roller Presser Screw for 19464
190C	22320	Shuttle Race Back Screw for 20306 (2)
195J	22319	Face Plate Screw for 31-29 Machine (2).
196J	22336	Finger Guard Holder Clamping Screw for
		36820
196F	22313	Needle Clamp Screw for 2167
207F	22336	Edge Guide Slide Cap (left) Screw for
		26810
207 F	22336	Edge Guide Slide Cap (right) Screw
		(large) for 26810

No.	Plate	Name			No.	Plate	Name
208AL	22311	Feed Dog Screw for 31-17 Machine (2)	•	,	375C	22310	Feed Forked Connection Hinge Screw
208E	22893	Thread Unwinder Thread Guide Rod Screw			375C	22310	* Lifting Rock Shaft Crank Connecting
		for 225324					Rod Hinge Screw for 31-17 Machine
210J	22310	Balance Wheel Oil Cover Screw		•	386D	22339	Roller Screw for 1897, 1911 and 1912
211E	22909	Bed Frame Hinge Connection Cap Screw for			388 D	22339	" for 1867, 51801 and 51802
		19398 (2)	•		391J	22314	Shuttle Bobbin Case Position Plate Screw
213F	22319	011 Cup Screw for 31-29 Machine					for 24419, 62752 and 62909 (2)
219J	22312	Arm Side Cap Screw for 31-17 and 31-18			418E	22333	Bobbin Winder Tension Screw Stud for
		Machines					27308
2201	22336	Edge Guide Leveling Screw for 26810 (4)			435AL	22313	Thread Take-up Lever Link Hinge Pin Set
225F	22327	Slack Thread Regulator Adjusting Screw					Screw for 31-17 and 31-18 Machines
		for 31-18 Machine			446AL	22310	Feed Cam and Feed Lifting Eccentric Set
226J	22312	Oscillating Shaft Crank Slide Block Cap					Screw for 12197
		Screw for 19449	*	3	446AL	22318	Feed Eccentric Set Screw for 5570
227D	22322	Thread Take-up Spring Regulator Adjust-			448AL	22310	Arm Shaft Flanged Bushing (back) Set
	•	ing Screw for 31-29 Machine					Screw
230F	22340	Roller Ratchet Spring Stop Bracket Screw		,	448AL	. 22310	Balance Wheel Set Screw for 4370 and
		for 44276,4 4 279,62842,62849,62871,					12358 (2)
		62880 and 62891			448AL	22312	Lifting Lever Pin Set Screw for 12237
233J	22336	Edge Guide Slide Cap (right) Screw				0000	and 20233,
		(small) for 26810			448AL	22310	Oscillating Rock Shaft Hinge Pin Set
2 33 J	22319	Face Plate Thread Guard Screw for 20213.			440.7	00030	Screw
233D	22313	Needle Bar Thread Guard Screw			448AL	22319	Tension Screw Stud Bushing Set Screw for
236J	22336	Finger Guard Screw for 120498 and 120860			44047	00033	20213
(240D	22320	Feed Wheel Retaining Clutch Spring Screw			448AL	22311	Thread Take-up Spring Regulator Set
	2272	for 19302			45741	22320	Screw for 31-17 and 31-18 Machines.
248A	22310	Clamp Stop Motion Clamp Stop Screw for	•	•	453AL 453AL	22313	Feed Wheel Frame Set Screw for 19267 Needle Bar Connecting Stud Set Screw for
05.0.	00000	3022			400AL	ക്കാഥ	-
256J	22310	Clamp Stop Motion Clamp Screw for 3022			453AL	22312	0scillating Shaft Crank Set Screw for
284D	22337	Guide Thumb Screw (long)			TOOAL	مدسم	44135 (2)
307C	22312	Feed Lifting Rock Shaft Screw Center for			453AL	22313	Presser Bar Guide Bracket Set Screw for
307C	22312	56814 (2)			-TOURU	NAC TO	12326, 20059 and 20217
3070	25012	Feed Rock Shaft Screw Center for 56814			456C	22313	Roller Arm Bracket Position Collar Set
307C	22321	(2)			1000	22010	Screw for 19443
3070	66061	Feed Wheel Frame Shaft Screw Center for			457AL	22321	Oscillating Shaft Crank Set Screw for
313C	22312	56814 (2) Feed Bar Screw Center for 56813 (2)			10,120	22021	19447 and 20296
313C	22321	* Wheel Driver Link Screw Center for			457AL	22319	Thread Retainer Set Screw for 20213
0100	DECENT.	56813 (2)			462AL	22310	Clamp Stop Motion Flanged Bushing Set
324F	22321	Feed Wheel Driver Link Screw for 20007.			20		Screw for 4933 (2)
333D	22335	Bobbin Winder Friction Wheel Washer			462AL	22312	Feed Lifting Rock Shaft Crank (back) Set
0000	20000	Screw for 12171, 12201 and 20308					Screw for 16556
356C	22338	Rock Shaft Knee Arm Hub Set Screw for			465F	22336	Edge Guide Bed Leveling Screw for 36187
0500	20000	2766		,			(4)
356C	22338	Rock Shaft Knee Plate Set Screw for 2767			466E	22322	Shuttle Tension Regulating Screw for
356C	22909	" " Lifting Bracket Hook Set					44000
-500		Screw for 6337			59 1F	22313	Shuttle Tension Regulating Screw for
356C	22909	Rock Shaft Lifting Bracket Set Screw for	•	*			62740
		6337			592E	22313	Shuttle Bobbin Case Latch Stop Screw for
3750	22310	Feed Connecting Link Hinge Screw (2)			•		62740

No.	Plate	Name
624AL	22311	Thread Retainer Set Screw for 31-17 and
V		31-18 Machines
652D	22313	Roller Screw for 1841, 1868 and 1895
662E	22328	Shuttle Race Cap Screw for 62750 (2)
665J	22340	Roller Ratchet Spring Stop Screw for
		62852, 62854 and 62878
688J	22313	Pressure Regulating Thumb Screw
689C	22313	Presser Bar Lifter Screw
690E	22310	Thread Take-up Crank Wedge Screw for
		31-17 and 31-18 Machines
691F	22311	Throat Plate Screw (2)
692D	22335	Bobbin Winder Bracket Screw for 12168
725J	22311	Shuttle Race Slide Spring Screw for
		12432 (2)
732D	22337	Guide Thumb Screw (short)
748E	22314	Arm Screw (back) (2)
766D	22313	Lifting Lever Link Hinge Screw for
		20008,20289,139626,139627,139635 and 139636
775E	22313	Thread Take-up Lever Cap Screw for 43990
773E 794E	22313	Needle Bar Connecting Link Adjusting
/ 34E	مرسم	Screw for 43997 and 44011
802D	22312	Lifting Lever Hinge Screw for 20008,
00.02		20289,139626,139627,139635 and
		139636
818D	22310	Feed Regulator Thumb Screw
854E	22314	Arm Screw (front) (2)
858AL	22310	Needle Bar Crank Set Screw for 20188
858AL	22318	Thread Take-up Cam Set Screw for 20300
896AL	22310	Crank Connecting Rod Cap Screw for 20197
		(2)
907 D	22314	Shuttle Race Back Spring Screw for 24419
		and 62753
908C	22310	Crank Connecting Rod Hinge Screw for
		139602
936E	22313	Needle Bar Screw Bushing (2)
940W	22337 22310	Guide Holder Hinge Screw for 120428 Feed Lifting Rock Shaft Crank Connecting
966E	20010	Rod Cap Screw for 43976 (2)
987E	22313	Roller Arm Bracket Screw Stud for 24445.
988C	22312	Oscillating Shaft Crank Slide Block
0000	22022	Screw Stud for 19449
1018C	22319	Tension Screw Stud for 44157
1053E	22314	Shuttle Race Cap Screw for 62502 (2)
1065C	22310	Needle Bar Crank Position Screw for
		20188
1090C	22322	Needle Bar Connecting Link Hinge Screw
		for 31-29 Machine
1091C	22321	Thread Take-up Lever Hinge Screw for
		31-29 Machine

No.	Plate	Name
1128E	22310	Feed Regulator Hinge Screw
1142E	22322	Shuttle Main Spring Screw for 20297
1208J	22319	" Race Slide Spring Screw for 24810 (2)
1266AL	22312	Shuttle Driver Set Screw for 12444 (2).
1425D	22336	Edge Guide Arm Hinge Screw for 36188
1480D	22332	Belt Guard Retaining Screw for 126365
1500C	22318	Thread Take-up Cam Position Screw for 20300.
1513J	22312	Feed Lifting Rock Shaft Screw Center Nut for 56814 (2)
15 13 J	22312	Feed Rock Shaft Screw Center Nut for 56814 (2)
1 51 3 J	22321	Feed Wheel Frame Shaft Screw Center Nut for 56814 (2)
151 8 J	22310	Feed Connecting Link Hinge Screw Nut (2)
1518J	22310	" Forked Connection Hinge Screw Nut
1518J	22310	" Lifting Rock Shaft Crank Connecting
10100	22010	Rod Hinge Screw Nut for 31-17 Ma- chine
1518E	22312	Oscillating Shaft Crank Slide Block Screw Stud Nut for 19447, 20296 and
		44135
1519J	22312	Feed Bar Screw Center Nut for 56813 (2)
1519J	22321	* Wheel Driver Link Screw Center Nut for 56813 (2)
1520J	22313	Presser Bar Lifter Screw Nut
1520E	22321	Thread Take-up Lever Hinge Screw Nut for 31-29 Machine
1521J	22312	Lifting Lever Connecting Rod Lock Nut for 20008,20289,139626,139627,139635 and 139636.
1528J	22320	Feed Wheel Frame Adjusting Screw Nut for 19302 (2)
1528J	22313	Roller Screw Nut for 1841, 1868, 1895, 1897,1911,1912,51863,51882,51890, 51892, 51894, 51900 to 51902, 51907, 51909 and 51912.
1547D	22321	Thread Take-up Lever Roller and Screw
1550H	22339	Stud Nut for 20230
1560C	22311	51802 Tension Regulating Thumb Nut for 44141
1562J	22333	and 44157 Bobbin Winder Tension Regulating Thumb Nut for 27308
1619E	22310	Crank Connecting Rod Hinge Screw Nut
1620J	22333	Bobbin Winder Frame Hinge Screw Nut for
		27647 and 41548
1766C		Roller Ball Retaining Nut for 51863, 51892 and 51894

- 4

No.	Plate	Name	•	
1813	22312	Feed Lifting Rock Shaft Crank (front)		
		Roller and Stud for 12376		
1641	22313	Roller, 7/8 in. diam., 9/64 in. face,		
		fine with 652D and 1528J, for 62722.	• •	
1852	22337	Guide Roller for 28658		
1867	22339	Roller, 9/16 in. diam., 9/64 in. face,		
		coarse, with 388D and 1550H, for		
		62718		
1868	22339	Roller, 7/8 in. diam., 9/64 in. face,		
		coarse, with 652D and 1528J, for		
		62721		
1895	22339	Roller, 7/8 in. diam., 3/16 in. face,		
1000		coarse, with 652D and 1528J, for		
		62680	* •	
1897	22339	Roller, 1 1/4 in. diam., 3/16 in. face,		
1007	22000	coarse, with 386D and 1528J, for		
		62627		
1904	22313	Needle Bar Connecting Stud Roller	, ,	
1904	ساسم	(roller only) for 12384		
1011	00220	Roller, 1 1/4 in. diam., 9/64 in. face,		
1911	22339	coarse, with 386D and 1528J, for		
		•		
	0.000	16581		
1912	22339	Roller, 1 1/4 in. diam., 9/64 in. face,		•
		fine, with 386D and 1528J, for 16582		
1915	22321	Thread Take-up Lever Roller and Screw		•
		Stud for 20230		- 3
1988	22336	Edge Guide Arm Roller and Screw Stud for	• •	•
		36185		
2020	22310	Clamp Stop Motion Clamp Washer for 3022.		- 3
2049	22321	Shuttle Driver Pin for 31-29 Machine	• •	•
2076	22322	" Cover Hinge Pin for 20298		
2078	22322	 Delivery Eye Thread Guard for 		•
		44000		
2080	22322	Shuttle Delivery Eye Thread Guard Rivet		•
		for 44000		
2086	22322	Shuttle Tension Spring for 44000		2
2090	22322	* * Plate for 44000		2
2102	23217	Bobbin Winder Tension Disc for 225462		
		(2)		2
2102	22311	Tension Disc for 20213 and 44118 (2)		
2106	22333	Bobbin Winder Tension Thread Guide for		2
		27308		
2135	22310	Balance Wheel (stand) heavy rim, 2 1/2		2
		in. pulley, for 3022	, y	3
2166	22322	Needle Bar Thread Guard for 31-29 Ma-		
		chine		3
2167	22313	Needle Clamp with 196F		3
2252	22320	Feed Wheel Friction Plate (front) for	•	
		19302		3
2254	22320	Feed Wheel Retaining Clutch for 19302		
		·= ··· · · · · · · · · · · · · · · · ·		

No.	Plate	Name
2255	22320	Feed Wheel Retaining Clutch Cap for
		19302
2256	22320	Feed Wheel Retaining Clutch Spring for 19302
2258	22320	Feed Wheel for 19302, for 20165 and
		20262 to 20264
NC		2258 is sent with the Nos. 31-18 and 31-29
		es unless another Feed Wheel is specified
2263	on ord 22320	
2265	22320	Feed Wheel Driver with 2266, for 20007
2266	22320	Spring for 2000/
2362	22336	nook for acco
		Edge Guide Slide Cap (left) Steady Pin for 26803
2455	22333	Bobbin Winder Tension Disc for 27308 (2)
2523	22313	Shuttle Bobbin Case Position Finger Rivet for 62740
2531	22314	Shuttle Race Back for 24419 and 62753
2532	22314	" " Position Pin for 62517,
		62751 and 62753 (2)
2533	22314	Shuttle Race Back Spring for 24419 and
2653	00701	62753
2000	22321	Thread Take-up Lever Hinge Screw Bushing
2763	22909	Pin for 20209.
2765	22338	Rock Shaft for 4880 and 139633
2766	22338	
2700	٥٥٥٥٥	nub with 3360, 101
2767	22338	2768
2768		Rock Shaft Knee Arm complete for 139624
		and 139625, Nos. 2765 to 2767
2770	22909	Rock Shaft Stop Dog with 1402190, for 4880 and 139633
2862		Balance Wheel (stand) heavy rim, 3 in.
		pulley, for 3022
2923	22319	Tension Spring for 20213
2973	22313	Shuttle Bobbin Case Latch Lever for
		15141
2974	22313	Shuttle Bobbin Case Latch Lever Fulcrum
		Pin for 15141
2975	22313	Shuttle Bobbin Case Latch Spring for
		62740
2996	22313	Shuttle Bobbin for 19292
3022	22310	Clamp Stop Motion complete, Nos. 248A, 256J, 2020 and 4933
3039	22310	Feed Regulator
3094	22310	Thread Take-up Crank Wedge for 31-17 and
		31-18 Machines
3114	22320	Feed Wheel Friction Plate (back) for
		19302

		Name
No.	Plate	Guide Thumb Screw Washer for 25873
3146	22337	Shuttle Race Slide Spring for 12432 and
4307	22311	24810
4370		Balance Wheel (stand) heavy rim, 2 3/4 in. pulley, with two 448AL
4784	22310	Oscillating Rock Shaft Oil Pad for 24105
4822	22308	Wrench for 1521, 1528 and 1547 (Attachments and Accessories)
4879	22909	Chain Connecting Link for 4885
4880	22909	Rock Shaft complete for 20008 and 20289, Nos. 2763, 2770, 7125, 12243 and two each 6337 and 12242
4881	22909	Treadle for 4885
4882	22909	 Shaft for 4885
4883	22909	 Spring for 4885
4884	22909	* Stand for 4885
4885	22909	Treadle complete for 20008 and 20289, Nos. 4879, 4881 to 4884 and two wood screws 1 in. No. 16
4933	22310	Clamp Stop Motion Flanged Bushing With
4930	22310	two 462AL, for 3022
5570	22318	Feed Eccentric with 446AL, for 20007
5596	22312	Bell Crank for 56848
5598	22312	Bell Crank complete for 20008, 20289, 139626,139627,139635 and 139636,Nos. 5735 and 56848
EEOO	22312	Bell Crank Bracket for 56848
5599 5601	22312	* * Hinge Pin for 56848
5670	22909	Chain, length 26 in. to 35 in., with
3070	22303	56864 and 56865, for 20008 and 20289
No	te: When	
5709	22328	Shuttle Race Cap for 62750
573 5	22312	Bell Crank Spring for 5598
5960	22335	Bobbin Winder Friction Wheel (leather)
0000	22000	for 12171, 12201 and 20308
5961	2233 5	Bobbin Winder Friction Wheel Washer for 12171, 12201 and 20308
5963	22335	Bobbin Winder Spindle Flange for 12171, 12201 and 20308
6055	22308	Machine Hinge Bolt Nut Washer for 44180.
6337	22909	Rock Shaft Lifting Bracket with two 356C, for 4480 and 139633
7071	22337	Guide Thumb Screw Washer for 120428
7125	22909	Rock Shaft Lifting Bracket Hook for 4880
		and 5670
7336	22311	Thread Take-up Spring Regulator for 44118
7539	22338	Rock Shaft Hanger with two wood screws 1 in. No. 10 F.H. for 139625 (2)
8068	22322	Thread Take-up Spring Regulator Adjust- ing Screw Washer for 31-29 Machine

	D2 - 4 -	Name
No.	Plate	Belt Guard Button for 8420
8418	22343	" " Washer (leather) for
8419	22343	8420,
8420		Belt Guard Button 6418 with 8419 and wood screw 1 1/4 in. No. 9 R.H.B.
		for 41931
8582	22314	Arm Dowel Pin
8879	22314	Arm Spool Pin Washer (cloth)
8908	22308	Wrench for 1519 and 1520 (Attachments and Accessories)
8909	22308	Wrench for 1513 and 1518 (Attachments and Accessories)
9331	22332	Belt Guard Extension Screw Washer for 126365
10141	22333	Bobbin Winder Tension Spring for 27308
	22314	Arm Oil Tube with 52045, for oiling
11119	26014	12408, for 31-17 and 31-18 Machines.
11167	22313	Presser Bar Spring (light) .051 wire
No	te: No. :	11167 is sent with these machines unless
	another	r spring is specified on order.
11170	22313	Presser Bar Spring Washer
11204	22313	Thread Take-up Lever Link Hinge Pin for 43990
11241	22333	Bobbin Winder Spool Washer (cloth) for 27308
12123	22310	Feed Forked Connection for 31-17 Machine
12139	22010	Presser Bar Spring (medium) .055 wire
12149	22311	Tension Thread Guard for 31-17 Machine
12150	22311	Face Plate Thread Guard (lower) with
12150	22011	12152, for 20058
12152	22336	Edge Guide Slide Spring Cover Rivet for
		121146 (2)
12152	22311	Face Plate Thread Guard (lower) Rivet for 12150
12166	22313	Thread Take-up Lever Hinge Pin for 12410
12168	22335	Bobbin Winder Bracket for 12172, 12202
12200	22000	and 20309
12169	22335	Bobbin Winder Frame for 12171 and 12201.
12170	22335	" * Spring for 12172,12202 and
12170	22000	20309
12171	22335	Bobbin Winder Frame complete for 12172, Nos. 333D,5960,5961,5963,12169 and
		15077
12172	22335	Bobbin Winder complete for 4370, Nos. 32D, 180F, 12168, 12170 and 12171
12193	22314	Arm Side Cover
12197	22310	Feed Cam and Feed Lifting Eccentric with
_		446AL. for 31-17 Machine
12201	22335	Bobbin Winder Frame complete for 12202, Nos. 333D,5960,5961,5963,12169 and
		15077

No.	Plate	Name
12202	22335	Bobbin Winder complete for 2135 and
		2862, Nos. 32D,180F,12168,12170 and 12201
12237	22312	Lifting Lever with 448AL, for 20008, 139626 and 139627
12240	22312	Lifting Lever Pin for 20008, 20289, 139626, 139627, 139635 and 139636
12241	22313	Lifting Lever Link for 20008, 139626 and 139627
12242	22909	Rock Shaft Hanger with two wood screws 1 in. No. 10 F.H. for 4880 (2)
12242	22338	Rock Shaft Hanger (front) with two wood screws 1 in. No. 10 F.H. for 139624.
12243	22909	Rock Shaft Lifting Bracket Hook for 4880 and 5598
12326	22313	Presser Bar Guide Bracket with 453AL, for 31-17 Machine
12327	22313	Presser Bar Lifting and Releasing Lever Bracket for 31-17 and 31-18 Machines
12329	22311	Tension Releasing Lever Spring for 31-17 and 31-18 Machines
*123 55		Arm with 15404 and two 15405, for 31-18 Machine
12357	22310	Arm Shaft Flanged Bushing (back)
12358	22310	Balance Wheel (power) light rim, 2 3/16
		in. pulley, with two 448AL
*12360		Bed for 31-17 and 31-18 Machines
12361	22308	Machine Hinge Connection for 44140 and 44180
12368	22312	Feed Bar for 31-17 Machine
12374	22312	" Lifting Rock Shaft for 20001
12376	22312	" " " Crank (front) with
		157J and 1813, for 20001
12379	22312	Feed Rock Shaft for 20333
12384	22313	Needle Bar Connecting Stud with 453AL and 1904, for 43997 and 44011
12388	22310	Oscillating Rock Shaft Hinge Pin for 24105
12389	22312	Oscillating Shaft for 31-17 and 31-18 Machines
12393	22313	Shuttle Body for 19292
12398	22311	Tension Releasing Lever Hinge Pin for 31-17 and 31-18 Machines
12404	22313	Thread Take-up Crank for 43990
12408	22313	" " Lever for 12410
12409	22313	" " Link for 12410
12410		Thread Take-up Lever complete for 43990,
		Nos. 12166, 12408 and 12409
12415	22312	Lifting Lever Connecting Rod for 20008, 20289, 139626, 139627, 139635 and 139636

No.	Plate	Name
12416	22312	Lifting Lever Connecting Rod Joint for
		20008,20289,139626,139627,139635 and
		139636
12424	22312	Oscillating Shaft Crank Slide Block Cap Screw Washer for 19449
12427	22310	Arm Shaft for 31-17 and 31-18 Machines
12429	22318	Feed Forked Connection for 31-18 and
		31-29 Machines
12431	22311	Shuttle Race Slide for 12432 and 24810
12432	22311	Shuttle Race Slide complete for 31-17
10.500		Machine, Nos. 4307, 12431 and two 725J
10476	00211	Feed Dog,11 teeth (18 teeth to the inch)
12436	22311	for 12438,12452 and 20192, for 31-17
		Machine
Not	e: No. 1	2436 is sent with the 31-17 Machine un-
		other Feed Dog is specified on order.
12438	22311	Throat Plate, large oblong needle hole,
		for 12436 and 20323, for 31-17 Ma-
		chine (2)
Not		o. 12438 are sent with the 31-17 Machine
		other Throat Plates are apecified on
	order.	
12444	22312	Shuttle Driver with two 1266AL, for
		31-17 and 31-18 Machines
12448	22313	Needle Bar (hollow)
12452	22330	Throat Plate, small oblong needle hole,
		for 12436 and 20323, raised at
		needle hole, for top stitching for
		31-17 Machine
12453	22314	Arm Oil Tube for intermediate bearing
12454	22314	 " with 132590, for oiling
		12409, for 31-17 and 31-18 Machines.
12480	22312	Arm Side Cap for 31-17 and 31-18 Ma-
		chines
12486	22319	Oil Cup Packing (felt) for 20261
13710	23217	Bobbin Winder Tension Spring for 225462.
14010	22909	Bed Frame Hinge Plate Rivet for 20067
15022		Feed Wheel, coarse teeth, for 20165 and
		20262 to 20264, for 31-18 and 31-29
		Machines
15072	22333	Bobbin Winder Bobbin Position Pin for
77010	~~~~	15077 and 27538
15077	22335	Bobbin Winder Spindle with 15072, for
100//	からうじり	12171, 12201 and 20308
18140	22313	Shuttle Bobbin Case Latch for 15141
15140	55313	
15141	7	Shuttle Bobbin Case Hinge for 62740, Nos.
15050	00777	2973, 2974 and 15140
15278	22313	Shuttle Tension Spring for 62740

No.	Plate	Name
*15404		Trade Mark for 12355, 20209 and 44178
15405		Rivet for 12355, 20209 and 44178 (2)
16232		Roller Ball for 51863, 51892 and 51894 (24)
16555	22909	Bed Frame Hinge Plate for 20067 (2)
16556	22312	Feed Lifting Rock Shaft Crank (back)
10000	عدصم	with 462AL, for 20001
16573	22339	Roller Arm for 16581 and 16582
16581	22339	Roller Presser complete, 1 1/4 in.diam.,
10001	22003	9/64 in. face, coarse roller, Nos.
1.05.00	0.0000	1911 and 16573
16582	22339	Roller Presser complete, 1 1/4 in.diam.,
		9/64 in. face, fine roller, Nos. 1912 and 16573
19165	22313	Presser Foot
N	ote: No.	19165 is sent with these machines unless
	another	r Presser Foot is specified on order.
19219	22909	Bed Frame Cushion (leather) for 20067
19220	22909	Bed Frame Cushion Spring for 20067 (4)
19221	22308	Wrench for 936 and 1619 (Attachments
		and Accessories)
19226	22909	Bed Frame Hinge Connection for 19398 (2)
19266	22321	Feed Wheel Driver Link for 20007
19267	22320	" " Frame with 453AL, for 19302
19292	22313	Shuttle, 1 11/16 in. diam., for 31-17 and 31-18 Machines, Nos. 2996, 12393
		and 62740
19302		Feed Wheel Frame complete for 20007, Nos.
13002		151C, 183C, 183F, 240D, 2252, 2254
		to 2256,2258,3114,19267 and two each
		119C and 1528J
19397	22909	Bed Frame Hinge Connection Cap for 19398
19091	22505	(2)
19398		Bed Frame Hinge Connection 19226 with
19090		211E and 19397, for 20067 (2)
19441	22313	Presser Bar (hollow) for 19464
19442	22313	Roller Arm Bracket for 19464
19443	22313	* * Position Collar with
		456C, for 19464
19444	22313	Roller Arm Bracket Spring for 24445
19445	22313	" " " Pin for 24445.
19446	22313	" " " Stud for 24445
19447		Oscillating Shaft Crank complete for
		31-17 and 31-18 Machines, Nos.457AL,
		1518E, 19449 and 19496
19448		Oscillating Shaft Crank Slide Block for
		19449

No.	Plate	Name
19449	22312	Oscillating Shaft Crank Slide Block
		complete for 19447, 20296 and 44135,
		Nos. 226J, 988C, 12424 and 19448
19464		Presser Bar complete, Nos. 190J,19441 to
		19443 and 24445
19496		Oscillating Shaft Crank for 19447
20001	22312	Feed Lifting Rock Shaft complete for
		31-17 Machine, Nos. 12374, 12376 and
		16556
20006	22321	Feed Wheel Frame Shaft for 20007
20007		Wheel Feed complete for 31-18 and 31-29
		Machines, Nos. 324F,2263,2265,5570,
		19266,19302,20006,20263,20264 and
		24810
20008		Foot Lifter complete for 31-17 and 31-18
		Machines, Nos. 76D,766D,802D,1521J,
		4880, 4885, 5598, 5670, 12237, 12240,
		12241, 12415, 12416 and two 178E
20011	22330	Feed Dog, 11 teeth (18 teeth to the inch)
		for 20012 and 20293, for 31-17 Ma-
		chine
20012	22330	Throat Plate, large oblong needle hole,
		for 20011, for 31-17 Machine
20022	22308	Machine Rest (felt) Attachments and Ac-
		cessories
20023		Presser Bar Spring (heavy) .063 wire
20057	22311	Face Plate for 20058
20058		Face Plate complete for 31-17 and 31-18
		Machines, Nos. 12150, 20057 and
		139615
20059	22327	Presser Bar Guide Bracket with 453AL, for
		31-18 Machine
20060	22327	Slack Thread Regulator for 31-18 Machine
20061	22319	Tension Screw Stud Bushing for 20213
20062	22319	Tension Screw Stud Flange for 20213
20063	22319	" " " Collar for 20213
20067	22909	Bed Frame with two each 16555,19398, four
		each 19219,19220,six each 14010,wood
		screws 1 1/4 in. No. 12 and eight
		158C
20114	22330	Presser Foot
20165	22331	Throat Plate, small oblong needle hole,
		for 2258 and 15022, raised at needle
		hole, for top stitching, for 31-18
		and 31-29 Machines
20188	22310	Needle Bar Crank with 858AL and 1065C,
		for 31-17 and 31-18 Machines
20192	22330	Throat Plate, small oblong needle hole,
		for 12436 and 20323, for 31-17 Ma-
		chine

No.	Plate	Name
20197	22310	Crank Connecting Rod with two 896AL
*20209		Arm with 2653,15404,20324 and two 15405, for 31-29 Machine
20210	22318	Arm Shaft for 31-29 Machine
+20211		Bed for 31-29 Machine
20212	22319	Face Plate for 20213
20213	22319	Face Plate complete for 31-29 Machine,
		Nos. 233J,448AL,457AL,2923,20061 to 20063,20212,20214,20228,20231,44157, 52454 and two 2102
20214	22319	Face Plate Thread Guard for 20213
20217	22322	Presser Bar Guide Bracket with 453AL,fcr
		31-29 Machine
20218	22322	Presser Bar Lifting Bracket for 31-29 Machine
20224	22320	Shuttle Race Back for 20306
20228	22319	Tension Releaser for 20213
20230	22321	Thread Take-up Lever with 1547D and
20200	22022	1915, for 31-29 Machine
20231	22319	Thread Take-up Spring for 20213
20232	22322	" " Regulator for 31-29
	<u>-</u>	Machine
20233	22321	Lifting Lever with 448AL, for 20289,
		139635 and 139636
20234	22322	Lifting Lever Link for 20289, 139635 and 139636
20261		Oil Cup complete for 44227, Nos. 12486 and 24021
20262	22331	Throat Plate, large oblong needle hole, for 2258 and 15022, for 31-18 and
		31-29 Machines
20263	22320	Throat Plate, medium oblong needle hole, for 2258 and 15022, for 20007, for
		31-18 and 31-29 Machines
20264	22320	Throat Plate, small oblong needle hole, for 2258 and 15022, for 20007, for
	•	31-18 and 31-29 Machines
N		20263 and 20264 are sent with the 31-18
		-29 Machines unless other Throat Plates
	_	ecified on order.
20271	22330	Presser Foot, for beading or top stitching, for 31-17 Machine
20272	22330	Presser Foot for shoe tips and gores for 31-17 Machine
20273	22330	Presser Foot for inside stays for 3/64
D1aUa	٥٥٥٥٥	in. to 1/4 in. gauge, for 31-17 Ma-
		chine
NT.	ote: When	ordering No. 20273, state gauge required.
20274	22330	Presser Foot, for outside stays, for
DOD! T	22000	31-17 Machine
M	ote: When	ordering No. 20274, send sample of
14.	motoric	ordering no. 20274, send sample of

material for which it is to be used.

No.	Plate	Name
20289		Foot Lifter complete for 31-29 Machine,
		Nos. 76D,766D,802D,1521J,4880,4885,
		5598,5670,12240,12415,12416,20233,
00003	00040	20234 and two 178E
20291	22342	Drip Pan with four 1 in. wire nails, for
		power table, for 31-18 and 31-29 Ma- chines
20293		Throat Plate, small oblong needle hole, for 20011, for 31-17 Machine
20295	22321	Oscillating Shaft Crank for 20296
20296	22321	Oscillating Shaft Crank complete for
		31-29 Machine, Nos. 457AL, 1518E,
*20297		19449 and 20295
-2000		44213, for 20298
20298	22322	Shuttle complete for 31-29 Machine, Nos.
DODOG	200000	2076, 20297, 24051 and 44000
20299	22321	Shuttle Driver for 31-29 Machine
20300	22318	Thread Take-up Cam with 858AL and 1500C,
		for 31-29 Machine
20305	22320	Shuttle Race Body for 20306
20306	22320	Shuttle Race complete for 31-29 Machine,
		Nos. 20224, 20305 and two 1900
20307	22335	Bobbin Winder Frame for 20308
20308	22335	Bobbin Winder Frame complete for 20309, Nos. 333D,5960,5961,5963,15077 and
20309	2233 5	20307 Bobbin Winder complete for 12358, Nos. 32D, 180F, 12168, 12170 and 20308
20323	22330	Feed Dog, 8 teeth (12 teeth to the inch) for 12438, 12452 and 20192, for 31-17 Machine
20324	22321	Thread Take-up Lever Hinge Screw Bushing
		for 20209
20333		Feed Rock Shaft complete, Nos. 12379 and 29633.
20365	22322	Shuttle Cover for 44000
20461	22308	Wrench for 1620 (Attachments and Ac-
		cessories)
20499	22322	Shuttle Bobbin Retaining Spring for
		20297
20500	22322	Shuttle Main Spring for 20297
21031	22321	Oscillating Shaft for 31-29 Machine
22003		Wrench for 1550 (Attachments and Accessories)
24021	22319	Oil Cup Extension for 20261
24051	22322	Shuttle Bobbin for 20298
24075	22311	Oil Cup Extension Post for 44005
24105	22310	Oscillating Rock Shaft complete for
		139602, Nos. 4784 and 12388

**-	53 - 4 -	
No.	Plate	Name
24131	22314	Arm 011 Tube with 52045, for oiling 5570 and 12197
24297	22310	Balance Wheel Oil Cover for 31-17 and 31-18 Machines
243 55	22318	Balance Wheel Oil Cover for 31-29 Ma-
04470	0077.4	chine
24412	22314	Shuttle Bobbin Case Position Plate for 24419 and 62752
24413	22314	Shuttle Race Body for 62502
24418	22314	" " Cap for 62502
24419	22314	Shuttle Race complete for 31-17 Machine, Nos. 907D, 2531, 2533, 24412, 62517 and two 391J
24445		Roller Arm Bracket Spring Stud complete
41110		for 19464, Nos. 987E and 19444 to 19446
24810	22319	Shuttle Race Slide complete for 20007,
21010	22010	Nos. 4307, 12431 and two 1208J
24903	22339	Roller Arm for 24904, 24905 and 62718
24904	22339	Roller Presser complete, 9/16 in. diam.,
		3/32 in. face, coarse roller, Nos. 24903 and 51801
24905	22339	
24900	80033	Roller Presser complete, 9/16 in. diam., 3/32 in. face, fine roller, Nos.
24990	22339	24903 and 51802
	22337	Roller Arm for 62627
25866 25873	22337	Guide, for flush throat plate
25874	22337	Guide (combination)
26026	22308	Screw Driver (machine) Attachments and
20020	22000	Accessories
26403	22336	Feller (foot)
26485	22308	Screw Driver (shuttle Tension) Attach-
20100	22000	ments and Accessories
26803	22336	Edge Guide Bed with 2362, for 26810
26805	22336	* " Slide Cap (left) for 26810
26806	22336	" " " (right) for 26810
26807	22336	" " Lever for 26810
26808	22336	" " Spring for 26810
26809	22336	" " " Cover for 121146
26810	22336	Edge Guide (roller) complete, Nos. 94D,
		233J,26803,26805 to 26808,121146,two 207F and four 220J
27302	22333	Bobbin Winder Frame for 27647 and 41548.
27303		" " Spring for 27647 and
		41548
27306	22333	Bobbin Winder Spool Pin for 27308
27307	22333	* * Stand for 27308
27308	22333	Bobbin Winder Spool Stand complete for 27544 and 41549,Nos.418E,1562J,2106, 10141,11241,27306,27307 and two each 2455 and wood screws 1 in. No. 10

	No.	Plate	Name
	27312	22333	Bobbin Winder Stop Latch for 27647
	27538	22333	" "Spindle with 15072 and 41828,
			for 27647 and 41548
	27540	22333	Bobbin Winder Base for 27647 and 41548
	27541	22333	" Pulley for 27647 and 41548
	27544	22333	Bobbin Winder (swinging automatic, right
			hand) complete for 2996, for Stand,
			for 31-17 and 31-18 Machines, Nos.
			27308 and 27647
	27647	22333	Bobbin Winder for 27544, Nos. 35D,1620J,
			27302,27303,27312,27538,27540,27541,
			50356D and two wood screws 1 in.No.7
	27699	22334	Bobbin Winder Stop Latch for 41548
	27739	22893	Thread Unwinder Thread Cone (wood) for
			large cones, for 225258 and 225260
	Note	e: No. 2	7739 is used with, but not included in
			and 225260.
	28084	22308	Machine Rest Pin (Attachments and Ac-
			cessories)
	28658	22337	Guide (roller) with 1852
	28971	22337	* for 120428
	28972	22337	" Holder for 120428
	29633	22312	Feed Rock Shaft Crank with 157J, for
			20333
	32572	22311	Tension Releasing Disc for 44118
	32574	22311	" " Pin for 44118
	35610	22337	Guide Holder Friction Washer for 120428.
	36185	22336	Edge Guide Arm with 1988, for 36188
	36186	22336	" " Friction Washer for 36188
	36187	22336	" " Bed with four 465F, for 36188
	36188	22336	Edge Guide (roller) complete, for glove
			work, Nos. 1425D and 36185 to 36187.
	36818	22336	Finger Guard for 36821
	36819	22336	" Friction Washer for 36821
	36820	22336	" " Holder with 196J, for 36821
	36821	22336	Finger Guard (metal) complete, Nos.36818
			to 36820 and 50316J
	41400	22308	Machine Rest Pin (wood) 3 1/8 in. long
			(Attachments and Accessories)
•	4154 8	22334	Bobbin Winder for 41549, Nos. 35D,1620J,
			27302,27303,27538,27540,27541,27699,
			50356D and two wood screws 1 in.No.7
	41549	22334	Bobbin Winder (swinging automatic, right
			hand) complete for 24051, for Stand,
			for 31-29 Machine, Nos. 27308 and
	43.000	00000	41548
•	41828	22333	Bobbin Winder Spindle Collar Pin for
	41000	00747	27538
	41929	22343	
•	41930	22343	* * Hinge for 41931 (2)

00		NOMENICAL LIST OF PARTS					NUMERICAL LIST OF PARTS 59
No.	Plate	Name			No.	Plate	Name
41931	22343	Belt Guard complete, Nos. 8420,41929,two	• •		44274	22340	Roller Arm for 44279
		41930 and four wood screws 3/4 in.			44276	22340	Roller Presser (ball bearing) complete,
		No. 9			110/0	22020	7/8 in. diam., 9/64 in. face, coarse
43944	22311	Tension Releasing Lever for 31-17 and					roller, with ratchet brake, Nos.
		31-18 Machines		-			230F, 51890, 62840 and 62852
43945	22311	Tension Spring for 44118			44000	00740	Roller Presser (ball bearing) complete,
43946	22311	Thread Take-up Spring for 44118			44279	22340	1 1/4 in. diam., 7/32 in. face,
43976	22310	Feed Lifting Rock Shaft Crank Connecting					coarse roller, with ratchet brake,
		Rod with two 966E, for 31-17 Machine					
43990		Thread Take-up complete for 31-17 and			E0500 T	00000	Nos. 230F, 44274, 51894 and 62854
		31-18 Machines, Nos. 775E, 11204,			50302J	22336	Finger Guard Holder Set Screw for 120497
		12404, 12410 and 43997				00000	and 120858
43997	22313	Needle Bar Connecting Link with 794E and			50316J	22336	Finger Guard Hinge Screw for 36821
2000.	22020	12384, for 43990	٠,		50327C	22311	Tension Screw Stud for 44141
*44000		Shuttle Cover 20365 with 112E,466E,2078,			50356D	22333	Bobbin Winder Frame Hinge Screw for
-11000		2080, 2086 and 2090, for 20298					27647 and 41548
44005	22311	011 Cup Extension with 24075, for 44223.			50551J	22332	Belt Guard Set Screw for 126365
44006	22311		- ,		50553C	22340	Roller Screw for 51863, 51892 and 51894.
44011	22322	120,121, 121, 112, 112, 112, 112, 112, 1			51075E	22308	Machine Hinge Bolt with 51581E, for
44011	LAULE	Needle Bar Connecting Link with 794E and					44180
44118	00711	12384, for 31-29 Machine			51 224J	22314	Arm Side Cover Thumb Screw
44110	22311	Tension complete for 31-17 and 31-18 Ma-			51224J	22311	Face Plate Thumb Screw for 31-17 and
		chines, Nos. 7336,32572,32574,43945,					31-18 Machines
44174		43946,44141 and two 2102			51224W	22337	Guide Thumb Screw for 120428
44134	00010	Oscillating Shaft Crank for 44135			51 581E	22308	Machine Hinge Bolt Nut for 51075E
44135	22312	Oscillating Shaft Crank complete for			5 1801	22339	Roller, 9/16 in. diam., 3/32 in. face,
		31-17 and 31-18 Machines, Nos.1518E,					coarse, with 388D and 1550H, for
44370	00500	19449, 44134 and two 453AL	• *				24904
44139	22308	Machine Hinge Plate for 44140 and 44180.			51802	22339	Roller, 9/16 in. diam., 3/32 in. face,
44140	22308	Machine Hinge complete, Nos. 12361,44139					fine, with 388D and 1550H, for 24905
		and merlized wood screw 1 1/4 in.	٠,		51863	22340	Roller, 1 1/4 in. diam., 7/32 in. face,
		No. 14 (Attachments and Accessories)					coarse (ball bearing) complete for
44141		Tension Screw Stud 50327C with 1560C, for					62748, Nos. 1528J, 1766C, 50553C and
		44118					twenty-four 16232
44157		Tension Screw Stud 1018C with 1560C, for			51882	22340	Roller, 7/8 in. diam., 9/64 in. face,
		20213					fine (ball bearing) complete for
*441 78		Arm with 15404 and two 15405, for 31-17		•			62842, Nos. 1528J, 201699C, 350104C
	-	Machine					and twenty-eight 206417
44180		Machine Hinge complete, Nos. 6055,12361,			51890	22340	Roller, 7/8 in. diam., 9/64 in. face,
		44139 and 51075E (Attachments and					coarse (ball bearing) complete for
		Accessories)					44276, Nos.1528J,201699C,350104C and
44213	22322	Shuttle Main Spring Steady Pin for 20297					twenty-eight 206417
44222	22311	Oil Cup for 44223			51892	22340	Roller, 1 1/4 in. diam., 1/8 in. face,
44223		" " 44222 with 44005, for 44225					coarse (ball bearing) complete for
44224	22311	" " Thread Retainer for 44225 and	* ,				62849, Nos. 1528J, 1766C, 50553C and
		44227			,		twenty-four 16232
44225	22311	Oil Cup complete for 31-17 and 31-18 Ma-			51894	22340	Roller, 1 1/4 in. diam., 7/32 in. face,
		chines, Nos. 44006, 44223 and 44224.	٠. ,			-	coarse (ball bearing) complete for
44227	22319	011 Cup 20261 with 44224, for 31-29 Ma-	* /				44279, Nos. 1528J, 1766C, 50553C and
		chine					twenty-four 16232
44245	22313	Needle Bar Thread Guard for 31-17 and					
		31-18 Machines					

No.	Plate	Name
24131	22314	Arm Oil Tube with 52045, for oiling 5570
		and 12197
24297	22310	Balance Wheel Oil Cover for 31-17 and
		31-18 Machines
2 43 55	2231 8	Balance Wheel Oil Cover for 31-29 Ma-
04470	00034	chine
24412	22314	Shuttle Bobbin Case Position Plate for
24413	22314	24419 and 62752
24418	22314	" " Cap for 62502
24419	22314	Shuttle Race complete for 31-17 Machine,
5111 0	2001 1	Nos. 907D, 2531, 2533, 24412, 62517
24445		and two 391J
24440		for 19464, Nos. 987E and 19444 to
		19446
24810	22319	Shuttle Race Slide complete for 20007,
DIOIO	55010	Nos. 4307, 12431 and two 1208J
24903	22339	Roller Arm for 24904, 24905 and 62718
24904	22339	Roller Presser complete, 9/16 in. diam.,
		3/32 in. face, coarse roller, Nos.
		24903 and 51801
24905	22339	Roller Presser complete, 9/16 in. diam.,
		3/32 in. face, fine roller, Nos.
		24903 and 51802
24990	22339	Roller Arm for 62627
25866	22337	Guide, for flush throat plate
25873	22337	Guide (combination)
25874	22337	Guide, for raised throat plate
26026	22308	Screw Driver (machine) Attachments and Accessories
26403	22336	Feller (foot)
26485	22308	Screw Driver (shuttle Tension) Attach-
20100	22200	ments and Accessories
26803	22336	Edge Guide Bed with 2362, for 26810
26805	22336	" " Slide Cap (left) for 26810
26806	22336	" " " (right) for 26810
26807	22336	" " Lever for 26810
26808	22336	<pre>" * " Spring for 26810</pre>
26809	22336	" " Cover for 121146
26810	22336	Edge Guide (roller) complete, Nos. 94D,
		233J,26803,26805 to 26808,121146,two
	^^====	207F and four 220J
27302	22333	Bobbin Winder Frame for 27647 and 41548.
27303		" " Spring for 27647 and
27306	22333	41548 Bobbin Winder Spool Pin for 27308
27307	22333	* * Stand for 27308
27308	22333	Bobbin Winder Spool Stand complete for
		27544 and 41549,Nos.418E,1562J,2106,
		10141,11241,27306,27307 and two each
		2455 and wood screws 1 in. No. 10

No.	Plate	Name
27312	22333	Bobbin Winder Stop Latch for 27647
27538	22333	" Spindle with 15072 and 41828,
		for 27647 and 41548
27540	22333	Bobbin Winder Base for 27647 and 41548
27541	22333	 Pulley for 27647 and 41548
27544	22333	Bobbin Winder (swinging automatic, right
		hand) complete for 2996, for Stand,
		for 31-17 and 31-18 Machines, Nos.
		27308 and 27647
27647	22333	Bobbin Winder for 27544, Nos. 35D,1620J,
		27302,27303,27312,27538,27540,27541,
		50356D and two wood screws 1 in.No.7
27699	22334	Bobbin Winder Stop Latch for 41548
27739	22893	Thread Unwinder Thread Cone (wood) for
		large cones, for 225258 and 225260
No	te: No.	27739 is used with, but not included in
		and 225260.
28084	22308	Machine Rest Pin (Attachments and Ac-
		cessories)
28658	22337	Guide (roller) with 1852
28971	22337	* for 120428
28972	22337	* Holder for 120428
29633	22312	Feed Rock Shaft Crank with 157J, for
		20333
32572	22311	Tension Releasing Disc for 44118
32574	22311	* Pin for 44118
35610	22337	Guide Holder Friction Washer for 120428.
36185	22336	Edge Guide Arm with 1988, for 36188
36186	22336	" " Friction Washer for 36188
36187	22336	 Bed with four 465F, for 36188
36188	22336	Edge Guide (roller) complete, for glove
		work, Nos. 1425D and 36185 to 36187.
36818	22336	Finger Guard for 36821
36819	22336	 Friction Washer for 36821
36820	22336	 " Holder with 196J, for 36821
36821	22336	Finger Guard (metal) complete, Nos.36818
		to 36820 and 50316J
41400	22308	Machine Rest Pin (wood) 3 1/8 in. long
		(Attachments and Accessories)
41548	22334	Bobbin Winder for 41549, Nos. 35D,1620J,
		27302,27303,27538,27540,27541,27699,
		50356D and two wood screws 1 in.No.7
41549	22334	Bobbin Winder (swinging automatic, right
		hand) complete for 24051, for Stand,
		for 31-29 Machine, Nos. 27308 and
		41548
41828	22333	Bobbin Winder Spindle Collar Pin for
		27538
41929	22343	Belt Guard for 41931
41930	22343	* * Hinge for 41931 (2)

31-18 Machines.....

No.	Plate	Name			No.	Diete	Name
41931	22343		4	•	No.	Plate	
41301	22040	Belt Guard complete, Nos. 8420,41929,two			44274	22340	Roller Arm for 44279
		41930 and four wood screws 3/4 in.			44276	22340	Roller Presser (ball bearing) complete,
47044	0000	No. 9					7/8 in. diam., 9/64 in. face, coarse
43944	22311	Tension Releasing Lever for 31-17 and	•	٠			roller, with ratchet brake, Nos.
48045		31-18 Machines					230F, 51890, 62840 and 62852
43945	22311	Tension Spring for 44118			44279	22340	Roller Presser (ball bearing) complete,
43946	22311	Thread Take-up Spring for 44118					1 1/4 in. diam., 7/32 in. face,
43976	22310	Feed Lifting Rock Shaft Crank Connecting					coarse roller, with ratchet brake,
		Rod with two 966E, for 31-17 Machine					Nos. 230F, 44274, 51894 and 62854
43990		Thread Take-up complete for 31-17 and			50 3 02 J	22336	Finger Guard Holder Set Screw for 120497
		31-18 Machines, Nos. 775E, 11204,					and 120858
		12404, 12410 and 43997			50 31 6J	22336	Finger Guard Hinge Screw for 36821
4 3997	22313	Needle Bar Connecting Link with 794E and			50 3 270	22311	Tension Screw Stud for 44141
		12384, for 43990	•	•	50356D	22333	Bobbin Winder Frame Hinge Screw for
*44 000		Shuttle Cover 20365 with 112E,466E,2078,					27647 and 41548
		2080, 2086 and 2090, for 20298			5055 1J	22332	Belt Guard Set Screw for 126365
44005	22311	Oil Cup Extension with 24075, for 44223.		`	505 53 C	22340	Roller Screw for 51863, 51892 and 51894.
44006	22311	" " Packing (felt) for 44225			51075E	22308	Machine Hinge Bolt with 51581E, for
44011	22322	Needle Bar Connecting Link with 794E and					44180
		12384, for 31-29 Machine			5122 4 J	22314	Arm Side Cover Thumb Screw
44118	22311	Tension complete for 31-17 and 31-18 Ma-			51224J	22311	Face Plate Thumb Screw for 31-17 and
		chines, Nos. 7336,32572,32574,43945,					31-18 Machines
		43946,44141 and two 2102			51224W	22337	Guide Thumb Screw for 120428
44134		Oscillating Shaft Crank for 44135			51581 E	22308	Machine Hinge Bolt Nut for 51075E
44135	22312	Oscillating Shaft Crank complete for			51801	22339	Roller, 9/16 in. diam., 3/32 in. face,
		31-17 and 31-18 Machines, Nos.1518E,					coarse, with 388D and 1550H, for
		19449, 44134 and two 453AL	*	4			24904
44139	22308	Machine Hinge Plate for 44140 and 44180.			51802	22339	Roller, 9/16 in. diam., 3/32 in. face,
4414 0	22308	Machine Hinge complete, Nos. 12361,44139					fine, with 388D and 1550H, for 24905
		and merlized wood screw 1 1/4 in.		,	51863	22340	Roller, 1 1/4 in. diam., 7/32 in. face,
		No. 14 (Attachments and Accessories)					coarse (ball bearing) complete for
44141		Tension Screw Stud 50327C with 1560C, for					62748, Nos. 1528J, 1766C, 50553C and
		44118					twenty-four 16232
44157		Tension Screw Stud 1018C with 1560C, for			51882	22340	Roller, 7/8 in. diam., 9/64 in. face,
		20213					fine (ball bearing) complete for
*44 178		Arm with 15404 and two 15405, for 31-17					62842, Nos. 1528J, 201699C, 350104C
		Machine					and twenty-eight 206417
44180		Machine Hinge complete, Nos. 6055,12361,			51890	22340	Roller, 7/8 in. diam., 9/64 in. face,
		44139 and 51075E (Attachments and					coarse (ball bearing) complete for
		Accessories)					44276, Nos.1528J,201699C,350104C and
44213	22322	Shuttle Main Spring Steady Pin for 20297					twenty-eight 206417
44222	22311	011 Cup for 44223			51892	22340	Roller, 1 1/4 in. diam., 1/8 in. face,
44223		* * 44222 with 44005, for 44225					coarse (ball bearing) complete for
44224	22311	* * Thread Retainer for 44225 and	*	3.			62849, Nos. 1528J, 1766C, 50553C and
		44227			,		twenty-four 16232
44225	22311	Oil Cup complete for 31-17 and 31-18 Ma-			51.894	22340	Roller, 1 1/4 in. diam., 7/32 in. face,
		chines, Nos. 44006, 44223 and 44224.	· An	,			coarse (ball bearing) complete for
44227	22319	011 Cup 20261 with 44224, for 31-29 Ma-					44279, Nos. 1528J, 1766C, 50553C and
		chine					twenty-four 16232
44245	22313	Needle Bar Thread Guard for 31-17 and					¥.'

No.	Plate	Name			No.	Plate	Name
51900	22340	Roller, 7/8 in. diam., 1/8 in. face,			62502		Shuttle Race Body 24413 with 24418 and
		coarse (ball bearing) complete for					two 1053E, for 62517
		62860, Nos. 1528J, 201699C, 350104C			62517		Shuttle Race Body 62502 with two 2532,
53003	00010	and twenty-eight 206417		•			for 24419 and 62909
51901	22340	Roller, 7/8 in. diam., 1/8 in. face, fine			62627	22339	Roller Presser complete, 1 1/4 in. diam.,
		(ball bearing) complete for 62861,					3/16 in. face, coarse roller, Nos.
		Nos. 1528J, 201699C, 350104C and					1897 and 24990
		twenty-eight 206417			62677	22313	Roller Arm for 62680, 62721 and 62722
51902	22340	Roller, 7/8 in. diam., 9/64 in. face,			62680	22339	Roller Presser complete, 7/8 in. diam.,
		coarse (ball bearing) complete for					3/16 in. face, coarse roller, with
		62868, Nos. 1528J, 201699C, 350104C					roller set 1/8 in. beyond center of
		and twenty-eight 206417					needle, Nos. 1895 and 62677
51907	22340	Roller, 7/8 in. diam., 1/8 in. face, fine			62718	22339	Roller Presser complete, 9/16 in. diam.,
		(ball bearing) complete for 62871,	•	•			9/64 in. face, coarse roller, Nos.
		Nos. 1528J, 201699C, 350104C and					1867 and 24903
		twenty-eight 206417			62721	22339	Roller Presser complete, 7/8 in. diam.,
51909	22340	Roller, 7/8 in. diam., 1/8 in. face,					9/64 in. face, coarse roller, Nos.
		coarse (ball bearing) complete for					1868 and 62677
		62891, Nos. 1528J, 201699C, 350104C			62722	22313	Roller Presser complete, 7/8 in. diam.,
		and twenty-eight 206417					9/64 in. face, fine roller, Nos.1841
51912	22340	Roller, 7/8 in. diam., 3/32 in. face,					and 62677
		fine (ball bearing) complete for			No	te: No.	62722 is sent with these machines unless
		62880, Nos. 1528J, 201699C, 350104C				anothe	r Roller Presser is specified on order.
		and twenty-eight 206417			62740	22313	Shuttle Bobbin Case complete for 19292,
51916	22336	Edge Guide Slide Roller and Stud for					Nos. 591F,592E,2523,2975,15141 and
		121146					15278
52016	22313	Presser Bar Lifter	•	*	62747	22340	Roller Arm for 62748
52045	22314	Arm Oil Tube Packing (felt) for 11119			62748	22340	Roller Presser (ball bearing) complete,
		and 24131					1 1/4 in. diam., 7/32 in. face,
52165	22310	Feed Connecting Link					coarse roller, Nos. 51863 and 62747.
52239	22314	Arm Spool Pin and Thread Eyelet		•	62749	22328	Shuttle Race Body for 62750
52454	22311	Thread Retainer for 20213, for 31-17 and			62750		 " 62749 with 5709 and two
		31-18 Machines					662E, for 62751 and 62752
56813		Feed Bar Screw Center 313C with 1519J,			62751		Shuttle Race Body 62750 with two 2532,
		for 31-17 Machine (2)					for 31-18 Machine
56813		Feed Wheel Driver Link Screw Center 3130			62752		Shuttle Race Body 62750 with 24412 and
	٠.	with 1519J, for 31-18 and 31-29 Ma-					two 391J, for 62753
		chines (2)			62753	22328	Shuttle Race complete for 31-18 Machine,
56814		Feed Lifting Rock Shaft Screw Center					Nos. 907D, 2531, 2533, 62752 and two
		307C with 1513J, for 31-17 Machine					2532
		(2)			62840	22340	Roller Arm for 44276,62842,62871,62880
56814		Feed Rock Shaft Screw Center 307C with					and 62891
		1513J (2)			62842	22340	Roller Presser (ball bearing) complete,
56814		Feed Wheel Frame Shaft Screw Center 307C	•	*			7/8 in. diam., 9/64 in. face, fine
		with 1513J, for 31-18 and 31-29 Ma-					roller, with ratchet brake, Nos.
		chines (2)					230F, 51882, 62840 and 62852
56848		Bell Crank 5596 with 5599 and 5601, for	_		62843	22340	Roller Arm for 62849
		5598	•	*	62849	22340	Roller Presser (ball bearing) complete,
56864	22909	Chain Hook (large) for 5670					1 1/4 in. diam., 1/8 in.face, coarse
56865	22909	" * (small) for 5670					roller, with ratchet brake, Nos.
		, , ,					230F, 51892, 62843 and 62854
							, 02000, 000TO 4114 0000T+++++++

No.	Plate	Name
62850	22340	Roller Ratchet Spring Stop for 62852 and
		62878
62851	22340	Roller Ratchet Spring Stop Bracket for 62852 and 62854
62852		Roller Ratchet Spring Stop Bracket 62851
0.000		with 665J and 62850, for 44276,62842,
		62871 and 62880
62853	22340	Roller Ratchet Spring Stop for 62854
62854		" " " Bracket 62851
		with 665J and 62853, for 44279 and 62849
62855	22340	Roller Arm for 62860 and 62861
62857	22340	* * 62868
62860	22340	Roller Presser (ball bearing) complete,
		7/8 in. diam., 1/8 in. face, coarse
		roller, with roller set 1/8 in. be-
		yond center of needle, Nos. 51900
		and 62855
62861	22340	Roller Presser (ball bearing) complete,
		7/8 in. diam., 1/8 in. face, fine roller, with roller set 1/8 in. be-
		yond center of needle, Nos.51901 and
		62855
62868	22340	Roller Presser (ball bearing) complete,
		7/8 in. diam., 9/64 in. face, coarse
		roller, Nos. 51902 and 62857
62871	22340	Roller Presser (ball bearing) complete,
		7/8 in. diam., 1/8 in. face, fine roller, with ratchet brake, Nos.
		230F, 51907, 62840 and 62852
62877	22340	Roller Ratchet Spring Stop Bracket for
		62878
62878		Roller Ratchet Spring Stop Bracket 62877
		with 665J and 62850, for 62891
62880	22340	Roller Presser (ball bearing) complete,
		7/8 in. diam., 3/32 in. face, fine
	-	roller, with ratchet brake, Nos. 230F, 51912, 62840 and 62852
62891	22340	Roller Presser (ball bearing) complete,
		7/8 in. diam., 1/8 in. face, coarse
		roller, with ratchet brake, Nos.
		230F, 51909, 62840 and 62878
62909		Shuttle Race Body 62517 with two 391J,
300740	00500	for 31-17 Machine (for Agents only)
120342	22308	Oiler (copper plated) with 120343 (Attachments and Accessories)
120343	22308	Oiler Spout, 3 1/2 in. long, for 120342.
120427	22337	Guide Holder Shank for 120428
120428	22337	Guide (adjustable, hinged) complete, Nos.
		940W,7071,28971,28972,35610,51224W
		and 120427

No.	Plate	Name
120496	22336	Finger Guard for 120498
120497	22336	 " Holder with 50302J, for
		120498
120498	22336	Finger Guard (metal) complete, Nos.236J,
		120496 and 120497
120857	22336	Finger Guard for 120860
120858	22336	 * Holder with 50302J, for
		120860
120860	22336	Finger Guard (wire) complete, Nos.120857,
		120858 and two 236J
121146	22336	Edge Guide Slide with 26809, 51916 and
		two 12152, for 26810
125424	22311	Face Plate Thread Guard (upper) Rivet
		for 139615
126356	22332	Belt Guard for 126365 * * Bracket for 126365
126363	22332	
126364	22332	" Extension for 126365
126365	22332	Belt Guard (adjustable) complete, for Bench Stand, Nos. 162D, 1480D, 9331,
		50551J,126356,126363,126364 and two
		wood screws 1 in. No. 10
127312	22338	Rock Shaft Hanger (back) with two wood
12/012	محمد	screws 1 in. No. 10 F.H. for 139624.
132590	22314	Arm Oil Tube Packing (felt) for 12454
139602	TOOLY	Oscillating Rock Shaft 24105 with 908C
139615	22311	Face Plate Thread Guard (upper) with
103010	DEDII	125424, for 20058
139622	22341	Drip Pan with four 1 in. wire nails, for
100000		power table, for 31-17 Machine
139623	22338	Rock Shaft Lifting Bracket Hook for
		139633
139624	22338	Rock Shaft complete for 139626 and
		139635, Nos. 2768, 12242, 127312 and
		139633
139625	22338	Rock Shaft complete for 139627 and
		139636, Nos. 2768, 139633 and two
		7539
139626		Knee Lifter complete (power table) for
		31-17 and 31-18 Machines, Nos. 76D,
		766D, 802D, 1521J, 5598, 12237,
		12240, 12241, 12415, 12416, 139624
		and two 178E
139627		Knee Lifter complete (individual motor
		and foot power stands) for 31-17 and
		31-18 Machines, Nos. 76D,766D,802D,
		1521J,5598,12237,12240,12241,12415,
120622		12416, 139625 and two 178E
139633		139623, for 139624 and 139625
		manco, Int. foaces sun reacco

No.	Plate	Name
139635		Knee Lifter complete (power table) for 31-29 Machine, Nos. 76D, 766D, 802D, 152LJ,5598,12240,12415,12416,20233,
139636		20234, 139624 and two 178E Knee Lifter complete (individual motor
		and foot power stands) for 31-29 Ma- chine, Nos.760,7660,8020,1521J,5598, 12240,12415,12416,20233,20234,139625 and two 178E.
140219C	22909	Rock Shaft Stop Dog Set Screw for 2770
150203	22893	Thread Unwinder Spool Rest Cushion (felt) for 225258 and 225260
200056E	23217	Bobbin Winder Stop Latch Screw for 259431.
200082D	23217	Bobbin Winder Tension Bracket Screw for 259431
200113F	23217	Bobbin Winder Brake Clamp Screw for 259431
200299H	23217	Bobbin Winder Stop Latch Trip Lever Hinge Screw for 259431
200380C	23217	Bobbin Winder Pulley Set Screw for 225368.
200383C	22893	Thread Unwinder Spool Rest Rod Set Screw for 202490.
201018C	22893	Thread Unwinder Spool Rest Set Screw for 225257 and 225259
201499B	23217	Bobbin Winder Tension Stud for 225461
2015728	22317	" " " Thumb Nut for 225462
201696J	22893	Thread Unwinder Thread Guide Lock Nut for 225258 and 225260
2016990	22340	Roller Ball Retaining Nut for 51882, 51890,51900 to 51902,51907,51909 and 51912.
202277	23217	Bobbin Winder Frame Oil Packing (Wick) for 225453
202478	23217	Bobbin Winder Stop Latch Trip Lever for 259431
202490	22893	Thread Unwinder Spool Stand with 200383C, for 225258 and 225260
206417	22340	Roller Ball for 51882, 51890, 51900 to 51902, 51907, 51909 and 51912 (28).
225257	22248	Thread Unwinder Spool Rest with 201018C, for 225258.
225258	22248	Thread Unwinder complete, for two spools or two large cones of thread, Nos. 201696J,202490,225257,225324,225326, 225388, two each 150203, 225391 and three wood screws 7/8 in. No.12 F.H.
225259	22893	Thread Unwinder Spool Rest with 201018C, for 225260

NUMERICAL LIST OF PARTS

	No.	Plate	Name
	225260	22893	Thread Unwinder complete, for one spool
			or one large cone of thread, Nos.
			150203,201696J,202490,225259,225324,
			225326,225388,225391 and three wood
			screws 7/8 in. No. 12 F.H
		00007	Thread Unwinder Thread Guide Rod Washer
	225322	22893	
			for 225324
	225324	22893	Thread Unwinder Thread Guide Rod with
			208E and 225322, for 225258 and
			225260
	225326	22893	Thread Unwinder Thread Guide Position
			Cup for 225258 and 225260
	225368	23217	Bobbin Winder Pulley with 200380C, for
	220000		259431
	225381	23217	Bobbin Winder Spindle for 259431
			Thread Unwinder Spool Rest Rod for
	225388	22893	225258 and 225260
	225390	22893	Thread Unwinder Thread Cone Holder, for
			inverted cones, for 225258 and
			225260
	. Not	te: No.	225390 is used with, but not included in
		225258	and 225260.
	225391	22893	Thread Unwinder Thread Guide for 225258
			and 225260
	225438	23217	Bobbin Winder Frame Oil Well Cap for
	20400	EOET!	225453
	005444	23217	Bobbin Winder Stop Latch for 259431
	225444		" Frame with 202277 and 225438,
	225453	23217	
			for 259431
•	225454	23217	Bobbin Winder Frame Hinge Pin for 259431
	225455	23217	" " Spring for 259431
	225456	23217	" " " Plunger for
			259431
	225458	23217	Bobbin Winder Stop Latch Thumb Lever for
			259431
	225459	23217	Bobbin Winder Stop Latch Thumb Lever
	2222 200		Hinge Stud for 259431
	225459	23217	Bobbin Winder Stop Latch Thumb Lever
	225453	2021	Joint Stud for 259431
			Bobbin Winder Tension Bracket with
	225461	23217	BODDIN WINDER TENSION DIZORGO WIGH
			201499B, for 225462
	225462	23217	Bobbin Winder Tension Bracket complete
			for 259431, Nos.13710,201572B,225461
			and two 2102
	228026	23217	Bobbin Winder Tension Bracket Screw
			Washer for 259431
	259428	23217	Bobbin Winder Brake (leather) for 259431
	259429	23217	" " Clamp for 259431
	259430	23217	* * and Tension Bracket Base
	V05607	AUA1	for 259431

NUMERICAL LIST OF PARTS

> SINGER Needles should be used in SINGER Machines. These Needles and their Containers are marked with the Company's Trade-Mark "SIMANCO.**" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

