## Singer 67-1

## PRICE LIST

OF

# **PARTS**

FOR

No. 67-1

MACHINE

The Singer Manufacturing Company

#### INDEX.

	PA	
Accessories		14
Bobbin Winder (Hand)		
No. 67-1 Machine.		-
Numerical List		

#### LIST OF PARTS

FOR

### No. 67-1 MACHINE

In ordering from this list, use ONLY the PART number in the FIRST column.

The number stamped on Sewing Machine parts is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the **SAME PART** in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

- A. Hardened, Polished and Plated,
- B. Polished and Plated.
- C. Hardened only.
- D. Polished "
- E. Soft, not polished.

These letters MUST BE USED when they appear in the list, and AFTER the number, as in the list.

In this series

1 to 1500 are Screw Numbers.

1501 " 1800 " Nut

1801 " 2000 " Roller

2001 and upward are numbers of Machine Parts.

The figures in the second column refer only to the plates illustrating the parts, and are NOT TO BB USED in ordering.

Parts marked with an asterisk (\*) are furnished only when repairs are made at factory.

LIST OF PARTS COMPLETE FOR

#### No. 67-1 MACHINE

FOR STITCHING CARRIAGE DASHES AND FENDERS.

Independent Upper and Under Feeds, Oscillating Shuttle; Can be Driven Either by Hand or Mechanical Power; Needle Plates Are Adjustable for Panel or Raised Work Without Removing Screws; Feed Surfaces Smooth and Cannot Mar the Work.

No.	Plate		Each
*21751		Arm, upper and lower (solid)	B —
21752	4500	" Shaft (horizontal, lower)	5 00
21753	4501	" " Bushing (back)	
			2 00
968c	4525	Arm Shaft (horizontal, lower) Bushing	
		(back) Set Screw	08
21754	4502	Arm Shaft (horizontal, lower) End Bear-	
		ing with 11119	1 75
9046	4519	Arm Shaft (horizontal, lower) End Bearing	
•••		Dowel Pin	05
199 E	4526	Arm Shaft (horizontal, lower) End Bearing	-
1402		Screw	06
21755	4501	Arm Shaft (horizontal, lower) Gear with	
W1100	2002	4850	2 00
25303	4507	Arm Shaft (horizontal, lower) Gear Ball,	
20000	100.	size ½ in	08
8012	4519	Arm Shaft (horizontal, lower) Gear Pin	01
	4507	" " Set	
2000	2001	Screw	04
11119	4519	Arm Shaft (horizontal, lower) Oil Tube	
11110		(back) with 29599	06
11119	4519	Arm Shaft (horizontal, lower) Oil Tube	
11110		(front) with 29599	06
18130	4519	Arm Shaft (horizontal, lower) Oil Tube	
10100	1010	(intermediate) with 29599	06
29599	4519	Arm Shaft (horizontal, lower) Oil Tube	
20000	2010	Packing (felt)per 100	25
21756	4500	Arm Shaft (horizontal, upper)	5 00
21757	4501	" " Bushing	
21.0.	#00±	(back)	2 00
9680	4525	Arm Shaft (horizontal, upper) Bushing	
		(back) Set Screw	08
21758	4501	Arm Shaft (horizontal, upper) Gear with	
,		4460	2 00
3012	4519	Arm Shaft (horizontal, upper) Gear Pin.	01
002.0	4507	" " " " Set	i
2200		Screw	03
11119	4519	Arm Shaft (horizontal, upper) Oil Tube	:
		(back) with 29599	0 <b>6</b>

		N	o. 67-1	Machine	Parts			5
No.	Plate			Name				Each
<b>1</b> 1119	4519	Arm 8	haft (	horizont	al, up	per) (	il Tube	
		(fron	t) with	29599			<b></b> \$	06
18130	<b>4519</b>						Dil Tube	0.0
		(inte	rmedia	te) with	29599			06
29599	4519						Dil Tube	25
		Pack	ing (f	elt)	• • • • • •		per 100	20 1 <b>50</b>
21759	4502	Arm S	aart (u	prignt).	) Dun alea		er)	50
*21760	4504	"	"	"	)racke	L (10W 6	21760	00
21877	4501			and two	each 1	23k an	d 2049	90
*21761		Arm S	haft (1	nright)	Brack	et (low	er) Cap.	25
2049	4519	AIII S	46	(f		"	"	
<b>20</b> ±0,	1010	Dow	el Pin					01
123r	4526	Arm S	haft (	upright)	Brack	cet (lo	wer) Cap	
		Scre	w					<b>06</b>
2049	4519	Arm S	haft (u	pright) I	3racke	t (lowe	er) Dowel	A4
		Pin .						01 06
	4526			(pright	Bracke		er) Screw	50
*21762	<b>**</b> -	"	"	"	"	(upp	er) 21762	30
21878	4501			• •		100 m av		90
*01500		with	21763 Doft (	and two	Brook	tet (m	nd <b>204</b> 9 pper) Cap	. 25
*21768 2049	4519	Arm c	ият (	abiigns)	331 aC	zer (a)	ppor) cup	
2049	4919		el Pin					01
123r	4526	Arm 8	Shaft (	upright)	Brac	ket (uj	pper) Cap	
		Scre	w					06
2049	4519	Arm S	haft(u	pright)	Bracke	et(upp	er) Dowel	
		Pin	• • • • • •				.,,	01
1231	4526			(pright	Bracke	t (upp	er) Screw	06 40
21764	4515	44	"	"	Collar		wo 448c	03
	4515	"	46	"	O/		with 446c	
	4516	"	"	••	Gear	iowei)	Cover	50
21766	4502	"	41	44	44	44	"	••
389	4520		w					04
3012	4519	Arm 8	haft (	pright)	Gear (	lower)	Pin	01
	d 4507		Me .			**	Set Screw	03
21767	4516	44	66°, 5°, 5	44	" (1	upper)	with 4460	
21768	4502	"	44	41	44	44	Cover	40
389	4520	**	"	"	**	44	"	04
		Scr	w					01
3012	4519	Arm	shaft (t	iprignt)	Jrear (≀ =rr=		Pin Set Screw	03
	o 4507		-					05
8708	4519							30
21769 21770	4500 4500		ouppu					75
	. 4500 в 4526		44					20
	D 4509		4.6	"				06
2022			64	" S				01
21771	4500		4.6		-			25
21772			44	"	•			25
	р 4526	"	44	44	Hin	ge Scr	ew	20

8999 4519 Driving Attachment Treadle Pin.....

Washer.....

21785 4507

		110. U?-1 macingo raits.	•
No.	Plate	Name E	ach
*21786		Feed (lower) Cam\$	
*21787		" " Body	_
129c	4503	" " Set Screw	04
21788	4503	" ' Pressure Spring	05
21789	4503	" " " Cap	10
401p	4503	ii ii ii ii ii ii ii	
		Screw	02.
21790	<b>4</b> 503	Feed (lower) Cam (adjustable) complete,	
		Nos. 401D, 1106c, 21786 to 21789 and two	
		129c10	
21791	4502	Feed (lower) Lever10	
21792	4502	" Cover (lower)	40
389	4520	" " " Serew	04
21793	4502	" " (upper)	30
389	4520	" Screw	04
21794	<b>450</b> 3	" " Slide Block	60
1307	4503	" " " Screw Stud	20
21795	4503	te te life life in the th	
		Washer	20
21796	4503	=:•••• (-0.0, -0.0);	50
446o	4507	" " Set Screw	03
1106o	4503	" " Regulating Screw	18
21797	4508		00
21798	4508	" " Connecting Link 2	00
25	4526	" " " Hinge	
		Screw	15
21799	4508		00
145	4517	Screw	04
21800	4504	Feed (upper) Cam and Hand Wheel with	VX.
21000	40V4	two 445c 4	00
445-	4500	Feed (upper) Cam and Hand Wheel Set	vo
<b>445</b> 0	4009	Screw	03
01001	4500		50
21801	4509	" " Adjusting Screw	15
1808c		" " Aujusting Screw	10
1596D	4009	Nut	06
19529	4509	Feed (upper) Regulator Adjusting Screw	•
10020	2000	Sleeve	15
212р	4500	Feed (upper) Regulator Adjusting Screw	
2120	2000	Stop Screw (lower)	04
207	4509	Feed (upper) Regulator Adjusting Screw	••
201	2000	Stop Screw (upper)	02
21802	4508	Feed (upper) Regulator Crank Shaft with	•
21002	4000	1813 5	ሰሰ
21803	4508	Feed (upper) Regulator Crank Shaft Bracket	75
		reed (upper) Regulator Crank Shart Dracket	10
9046	4519	Dowel Pin	05
1955	4526	Feed (upper) Regulator Crank Shaft Bracket	
1000	-2040	Screw	05
1813	4527	Feed (upper) Regulator Crank Shaft Roller	
1019	3001	and Stud	20
		, , , , , , , , , , , , , , , , , , ,	

No. 67-1 Machine Parts.

Leg (left) ..... 5 00

" (right)..... 5 00

" Screw...... 18

Lifting Presser Bar ..... 1 00

" " Bell Crank....... 1 75

21823 4519

21825 ----

21826 4510

11476 4510

166D 4526

429c 4526 21824 —

578E 4525

No.	Р	late	Name Ea	ach
1851	4	1527	Lifting Presser Bar Bell Crank Lifting	
			Roller with 610p\$	35
6101	,	4526	Lifting Presser Bar Bell Crank Lifting Roller Screw	10
1518r		459B	Lifting Presser Bar Bell Crank Lifting	
			Roller Screw Nut	04
2718	-	4517	Lifting Presser Bar Bell Crank Lifting	04
		45.10	Roller Screw Nut Washer	01
11478		4510	Lifting Presser Bar Bracket with two 145 1	25
145	•	4517	Screw	04.
11908			Lifting Presser Bar Lifter 1	
21827		4512	Lifting Presser Bar Lifter complete, Nos.	
21021		<b>1</b> 01~	11908, 21828 and 21830 1	50
8760		4509	Lifting Presser Bar Lifter Friction Washer	08
		4526	" " " Hinge Screw	20
21828		4519	" " Stop Pin	05
21829		4512	u u u Tiffing Link	50
1310ı			" " " Hinge	
10101			Screw Stud (lower)	15
7958		4519	Lifting Presser Bar Lifting Link Hinge	
			Screw Stud (lower) Pin	01
9043		4509	Lifting Presser Bar Lifting Link Hinge	
			Screw Stud (lower) Washer	10
21830		4509	Lifting Presser Bar Lifting Link Hinge	
			Stud (upper)	25
7958		4519	Lifting Presser Bar Lifting Link Hinge	
			State (approx	01
8765		4509	Lifting Presser Bar Lifting Link Hinge	
		•	Stud (upper) Washer	04
11479		4510	Lifting Presser Bar Rock Shaft	25
11480		4510	" " " Adjusting Arm with 190p 1	00
~			Arm With 1900	vv
2117		4519	Lifting Presser Bar Rock Shaft Adjusting	01
			Arm Pin	O1
190:	D	4526	Arm Set Screw	03
44404		4240	Lifting Presser Bar Rock Shaft Bracket 1	
11481				UU
4389		4519	Dowel Pin	02
199		4526	Lifting Presser Bar Rock Shaft Bracket	
7.20	r.	1020	Screw	06
21831		4510		
%1001		<b>T</b> 010 .		25
2117		4519	Lifting Presser Bar Rock Shaft Crank Pin	01
1850		4527	" " " Roller	
1000			and Stud	25
458	σ	4507	Lifting Presser Bar Rock Shaft Crank Set	
			Screw	02
11486		4510	Lifting Presser Bar Rock Shaft Eccentric	
			Strap with two each 141 and 1528p 1	50

No. 67-1 Machine Parts.

11918 4511 Oil or Wax Stripper Washer (steel) for

11917....

No. 67-1 Machine Parts.

11

		No. 67-1 Machine Parts.	18
No.	Plate		ach
1560c	4517	Thread Retainer Regulating Thumb Nut\$	04
8905	4517	66 66 66 64	
		Washer	01
686p	<b>4</b> 518	Thread Retainer Screw Stud	25
2103	4518	" Spring	03
11041		Thread Retainer complete, Nos. 686D,	
		1560c, 2103, 8905 and two 2102	45
11505	4516	Thread Take-up Cam with two 434c 5	00
8873	4519	" " Pin	05
<b>434</b> 0	4515	" Set Screw	04
19753		" Lever 2	00
19754	4516	Thread Take-up Lever complete, Nos. 1948,	20
		1951 and 19753 2	
$567 \mathrm{D}$	4526	Thread Take-up Lever Hinge Screw	15
1951	4527	" " Roller and Screw Stud with 1518E	40
	4500	Thread Take-up Lever Roller and Screw	10
1518E	4526	Stud Nut	04
1010	1202	1 (1 : 1:	O-E
1948	4527	Thread Take-up Lever Thread Guiding Roller and Screw Stud	25
		Thread Take-up Spring	08
11506	4518	" " Regulator Plate	15
11936	4518	" " Regulator Flate	10
1901	4526	Adjusting Screw	03
44000	4540		10
11937	4518		01
9525	4518		-
21860	4520	to bolt	4 00
01001	4500		3 00
21861	4520		
21862	4521		
21863	4521 4522		
21864	4520	7 22 27 77 70 (dl.) for	
21865	4020		1 00
21866	4520		
21000	4020	for 21870	2 00
21867	4521	TO (2	
21004	402 I	for 21871	2 00
21868	4521	Throat Plate Needle Hole Plate (raised)	
21000	1021	for 21872	2 00
21869	4522	2 Throat Plate Needle Hole Plate (raised)	
21000	1000	for 21873	2 00
8961	4518		02
21870		Throat Plate complete for 21804, Nos. 8961,	
21010	10.00	21861, 21865 and 21866	6 00
21871	4521	1 Throat Plate complete for 21805, Nos. 8961,	
21011	1041	21862. 21865 and 21867	6 00
21872	4521	1 Throat Plate complete for 21806, Nos. 8961,	
~1014	10.0	21863, 21865 and 21868	6 00
21878	3 4522	2 Throat Plate complete for 21807, Nos. 8961,	
21016	, .E.J.WA	21864, 21865 and 21869	6 00
389	4520	_: _:	04

#### ACCESSORIES.

No.	Plate	Name	Each
1113 <b>x</b>	4525	Leg Foot Screw	\$ 05
9281	4507	" " Washer	01
25957	4528	Oiler with 25958	12
25958	4528	" Spout, 4½ in. long	04
26151	4528	Screw Driver (small)	10
11831	4528	" " (large)	20
11864	4500	Shaft Driving Pulley (sectional) 10 in.	
		diam., $1\frac{1}{4}$ in. face, $1\frac{3}{16}$ in. bore, with two	
		597c	75
597c	4525	Shaft Driving Pulley Clamping Screw	08
8908	4529	Wrench for 968	08
8909	4529	" " 1513	10
8910	4529	" " 338	25
21874	4529	" " 779	25
21875	4529	" " 1306 and 1311	50
21876	4529	" ". 573	1 20

## BOBBIN WINDER (Hand.)

No.	Plate	Name	Each
11755		Belt	₿ 05
11756		" 11755 with 25028	05
25028	4511	" Hook	01
135 n	4526	Bobbin Winder Screw	05
11758	4506	Frame	50
11759	4516	Pulley	25
11760	4506	" Driving Wheel	50
8380	4516	" " Handle	03
11762	4511	" " " Stud	10
8382	4511	" " Washer	01
11761		Pulley Driving Wheel Handle complete,	
		Nos. 8380, 8382 and 11762	10
11763	4511	Pulley Driving Wheel Stud	10
2269	4507	" " " Pin	01
11764	4511	" " Washer	01
11765	4516	Spindle	40
11754	4506	Bobbin Winder complete, Nos. 2269, 11756,	
		11758 to 11761 and 11763 to 11765	2 00

#### NUMERICAL LIST

	,	
No. Plate		ach
16 <sub>D</sub> 4526	Dash Support Arm Screw for 21773\$	20
16 <sub>D</sub> 4526	" Bracket Hinge Screw	20
16D 4526	Lifting Presser Bar Lifter Hinge Screw	20
25 <b>4526</b>	Feed (upper) Bar Connecting Link Hinge	
	Screw	15
122D 4517	Tension Screw Stud Clamping Screw for 11501	05
123E 4526	Arm Shaft (horizontal lower) End Bearing	
	Screw	06-
123E 4526	Arm Shaft (upright) Bracket (lower) Cap	
400 4000	Screw for 21877	06
123E 4526	Arm Shaft (upright) Bracket (lower) Screw.	06-
123 д 4526	Arm Shaft (upright) Bracket (upper) Cap	
100 1504	Screw for 21878	06 06
123 m 4526	Arm Shaft (upright) Bracket (upper) Screw.	UQ-
123E 4526	Driving Attachment Lever Connecting Rod	0.0
100- 1500	Bell Crank Bracket Screw	06 06
128E 4526	Lifting Presser Bar Rock Shaft Bracket Screw	04
129c 4503 135p 4526	Feed (lower) Cam Body Set Screw for 21790.  Bobbin Winder Screw	05
135D 4526	Feed (upper) Regulator Crank Shaft Bracket	U-O-
150D 4020	Screw	05
135 <sub>D</sub> 4526	Oil Cup Screw	05
138E 4526	Lifting Presser Bar Spring Bracket Screw	05
141 4526	Lifting Presser Bar Rock Shaft Eccentric	00
141 4020	Strap Adjusting Screw for 11486	04
145 4517	Feed (upper) Bar Hinge Bracket Adjusting	•
,10 1011	Screw for 21799	04
145 4517	Lifting Presser Bar Bracket Clamping Screw	
	for 11478	04
145 4517	Tension Bracket and Feed (upper) Bar Cap	
	Screw	04
146p 4526	Shuttle Driving Lever Rack Screw	05
166p 4526	Lifting Presser Bar Bell Crank Hinge Cap	
	Screw	07
180 4514	Shuttle Race Position Plate Screw	03
190ъ 4526	Lifting Presser Bar Rock Shaft Adjusting	
	Arm Set Screw for 11480	03
190р 4526	Lifting Presser Bar Spring Bracket Thread	
	Eyelet Screw	03
190р 4526	Thread Take-up Spring Regulator Plate Ad-	
	justing Screw for 11501	-80
207 4509	Feed (upper) Regulator Adjusting Screw Stop	
	Screw (upper)	02:
207 4509	Oil Cup Cover Latch Spring Screw for 11920	02.
207 4509	Oil or Wax Stripper Washer Screw for 11920	02
209 4509	Needle Set Screw	02:
211 4520	Lifting Presser Foot Set Screw	02

Collar Set Screw for 21779.....

No. Plate	Name E	ach
453c 4507	Lifting Presser Bar Rock Shaft Crank Set	
	Screw for 21831\$	02
4530 4507	Pulley (loose) Shaft and Ball Case Set Screw.	02
453c 4507	Shuttle Race Oil Hole Stop Screw	02
457c 4514	Shuttle Driver Pinion Set Screw for 21845	02
566c 4509	Needle Bar Connecting Link Hinge Screw	12
567р 4526		15
573E 4525	Leg Screw	18
590m 4518	Shuttle Cylinder Latch Spring Screw for 11851	02
597c 4525	Shaft Driving Pulley Clamping Screw for 11864	08
607D 4517 608 4526	Tension Screw Stud for 12042	30
000 4920	Lifting Presser Bar Rock Shaft Eccentric	4 80
609p 4526	Strap Hinge Screw	15 45
610n 4526	Pressure Regulating Thumb Screw Lifting Presser Bar Bell Crank Lifting Roller	40
010D 4020	Screw for 1851	10
686 <b>p</b> 4518	Thread Retainer Screw Stud for 11041	25
691 4511	Hand Attachment Crank Lever Handle Screw	04
704o 4520	Feeding Foot (upper) Screw	04
765c 4507	Pulley (loose) Collar Position Screw for 21838.	05
773c 4513	Shuttle Tension Regulating Screw for 11851.	05
779D 4525	Hand Attachment Gear Bracket Screw	10
832c 4515	Shuttle Driving Eccentric Position Screw for	
904 4514	21847	06
894 4514	Shuttle Driver Screw	05
910o 4515	ranged Dearing Ban Majast-	^^
933p 4514	ing Ring Set Screw	03 07
968c 4525	Shuttle Race Ring Spring Screw	01
9000 4020	Set Screw	08
968c 4525	Arm Shaft (horizontal, upper) Bushing (back)	00
9000 4029	Set Screw	08
1106c 4508	Feed (lower) Regulating Screw for 21790	18
1113E 4525	Leg Foot Screw (Accessories)	05
1304c 4526	Driving Attachment Lever Adjusting Screw.	06
1806E 4525	" " Hinge Screw	55
1307 4503	Feed (lower) Lever Slide Block Screw Stud	20
1308c 4509	" (upper) Regulator Adjusting Screw	15
1309c 4520	" Dog Screw	04
1310р 4526	Lifting Presser Bar Lifting Link Hinge Screw	
	Stud (lower).	15
1311E 4525	Shuttle Driving Lever Hinge Screw	50
1507E 4526	Table Support Nut	05
1513c 4509	Driving Attachment Lever Adjusting Screw Nut	05
1513c 4509	Needle Bar Connecting Link Hinge Screw	00
10100 4008	Nut	05
1518в 4526	Lifting Presser Bar Bell Crank Lifting Roller	
1810- 4500	Screw Nut.	04
1518E 4526	Lifting Presser Bar Rock Shaft Eccentric	0.4
	Strap Hinge Screw Nut	04

Numerical List.

17

18

3012 4519

No.	Płate	Name Each	
14708	4502	Driving Attachment Pitman complete,	
		Nos. 9079, 14707 and 27639 22	
18130	4519	Arm Shaft (horizontal, lower) Oil Tube	
		(intermediate) with 29599 06	
18130	4519	Arm Shaft (horizontal, upper) Oil Tube	
		(intermediate) with 29599 06	
19529	4509	Feed (upper) Regulator Adjusting Screw	
		Sleeve	
19753		Thread Take-up Lever for 19754 2 00	
19754	<b>4</b> 516	Thread Take-up Lever complete, Nos. 1948,	
		1951 and 19753 2 60	
*21751	4500	Arm, upper and lower (solid) —  "Shaft (horizontal lower)	
21752	4500	Chair (Hollicoloui, 10 ii 01)	
21753	4501	(back) 2 00	
21754	4502	Arm Shaft (horizontal, lower) End Bearing	
21101	1002	with 11119 1 75	
21755	4501	Arm Shaft (horizontal, lower) Gear with	
	2012	4350	
.21756	4500	Arm Shaft (horizontal, upper) 5 00	
21757	4501	" " Bushing	
		(back) 2 00	
21758	4501	Arm Shaft (horizontal, upper) Gear with	
		446c 2 00	
21759	4502	Arm Shaft (upright) 1 50	
*21760		" " Bracket (lower) for	
¥01701		21877 50 Arm Shaft (upright) Bracket (lower) Cap	
*21761		for 21877 25	
*21762		Arm Shaft (upright) Bracket (upper) for	
21102		21878 50	
*21763		Arm Shaft (upright) Bracket (upper) Cap	
		for 21878	
21764	4515	Arm Shaft (upright) Collar with two 448c 40	
21765	4516	" " Gear (lower) with 4460 2 00	
21766	4502	" " Cover 50	
21767	4516	" " (upper) with 4460 2 00	
21768	4502	" " Cover 40	
		Nos. 21769 to 21772 for 21773.	
04700	4500	Dash Support (wood)	
21769	4500	Dash Support (wood)         30           " " Arm         75	
21770	4500	" " Bracket (back) 25	
21771	4500 4500	" " (front) 25	
21772 21773	4000	Dash Support complete, Nos. 21769, 21771,	
21110		21772, two each 16p, 1596p, 2022, 21770	
		and four wood screws 1 in. No. 16 3 00	
21774	4502	Driving Attachment Lever 1 00	
21775	4502	" " Bracket 1 25	
21776	4500	" " Connecting Rod 75	
.21777	4505		
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2300	Bell Crank 40	

No.	Plate		ach
21778	4505	Driving Attachment Lever Connecting Rod Bell Crank Bracket	40
21779	4507	Driving Attachment Lever Connecting Rod Collar with two 453c	30
21780	4507	Driving Attachment Lever Plug (wood) .	01
21781	4500	" " Treadle with 342p. 9842	VΙ
21701	#000	and 21782 2	50
21782	4518	Driving Attachment Treadle Eyelet for 21781	20
21783	4505	Driving Attachment Treadle Hinge Stud 1	
21784	4507	" " " "	••
		Nut Washer	20
21785	4507	Driving Attachment Treadle Washer	20
		Nos. 21786 to 21789 for 21790.	
*21786		Feed (lower) Cam	
*21787		" " " Body	_
21788	4503	" " Pressure Spring	05
21789	4503	" " " Cap	10
21790	4503	Feed (lower) Cam (adjustable) complete,	
		Nos. 401p, 1106c, 21786 to 21789 and two	
		129o 10	00
21791	4502	Feed (lower) Lever 10	00
21792	4502	" " Cover (lower)	40
21793	4502	" " (upper)	30
21794	4503	" " Slide Block	60
21795	4503	Washer " Screw Stud	20
21796	4503		50
21797	4508	" (upper) Bar 5	
21798	4508	" " Connecting Link 2	
21799	4508	" " Hinge Bracket with 145 3	
21800	4504	" Cam and Hand Wheel with	w
21000	1001	two 4450 4	00
21801	4509	Feed (upper) Regulator with 446c 2	50
21802	4508	" " Crank Shaft with	00
21803	4508	Feed (upper) Regulator Crank Shaft Bracket	75
21804	4520	Feed Dog (lower) for stitching close to the	
01005	4501	iron	50
21805	4521	Feed Dog (lower) for stitching \( \frac{1}{8} \) inch from iron 2	50
21806	4521	Feed Dog (lower) for stitching ¼ inch from iron	50
21807	4522	Feed Dog (lower) for stitching 3 inch from	
01000	4520	iron	50
21808	4520 4521	= :	
21809		#1000 Q	50
21810	4521	" " " 2180 <b>6</b> 2	50

12


Ţ

26		Numerical List.
No.	Plate	Name Each
27598		Pulley (tight) Friction Ring (leather) for
27639	4502	21841
27795	4507	for 14708
27795	4507	Pulley (loose) Shaft and Ball Case Set Screw Washer
29599	4519	Arm Shaft (horizontal, lower) Oil Tube Packing (felt) for 11119 and 18130,
29599	4519	Arm Shaft (horizontal, upper) Oil Tube Packing (felt) for 11119 and 18130,
	• •	per 100 25


1 4 12 4

# PLATE 4500-ONE-NINTH SIZE 21752 21776 66 1/2 INCHES LENG TH


#### PLATE 4503-FULL SIZE




#### PLATE 4504-ONE-FOURTH SIZE




#### PLATE 4505-ONE-HALF SIZE




#### PLATE 4506-ONE-FOURTH SIZE




#### PLATE 4507—FULL SIZE




#### PLATE 4508-ONE-HALF SIZE




#### PLATE 4509—FULL SIZE




#### PLATE 4510-ONE-HALF SIZE




#### PLATE 4511—FULL SIZE




#### PLATE 4512-ONE-HALF SIZE




#### PLATE 4513—FULL SIZE




#### PLATE 4514-FULL SIZE




#### PLATE 4515—FULL SIZE




#### PLATE 4516-ONE-HALF SIZE




#### PLATE 4517-FULL SIZE




#### PLATE 4518-FULL SIZE




#### PLATE 4520-FULL SIZE







#### PLATE 4521—FULL SIZE




#### PLATE 4522—FULL SIZE




#### PLATE 4525—FULL SIZE




#### PLATE 4526-FULL SIZE



#### PLATE 4527—FULL SIZE



#### PLATE 4528-ONE-HALF SIZE



## **PLATE 4529—0NE-HALF SIZE** 910 21876 21

